

Breastfeeding Pre-Test

For the following questions,
circle **T** if the statement is true, and **F** if the statement is false.

- | | | | |
|---|---|-----|--|
| T | F | 1. | You should always wear gloves when handling human milk. |
| T | F | 2. | Breastfed babies have fewer ear infections. |
| T | F | 3. | Babies who receive formula have more diarrhea than those who do not. |
| T | F | 4. | Supporting breastfeeding is part of my job. |
| T | F | 5. | If a child is not breastfed, she is more likely to die of SIDS. |
| T | F | 6. | Formula contains all of the components in human milk. |
| T | F | 7. | I can affect whether or not a mother continues breastfeeding her baby. |
| T | F | 8. | A good way to feed a baby cereal is in a bottle. |
| T | F | 9. | The longer a mother breastfeeds, the better it is for her health. |
| T | F | 10. | If a mother's diet is poor, she should not breastfeed. |
| T | F | 11. | It is best if babies receive only mother's milk until they are six months old. |
| T | F | 12. | Microwaving is a good way to warm bottles. |
| T | F | 13. | It is best for everyone if babies are fed on a schedule. |
| T | F | 14. | Human milk will spoil if left at room temperature for an hour. |
| T | F | 15. | You should always wear gloves when handling bottles of formula. |
| T | F | 16. | Most babies should start eating solid foods at about 4 months of age. |

Breastfeeding Post-Test

For the following questions,
circle **T** if the statement is true, and **F** if the statement is false.

- | | | | |
|---|---|-----|--|
| T | F | 1. | You should always wear gloves when handling human milk. |
| T | F | 2. | Breastfed babies have fewer ear infections. |
| T | F | 3. | Babies who receive formula have more diarrhea than those who do not. |
| T | F | 4. | Supporting breastfeeding is part of my job. |
| T | F | 5. | If a child is not breastfed, she is more likely to die of SIDS. |
| T | F | 6. | Formula contains all of the components in human milk. |
| T | F | 7. | I can affect whether or not a mother continues to breastfeed her baby. |
| T | F | 8. | A good way to feed a baby cereal is in a bottle. |
| T | F | 9. | The longer a mother breastfeeds, the better it is for her health. |
| T | F | 10. | If a mother's diet is poor, she should not breastfeed. |
| T | F | 11. | It is best if babies receive only mother's milk until they are six months old. |
| T | F | 12. | Microwaving is a good way to warm bottles. |
| T | F | 13. | It is best for everyone if babies are fed on a schedule. |
| T | F | 14. | Human milk will spoil if left at room temperature for an hour. |
| T | F | 15. | You should always wear gloves when handling bottles of formula. |
| T | F | 16. | Most babies should start eating solid foods at about 4 months of age. |