

References

1. IARC Working Group on the Evaluation of Carcinogenic Risks to Humans. *Non-Ionizing Radiation, Part 2: Radiofrequency Electromagnetic Fields*. Lyon, France: International Agency for Research on Cancer;2013.
2. Lowrance WW. *Of Acceptable Risk: Science and the Determination of Safety*. Los Altos, CA: William Kaufmann; 1976.
3. Samet JM, Straif K, Schuz J, Saracci R. Commentary: mobile phones and cancer: next steps after the 2011 IARC review. *Epidemiology (Cambridge, Mass)*. 2014;25(1):23-27.
4. National Toxicology Program. *NTP Technical Report on the Toxicology and Carcinogenesis Studies in Hsd: Sprague Dawley SD Rats Exposed to Whole-Body Radio Frequency Radiation at Frequency (900 MHz) and Modulations (GSM and CDMA) Used by Cell Phones*. Research Triangle, NC2018.
5. National Toxicology Program. *NTP Technical Report on the Toxicology and Carcinogenesis Studies in B6C3F1/N Mice Exposed to Whole-Body Radio Frequency Radiation at a Frequency (1,900 MHz) and Modulations (GSM and CDMA) Used by Cell Phones*. Research Triangle, NC2018.
6. Falcioni L, Bua L, Tibaldi E, et al. Report of final results regarding brain and heart tumors in Sprague-Dawley rats exposed from prenatal life until natural death to mobile phone radiofrequency field representative of a 1.8GHz GSM base station environmental emission. *Environmental research*. 2018;165:496-503.