


ISOLATION + QUARANTINE GUIDANCE by Vaccination Status

This guidance applies to the general public. If you live or work in a high-risk setting, including long-term care, correctional, shelter, healthcare or school/early childhood education settings contact your employer and/or public health for additional guidance.

	Not vaccinated/ Due for Booster*	Fully vaccinated and boosted (if eligible**) or positive for COVID-19 within the past 90 days
POSITIVE FOR COVID-19	<p>Isolate Immediately</p> <p>Stay separated from people who are healthy until you have had no fever for at least 24 hours (without the use of fever-reducing medicines), AND symptoms have improved, AND it has been at least 5 days since symptoms began (or test date if you never had symptoms).</p> <p>Wear a well-fitted mask for 5 additional days after ending isolation, avoid travel and being around people who are at high risk. If you are unable to wear a mask for an additional 5 days, you must isolate for the full 10 days from symptoms onset (or test date if you never had symptoms).</p> <p>How to Isolate: https://covid19.colorado.gov/isolation-and-quarantine</p>	<p>Isolate Immediately</p> <p>Stay separated from people who are healthy until you have had no fever for at least 24 hours (without the use of fever-reducing medicines), AND symptoms have improved, AND it has been at least 5 days since symptoms began (or test date if you never had symptoms).</p> <p>Wear a well-fitted mask for 5 additional days after ending isolation, avoid travel and being around people who are at high risk. If you are unable to wear a mask for an additional 5 days, you must isolate for the full 10 days from symptoms onset (or test date if you never had symptoms).</p> <p>How to Isolate: https://covid19.colorado.gov/isolation-and-quarantine</p>
EXPOSED*** TO COVID-19 AND SYMPTOMATIC	<p>Isolate and get tested</p> <p>If you test positive, continue isolating. If you test negative, it is safest to continue isolating and to retest 5 days after the exposure. Stay at home until your symptoms have resolved or you have completed quarantine, whichever is longer.</p> <p>How to Quarantine: https://covid19.colorado.gov/isolation-and-quarantine</p>	<p>Isolate and get tested</p> <p>If you test positive, continue isolating. If you test negative, stay at home until your symptoms resolve and consider testing again if symptoms persist. Retest 5 days after the exposure if initial test is negative.</p>
EXPOSED*** TO COVID-19 AND ASYMPTOMATIC	<p>Quarantine and get tested</p> <p>Stay home for 5 days. Continue to wear a well-fitted mask around others for 5 additional days, avoid travel and being around people who are at high risk. Test on day 5 after the exposure or at any time if you become symptomatic.</p> <p>How to Quarantine: https://covid19.colorado.gov/isolation-and-quarantine</p>	<p>Monitor for symptoms and get tested</p> <p>Quarantine is not required. Wear a well-fitted mask in public for 10 days after your last known exposure. Avoid travel and being around people who are at high risk. Test on day 5 after the exposure or at any time if you become symptomatic.</p>
SYMPTOMATIC, NO KNOWN COVID-19 EXPOSURES	<p>Stay home and get tested</p> <p>If you test positive, isolate. If you test negative, stay home until symptoms improve and wear a well-fitted mask around others. Check with your workplace for additional guidance on when it is safe to return.</p>	

Quarantine options



*You are due for a booster if you received two doses of Pfizer-BioNtech or Moderna and it has been more than 5 months since your second dose or if you received Johnson & Johnson's Janssen and it has been greater than 2 months since receiving your initial dose.

** Individuals who are within 5 months of receiving the second dose of Pfizer-BioNtech or Modera or within 2 months of receiving Johnson & Johnson's Janssen vaccine are not yet eligible for a booster and can refer to this column for guidance.

*** Exposed and close contact: less than 6 feet away from an infected person for a cumulative total of 15 minutes or more over a 24 hours period in the two days prior to their symptom onset (or test date if asymptomatic) through their isolation period (or since test date if they have remained asymptomatic).