

Background

The Healthy Kids Colorado Survey (HKCS) collects anonymous health information from middle and high school students throughout the state and is used to better understand youth health and the factors that help young people make healthy choices. This report includes your district's weighted results from the 2023 HKCS and represents students that participated in the survey in your district. The HKCS is supported by the Colorado Departments of Public Health & Environment, Education, Public Safety, and the Behavioral Health Administration, and is administered by the Colorado School of Public Health (CSPH).

Questionnaire and Survey Administration

The HKCS measures comprehensive health topics for adolescents including unintentional injuries and violence; mental health; school safety; substance use; physical activity and nutrition; sexual behavior (optional); and risk and protective factors. Many questions are drawn from the Centers for Disease Control and Prevention Youth Risk Behavior Surveillance System. Other questions have been added with community input to meet additional data needs in Colorado. The standard version of the middle school survey has 82 questions.

The survey is administered online in English or Spanish and takes about 30 minutes to complete. Teachers provide instructions to students emphasizing the anonymous and voluntary nature of the survey. Parental consent procedures are followed according to each district's guidelines, with advance notification of the administration. Parents may choose not to allow their child to participate, and students may also decline participation. The HKCS selects a random sample of schools to represent Colorado and is also available to other schools at no cost. Within some schools, a sample of classrooms is selected to participate. In most schools, all students are surveyed.

Key Definitions and Considerations

Response rate: Response rate, shown on the next tab, is the total number of students who participated in the survey divided by the number of students eligible to participate in the district, for both sampled and opt-in schools. The higher the response rate, the more confidence that the results represent the entire student population in the district. For response rates less than 60%, results should be interpreted with caution as they are likely less representative.

Confidentiality: Responses are suppressed if they might allow students to be identified. A period (.) appears when results are suppressed, specifically if fewer than 3 students responded 'yes' to a question or if results represent 0% or 100% of students. In districts with enrollment over 35, results are suppressed if fewer than 30 students responded to a question.

Significance: When comparing results, for example between different demographic groups, examine the 95% confidence intervals. If the intervals overlap, there is no evidence to believe the compared results are different from each other. If they do not overlap, there is high confidence that the results are different (i.e., the difference is statistically significant). Judgement is needed to decide whether the size of the difference is meaningful and important.

Risk and Protective Factors: Certain results in this report are categorized as risk and protective factor items, which help us understand the upstream predictors of youth health outcomes. Risk factors are characteristics of community, family, and school environments, and of students and their peer groups, that predict increased likelihood of unwanted health outcomes. Protective factors are behavior patterns and social factors that appear to increase a young person's resistance to unwanted health outcomes. Risk and protective factors are often shared across multiple outcomes, which means they can predict more than one youth health outcome. Reducing risk and increasing protective factors can result in healthier youth across a variety of shared outcomes.

www.healthykidscolo.org | CSPHSurveyTeam@CUAnschutz.edu

Boulder Valley Re 2

Expanded response options were included for certain demographic questions on the HKCS. In Table 1 below, results for all response options are shown. In Table 2 on the next tab, results for limited response options are shown that are used throughout the report.

| Table 1. Student demographics by all response options | | Response Rate*: 100% | | |
|---|--------|----------------------|--|--|
| Demographic | Number | Number/Total Sample | | |
| Participants | | | | |
| Total | 2423 | 100.0% | | |
| Gender | | | | |
| Female | 1052 | 44.5% | | |
| Male | 1195 | 50.5% | | |
| Nonbinary | 37 | 1.6% | | |
| Another identity | 26 | 1.1% | | |
| Not Sure | 56 | 2.4% | | |
| Grade | | | | |
| 6th Grade | 400 | 16.7% | | |
| 7th Grade | 1065 | 44.5% | | |
| 8th Grade | 927 | 38.8% | | |
| Race/Ethnicity | | | | |
| White | 1500 | 66.2% | | |
| Hispanic/Latinx | 251 | 11.1% | | |
| Black/African American | 38 | 1.7% | | |
| East/Southeast Asian | 50 | 2.2% | | |
| South Asian | 31 | 1.4% | | |
| American Indian/Alaska Native | 28 | 1.2% | | |
| Native Hawaiian/Other Pacific Islander | 2 | 0.1% | | |
| Niddle Eastern/North African/Arab | 15 | 0.7% | | |

| Demographic | Number | Number/Total Sample |
|--------------------|--------|---------------------|
| Multiracial | 330 | 14.6% |
| Another identity | 22 | 1.0% |
| Sexual Orientation | | |
| Straight | 1739 | 77.6% |
| Bisexual | 151 | 6.7% |
| Gay/Lesbian | 60 | 2.7% |
| Pansexual | 63 | 2.8% |
| Asexual | 41 | 1.8% |
| Another identity | 25 | 1.1% |
| Not Sure | 163 | 7.3% |
| Gender Identity | | |
| Cisgender | 2201 | 94.4% |
| Transgender | 60 | 2.6% |
| Not Sure | 70 | 3.0% |

*The higher the response rate, the more confidence that the results represent your student population. For response rates less than 60%, results should be interpreted with caution. **Students included in "Another identity" selected this response on the survey and had the option to write in their answer.

***Students included in "Multiracial" selected two or more racial and ethnic identities and represent numerous unique combinations.

Expanded response options were included for certain demographic questions on the HKCS. In Table 1 below, results for <u>all</u> response options are shown.

In Table 2 on the next tab, results for <u>limited</u> response options are shown that are used throughout the report.

Boulder Valley Re 2

Expanded response options were included for certain demographic questions on the HKCS. In Table 1 on the previous tab, results for <u>all</u> response options are shown. In Table 2 below, results for limited response options are shown that are used throughout the report.

All response options are important, valued, and valid. To reduce the amount of data suppressed in the report,

certain response options for demographics were either combined or not reported in Table 2 and in subsequent tabs throughout the report.

Specifically: Gender: "Not sure" and "Another identity" are not reported. Race/Ethnicity: "East/Southeast Asian" and "South Asian" are combined into "Asian";

"Middle Eastern/North African/Arab" and "Another identity" are not reported. Sexual Orientation: "Pansexual", "Asexual", and "Another identity" are not reported.

Table 2. Student demographics by limited response options, as applicableResponse Rate*: 100%

| Number | Number/Total Sample |
|--------|--|
| | Number/Total Sample |
| | |
| 2423 | 100.0% |
| | |
| 1052 | 44.5% |
| 1195 | 50.5% |
| 37 | 1.6% |
| | |
| 400 | 16.7% |
| 1065 | 44.5% |
| 927 | 38.8% |
| | |
| 1500 | 66.2% |
| 251 | 11.1% |
| 38 | 1.7% |
| 81 | 3.6% |
| 28 | 1.2% |
| 2 | 0.1% |
| 330 | 14.6% |
| | 1052 1195 37 400 1065 927 1500 251 38 81 28 2 |

| Sexual Orientation | | |
|--------------------|------|-------|
| Straight | 1739 | 77.6% |
| Bisexual | 151 | 6.7% |
| Gay/Lesbian | 60 | 2.7% |
| Not Sure | 163 | 7.3% |
| Gender Identity | | |
| Cisgender | 2201 | 94.4% |
| Transgender | 60 | 2.6% |
| Not Sure | 70 | 3.0% |

*The higher the response rate, the more confidence that the results represent your student population. For response rates less than 60%, results should be interpreted with caution.

| Health Measures* | Risk or Protective Factor Items** | Number of Responses | Total % (95% Cl) | Female % (95% CI) | Male % (95% CI) | Nonbinary % (95% CI) |
|--|--|------------------------|----------------------|----------------------|----------------------|-------------------------|
| Bullying | | | | | | |
| Percentage of students who have ever been bullied on school property during the past 12 months | | 2140 | 21.9 (19.6 - 24.3) | 21.0 (18.0 - 23.9) | 19.0(16.8 - 21.2) | 56.9 (48.8 - 65.1) |
| Among students bullied on school property, the percentage who were bullied in a classroom in the past 12 months | s | 494 | 56.6 (52.8 - 60.3) | 59.4 (53.9 - 64.8) | 52.3 (46.9 - 57.7) | . () |
| Among students bullied on school property, the percentage who were bullied in a hallway or stairwell in the past 12 months | | 494 | 46.3 (42.8 - 49.8) | 43.1 (38.9 - 47.3) | 46.3 (42.0 - 50.5) | . () |
| Among students bullied on school property, the percentage who were bullied in a locker room or bathroom in the past 12 months | | 494 | 17.3 (14.8 - 19.9) | 14.0(11.0 - 17.0) | 14.9(11.7 - 18.2) | . () |
| Among students bullied on school property, the percentage who were bullied in a cafeteria or lunch room in the past 12 months | | 494 | 33.1 (30.6 - 35.6) | 30.3 (25.0 - 35.5) | 31.8 (29.2 - 34.5) | . () |
| Among students bullied on school property, the percentage who were bullied on a bus or at a bus stop in the past 12 months | | 494 | 11.5 (9.9 - 13.1) | 9.0 (7.1 - 10.9) | 11.4 (9.1 - 13.7) | . () |
| Among students bullied on school property, the percentage who were bullied outside before school in the past 12 months | | 494 | 18.0 (15.8 - 20.2) | 18.4(16.4 - 20.4) | 11.2 (7.1 - 15.2) | . () |
| Among students bullied on school property, the percentage who were bullied outside after school in the past 12 months | | 494 | 23.6 (21.0 - 26.2) | 23.1 (20.6 - 25.6) | 19.4(15.9 - 23.0) | . () |
| Among students bullied on school property, the percentage who were bullied outside during lunch or break in the past 12 months | | 494 | 31.1 (27.7 - 34.6) | 30.7 (26.6 - 34.8) | 27.2 (20.6 - 33.7) | . () |
| Percentage of students who had ever been electronically bullied during the past 12 months | | 2249 | 11.8 (10.0 - 13.5) | 12.5(9.9 - 15.0) | 9.2 (8.1 - 10.3) | 32.9 (24.5 - 41.2) |
| Among students who were teased in the past 12 months, the percentage who were teased because of sexual orientation | Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities | 418 | 14.5 (12.7 - 16.4) | 9.0 (6.7 - 11.3) | 10.5 (8.5 - 12.4) | . () |
| Among students who were teased in the past 12 months, the percentage who were teased because of gender identity | Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities | 418 | 14.3 (12.8 - 15.7) | 3.2 (2.2 - 4.3) | 11.4 (9.2 - 13.6) | . () |
| Among students who were teased in the past 12 months, the percentage who were teased because of religion | Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities | 418 | 12.4 (10.7 - 14.0) | 8.7 (6.4 - 11.0) | 14.1(11.0 - 17.1) | . () |
| Among students who were teased in the past 12 months, the percentage who were teased because of disability | Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities | 418 | 12.8 (9.8 - 15.8) | 11.9(7.6 - 16.3) | 10.6 (6.3 - 14.8) | . () |
| Among students who were teased in the past 12 months, the percentage who were teased because of physical appearance | Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities | 418 | 70.2(67.7 - 72.7) | 79.2(75.7 - 82.7) | 63.0 (57.0 - 69.1) | . () |
| Among students who were teased in the past 12 months, the percentage who were teased because of race or ethnicity | Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities | 418 | 29.0 (26.2 - 31.8) | 23.8 (18.1 - 29.5) | 36.2 (31.8 - 40.7) | . () |
| Percentage of students who saw someone else being bullied on school property in the past 30 days | | 2224 | 35.4 (31.7 - 39.1) | 34.9 (30.1 - 39.8) | 34.5 (30.8 - 38.2) | 45.9 (34.7 - 57.0) |
| Violence | | | | | | |
| Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school | | 2273 | 13.5 (12.4 - 14.7) | 13.9 (12.5 - 15.3) | 11.3 (9.3 - 13.3) | 28.3 (18.4 - 38.2) |
| Percentage of students who were in a physical fight one or more times during the past 12 months | | 2235 | 19.9(17.8 - 22.0) | 9.3 (8.2 - 10.4) | 28.8 (24.6 - 32.9) | 27.6 (21.8 - 33.3) |
| Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose one or more times by someone they were dating or going out with | | 829 | 9.6 (8.4 - 10.8) | 4.9 (3.9 - 6.0) | 11.3 (9.4 - 13.1) | . () |
| Among students who dated or went out with someone during the past 12 months, the percentage who had been controlled or emotionally hurt by someone they were dating or going out with | | 832 | 16.9 (14.9 - 18.9) | 17.6(14.1 - 21.0) | 12.6(11.1 - 14.1) | . () |
| Mental Health | | | | | | |
| Percentage of students who agree or strongly agree their stress level is manageable most days | | 2273 | 58.6 (55.0 - 62.2) | 48.8 (43.8 - 53.8) | 71.2 (69.4 - 73.1) | 39.4 (27.1 - 51.7) |

| Health Measures* | Risk or Protective Factor Items** | Number of Responses | Total % (95% Cl) | Female % (95% CI) | Male % (95% Cl) | Nonbinary % (95% Cl) |
|---|--|------------------------|----------------------|----------------------|----------------------|-------------------------|
| Percentage of students who most of the time or always had poor mental health during the past 30 days | | 2248 | 21.2 (19.3 - 23.1) | 25.5 (23.2 - 27.9) | 14.3 (13.3 - 15.4) | 47.1 (33.8 - 60.4) |
| Percentage of students who purposefully hurt themselves without wanting to die in the past 12 months | | 2237 | 11.4 (10.2 - 12.7) | 12.7 (10.0 - 15.3) | 7.6 (6.4 - 8.8) | 37.7 (24.2 - 51.3) |
| Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row during the past 12 months that they stopped doing some usual activities | | 2233 | 19.7(18.4 - 21.1) | 24.6 (21.9 - 27.2) | 12.3 (11.0 - 13.5) | 40.1 (29.7 - 50.5) |
| Percentage of students who ever seriously thought about killing themselves | | 2229 | 14.9 (13.6 - 16.2) | 16.3 (13.7 - 18.9) | 10.5 (9.5 - 11.5) | 41.5 (31.2 - 51.8) |
| Percentage of students who ever made a plan about how they would kill themselves | | 2226 | 11.5 (9.4 - 13.5) | 11.5 (9.4 - 13.5) | 9.0 (7.6 - 10.4) | 32.4 (17.2 - 47.6) |
| Percentage of students who ever tried to kill themselves | | 2226 | 4.4 (3.6 - 5.3) | 4.3 (3.3 - 5.3) | 2.5 (2.0 - 2.9) | 12.7(4.4 - 21.0) |
| Percentage of students who have an adult to go to for help with a serious problem | Protective Factor: Community Opportunities for Prosocial Involvement and Connection | 2255 | 74.6 (72.2 - 77.1) | 72.9 (71.0 - 74.9) | 78.6 (76.2 - 81.0) | 59.8 (49.1 - 70.6) |
| Percentage of students who most of the time or always could talk to a friend about feelings during their life | Protective Factor: Community Opportunities for Prosocial Involvement and Connection | 2252 | 56.4 (54.0 - 58.7) | 57.7 (55.2 - 60.2) | 57.5 (55.0 - 60.1) | 37.6 (28.9 - 46.3) |
| Percentage of students who had a friend tell them they had thoughts of suicide one or more times during the past 12 months | | 2226 | 27.4 (24.3 - 30.4) | 36.7 (33.2 - 40.2) | 16.4 (13.8 - 19.0) | 53.3 (40.7 - 65.8) |
| Percentage of students who would tell their parents or guardians if they were concerned about their own or someone else's well-being or mental health | | 2143 | 64.2 (61.9 - 66.5) | 63.2 (60.8 - 65.5) | 67.8 (64.8 - 70.9) | 29.9 (22.7 - 37.0) |
| Percentage of students who would tell another trusted adult (who is not their parents or guardians) if they were concerned about their own or someone else's well-being or mental health | | 2143 | 52.8 (51.5 - 54.2) | 53.1 (50.6 - 55.6) | 53.9 (51.6 - 56.3) | 49.1 (36.8 - 61.4) |
| Percentage of students who would tell a friend if they were concerned about their own or someone else's well- being or mental health | | 2143 | 33.5 (32.5 - 34.6) | 34.6 (32.4 - 36.9) | 32.1 (29.9 - 34.3) | 41.7 (28.2 - 55.2) |
| Percentage of students who would submit an anonymous report through their school's safety reporting system if they were concerned about their own or someone else's well-being or mental health | | 2143 | 33.6 (30.9 - 36.3) | 33.2 (29.4 - 36.9) | 33.7 (31.3 - 36.0) | 46.9 (35.2 - 58.7) |
| Percentage of students who would contact a crisis line if they were concerned about their own or someone else's well-being or mental health | | 2143 | 16.4 (14.8 - 18.1) | 14.1 (12.6 - 15.6) | 18.0 (16.1 - 19.8) | 22.4 (15.6 - 29.2) |
| Percentage of students who have ever experienced the death of a family member or close friend | | 2254 | 64.8 (62.0 - 67.6) | 67.7 (64.6 - 70.9) | 62.4 (59.8 - 64.9) | 57.3 (45.5 - 69.2) |
| Racism | | | | | | |
| Percentage who were treated badly or unfairly in school because of their race or ethnicity in the past 12 months | Risk Factor: Recent Experiences with Oppression: Racism | 2088 | 5.5 (4.9 - 6.1) | 4.6 (3.3 - 5.8) | 5.5 (4.4 - 6.7) | . () |
| Percentage who were watched closely or followed by security guards or store clerks at a store or mall because of their race or ethnicity in the past 12 months | Risk Factor: Recent Experiences with Oppression: Racism | 2088 | 2.7 (2.3 - 3.1) | 3.0 (2.3 - 3.8) | 1.6 (1.0 - 2.2) | 12.5 (6.5 - 18.5) |
| Percentage who were assumed less intelligent because of their race or ethnicity in the past 12 months | Risk Factor: Recent Experiences with Oppression: Racism | 2088 | 3.5 (2.8 - 4.3) | 4.2 (3.0 - 5.4) | 2.2 (1.9 - 2.6) | . () |
| Percentage who saw family members treated unfairly because of their race or ethnicity in the past 12 months | Risk Factor: Recent Experiences with Oppression: Racism | 2088 | 4.8 (4.4 - 5.2) | 5.6 (4.9 - 6.3) | 2.8 (2.3 - 3.3) | 10.7 (3.0 - 18.5) |
| Alcohol | | | | | | |
| Percentage of students who have ever had a drink of alcohol other than a few sips | | 2194 | 21.1 (19.9 - 22.2) | 18.1 (16.3 - 19.8) | 22.8 (20.8 - 24.8) | 23.2 (11.9 - 34.4) |
| Percentage of students who had their first drink of alcohol, other than a few sips, before the age of 11 | Risk Factor: Early Initiation of Substance Use | 2194 | 11.5 (10.6 - 12.5) | 8.4 (7.0 - 9.8) | 13.4 (12.5 - 14.4) | 11.9 (3.4 - 20.4) |
| Percentage of students who had at least one drink of alcohol on one or more of the past 30 days | | 2219 | 5.3 (4.4 - 6.2) | 4.0 (3.1 - 4.8) | 5.6 (4.7 - 6.6) | . () |
| Percentage of students who feel it would be sort of easy or very easy to get alcohol if they wanted | Risk Factor: Availability of Substances in Community | 2099 | 31.4 (28.8 - 34.0) | 30.0 (27.2 - 32.8) | 31.8 (28.7 - 34.9) | 41.7 (30.3 - 53.1) |
| Percentage of students who think it is wrong or very wrong for someone of the same age to drink alcohol regularly (at least once or twice per month) | Risk Factor: Youth Peer Attitudes Favorable Towards Substance Use | 2207 | 91.1 (90.6 - 91.5) | 92.8 (91.7 - 94.0) | 90.2 (89.5 - 91.0) | 89.8 (81.3 - 98.3) |

| Health Measures* | Risk or Protective Factor Items** | Number of Responses | Total % (95% Cl) | Female % (95% CI) | Male % (95% Cl) | Nonbinary % (95% Cl) |
|---|--|------------------------|----------------------|----------------------|----------------------|-------------------------|
| Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they drank alcohol regularly (at least once or twice per month) | Risk Factor: Parental Attitudes Favorable Toward Substance Use | 2201 | 92.0 (91.1 - 92.8) | 93.9 (92.5 - 95.3) | 91.0 (90.0 - 92.0) | 84.0 (74.1 - 93.9) |
| Percentage of students who thought 5 or more out of every 10 students in their grade drank alcohol in the past 30 days | 0 | 2170 | 14.9 (13.4 - 16.5) | 16.9(14.4 - 19.4) | 12.5 (10.7 - 14.3) | 18.3(10.4 - 26.2) |
| Торассо | | | | | | |
| Percentage of students who have ever smoked a cigarette, even one or two puffs | | 2205 | 5.0 (4.3 - 5.7) | 3.8 (2.6 - 4.9) | 4.8 (4.1 - 5.6) | 14.5(9.4 - 19.6) |
| Percentage of students who smoked a cigarette, even one or two puffs, for the first time before age 11 | Risk Factor: Early Initiation of Substance Use | 2205 | 2.4 (2.0 - 2.9) | 1.3 (0.7 - 2.0) | 2.1 (1.6 - 2.7) | 10.1 (5.3 - 14.9) |
| Percentage of students who smoked cigarettes on one or more of the past 30 days | | 2222 | 1.7 (1.3 - 2.0) | 0.9 (0.5 - 1.3) | 1.2 (0.9 - 1.5) | . () |
| Percentage of students who think it would be sort of easy or very easy to get cigarettes if they wanted | Risk Factor: Availability of Substances in Community | 2109 | 15.8 (14.7 - 16.9) | 13.5(12.4 - 14.7) | 17.1(15.6 - 18.7) | 13.7 (5.8 - 21.5) |
| Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they smoked cigarettes | Risk Factor: Parental Attitudes Favorable Toward Substance Use | 2203 | 97.2 (96.8 - 97.6) | 98.0 (97.7 - 98.4) | 97.1 (96.6 - 97.7) | 89.0(81.7 - 96.3) |
| Percentage of students who have ever used an electronic vapor product | | 2211 | 8.4 (6.3 - 10.5) | 9.3 (6.0 - 12.5) | 6.8 (5.2 - 8.5) | 10.5 (5.3 - 15.6) |
| Percentage of students who used electronic vapor products for the first time before age 11 | Risk Factor: Early Initiation of Substance Use | 2211 | 2.7 (2.2 - 3.1) | 2.2 (1.3 - 3.0) | 2.3 (1.9 - 2.7) | . () |
| Percentage of students who used an electronic vapor product in the past 30 days | | 2214 | 3.6 (3.0 - 4.3) | 3.5 (2.1 - 4.8) | 3.2 (2.5 - 3.8) | . () |
| Percentage of students who feel it would be sort of easy or very easy to get electronic vapor products if they wanted | Risk Factor: Availability of Substances in Community | 2108 | 27.2 (25.4 - 29.1) | 23.2 (20.7 - 25.6) | 30.2 (27.7 - 32.7) | 31.6 (18.3 - 44.9) |
| Percentage of students who think it is wrong or very wrong for someone of the same age to use electronic vapor products | Risk Factor: Youth Peer Attitudes Favorable Towards Substance Use | 2205 | 94.1 (93.3 - 94.9) | 93.8 (92.5 - 95.2) | 94.9 (94.1 - 95.6) | 96.1 (91.3 - 100.0) |
| Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they used electronic vapor products | Risk Factor: Parental Attitudes Favorable Toward Substance Use | 2200 | 97.5 (97.0 - 98.1) | 98.2 (97.7 - 98.6) | 97.5 (96.9 - 98.2) | 96.2 (91.6 - 100.0) |
| Percentage of students who think people who use electronic vapor products every day have a moderate or great risk of harm | | 2167 | 86.3 (84.9 - 87.7) | 86.9 (85.1 - 88.7) | 86.0 (83.9 - 88.0) | 89.5 (84.3 - 94.6) |
| Marijuana | | | | | | |
| Percentage of students who have ever tried marijuana | | 2201 | 5.1 (4.5 - 5.8) | 3.9 (3.0 - 4.9) | 5.2 (4.2 - 6.1) | 12.5(7.2 - 17.9) |
| Percentage of students who tried marijuana for the first time before the age of 11 | Risk Factor: Early Initiation of Substance Use | 2201 | 1.3 (0.9 - 1.8) | 0.4 (0.3 - 0.6) | 1.0 (0.7 - 1.4) | . () |
| Percentage of students who used marijuana one or more times during the past 30 days | | 2199 | 2.9 (2.7 - 3.1) | 1.7(1.2 - 2.2) | 3.0 (2.5 - 3.5) | . () |
| Percentage of students who feel it would be sort of easy or very easy to get marijuana if they wanted | Risk Factor: Availability of Substances in Community | 2082 | 14.5 (13.5 - 15.6) | 12.1 (10.5 - 13.7) | 15.5(14.1 - 17.0) | 25.2 (12.8 - 37.6) |
| Percentage of students who think it is wrong or very wrong for someone of the same age to use marijuana | Risk Factor: Youth Peer Attitudes Favorable Towards Substance Use | 2196 | 94.4 (93.9 - 94.8) | 95.7 (94.6 - 96.9) | 93.9 (93.2 - 94.5) | 89.3 (82.1 - 96.6) |
| Percentage of students who think their parents or guardians feel it is wrong or very wrong if they used marijuana | Risk Factor: Parental Attitudes Favorable Toward Substance Use | 2189 | 96.9 (96.5 - 97.3) | 97.9 (97.5 - 98.4) | 96.8 (96.3 - 97.2) | 86.5 (78.8 - 94.3) |
| Percentage of students who thought 5 or more out of every 10 students in their grade used marijuana in the past 30 days | | 2162 | 15.4 (13.3 - 17.6) | 17.4 (13.7 - 21.1) | 11.6 (9.7 - 13.5) | 24.1 (12.6 - 35.7) |
| Among students who used marijuana in the past 30 days, the percentage who smoked it | | 70 | 74.7 (68.9 - 80.4) | . () | 81.1 (73.1 - 89.2) | . () |
| Among students who used marijuana in the past 30 days, the percentage who ate it | | 70 | 46.9 (36.6 - 57.2) | . () | 54.5 (41.5 - 67.4) | . () |
| Among students who used marijuana in the past 30 days, the percentage who vaporized it | | 70 | 56.8 (49.1 - 64.6) | . () | 52.2 (42.2 - 62.3) | . () |

| Health Measures* | Risk or Protective Factor Items** | Number of Responses | Total % (95% Cl) | Female % (95% CI) | Male % (95% CI) | Nonbinary % (95% Cl) |
|---|--|------------------------|----------------------|----------------------|----------------------|-------------------------|
| Among students who used marijuana in the past 30 days, the percentage who dabbed it | | 70 | 47.4 (36.9 - 57.8) | . () | 48.0 (38.2 - 57.8) | . () |
| Prescription Pain Medication | | | | | | |
| Percentage of students who have ever used prescription pain medicine not prescribed to them or differently than how a doctor told them to use it | | 2176 | 6.1 (5.3 - 6.8) | 6.4 (5.2 - 7.6) | 4.6 (4.0 - 5.2) | . () |
| Percentage of students who used prescription pain medicine not prescribed to them or differently than how a doctor told them to use it for the first time before age 11 | Risk Factor: Early Initiation of Substance Use | 2176 | 4.3 (3.6 - 5.1) | 4.3 (3.3 - 5.3) | 3.4 (3.0 - 3.9) | . (. • .) |
| Percentage of students who feel it would be sort of easy or very easy to get prescription pain medicine not prescribed to them | Risk Factor: Availability of Substances in Community | 2096 | 21.7 (19.6 - 23.8) | 22.4 (18.9 - 25.9) | 18.7(17.5 - 20.0) | 30.5 (19.8 - 41.3) |
| Percentage of students who think it is wrong or very wrong for someone of the same age to use prescription pain medicine without a doctor's prescription | Risk Factor: Youth Peer Attitudes Favorable Towards Substance Use | 2199 | 92.3 (91.6 - 92.9) | 92.3 (91.1 - 93.6) | 93.4 (92.5 - 94.2) | 78.6 (71.1 - 86.1) |
| Nutrition | | | | | | |
| Percentage of students who ate fruit one or more times per day in the past 7 days | | 2205 | 65.4 (61.2 - 69.6) | 64.6 (59.7 - 69.4) | 67.5 (63.7 - 71.2) | 62.3 (51.2 - 73.4) |
| Percentage of students who ate vegetables such as green salad, potatoes, carrots, or other vegetables one or more times per day in the past 7 days | | 2189 | 68.6 (64.7 - 72.5) | 66.7 (62.4 - 71.0) | 71.7(67.4 - 76.0) | 62.9 (51.2 - 74.7) |
| Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day in the past 7 days | | 2192 | 12.3 (10.6 - 14.1) | 11.4 (9.4 - 13.4) | 12.6 (10.6 - 14.7) | 8.6 (2.6 - 14.5) |
| Percentage of students who drank a sports drink, energy drink, or other sweetened beverage one or more times in the past 7 days | | 2124 | 60.7 (57.3 - 64.1) | 61.3 (58.6 - 64.1) | 61.5 (57.6 - 65.5) | 56.2 (46.5 - 65.9) |
| Percentage of students who ate breakfast on all of the past 7 days | | 2180 | 51.0 (48.6 - 53.4) | 42.4 (39.7 - 45.1) | 61.2 (58.5 - 63.9) | 38.0 (27.6 - 48.4) |
| Percentage of students who sometimes, most of the time, or always went hungry in the past 30 days because of a lack of food at home | Risk Factor: Economic Instability | 2172 | 8.3 (7.2 - 9.5) | 8.1 (6.9 - 9.3) | 7.9 (6.6 - 9.2) | 11.7 (5.8 - 17.6) |
| Physical Activity | | | | | | |
| Percentage of students who were physically active for a total of at least 60 minutes per day on 5 or more of the past 7 days | | 2131 | 62.5 (59.6 - 65.4) | 54.6 (50.6 - 58.6) | 72.5 (69.5 - 75.5) | 45.6 (35.2 - 56.1) |
| Percentage of students who spent 3+ hours in front of a TV, computer, smart phone, or other electronic device for something other than schoolwork | | 2133 | 44.6 (40.5 - 48.7) | 46.8 (42.4 - 51.2) | 41.0 (36.6 - 45.4) | 53.7 (44.4 - 63.0) |
| Body Image & Eating Disorders | | | | | | |
| Percentage of students who most of the time or always felt confident with their body image during the past 30 days | | 2090 | 54.9 (52.7 - 57.1) | 49.3 (46.4 - 52.1) | 63.0 (60.4 - 65.6) | 42.7 (29.6 - 55.8) |
| Percentage of students who most of the time or always worried about their physical appearance more than they wanted to during the past 30 days | | 2060 | 29.9 (28.1 - 31.7) | 39.5 (36.2 - 42.9) | 17.9(16.7 - 19.1) | 49.8 (35.2 - 64.4) |
| Percentage of students who tried to lose weight or keep from gaining weight by going without eating for 24 hours or more; taking any diet pills, powders, or liquids; vomiting or taking laxatives; or skipping meals during the past 30 days | | 2075 | 13.3 (11.1 - 15.6) | 16.1(13.1 - 19.1) | 8.3 (6.8 - 9.8) | 33.6 (22.0 - 45.3) |
| Home Life | | | | | | |
| Percentage of students who usually or definitely feel safe in their neighborhood | Protective Factor: Community Opportunities for Prosocial Involvement and Connection | 2139 | 95.0 (94.1 - 95.9) | 97.1 (96.5 - 97.6) | 95.0 (94.2 - 95.8) | 87.4 (81.7 - 93.0) |
| Percentage of students who provide care for someone in their family or household who is chronically ill, elderly, or disabled with activities they would have difficulty doing on their own one or more days per week | | 2071 | 11.3 (10.5 - 12.0) | 10.6 (10.1 - 11.2) | 11.4 (9.8 - 13.0) | 26.4 (16.0 - 36.8) |
| School & Community | | | | | | |
| Percentage of students who agree or strongly agree that they belong at their school | Protective Factor: School Opportunities for Prosocial Involvement | 2122 | 73.8 (70.9 - 76.8) | 69.7 (66.3 - 73.1) | 82.1 (79.6 - 84.5) | 58.6 (47.3 - 69.9) |
| Percentage of students who usually or definitely feel safe at school | Protective Factor: School Opportunities for Prosocial Involvement | 2117 | 89.9 (88.7 - 91.1) | 90.2 (88.3 - 92.0) | 91.9 (90.5 - 93.4) | 74.8 (68.9 - 80.8) |

| Health Measures* | Risk or Protective Factor Items** | Number of Responses | Total % (95% Cl) | Female % (95% CI) | Male % (95% CI) | Nonbinary % (95% CI) |
|--|--|------------------------|----------------------|----------------------|----------------------|-------------------------|
| Percentage of students who usually or definitely think their grades are better than most students in class | Risk Factor: Limited Academic Success | 2089 | 69.8 (66.4 - 73.1) | 70.5 (66.8 - 74.1) | 70.5 (66.7 - 74.2) | 55.6 (45.9 - 65.3) |
| Percentage of students who think it is important or very important to finish high school | Protective Factor: Future School Aspiration | 2124 | 96.9 (96.3 - 97.4) | 98.5 (98.0 - 98.9) | 96.4 (95.6 - 97.3) | 87.4 (81.7 - 93.0) |
| Percentage of students who talked to a school counselor about their future plans after high school in the past 12 months | | 2039 | 29.6 (18.1 - 41.0) | 32.3 (19.1 - 45.5) | 27.4 (17.4 - 37.5) | 25.6 (14.8 - 36.4) |
| Percentage of students who talked to a teacher about their future plans after high school in the past 12 months | | 2039 | 32.3 (24.1 - 40.6) | 33.1 (24.2 - 41.9) | 32.4 (24.2 - 40.5) | 21.5 (14.2 - 28.8) |
| Percentage of students who talked to an administrator about their future plans after high school in the past 12 months | | 2039 | 7.8 (5.7 - 10.0) | 7.6 (5.0 - 10.1) | 8.6 (6.5 - 10.7) | . () |
| Percentage of students who talked to a coach about their future plans after high school in the past 12 months | | 2039 | 7.9 (6.8 - 9.0) | 5.9 (4.9 - 6.9) | 10.8 (8.9 - 12.7) | . () |
| Percentage of students who talked to another school staff member (who is not a school counselor, teacher, administrator, or coach) about their future plans after high school in the past 12 months | | 2039 | 6.7 (5.4 - 8.0) | 5.4 (4.7 - 6.2) | 7.3 (5.5 - 9.0) | 13.6 (8.0 - 19.2) |
| Percentage of students who participated in sports (team or individual) during the past 12 months | Protective Factor: Community Opportunities for Prosocial Involvement and Connection | 2060 | 61.1 (59.3 - 63.0) | 57.2 (54.4 - 59.9) | 68.2 (66.0 - 70.3) | 14.4 (8.4 - 20.3) |
| Percentage of students who participated in sports, band, drama, clubs, or student government at school during the past 12 months | Protective Factor: Community Opportunities for Prosocial Involvement and Connection | 2060 | 80.6 (78.5 - 82.7) | 78.4 (75.8 - 81.1) | 83.1 (80.9 - 85.2) | 64.6 (56.8 - 72.5) |
| Percentage of students who had paid employment during the past 12 months | Protective Factor: Community Opportunities for Prosocial Involvement and Connection | 2060 | 4.3 (3.8 - 4.8) | 4.1 (3.3 - 4.9) | 4.4 (3.7 - 5.1) | . () |
| Percentage of students who participated in another activity besides sports, band, drama, clubs, student government, or paid employment during the past 12 months | Protective Factor: Community Opportunities for Prosocial Involvement and Connection | 2060 | 22.8 (20.5 - 25.1) | 25.4 (24.1 - 26.7) | 18.7 (15.7 - 21.7) | 29.3 (16.6 - 42.1) |
| Other Health Topics | | | | | | |
| Percentage of students who usually slept somewhere other than their home during the past 30 days | Risk Factor: Economic Instability | 2076 | 5.6 (4.7 - 6.5) | 4.6 (4.0 - 5.3) | 5.0 (3.6 - 6.5) | 21.0 (12.6 - 29.5) |
| Percentage of students who sleep 8 or more hours per night on average school nights | | 2075 | 67.2 (64.8 - 69.5) | 66.1 (63.6 - 68.6) | 72.2 (70.1 - 74.3) | 48.4 (38.8 - 58.0) |
| Percentage of students who never or rarely wear a seat belt while riding in a car | | 2071 | 3.0 (2.5 - 3.4) | 2.0 (1.6 - 2.5) | 2.6 (2.2 - 3.0) | 12.2(6.3 - 18.1) |
| Percentage of students who could fire a loaded gun without adult permission in less than one hour | Risk Factor: Access to Firearms | 1997 | 10.3 (9.4 - 11.2) | 6.7 (5.4 - 7.9) | 12.8(11.6-14.1) | 13.1 (8.0 - 18.3) |
| Percentage of students who would be able to get a loaded gun without adult permission in or around their home, from a friend or schoolmate, or from a family member | | 1960 | 10.8 (9.7 - 11.9) | 6.6 (5.0 - 8.2) | 13.3 (11.7 - 15.0) | 15.1 (8.6 - 21.6) |
| Percentage of students who had ever been told by a doctor or nurse that they had asthma | | 2052 | 12.6 (11.4 - 13.8) | 11.2 (9.9 - 12.5) | 12.8(10.9 - 14.6) | 18.6(11.5 - 25.7) |
| Percentage of students who went outdoors to spend time in nature at least once a week during the past 12 months | | 2048 | 3.8 (3.4 - 4.2) | 3.1 (2.2 - 4.0) | 2.9 (2.5 - 3.4) | 18.2 (9.7 - 26.8) |
| Extra Questions | | | | | | |
| Percentage of students who think people who have five or more drinks of an alcoholic beverage once or twice a week have a moderate or great risk of harming themselves physically or in other ways | | 1927 | 77.0 (76.1 - 77.8) | 77.5 (75.7 - 79.4) | 77.3 (75.6 - 78.9) | 84.0 (76.5 - 91.5) |
| Percentage of students who think people who smoke one or more packs of cigarettes per day have a moderate or great risk of harming themselves physically or in other ways | | 1920 | 85.5 (84.3 - 86.7) | 86.4 (85.1 - 87.8) | 85.6 (83.3 - 87.8) | 82.7 (73.8 - 91.7) |
| Percentage of students who think people who smoke marijuana once or twice a week have a moderate or great risk of harming themselves physically or in other ways | | 1917 | 81.3 (79.4 - 83.3) | 83.4 (81.9 - 84.9) | 80.6 (77.7 - 83.6) | 85.3 (78.6 - 92.0) |
| Percentage of students who think people who use prescription drugs that are not prescribed to them have a moderate or great risk of harming themselves physically or in other ways | | 1911 | 85.6 (84.0 - 87.1) | 85.2 (84.2 - 86.2) | 87.4 (85.0 - 89.8) | 75.4 (66.6 - 84.3) |
| Percentage of students who think their parents would feel it is wrong or very wrong if they drank 1 or 2 drinks of an alcoholic beverage nearly every day | | 1910 | 95.9 (95.3 - 96.4) | 97.2 (96.6 - 97.7) | 95.6 (94.7 - 96.5) | 96.9 (93.1 - 100.0) |
| Percentage of students who think their parents would feel it is wrong or very wrong for them to smoke tobacco | | 1912 | 97.4 (97.0 - 97.8) | 97.7 (96.9 - 98.6) | 97.9 (97.3 - 98.6) | . () |

| Health Measures* | Risk or Protective Factor Items** | Number of Responses | Total % (95% CI) | Female % (95% CI) | Male % (95% CI) | Nonbinary % (95% Cl) |
|---|--------------------------------------|------------------------|----------------------|----------------------|----------------------|-------------------------|
| Percentage of students who think their parents would feel it is wrong or very wrong for them to use prescription drugs not prescribed to them | | 1900 | 96.4 (96.0 - 96.9) | 97.0 (96.1 - 97.8) | 97.0 (96.2 - 97.8) | 87.8 (80.9 - 94.7) |
| Percentage of students who think their friends would feel it is wrong or very wrong for them to have one or two alcoholic drinks nearly every day | | 1904 | 89.4 (88.4 - 90.4) | 90.5 (89.0 - 91.9) | 89.6 (88.0 - 91.2) | 86.2 (80.9 - 91.5) |
| Percentage of students who think their friends would feel it is wrong or very wrong for them to smoke tobacco | | 1903 | 91.3 (90.0 - 92.7) | 92.1 (89.8 - 94.4) | 91.6 (90.2 - 93.0) | 92.1 (86.1 - 98.1) |
| Percentage of students who think their friends would feel it is wrong or very wrong for them to smoke marijuana | | 1901 | 88.4 (86.7 - 90.1) | 88.9 (85.9 - 91.8) | 89.0 (87.5 - 90.5) | 89.0 (82.9 - 95.2) |
| Percentage of students who think their friends would feel it is wrong or very wrong to use prescription drugs not prescribed to them | | 1886 | 91.7 (91.0 - 92.3) | 92.2 (91.5 - 93.0) | 92.7 (91.8 - 93.6) | 87.0 (80.9 - 93.0) |
| Percentage of students who used prescription drugs not prescribed to them during the past 30 days | | 1968 | 2.5 (2.0 - 3.0) | 1.7 (1.2 - 2.3) | 2.1 (1.8 - 2.4) | 9.1 (2.5 - 15.7) |

In districts with enrollment over 35, results are suppressed if fewer than 30 students responded to a question. All percentages are rounded to the nearest tenth.

**Items in this column are included in risk and protective factors known to influence multiple youth health outcomes.

| Health Measures* | Number of Responses | Total % (95% CI) | 6th Grade % (95% Cl) | 7th Grade % (95% Cl) | 8th Grade % (95% Cl) |
|---|------------------------|----------------------|-------------------------|-------------------------|-------------------------|
| Bullying | | | | | |
| Percentage of students who have ever been bullied on school property during the past 12 months | 2140 | 21.9 (19.6 - 24.3) | 19.6(17.2 - 21.9) | 26.7 (24.7 - 28.8) | 18.7 (15.8 - 21.6) |
| Among students bullied on school property, the percentage who were bullied in a classroom in the past 12 months | 494 | 56.6 (52.8 - 60.3) | 44.2 (39.0 - 49.4) | 61.6 (57.8 - 65.4) | 62.3 (58.0 - 66.5) |
| Among students bullied on school property, the percentage who were bullied in a hallway or stairwell in the past 12 months | 494 | 46.3 (42.8 - 49.8) | 34.0 (25.8 - 42.2) | 44.0 (39.7 - 48.4) | 61.6 (56.1 - 67.0) |
| Among students bullied on school property, the percentage who were bullied in a locker room or bathroom in the past 12 months | 494 | 17.3 (14.8 - 19.9) | 11.0 (8.1 - 13.9) | 15.0(12.8 - 17.1) | 25.4 (18.1 - 32.6) |
| Among students bullied on school property, the percentage who were bullied in a cafeteria or lunch room in the past 12 months | 494 | 33.1 (30.6 - 35.6) | 22.9 (19.8 - 26.1) | 30.0 (25.6 - 34.4) | 46.8 (42.5 - 51.1) |
| Among students bullied on school property, the percentage who were bullied on a bus or at a bus stop in the past 12 months | 494 | 11.5 (9.9 - 13.1) | 10.4 (5.5 - 15.3) | 8.0 (6.1 - 10.0) | 16.6 (11.0 - 22.2) |
| Among students bullied on school property, the percentage who were bullied outside before school in the past 12 months | 494 | 18.0 (15.8 - 20.2) | 13.9 (9.4 - 18.4) | 14.7(12.4 - 17.0) | 26.2 (22.1 - 30.3) |
| Among students bullied on school property, the percentage who were bullied outside after school in the past 12 months | 494 | 23.6 (21.0 - 26.2) | 17.8(13.7 - 21.8) | 18.5(16.4 - 20.5) | 36.9 (31.7 - 42.1) |
| Among students bullied on school property, the percentage who were bullied outside during lunch or break in the past 12 months | 494 | 31.1 (27.7 - 34.6) | 31.9 (24.3 - 39.5) | 23.8 (20.7 - 26.9) | 40.6 (37.1 - 44.2) |
| Percentage of students who had ever been electronically bullied during the past 12 months | 2249 | 11.8(10.0 - 13.5) | 10.0 (8.7 - 11.3) | 12.7(10.8 - 14.5) | 12.2(10.0 - 14.5) |
| Among students who were teased in the past 12 months, the percentage who were teased because of sexual orientation | 418 | 14.5(12.7 - 16.4) | 6.3 (2.9 - 9.8) | 19.4 (15.3 - 23.5) | 14.7(11.9 - 17.5) |
| Among students who were teased in the past 12 months, the percentage who were teased because of gender identity | 418 | 14.3 (12.8 - 15.7) | 14.5(13.0-16.0) | 11.7(8.5 - 14.9) | 14.3 (11.2 - 17.4) |
| Among students who were teased in the past 12 months, the percentage who were teased because of religion | 418 | 12.4 (10.7 - 14.0) | 4.6 (1.6 - 7.6) | 12.2 (9.9 - 14.5) | 16.9(13.5 - 20.3) |
| Among students who were teased in the past 12 months, the percentage who were teased because of disability | 418 | 12.8 (9.8 - 15.8) | 12.3 (4.4 - 20.2) | 13.3 (9.3 - 17.2) | 11.1(7.9 - 14.4) |
| Among students who were teased in the past 12 months, the percentage who were teased because of physical appearance | 418 | 70.2 (67.7 - 72.7) | 80.8 (77.2 - 84.5) | 71.2(67.1 - 75.4) | 62.4 (58.1 - 66.7) |
| Among students who were teased in the past 12 months, the percentage who were teased because of race or ethnicity | 418 | 29.0 (26.2 - 31.8) | 21.1 (16.1 - 26.2) | 30.8 (25.7 - 35.9) | 31.7 (27.7 - 35.8) |
| Percentage of students who saw someone else being bullied on school property in the past 30 days | 2224 | 35.4 (31.7 - 39.1) | 22.7 (20.7 - 24.7) | 42.7 (39.4 - 45.9) | 40.4 (37.6 - 43.3) |
| Violence | | | | | |
| Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school | 2273 | 13.5 (12.4 - 14.7) | 12.1 (8.5 - 15.6) | 15.1 (13.8 - 16.4) | 12.9(10.7 - 15.1) |
| Percentage of students who were in a physical fight one or more times during the past 12 months | 2235 | 19.9(17.8 - 22.0) | 20.9(17.7 - 24.1) | 21.0(18.8 - 23.1) | 17.5(14.9-20.0) |
| Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose one or more times by someone they were dating or going out with | 829 | 9.6 (8.4 - 10.8) | 6.2 (4.6 - 7.8) | 13.2(11.5 - 15.0) | 8.0 (6.7 - 9.3) |

| Health Measures* | Number of Responses | Total % (95% Cl) | 6th Grade % (95% Cl) | 7th Grade % (95% Cl) | 8th Grade % (95% Cl) |
|---|------------------------|----------------------|-------------------------|-------------------------|-------------------------|
| Among students who dated or went out with someone during the past 12 months, the percentage who had been controlled or emotionally hurt by someone they were dating or going out with | 832 | 16.9 (14.9 - 18.9) | 12.5 (9.7 - 15.2) | 19.2(16.3 - 22.1) | 16.7(13.6 - 19.7) |
| Mental Health | | | | | |
| Percentage of students who agree or strongly agree their stress level is manageable most days | 2273 | 58.6 (55.0 - 62.2) | 61.8 (57.1 - 66.5) | 57.4 (55.2 - 59.6) | 57.0 (51.8 - 62.2) |
| Percentage of students who most of the time or always had poor mental health during the past 30 days | 2248 | 21.2 (19.3 - 23.1) | 16.0(14.5 - 17.4) | 22.3 (20.7 - 24.0) | 25.2 (22.5 - 27.8) |
| Percentage of students who purposefully hurt themselves without wanting to die in the past 12 months | 2237 | 11.4 (10.2 - 12.7) | 8.4 (6.9 - 9.8) | 12.7 (11.3 - 14.0) | 13.1 (11.2 - 15.0) |
| Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row during the past 12 months that they stopped doing some usual activities | 2233 | 19.7(18.4 - 21.1) | 16.8 (15.0 - 18.6) | 21.6 (19.8 - 23.4) | 20.5 (18.5 - 22.5) |
| Percentage of students who ever seriously thought about killing themselves | 2229 | 14.9(13.6 - 16.2) | 14.0 (12.0 - 16.1) | 15.2(13.1 - 17.3) | 15.2 (13.4 - 17.0) |
| Percentage of students who ever made a plan about how they would kill themselves | 2226 | 11.5 (9.4 - 13.5) | 10.0 (6.8 - 13.2) | 11.1 (9.9 - 12.3) | 13.2 (10.8 - 15.5) |
| Percentage of students who ever tried to kill themselves | 2226 | 4.4 (3.6 - 5.3) | 3.7 (3.0 - 4.3) | 4.9 (3.8 - 6.0) | 4.6 (3.4 - 5.8) |
| Percentage of students who have an adult to go to for help with a serious problem | 2255 | 74.6 (72.2 - 77.1) | 78.6 (75.0 - 82.3) | 72.5 (70.5 - 74.5) | 73.5 (70.5 - 76.5) |
| Percentage of students who most of the time or always could talk to a friend about feelings during their life | 2252 | 56.4 (54.0 - 58.7) | 57.9 (51.2 - 64.6) | 55.0 (52.7 - 57.3) | 57.0 (54.0 - 60.1) |
| Percentage of students who had a friend tell them they had thoughts of suicide one or more times during the past 12 months | 2226 | 27.4 (24.3 - 30.4) | 19.6(18.4 - 20.8) | 29.8 (26.8 - 32.8) | 32.4 (28.2 - 36.5) |
| Percentage of students who would tell their parents or guardians if they were concerned about their own or someone else's well-being or mental health | 2143 | 64.2 (61.9 - 66.5) | 74.0 (72.4 - 75.6) | 62.4 (59.7 - 65.0) | 57.2 (54.4 - 59.9) |
| Percentage of students who would tell another trusted adult (who is not their parents or guardians) if they were concerned about their own or someone else's well-being or mental health | 2143 | 52.8 (51.5 - 54.2) | 56.6 (54.9 - 58.3) | 51.9 (49.5 - 54.4) | 50.9 (48.5 - 53.3) |
| Percentage of students who would tell a friend if they were concerned about their own or someone else's well- being or mental health | 2143 | 33.5 (32.5 - 34.6) | 28.1 (26.8 - 29.4) | 35.3 (32.7 - 38.0) | 37.4 (34.4 - 40.4) |
| Percentage of students who would submit an anonymous report through their school's safety reporting system if they were concerned about their own or someone else's well-being or mental health | 2143 | 33.6 (30.9 - 36.3) | 32.0 (25.2 - 38.8) | 35.6 (33.1 - 38.1) | 33.4 (30.9 - 35.9) |
| Percentage of students who would contact a crisis line if they were concerned about their own or someone else's well-being or mental health | 2143 | 16.4 (14.8 - 18.1) | 11.7(9.4 - 14.1) | 16.6(15.3 - 17.9) | 21.2(19.4 - 23.0) |
| Percentage of students who have ever experienced the death of a family member or close friend | 2254 | 64.8 (62.0 - 67.6) | 56.8 (54.0 - 59.6) | 68.7 (66.1 - 71.3) | 68.9 (66.5 - 71.4) |
| Racism | | | | | |
| Percentage who were treated badly or unfairly in school because of their race or ethnicity in the past 12 months | 2088 | 5.5 (4.9 - 6.1) | 2.8 (1.6 - 4.0) | 5.6 (4.7 - 6.5) | 7.6 (6.4 - 8.9) |
| Percentage who were watched closely or followed by security guards or store clerks at a store or mall because of their race or ethnicity in the past 12 months | 2088 | 2.7 (2.3 - 3.1) | 1.9 (0.7 - 3.1) | 2.0 (1.3 - 2.6) | 3.6 (2.0 - 5.3) |
| Percentage who were assumed less intelligent because of their race or ethnicity in the past 12 months | 2088 | 3.5 (2.8 - 4.3) | 1.7 (1.0 - 2.4) | 4.5 (3.4 - 5.7) | 4.1 (2.6 - 5.5) |
| Percentage who saw family members treated unfairly because of their race or ethnicity in the past 12 months | 2088 | 4.8 (4.4 - 5.2) | 4.0 (2.1 - 5.9) | 5.4 (4.4 - 6.4) | 4.8 (3.6 - 6.0) |
| Alcohol | | | | | |

| Health Measures* | Number of Responses | Total % (95% Cl) | 6th Grade % (95% Cl) | 7th Grade % (95% Cl) | 8th Grade % (95% Cl) |
|---|------------------------|----------------------|-------------------------|-------------------------|-------------------------|
| Percentage of students who have ever had a drink of alcohol other than a few sips | 2194 | 21.1 (19.9 - 22.2) | 14.8(13.1 - 16.5) | 20.0 (17.7 - 22.2) | 27.8 (26.1 - 29.5) |
| Percentage of students who had their first drink of alcohol, other than a few sips, before the age of 11 | 2194 | 11.5 (10.6 - 12.5) | 11.4(10.0 - 12.7) | 11.0 (9.1 - 13.0) | 11.7(9.5 - 14.0) |
| Percentage of students who had at least one drink of alcohol on one or more of the past 30 days | 2219 | 5.3 (4.4 - 6.2) | 2.3 (1.0 - 3.6) | 4.6 (3.8 - 5.4) | 8.7 (7.5 - 9.9) |
| Percentage of students who feel it would be sort of easy or very easy to get alcohol if they wanted | 2099 | 31.4 (28.8 - 34.0) | 17.7(15.8 - 19.7) | 33.0 (31.5 - 34.4) | 42.7 (40.3 - 45.0) |
| Percentage of students who think it is wrong or very wrong for someone of the same age to drink alcohol regularly (at least once or twice per month) | 2207 | 91.1 (90.6 - 91.5) | 94.1 (93.5 - 94.8) | 92.7(91.6 - 93.9) | 86.8 (85.0 - 88.5) |
| Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they drank alcohol regularly (at least once or twice per month) | 2201 | 92.0 (91.1 - 92.8) | 93.7 (92.9 - 94.5) | 94.0 (92.9 - 95.0) | 88.7 (87.2 - 90.2) |
| Percentage of students who thought 5 or more out of every 10 students in their grade drank alcohol in the past 30 days | 2170 | 14.9 (13.4 - 16.5) | 6.3 (4.6 - 8.0) | 15.9 (12.9 - 18.9) | 21.9 (19.8 - 24.1) |
| Торассо | | | | | |
| Percentage of students who have ever smoked a cigarette, even one or two puffs | 2205 | 5.0 (4.3 - 5.7) | 1.2 (1.0 - 1.4) | 5.3 (3.8 - 6.8) | 7.9 (6.5 - 9.3) |
| Percentage of students who smoked a cigarette, even one or two puffs, for the first time before age 11 | 2205 | 2.4 (2.0 - 2.9) | 1.2 (1.0 - 1.4) | 2.7 (1.7 - 3.7) | 2.6 (1.5 - 3.8) |
| Percentage of students who smoked cigarettes on one or more of the past 30 days | 2222 | 1.7 (1.3 - 2.0) | . () | 0.8 (0.4 - 1.2) | 3.0 (2.0 - 4.1) |
| Percentage of students who think it would be sort of easy or very easy to get cigarettes if they wanted | 2109 | 15.8(14.7 - 16.9) | 8.3 (7.3 - 9.3) | 17.3 (16.1 - 18.6) | 20.9 (18.6 - 23.2) |
| Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they smoked cigarettes | 2203 | 97.2 (96.8 - 97.6) | 98.5 (98.2 - 98.9) | 98.2 (97.5 - 98.9) | 95.2 (94.3 - 96.2) |
| Percentage of students who have ever used an electronic vapor product | 2211 | 8.4 (6.3 - 10.5) | 3.1 (0.9 - 5.4) | 9.2 (6.0 - 12.5) | 12.0 (9.3 - 14.7) |
| Percentage of students who used electronic vapor products for the first time before age 11 | 2211 | 2.7 (2.2 - 3.1) | 1.7 (0.6 - 2.8) | 2.5 (1.5 - 3.6) | 3.2 (2.2 - 4.2) |
| Percentage of students who used an electronic vapor product in the past 30 days | 2214 | 3.6 (3.0 - 4.3) | 0.9 (0.4 - 1.4) | 4.5 (2.9 - 6.1) | 4.9 (4.0 - 5.9) |
| Percentage of students who feel it would be sort of easy or very easy to get electronic vapor products if they wanted | 2108 | 27.2 (25.4 - 29.1) | 13.9(11.2 - 16.7) | 29.5 (27.1 - 31.8) | 37.6 (34.6 - 40.6) |
| Percentage of students who think it is wrong or very wrong for someone of the same age to use electronic vapor products | 2205 | 94.1 (93.3 - 94.9) | 97.8 (97.5 - 98.1) | 95.0 (93.9 - 96.2) | 89.8 (88.1 - 91.5) |
| Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they used electronic vapor products | 2200 | 97.5 (97.0 - 98.1) | 99.0 (98.6 - 99.3) | 98.3 (97.7 - 99.0) | 95.6 (94.4 - 96.7) |
| Percentage of students who think people who use electronic vapor products every day have a moderate or great risk of harm | 2167 | 86.3 (84.9 - 87.7) | 89.9 (88.8 - 91.0) | 85.4 (83.6 - 87.3) | 84.3 (82.3 - 86.2) |
| Marijuana | | | | | |
| Percentage of students who have ever tried marijuana | 2201 | 5.1 (4.5 - 5.8) | 0.7 (0.4 - 1.0) | 4.3 (3.6 - 5.1) | 9.5 (7.6 - 11.4) |
| Percentage of students who tried marijuana for the first time before the age of 11 | 2201 | 1.3 (0.9 - 1.8) | 0.7 (0.4 - 1.0) | 0.3 (0.1 - 0.5) | 2.3 (1.1 - 3.5) |
| Percentage of students who used marijuana one or more times during the past 30 days | 2199 | 2.9 (2.7 - 3.1) | 0.7 (0.4 - 1.0) | 2.6 (2.0 - 3.2) | 4.8 (3.8 - 5.8) |

| Health Measures* | Number of Responses | Total % (95% Cl) | 6th Grade % (95% Cl) | 7th Grade % (95% Cl) | 8th Grade % (95% Cl) |
|---|------------------------|----------------------|-------------------------|-------------------------|-------------------------|
| Percentage of students who feel it would be sort of easy or very easy to get marijuana if they wanted | 2082 | 14.5 (13.5 - 15.6) | 6.8 (6.4 - 7.2) | 13.0 (10.9 - 15.1) | 22.8 (20.5 - 25.2) |
| Percentage of students who think it is wrong or very wrong for someone of the same age to use marijuana | 2196 | 94.4 (93.9 - 94.8) | 98.2 (97.9 - 98.5) | 95.7 (94.6 - 96.7) | 89.7 (87.9 - 91.6) |
| Percentage of students who think their parents or guardians feel it is wrong or very wrong if they used marijuana | 2189 | 96.9 (96.5 - 97.3) | 98.9 (98.5 - 99.3) | 97.7(96.9 - 98.4) | 94.8 (94.0 - 95.6) |
| Percentage of students who thought 5 or more out of every 10 students in their grade used marijuana in the past 30 days | 2162 | 15.4 (13.3 - 17.6) | 6.3 (5.1 - 7.6) | 16.9(13.1 - 20.7) | 22.2 (18.2 - 26.3) |
| Among students who used marijuana in the past 30 days, the percentage who smoked it | 70 | 74.7 (68.9 - 80.4) | . () | . () | 77.1(69.6-84.6) |
| Among students who used marijuana in the past 30 days, the percentage who ate it | 70 | 46.9 (36.6 - 57.2) | . () | . () | 52.9 (35.0 - 70.9) |
| Among students who used marijuana in the past 30 days, the percentage who vaporized it | 70 | 56.8 (49.1 - 64.6) | . () | . () | 63.4 (53.3 - 73.6) |
| Among students who used marijuana in the past 30 days, the percentage who dabbed it | 70 | 47.4 (36.9 - 57.8) | . () | . () | 46.1(27.1 - 65.1) |
| Prescription Pain Medication | | | | | |
| Percentage of students who have ever used prescription pain medicine not prescribed to them or differently than how a doctor told them to use it | 2176 | 6.1 (5.3 - 6.8) | 3.6 (3.1 - 4.0) | 6.4 (5.6 - 7.3) | 7.6 (5.9 - 9.3) |
| Percentage of students who used prescription pain medicine not prescribed to them or differently than how a doctor told them to use it for the first time before age 11 | 2176 | 4.3 (3.6 - 5.1) | 3.4 (2.9 - 3.9) | 4.5 (3.5 - 5.4) | 4.9 (3.2 - 6.5) |
| Percentage of students who feel it would be sort of easy or very easy to get prescription pain medicine not prescribed to them | 2096 | 21.7 (19.6 - 23.8) | 13.6 (12.5 - 14.8) | 23.8 (22.3 - 25.2) | 26.8 (23.2 - 30.3) |
| Percentage of students who think it is wrong or very wrong for someone of the same age to use prescription pain medicine without a doctor's prescription | 2199 | 92.3 (91.6 - 92.9) | 95.1 (93.8 - 96.3) | 91.3 (89.8 - 92.7) | 90.9 (89.9 - 91.9) |
| Nutrition | | | | | |
| Percentage of students who ate fruit one or more times per day in the past 7 days | 2205 | 65.4 (61.2 - 69.6) | 71.8(64.8-78.7) | 60.8 (56.6 - 65.0) | 63.7 (59.8 - 67.7) |
| Percentage of students who ate vegetables such as green salad, potatoes, carrots, or other vegetables one or more times per day in the past 7 days | 2189 | 68.6 (64.7 - 72.5) | 75.7 (70.0 - 81.3) | 61.4 (57.0 - 65.8) | 68.8 (64.6 - 72.9) |
| Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day in the past 7 days | 2192 | 12.3 (10.6 - 14.1) | 7.6 (6.0 - 9.2) | 13.4(10.7 - 16.2) | 15.2 (13.1 - 17.3) |
| Percentage of students who drank a sports drink, energy drink, or other sweetened beverage one or more times in the past 7 days | 2124 | 60.7 (57.3 - 64.1) | 58.1 (50.7 - 65.5) | 60.3 (56.9 - 63.6) | 63.8 (61.5 - 66.2) |
| Percentage of students who ate breakfast on all of the past 7 days | 2180 | 51.0 (48.6 - 53.4) | 62.3 (61.4 - 63.2) | 46.5 (44.9 - 48.1) | 44.4 (41.6 - 47.3) |
| Percentage of students who sometimes, most of the time, or always went hungry in the past 30 days because of a lack of food at home | 2172 | 8.3 (7.2 - 9.5) | 4.8 (4.6 - 4.9) | 10.4 (8.9 - 12.0) | 9.1 (6.4 - 11.8) |
| Physical Activity | | | | | |
| Percentage of students who were physically active for a total of at least 60 minutes per day on 5 or more of the past 7 days | 2131 | 62.5 (59.6 - 65.4) | 64.2 (61.0 - 67.5) | 59.6 (56.2 - 63.0) | 64.0 (60.1 - 68.0) |
| Percentage of students who spent 3+ hours in front of a TV, computer, smart phone, or other electronic device for something other than schoolwork | 2133 | 44.6 (40.5 - 48.7) | 30.8 (25.9 - 35.7) | 48.6 (44.4 - 52.7) | 53.9 (50.0 - 57.8) |
| Body Image & Eating Disorders | | | | | |

| Health Measures* | Number of Responses | Total % (95% CI) | 6th Grade % (95% Cl) | 7th Grade % (95% Cl) | 8th Grade % (95% CI) |
|---|------------------------|----------------------|-------------------------|-------------------------|-------------------------|
| Percentage of students who most of the time or always felt confident with their body image during the past 30 days | 2090 | 54.9 (52.7 - 57.1) | 61.7 (59.5 - 63.9) | 52.1 (49.2 - 55.0) | 51.4 (47.4 - 55.4) |
| Percentage of students who most of the time or always worried about their physical appearance more than they wanted to during the past 30 days | 2060 | 29.9 (28.1 - 31.7) | 23.3 (19.9 - 26.7) | 30.5 (28.2 - 32.8) | 35.6 (31.6 - 39.5) |
| Percentage of students who tried to lose weight or keep from gaining weight by going without eating for 24 hours or more; taking any diet pills, powders, or liquids; vomiting or taking laxatives; or skipping meals during the past 30 days | 2075 | 13.3 (11.1 - 15.6) | 6.8 (5.0 - 8.6) | 15.5 (12.5 - 18.4) | 17.2(14.8 - 19.7) |
| Home Life | | | | | |
| Percentage of students who usually or definitely feel safe in their neighborhood | 2139 | 95.0 (94.1 - 95.9) | 94.3 (93.7 - 94.9) | 96.2 (94.9 - 97.4) | 94.9 (93.0 - 96.8) |
| Percentage of students who provide care for someone in their family or household who is chronically ill, elderly, or disabled with activities they would have difficulty doing on their own one or more days per week | 2071 | 11.3 (10.5 - 12.0) | 10.4 (9.3 - 11.4) | 12.9(11.5 - 14.3) | 10.4 (8.9 - 11.8) |
| School & Community | | | | | |
| Percentage of students who agree or strongly agree that they belong at their school | 2122 | 73.8 (70.9 - 76.8) | 80.0 (78.9 - 81.1) | 70.3 (67.9 - 72.7) | 71.8 (67.3 - 76.3) |
| Percentage of students who usually or definitely feel safe at school | 2117 | 89.9 (88.7 - 91.1) | 94.4 (94.1 - 94.8) | 86.2 (84.8 - 87.7) | 89.6 (88.1 - 91.2) |
| Percentage of students who usually or definitely think their grades are better than most students in class | 2089 | 69.8 (66.4 - 73.1) | 76.0 (72.1 - 79.9) | 65.6 (62.4 - 68.8) | 68.3 (64.3 - 72.3) |
| Percentage of students who think it is important or very important to finish high school | 2124 | 96.9 (96.3 - 97.4) | 99.1 (98.4 - 99.8) | 96.2 (95.2 - 97.2) | 95.7 (94.4 - 97.0) |
| Percentage of students who talked to a school counselor about their future plans after high school in the past 12 months | 2039 | 29.6 (18.1 - 41.0) | 33.8 (17.1 - 50.5) | 21.8 (13.4 - 30.2) | 33.4 (23.6 - 43.2) |
| Percentage of students who talked to a teacher about their future plans after high school in the past 12 months | 2039 | 32.3 (24.1 - 40.6) | 36.0 (23.1 - 48.9) | 26.4 (21.2 - 31.6) | 34.7 (27.5 - 41.9) |
| Percentage of students who talked to an administrator about their future plans after high school in the past 12 months | 2039 | 7.8 (5.7 - 10.0) | 4.4 (1.0 - 7.8) | 6.1 (4.3 - 8.0) | 13.0 (10.5 - 15.6) |
| Percentage of students who talked to a coach about their future plans after high school in the past 12 months | 2039 | 7.9 (6.8 - 9.0) | 4.0 (2.7 - 5.3) | 7.6 (6.4 - 8.9) | 11.9 (10.1 - 13.7) |
| Percentage of students who talked to another school staff member (who is not a school counselor, teacher, administrator, or coach) about their future plans after high school in the past 12 months | 2039 | 6.7 (5.4 - 8.0) | 5.2 (2.4 - 7.9) | 6.3 (5.3 - 7.3) | 8.6 (7.3 - 10.0) |
| Percentage of students who participated in sports (team or individual) during the past 12 months | 2060 | 61.1 (59.3 - 63.0) | 63.0 (60.6 - 65.3) | 55.2 (53.1 - 57.4) | 65.7 (63.6 - 67.7) |
| Percentage of students who participated in sports, band, drama, clubs, or student government at school during the past 12 months | 2060 | 80.6 (78.5 - 82.7) | 85.6 (84.0 - 87.2) | 76.2 (73.0 - 79.3) | 80.5 (78.7 - 82.3) |
| Percentage of students who had paid employment during the past 12 months | 2060 | 4.3 (3.8 - 4.8) | 3.3 (2.0 - 4.6) | 3.1 (2.3 - 3.8) | 6.2 (5.0 - 7.4) |
| Percentage of students who participated in another activity besides sports, band, drama, clubs, student government, or paid employment during the past 12 months | 2060 | 22.8 (20.5 - 25.1) | 22.8(18.5 - 27.1) | 25.2 (22.1 - 28.4) | 20.1 (17.9 - 22.4) |
| Other Health Topics | | | | | |
| Percentage of students who usually slept somewhere other than their home during the past 30 days | 2076 | 5.6 (4.7 - 6.5) | 4.3 (3.8 - 4.7) | 5.0 (4.1 - 5.9) | 7.0 (4.9 - 9.1) |
| Percentage of students who sleep 8 or more hours per night on average school nights | 2075 | 67.2 (64.8 - 69.5) | 72.8(71.4 - 74.3) | 68.4(65.7 - 71.2) | 60.4 (56.0 - 64.9) |
| Percentage of students who never or rarely wear a seat belt while riding in a car | 2071 | 3.0 (2.5 - 3.4) | 1.6 (1.4 - 1.9) | 3.5 (2.6 - 4.4) | 2.9 (1.6 - 4.2) |

| Health Measures* | Number of Responses | Total % (95% Cl) | 6th Grade % (95% Cl) | 7th Grade % (95% Cl) | 8th Grade % (95% Cl) |
|--|------------------------|----------------------|-------------------------|-------------------------|-------------------------|
| Percentage of students who could fire a loaded gun without adult permission in less than one hour | 1997 | 10.3 (9.4 - 11.2) | 8.2 (6.6 - 9.8) | 10.1 (8.1 - 12.0) | 11.8(10.0 - 13.6) |
| Percentage of students who would be able to get a loaded gun without adult permission in or around their home, from a friend or schoolmate, or from a family member | 1960 | 10.8 (9.7 - 11.9) | 8.8 (7.6 - 10.0) | 10.7 (9.0 - 12.3) | 12.2(10.4 - 14.0) |
| Percentage of students who had ever been told by a doctor or nurse that they had asthma | 2052 | 12.6 (11.4 - 13.8) | 10.8 (9.1 - 12.4) | 12.6 (11.2 - 13.9) | 14.5(12.4 - 16.6) |
| Percentage of students who went outdoors to spend time in nature at least once a week during the past 12 months | 2048 | 3.8 (3.4 - 4.2) | 2.5 (1.3 - 3.7) | 4.1 (3.0 - 5.3) | 4.2 (2.7 - 5.8) |
| Extra Questions | | | | | |
| Percentage of students who think people who have five or more drinks of an alcoholic beverage once or twice a week have a moderate or great risk of harming themselves physically or in other ways | 1927 | 77.0 (76.1 - 77.8) | 80.4 (78.4 - 82.4) | 75.0 (73.4 - 76.7) | 75.9(74.5 - 77.2) |
| Percentage of students who think people who smoke one or more packs of cigarettes per day have a moderate or great risk of harming themselves physically or in other ways | 1920 | 85.5 (84.3 - 86.7) | 86.9 (85.8 - 87.9) | 84.9 (82.9 - 86.8) | 85.1 (83.3 - 86.9) |
| Percentage of students who think people who smoke marijuana once or twice a week have a moderate or great risk of harming themselves physically or in other ways | 1917 | 81.3 (79.4 - 83.3) | 87.8 (86.7 - 88.9) | 80.8 (78.6 - 83.0) | 76.1 (73.9 - 78.3) |
| Percentage of students who think people who use prescription drugs that are not prescribed to them have a moderate or great risk of harming themselves physically or in other ways | 1911 | 85.6 (84.0 - 87.1) | 87.6 (86.3 - 89.0) | 83.8 (81.8 - 85.8) | 85.7 (83.7 - 87.7) |
| Percentage of students who think their parents would feel it is wrong or very wrong if they drank 1 or 2 drinks of an alcoholic beverage nearly every day | 1910 | 95.9 (95.3 - 96.4) | 97.3 (96.7 - 98.0) | 96.8 (96.0 - 97.7) | 94.0 (92.5 - 95.5) |
| Percentage of students who think their parents would feel it is wrong or very wrong for them to smoke tobacco | 1912 | 97.4 (97.0 - 97.8) | 98.3 (97.2 - 99.3) | 98.2 (97.7 - 98.8) | 96.3 (94.9 - 97.7) |
| Percentage of students who think their parents would feel it is wrong or very wrong for them to use prescription drugs not prescribed to them | 1900 | 96.4 (96.0 - 96.9) | 97.7 (96.8 - 98.6) | 96.8(96.1 - 97.5) | 95.3 (93.9 - 96.8) |
| Percentage of students who think their friends would feel it is wrong or very wrong for them to have one or two alcoholic drinks nearly every day | 1904 | 89.4 (88.4 - 90.4) | 94.4 (93.5 - 95.4) | 89.7 (88.3 - 91.2) | 84.9 (83.2 - 86.5) |
| Percentage of students who think their friends would feel it is wrong or very wrong for them to smoke tobacco | 1903 | 91.3 (90.0 - 92.7) | 95.7 (94.1 - 97.3) | 92.9 (91.3 - 94.4) | 86.0 (83.7 - 88.3) |
| Percentage of students who think their friends would feel it is wrong or very wrong for them to smoke marijuana | 1901 | 88.4 (86.7 - 90.1) | 95.0 (93.2 - 96.8) | 90.0(88.1 - 91.9) | 80.8 (78.1 - 83.6) |
| Percentage of students who think their friends would feel it is wrong or very wrong to use prescription drugs not prescribed to them | 1886 | 91.7 (91.0 - 92.3) | 94.7(94.1 - 95.2) | 91.6(90.2 - 93.1) | 89.3 (87.6 - 91.0) |
| Percentage of students who used prescription drugs not prescribed to them during the past 30 days | 1968 | 2.5 (2.0 - 3.0) | 0.8 (0.5 - 1.2) | 3.0 (2.3 - 3.6) | 3.3 (2.3 - 4.3) |

In districts with enrollment over 35, results are suppressed if fewer than 30 students responded to a question. All percentages are rounded to the nearest tenth.

**Items in this column are included in risk and protective factors known to influence multiple youth health outcomes.

Boulder Valley Re 2

In order to make this document more readable, we split the answer options for this table so that American Indian/Alask Native, Native Hawaiian/Other Pacific Islander, and Multiracial can be found in another table.

| Health Measures* | Number of | Total | White | | Black/African American | Asian |
|---|-----------|----------------------|----------------------|----------------------|------------------------|----------------------|
| | Responses | % (95% CI) | % (95% CI) | % (95% CI) | % (95% CI) | % (95% CI) |
| Bullying | | | | | | |
| Percentage of students who have ever been bullied on school property during the past 12 months | 2140 | 21.9 (19.6 - 24.3) | 21.9 (19.5 - 24.2) | 19.9(16.6-23.3) | 25.5 (20.7 - 30.2) | 11.1 (8.1 - 14.1) |
| Among students bullied on school property, the percentage who were bullied in a classroom in the past 12 months | 494 | 56.6 (52.8 - 60.3) | 55.0 (51.6 - 58.4) | 52.5 (43.3 - 61.8) | . () | . () |
| Among students bullied on school property, the percentage who were bullied in a hallway or stairwell in the past 12 months | 494 | 46.3 (42.8 - 49.8) | 42.2 (38.3 - 46.1) | 53.8 (44.8 - 62.7) | . () | . () |
| Among students bullied on school property, the percentage who were bullied in a locker room or bathroom in the past 12 months | 494 | 17.3 (14.8 - 19.9) | 17.2(15.0 - 19.4) | 10.2 (6.8 - 13.7) | . () | . () |
| Among students bullied on school property, the percentage who were bullied in a cafeteria or lunch room in the past 12 months | 494 | 33.1 (30.6 - 35.6) | 33.9 (31.0 - 36.9) | 30.3 (22.4 - 38.3) | . () | . () |
| Among students bullied on school property, the percentage who were bullied on a bus or at a bus stop in the past 12 months | 494 | 11.5 (9.9 - 13.1) | 8.7 (6.6 - 10.8) | 12.4(7.9 - 16.9) | . () | . () |
| Among students bullied on school property, the percentage who were bullied outside before school in the past 12 months | 494 | 18.0 (15.8 - 20.2) | 16.1 (14.1 - 18.1) | 13.5 (10.4 - 16.6) | . () | . () |
| Among students bullied on school property, the percentage who were bullied outside after school in the past 12 months | 494 | 23.6 (21.0 - 26.2) | 21.7(18.7 - 24.6) | 23.3 (17.4 - 29.2) | . () | . () |
| Among students bullied on school property, the percentage who were bullied outside during lunch or break in the past 12 months | 494 | 31.1 (27.7 - 34.6) | 30.9 (27.4 - 34.3) | 17.1(12.0 - 22.1) | . () | . () |
| Percentage of students who had ever been electronically bullied during the past 12 months | 2249 | 11.8 (10.0 - 13.5) | 10.6 (8.6 - 12.6) | 12.0 (10.6 - 13.5) | 14.1(6.4 - 21.8) | 16.4(12.4 - 20.3) |
| Among students who were teased in the past 12 months, the percentage who were teased because of sexual orientation | 418 | 14.5(12.7 - 16.4) | 16.6 (13.7 - 19.4) | 8.5 (2.1 - 14.9) | . () | . () |
| Among students who were teased in the past 12 months, the percentage who were teased because of gender identity | 418 | 14.3 (12.8 - 15.7) | 14.7 (13.0 - 16.4) | 9.3 (4.6 - 14.1) | . () | . () |
| Among students who were teased in the past 12 months, the percentage who were teased because of religion | 418 | 12.4 (10.7 - 14.0) | 10.7 (9.6 - 11.8) | 8.4 (5.3 - 11.5) | . () | . () |
| Among students who were teased in the past 12 months, the percentage who were teased because of disability | 418 | 12.8 (9.8 - 15.8) | 15.5 (11.3 - 19.6) | . () | . () | . () |
| Among students who were teased in the past 12 months, the percentage who were teased because of physical appearance | 418 | 70.2 (67.7 - 72.7) | 78.8 (76.6 - 81.0) | 54.1 (46.4 - 61.8) | . () | . () |
| Among students who were teased in the past 12 months, the percentage who were teased because of race or ethnicity | 418 | 29.0 (26.2 - 31.8) | 8.3 (6.6 - 9.9) | 55.8 (48.0 - 63.7) | . () | . () |
| Percentage of students who saw someone else being bullied on school property in the past 30 days | 2224 | 35.4 (31.7 - 39.1) | 36.5 (32.9 - 40.2) | 29.8 (22.8 - 36.7) | 45.5 (35.0 - 56.1) | 26.2 (18.1 - 34.2) |
| Violence | | | | | | |
| Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school | 2273 | 13.5 (12.4 - 14.7) | 10.8 (9.4 - 12.3) | 19.8(17.2 - 22.5) | 21.0 (12.6 - 29.5) | 8.1 (3.7 - 12.4) |
| Percentage of students who were in a physical fight one or more times during the past 12 months | 2235 | 19.9(17.8-22.0) | 15.7 (13.8 - 17.6) | 30.7 (27.5 - 33.9) | 27.3 (20.3 - 34.3) | 21.3 (18.8 - 23.8 |

| Health Measures* | Number of Responses | Total % (95% CI) | White % (95% Cl) | Hispanic/Latinx % (95% Cl) | Black/African American % (95% CI) | Asian % (95% CI) |
|---|------------------------|----------------------|----------------------|-------------------------------|--------------------------------------|----------------------|
| Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose one or more times by someone they were dating or going out with | 829 | 9.6 (8.4 - 10.8) | 7.0 (5.3 - 8.6) | 12.3 (9.3 - 15.2) | . () | . () |
| Among students who dated or went out with someone during the past 12 months, the percentage who had been controlled or emotionally hurt by someone they were dating or going out with | 832 | 16.9 (14.9 - 18.9) | 14.4 (11.9 - 16.9) | 18.9(13.5 - 24.2) | . () | . () |
| Mental Health | | | | | | |
| Percentage of students who agree or strongly agree their stress level is manageable most days | 2273 | 58.6 (55.0 - 62.2) | 63.5 (58.9 - 68.1) | 49.0 (45.0 - 53.0) | 44.7 (35.5 - 54.0) | 50.2 (43.1 - 57.4) |
| Percentage of students who most of the time or always had poor mental health during the past 30 days | 2248 | 21.2 (19.3 - 23.1) | 19.9(17.5 - 22.4) | 22.7 (19.9 - 25.4) | 26.8 (18.9 - 34.8) | 21.8 (17.8 - 25.8) |
| Percentage of students who purposefully hurt themselves without wanting to die in the past 12 months | 2237 | 11.4 (10.2 - 12.7) | 10.5 (9.4 - 11.6) | 12.6 (10.3 - 14.9) | 19.1 (10.0 - 28.1) | 19.0 (11.1 - 27.0) |
| Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row during the past 12 months that they stopped doing some usual activities | 2233 | 19.7 (18.4 - 21.1) | 16.0(14.3 - 17.7) | 25.9 (23.3 - 28.6) | 34.2 (26.4 - 42.0) | 20.2 (11.3 - 29.1) |
| Percentage of students who ever seriously thought about killing themselves | 2229 | 14.9 (13.6 - 16.2) | 12.6 (11.4 - 13.8) | 19.0(16.0 - 22.1) | 31.0 (19.2 - 42.8) | 15.9 (9.3 - 22.5) |
| Percentage of students who ever made a plan about how they would kill themselves | 2226 | 11.5 (9.4 - 13.5) | 10.5 (8.5 - 12.5) | 12.5 (9.8 - 15.1) | 17.1 (7.0 - 27.1) | 20.0 (14.4 - 25.6) |
| Percentage of students who ever tried to kill themselves | 2226 | 4.4 (3.6 - 5.3) | 2.9 (2.3 - 3.4) | 8.3 (5.5 - 11.0) | 11.8 (8.0 - 15.6) | 7.7 (2.1 - 13.4) |
| Percentage of students who have an adult to go to for help with a serious problem | 2255 | 74.6 (72.2 - 77.1) | 79.2 (76.8 - 81.5) | 64.5 (57.9 - 71.1) | 65.9 (50.3 - 81.5) | 67.3 (62.0 - 72.5) |
| Percentage of students who most of the time or always could talk to a friend about feelings during their life | 2252 | 56.4 (54.0 - 58.7) | 60.0 (57.4 - 62.6) | 48.3 (44.3 - 52.3) | 61.7 (54.1 - 69.2) | 33.9 (28.2 - 39.6) |
| Percentage of students who had a friend tell them they had thoughts of suicide one or more times during the past 12 months | 2226 | 27.4 (24.3 - 30.4) | 25.2 (22.2 - 28.1) | 34.4 (30.4 - 38.4) | 44.8 (31.2 - 58.5) | 27.9 (21.9 - 33.9) |
| Percentage of students who would tell their parents or guardians if they were concerned about their own or someone else's well-being or mental health | 2143 | 64.2 (61.9 - 66.5) | 69.2 (65.9 - 72.5) | 47.5 (44.8 - 50.2) | 58.2 (50.0 - 66.4) | 61.5 (51.5 - 71.6) |
| Percentage of students who would tell another trusted adult (who is not their parents or guardians) if they were concerned about their own or someone else's well-being or mental health | 2143 | 52.8 (51.5 - 54.2) | 56.7 (55.1 - 58.2) | 39.3 (36.1 - 42.6) | 38.9 (31.0 - 46.9) | 51.3 (43.5 - 59.1) |
| Percentage of students who would tell a friend if they were concerned about their own or someone else's well- being or mental health | 2143 | 33.5 (32.5 - 34.6) | 34.4 (33.1 - 35.7) | 24.5 (22.6 - 26.5) | 38.0 (22.1 - 53.9) | 38.0 (27.3 - 48.7) |
| Percentage of students who would submit an anonymous report through their school's safety reporting system if they were concerned about their own or someone else's well-being or mental health | 2143 | 33.6 (30.9 - 36.3) | 38.4 (36.0 - 40.9) | 18.9(16.8-21.1) | 31.8 (23.0 - 40.6) | 36.0 (23.1 - 48.9) |
| Percentage of students who would contact a crisis line if they were concerned about their own or someone else's well-being or mental health | 2143 | 16.4 (14.8 - 18.1) | 19.0(17.5 - 20.6) | 9.6 (6.7 - 12.5) | 19.2 (8.0 - 30.3) | 12.2 (7.4 - 17.0) |
| Percentage of students who have ever experienced the death of a family member or close friend | 2254 | 64.8 (62.0 - 67.6) | 64.8 (62.1 - 67.5) | 65.8 (60.5 - 71.2) | 65.7 (60.2 - 71.1) | 49.5 (43.1 - 55.8) |
| Racism | | | | | | |
| Percentage who were treated badly or unfairly in school because of their race or ethnicity in the past 12 months | 2088 | 5.5 (4.9 - 6.1) | 2.0 (1.7 - 2.4) | 10.5 (8.1 - 12.9) | 29.0 (23.3 - 34.6) | 12.5 (4.6 - 20.4) |
| Percentage who were watched closely or followed by security guards or store clerks at a store or mall because of their race or ethnicity in the past 12 months | 2088 | 2.7 (2.3 - 3.1) | 0.3 (0.1 - 0.5) | 5.6 (4.7 - 6.6) | 26.5 (18.3 - 34.8) | 4.7 (1.8 - 7.6) |
| Percentage who were assumed less intelligent because of their race or ethnicity in the past 12 months | 2088 | 3.5 (2.8 - 4.3) | 1.4 (0.9 - 1.9) | 7.2 (5.6 - 8.9) | 17.9(10.5 - 25.3) | 7.5 (3.1 - 12.0) |
| Percentage who saw family members treated unfairly because of their race or ethnicity in the past 12 months | 2088 | 4.8 (4.4 - 5.2) | 1.3 (0.9 - 1.6) | 11.5(9.6 - 13.4) | 15.3(6.4 - 24.1) | 16.7 (13.9 - 19.4) |

| Health Measures* | Number of Responses | Total % (95% CI) | White % (95% Cl) | Hispanic/Latinx % (95% Cl) | Black/African American % (95% Cl) | Asian % (95% CI) |
|---|------------------------|----------------------|----------------------|-------------------------------|--------------------------------------|----------------------|
| Alcohol | | | | | | |
| Percentage of students who have ever had a drink of alcohol other than a few sips | 2194 | 21.1 (19.9 - 22.2) | 18.0(16.4 - 19.7) | 26.9 (23.6 - 30.2) | 34.3 (27.9 - 40.7) | 14.4(7.7 - 21.0) |
| Percentage of students who had their first drink of alcohol, other than a few sips, before the age of 11 | 2194 | 11.5 (10.6 - 12.5) | 8.6 (7.7 - 9.6) | 17.0(15.2 - 18.9) | 19.2 (10.0 - 28.3) | 8.4 (3.6 - 13.2) |
| Percentage of students who had at least one drink of alcohol on one or more of the past 30 days | 2219 | 5.3 (4.4 - 6.2) | 4.6 (4.1 - 5.2) | 5.0 (2.6 - 7.3) | 13.9 (6.3 - 21.4) | . () |
| Percentage of students who feel it would be sort of easy or very easy to get alcohol if they wanted | 2099 | 31.4 (28.8 - 34.0) | 32.5 (29.7 - 35.3) | 26.6 (18.0 - 35.1) | 41.2 (33.3 - 49.1) | 27.9 (20.1 - 35.8) |
| Percentage of students who think it is wrong or very wrong for someone of the same age to drink alcohol regularly (at least once or twice per month) | 2207 | 91.1 (90.6 - 91.5) | 91.7 (91.0 - 92.4) | 90.2 (88.5 - 91.9) | 88.7 (82.5 - 94.9) | 90.7 (86.0 - 95.5) |
| Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they drank alcohol regularly (at least once or twice per month) | 2201 | 92.0 (91.1 - 92.8) | 92.1 (91.3 - 92.9) | 92.9 (91.0 - 94.7) | 83.4 (75.4 - 91.4) | 93.5 (90.8 - 96.3) |
| Percentage of students who thought 5 or more out of every 10 students in their grade drank alcohol in the past 30 days | 2170 | 14.9 (13.4 - 16.5) | 12.1 (11.0 - 13.3) | 25.1 (22.8 - 27.4) | 34.3 (23.7 - 44.9) | 12.2(6.6 - 17.7) |
| Tobacco | | | | | | |
| Percentage of students who have ever smoked a cigarette, even one or two puffs | 2205 | 5.0 (4.3 - 5.7) | 2.2 (1.6 - 2.7) | 11.4 (9.6 - 13.3) | 14.6 (5.6 - 23.7) | . () |
| Percentage of students who smoked a cigarette, even one or two puffs, for the first time before age 11 | 2205 | 2.4 (2.0 - 2.9) | 0.5 (0.1 - 0.8) | 5.3 (3.9 - 6.6) | 9.6 (0.0 - 19.7) | . () |
| Percentage of students who smoked cigarettes on one or more of the past 30 days | 2222 | 1.7(1.3 - 2.0) | 0.9 (0.5 - 1.2) | 1.6 (1.1 - 2.1) | 9.6 (0.0 - 19.7) | . () |
| Percentage of students who think it would be sort of easy or very easy to get cigarettes if they wanted | 2109 | 15.8 (14.7 - 16.9) | 14.5 (12.7 - 16.3) | 14.9(10.4 - 19.4) | 22.7 (14.9 - 30.4) | 21.1 (15.0 - 27.2) |
| Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they smoked cigarettes | 2203 | 97.2 (96.8 - 97.6) | 97.6 (97.0 - 98.2) | 97.4 (96.1 - 98.7) | 86.2 (80.0 - 92.5) | 97.5 (96.1 - 99.0) |
| Percentage of students who have ever used an electronic vapor product | 2211 | 8.4 (6.3 - 10.5) | 4.1 (2.9 - 5.3) | 22.0 (17.7 - 26.2) | 21.7 (14.0 - 29.4) | . () |
| Percentage of students who used electronic vapor products for the first time before age 11 | 2211 | 2.7 (2.2 - 3.1) | 0.8 (0.5 - 1.1) | 6.5 (5.2 - 7.8) | 14.3 (4.3 - 24.2) | . () |
| Percentage of students who used an electronic vapor product in the past 30 days | 2214 | 3.6 (3.0 - 4.3) | 1.9 (1.4 - 2.4) | 8.4 (5.9 - 10.9) | 9.6 (0.0 - 19.7) | . () |
| Percentage of students who feel it would be sort of easy or very easy to get electronic vapor products if they wanted | 2108 | 27.2 (25.4 - 29.1) | 26.3 (23.1 - 29.4) | 29.0 (23.0 - 35.0) | 33.8 (26.8 - 40.7) | 26.2 (20.9 - 31.6) |
| Percentage of students who think it is wrong or very wrong for someone of the same age to use electronic vapor products | 2205 | 94.1 (93.3 - 94.9) | 95.2 (94.5 - 96.0) | 92.3 (90.1 - 94.5) | 83.2 (73.1 - 93.4) | 94.0 (91.4 - 96.6) |
| Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they used electronic vapor products | 2200 | 97.5 (97.0 - 98.1) | 98.3 (97.6 - 99.0) | 97.8 (96.4 - 99.2) | 88.4 (80.8 - 95.9) | 97.5 (96.1 - 99.0) |
| Percentage of students who think people who use electronic vapor products every day have a moderate or great risk of harm | 2167 | 86.3 (84.9 - 87.7) | 88.0 (86.2 - 89.9) | 81.5 (79.2 - 83.8) | 82.6 (72.4 - 92.7) | 86.9 (83.7 - 90.0) |
| Marijuana | | | | | | |
| Percentage of students who have ever tried marijuana | 2201 | 5.1 (4.5 - 5.8) | 3.6 (2.5 - 4.6) | 7.7 (5.2 - 10.2) | 20.5 (11.4 - 29.7) | . () |
| Percentage of students who tried marijuana for the first time before the age of 11 | 2201 | 1.3 (0.9 - 1.8) | 0.4 (0.2 - 0.6) | . () | 12.3 (1.7 - 22.8) | . () |

| Health Measures* | Number of Responses | Total % (95% CI) | White % (95% Cl) | Hispanic/Latinx % (95% Cl) | Black/African American % (95% Cl) | Asian % (95% CI) |
|---|------------------------|----------------------|----------------------|-------------------------------|--------------------------------------|-----------------------|
| Percentage of students who used marijuana one or more times during the past 30 days | 2199 | 2.9 (2.7 - 3.1) | 1.9 (1.3 - 2.6) | 3.7 (2.2 - 5.3) | 17.5 (7.7 - 27.3) | . () |
| Percentage of students who feel it would be sort of easy or very easy to get marijuana if they wanted | 2082 | 14.5 (13.5 - 15.6) | 13.1(11.5 - 14.7) | 14.7 (9.0 - 20.4) | 22.1 (13.6 - 30.5) | 10.3 (6.4 - 14.3) |
| Percentage of students who think it is wrong or very wrong for someone of the same age to use marijuana | 2196 | 94.4 (93.9 - 94.8) | 95.0 (94.1 - 95.9) | 95.4 (94.2 - 96.6) | 80.5 (74.2 - 86.8) | 95.4 (92.8 - 98.0) |
| Percentage of students who think their parents or guardians feel it is wrong or very wrong if they used marijuana | 2189 | 96.9 (96.5 - 97.3) | 97.5 (96.8 - 98.2) | 97.2 (95.9 - 98.5) | 93.4(86.5 - 100.0) | 98.9 (97.5 - 100.0) |
| Percentage of students who thought 5 or more out of every 10 students in their grade used marijuana in the past 30 days | 2162 | 15.4 (13.3 - 17.6) | 12.8(10.4 - 15.2) | 24.5 (19.7 - 29.3) | 33.0 (23.0 - 42.9) | 7.7 (4.3 - 11.2) |
| Among students who used marijuana in the past 30 days, the percentage who smoked it | 70 | 74.7 (68.9 - 80.4) | 67.5 (58.8 - 76.2) | . () | . () | . () |
| Among students who used marijuana in the past 30 days, the percentage who ate it | 70 | 46.9 (36.6 - 57.2) | 42.5 (34.7 - 50.4) | . () | . () | . () |
| Among students who used marijuana in the past 30 days, the percentage who vaporized it | 70 | 56.8 (49.1 - 64.6) | 46.7 (37.5 - 55.8) | . () | . () | . () |
| Among students who used marijuana in the past 30 days, the percentage who dabbed it | 70 | 47.4 (36.9 - 57.8) | 27.3 (16.2 - 38.4) | . () | . () | . () |
| Prescription Pain Medication | | | | | | |
| Percentage of students who have ever used prescription pain medicine not prescribed to them or differently than how a doctor told them to use it | 2176 | 6.1 (5.3 - 6.8) | 5.2 (4.3 - 6.0) | 4.5 (2.5 - 6.6) | 31.9 (9.9 - 53.9) | 7.1 (3.8 - 10.4) |
| Percentage of students who used prescription pain medicine not prescribed to them or differently than how a doctor told them to use it for the first time before age 11 | 2176 | 4.3 (3.6 - 5.1) | 3.6 (3.0 - 4.3) | 3.4 (1.7 - 5.1) | 31.9 (9.9 - 53.9) | 4.8 (1.3 - 8.3) |
| Percentage of students who feel it would be sort of easy or very easy to get prescription pain medicine not prescribed to them | 2096 | 21.7 (19.6 - 23.8) | 21.6 (19.6 - 23.5) | 18.7(13.7 - 23.8) | 43.0 (31.2 - 54.7) | 23.6 (17.4 - 29.9) |
| Percentage of students who think it is wrong or very wrong for someone of the same age to use prescription pain medicine without a doctor's prescription | 2199 | 92.3 (91.6 - 92.9) | 92.7(91.7 - 93.7) | 94.0 (92.3 - 95.6) | 85.3 (76.9 - 93.7) | 90.8 (88.6 - 93.0) |
| Nutrition | | | | | | |
| Percentage of students who ate fruit one or more times per day in the past 7 days | 2205 | 65.4 (61.2 - 69.6) | 67.9(63.7 - 72.1) | 56.8 (51.3 - 62.3) | 68.1 (55.5 - 80.7) | 62.9 (56.4 - 69.4) |
| Percentage of students who ate vegetables such as green salad, potatoes, carrots, or other vegetables one or more times per day in the past 7 days | 2189 | 68.6 (64.7 - 72.5) | 73.3 (70.1 - 76.6) | 49.4 (43.4 - 55.4) | 67.9 (54.7 - 81.1) | 82.7 (78.8 - 86.6) |
| Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day in the past 7 days | 2192 | 12.3 (10.6 - 14.1) | 7.9 (6.5 - 9.3) | 28.0 (24.9 - 31.0) | 16.8 (7.7 - 25.9) | 4.2 (2.5 - 5.9) |
| Percentage of students who drank a sports drink, energy drink, or other sweetened beverage one or more times in the past 7 days | 2124 | 60.7 (57.3 - 64.1) | 58.0 (55.9 - 60.1) | 72.7(67.8 - 77.7) | 73.8 (65.8 - 81.8) | 47.3 (39.4 - 55.2) |
| Percentage of students who ate breakfast on all of the past 7 days | 2180 | 51.0 (48.6 - 53.4) | 54.0 (51.6 - 56.3) | 39.5 (34.9 - 44.1) | 42.1 (33.5 - 50.6) | 51.3 (43.3 - 59.4) |
| Percentage of students who sometimes, most of the time, or always went hungry in the past 30 days because of a lack of food at home | 2172 | 8.3 (7.2 - 9.5) | 6.0 (5.0 - 7.1) | 13.1 (10.1 - 16.2) | 19.6 (9.0 - 30.2) | 12.1 (8.0 - 16.2) |
| Physical Activity | | | | | | |
| Percentage of students who were physically active for a total of at least 60 minutes per day on 5 or more of the past 7 days | 2131 | 62.5 (59.6 - 65.4) | 69.8 (67.5 - 72.0) | 39.0 (33.3 - 44.8) | 79.1(71.1 - 87.1) | 56.6 (48.0 - 65.2) |
| Percentage of students who spent 3+ hours in front of a TV, computer, smart phone, or other electronic device for something other than schoolwork | 2133 | 44.6 (40.5 - 48.7) | 39.8 (35.8 - 43.7) | 63.3 (60.2 - 66.3) | 59.4 (48.2 - 70.6) | 43.0 (37.9 - 48.2) |

| Health Measures* | Number of Responses | Total % (95% CI) | White % (95% Cl) | Hispanic/Latinx % (95% Cl) | Black/African American % (95% Cl) | Asian % (95% CI) |
|---|------------------------|----------------------|----------------------|-------------------------------|--------------------------------------|----------------------|
| Body Image & Eating Disorders | | | | | | |
| Percentage of students who most of the time or always felt confident with their body image during the past 30 days | 2090 | 54.9 (52.7 - 57.1) | 60.3 (58.0 - 62.7) | 38.9 (35.9 - 42.0) | 53.1 (40.3 - 65.8) | 39.3 (33.1 - 45.6) |
| Percentage of students who most of the time or always worried about their physical appearance more than they wanted to during the past 30 days | 2060 | 29.9 (28.1 - 31.7) | 27.7 (25.3 - 30.0) | 38.6 (34.0 - 43.1) | 43.8 (31.2 - 56.5) | 26.5 (20.7 - 32.3) |
| Percentage of students who tried to lose weight or keep from gaining weight by going without eating for 24 hours or more; taking any diet pills, powders, or liquids; vomiting or taking laxatives; or skipping meals during the past 30 days | 2075 | 13.3 (11.1 - 15.6) | 10.8 (8.8 - 12.8) | 21.6 (16.1 - 27.0) | 11.5 (4.3 - 18.7) | 16.2 (12.2 - 20.3) |
| Home Life | | | | | | |
| Percentage of students who usually or definitely feel safe in their neighborhood | 2139 | 95.0 (94.1 - 95.9) | 97.0 (96.3 - 97.6) | 91.1 (89.4 - 92.8) | 87.5 (77.1 - 97.8) | 96.3 (94.5 - 98.2) |
| Percentage of students who provide care for someone in their family or household who is chronically ill, elderly, or disabled with activities they would have difficulty doing on their own one or more days per week | 2071 | 11.3 (10.5 - 12.0) | 9.5 (8.3 - 10.7) | 16.1 (13.7 - 18.5) | 8.0 (3.8 - 12.2) | 8.1 (3.6 - 12.7) |
| School & Community | | | | | | |
| Percentage of students who agree or strongly agree that they belong at their school | 2122 | 73.8 (70.9 - 76.8) | 77.1 (74.3 - 80.0) | 68.6 (62.0 - 75.3) | 68.8 (60.7 - 77.0) | 72.5 (68.2 - 76.7) |
| Percentage of students who usually or definitely feel safe at school | 2117 | 89.9 (88.7 - 91.1) | 90.9 (89.4 - 92.5) | 88.0 (85.0 - 91.1) | 85.4 (79.6 - 91.2) | 95.7 (93.0 - 98.4) |
| Percentage of students who usually or definitely think their grades are better than most students in class | 2089 | 69.8 (66.4 - 73.1) | 75.6 (71.8 - 79.4) | 48.2 (40.7 - 55.7) | 67.1 (60.4 - 73.9) | 82.6 (77.9 - 87.4) |
| Percentage of students who think it is important or very important to finish high school | 2124 | 96.9 (96.3 - 97.4) | 97.8 (97.3 - 98.3) | 95.1 (93.1 - 97.1) | 89.9 (83.7 - 96.1) | . () |
| Percentage of students who talked to a school counselor about their future plans after high school in the past 12 months | 2039 | 29.6 (18.1 - 41.0) | 30.2 (17.5 - 42.9) | 29.0 (21.6 - 36.3) | 31.0 (16.9 - 45.1) | 24.1 (13.1 - 35.1) |
| Percentage of students who talked to a teacher about their future plans after high school in the past 12 months | 2039 | 32.3 (24.1 - 40.6) | 32.6 (23.6 - 41.5) | 31.2 (26.4 - 36.0) | 29.4 (22.4 - 36.4) | 17.7(9.6-25.8) |
| Percentage of students who talked to an administrator about their future plans after high school in the past 12 months | 2039 | 7.8 (5.7 - 10.0) | 7.5 (5.1 - 9.9) | 9.7 (7.8 - 11.6) | . () | 6.8 (2.8 - 10.8) |
| Percentage of students who talked to a coach about their future plans after high school in the past 12 months | 2039 | 7.9 (6.8 - 9.0) | 8.3 (6.7 - 9.8) | 5.0 (3.8 - 6.2) | 26.2 (18.2 - 34.1) | 3.3 (0.9 - 5.8) |
| Percentage of students who talked to another school staff member (who is not a school counselor, teacher, administrator, or coach) about their future plans after high school in the past 12 months | 2039 | 6.7 (5.4 - 8.0) | 5.9 (4.9 - 6.8) | 7.6 (5.8 - 9.4) | 14.5(6.1 - 23.0) | 5.6 (0.9 - 10.3) |
| Percentage of students who participated in sports (team or individual) during the past 12 months | 2060 | 61.1 (59.3 - 63.0) | 64.5 (62.0 - 66.9) | 51.3 (46.5 - 56.1) | 72.5 (63.9 - 81.1) | 54.8 (49.8 - 59.8) |
| Percentage of students who participated in sports, band, drama, clubs, or student government at school during the past 12 months | 2060 | 80.6 (78.5 - 82.7) | 83.8 (81.7 - 85.9) | 71.1(66.4-75.7) | 83.6 (74.7 - 92.5) | 88.8 (82.4 - 95.2) |
| Percentage of students who had paid employment during the past 12 months | 2060 | 4.3 (3.8 - 4.8) | 4.6 (3.9 - 5.3) | 2.2 (1.2 - 3.2) | . () | . () |
| Percentage of students who participated in another activity besides sports, band, drama, clubs, student government, or paid employment during the past 12 months | 2060 | 22.8 (20.5 - 25.1) | 23.7 (20.9 - 26.5) | 16.6 (14.7 - 18.4) | 19.6(11.0 - 28.1) | 28.4 (22.3 - 34.6) |
| Other Health Topics | | | | | | |
| Percentage of students who usually slept somewhere other than their home during the past 30 days | 2076 | 5.6 (4.7 - 6.5) | 4.8 (3.9 - 5.7) | 4.0 (2.6 - 5.4) | 19.7(10.4 - 29.1) | . () |
| Percentage of students who sleep 8 or more hours per night on average school nights | 2075 | 67.2 (64.8 - 69.5) | 70.2 (68.0 - 72.4) | 59.1 (54.0 - 64.1) | 43.2 (33.0 - 53.4) | 63.3 (55.7 - 71.0) |

| Number of Responses | Total % (95% Cl) | White % (95% Cl) | Hispanic/Latinx % (95% CI) | Black/African American % (95% Cl) | Asian % (95% CI) |
|------------------------|---|--|--|--|--|
| 2071 | 3.0 (2.5 - 3.4) | 1.1(0.7 - 1.6) | 5.3 (4.3 - 6.3) | 16.2 (6.5 - 25.9) | 3.2 (1.2 - 5.1) |
| 1997 | 10.3 (9.4 - 11.2) | 8.3 (7.3 - 9.4) | 12.6 (9.8 - 15.4) | 18.0 (9.0 - 26.9) | 5.0 (2.3 - 7.8) |
| 1960 | 10.8 (9.7 - 11.9) | 10.4 (8.7 - 12.0) | 9.0 (5.3 - 12.8) | 8.8 (4.1 - 13.6) | 3.9 (1.3 - 6.5) |
| 2052 | 12.6 (11.4 - 13.8) | 12.4(11.7 - 13.1) | 8.9 (3.7 - 14.0) | 36.4 (24.5 - 48.3) | 11.4 (8.1 - 14.7) |
| 2048 | 3.8 (3.4 - 4.2) | 2.1 (1.6 - 2.6) | 5.5 (3.7 - 7.3) | 16.4 (5.3 - 27.6) | 3.2 (0.6 - 5.8) |
| | | | | | |
| 1927 | 77.0 (76.1 - 77.8) | 79.3 (77.7 - 80.8) | 70.2 (67.5 - 72.9) | 71.1 (58.8 - 83.4) | 78.7 (73.1 - 84.3) |
| 1920 | 85.5 (84.3 - 86.7) | 87.9 (86.3 - 89.6) | 78.4 (77.0 - 79.7) | 79.7 (69.3 - 90.1) | 85.8 (80.5 - 91.1) |
| 1917 | 81.3 (79.4 - 83.3) | 83.0 (81.1 - 85.0) | 80.7 (77.0 - 84.4) | 60.9 (51.2 - 70.5) | 87.8 (84.4 - 91.2) |
| 1911 | 85.6 (84.0 - 87.1) | 87.7 (85.9 - 89.6) | 80.8 (78.1 - 83.5) | 80.3 (71.3 - 89.3) | 88.3 (83.5 - 93.2) |
| 1910 | 95.9 (95.3 - 96.4) | 97.6 (97.0 - 98.2) | 92.5 (91.3 - 93.8) | 77.1(67.2 - 87.0) | 93.8 (91.1 - 96.4) |
| 1912 | 97.4 (97.0 - 97.8) | 98.8 (98.4 - 99.2) | 94.7 (93.3 - 96.2) | 82.9 (73.5 - 92.2) | 99.1 (97.9 - 100.0 |
| 1900 | 96.4 (96.0 - 96.9) | 98.1 (97.7 - 98.6) | 92.6 (91.4 - 93.9) | 76.9(67.7 - 86.1) | 98.1 (96.3 - 99.9) |
| 1904 | 89.4 (88.4 - 90.4) | 92.2 (91.2 - 93.1) | 82.9 (80.9 - 84.8) | . () | 92.2 (88.1 - 96.4) |
| 1903 | 91.3 (90.0 - 92.7) | 93.6 (92.3 - 95.0) | 85.4 (83.7 - 87.1) | . () | 93.1 (88.5 - 97.8) |
| 1901 | 88.4 (86.7 - 90.1) | 91.1 (89.6 - 92.7) | 82.5 (79.8 - 85.2) | 64.3 (54.1 - 74.5) | 90.4 (85.0 - 95.7) |
| 1886 | 91.7 (91.0 - 92.3) | 92.9 (92.1 - 93.8) | 88.2 (86.0 - 90.5) | . () | 95.4 (91.5 - 99.2) |
| 1968 | 2.5 (2.0 - 3.0) | 1.6 (1.2 - 2.0) | 2.6 (2.0 - 3.1) | . () | . () |
| | Responses 2071 1997 1997 1960 2052 2048 1927 1927 1927 1927 1911 1911 1910 1912 1900 1903 1901 1886 | Responses % (95% Cl) 2071 3.0 (2.5 - 3.4) 1997 10.3 (9.4 - 11.2) 1997 10.3 (9.4 - 11.2) 1960 10.8 (9.7 - 11.9) 2052 12.6 (11.4 - 13.8) 2048 3.8 (3.4 - 4.2) 2048 3.8 (3.4 - 4.2) 1920 77.0 (76.1 - 77.8) 1927 77.0 (76.1 - 77.8) 1920 85.5 (84.3 - 86.7) 1920 85.5 (84.3 - 86.7) 1911 85.6 (84.0 - 87.1) 1911 85.6 (84.0 - 87.1) 1911 85.6 (84.0 - 87.1) 1911 85.6 (84.0 - 87.1) 1911 85.6 (84.0 - 87.1) 1911 85.6 (84.0 - 87.1) 1911 85.6 (84.0 - 87.1) 1912 97.4 (97.0 - 97.8) 1903 96.4 (96.0 - 96.9) 1904 89.4 (88.4 - 90.4) 1903 91.3 (90.0 - 92.7) 1886 91.7 (91.0 - 92.3) | Responses % (95% Cl) % (95% Cl) 2071 3.0 (2.5 · 3.4) 1.1 (0.7 · 1.6) 1997 10.3 (9.4 · 11.2) 8.3 (7.3 · 9.4) 1997 10.8 (9.7 · 11.9) 10.4 (8.7 · 12.0) 2052 12.6 (11.4 · 13.8) 12.4 (11.7 · 13.1) 2048 3.8 (3.4 · 4.2) 2.1 (1.6 · 2.6) 1920 77.0 (76.1 · 77.8) 79.3 (77.7 · 80.8) 1921 77.0 (76.1 · 77.8) 87.9 (86.3 · 89.6) 1921 85.5 (84.3 · 86.7) 87.9 (86.3 · 89.6) 1911 81.3 (79.4 · 83.3) 83.0 (81.1 · 85.0) 1911 85.6 (84.0 · 87.1) 87.7 (85.9 · 89.6) 1911 85.6 (84.0 · 87.1) 97.6 (97.0 · 98.2) 1910 95.9 (95.3 · 96.4) 97.6 (97.0 · 98.2) 1910 96.4 (96.0 · 96.9) 98.1 (97.7 · 98.6) 1900 96.4 (96.0 · 96.9) 98.1 (97.7 · 98.6) 1903 91.3 (90.0 · 92.7) 93.6 (92.3 · 95.0) 1901 88.4 (86.7 · 90.1) 91.1 (89.6 · 92.7) 1886 91.7 (91.0 · 92.3) 92.9 (92.1 · 93.8) | Responses % (95% CI) % (95% CI) % (95% CI) 2071 3.0 (2.5 · 3.4) 1.1 (0.7 · 1.6) 5.3 (4.3 · 6.3) 1997 10.3 (9.4 · 11.2) 8.3 (7.3 · 9.4) 12.6 (9.8 · 15.4) 1997 10.3 (9.4 · 11.2) 8.3 (7.3 · 9.4) 12.6 (9.8 · 15.4) 1960 10.8 (9.7 · 11.9) 10.4 (8.7 · 12.0) 9.0 (5.3 · 12.8) 2052 12.6 (11.4 · 13.8) 12.4 (11.7 · 13.1) 8.9 (3.7 · 14.0) 2048 3.8 (3.4 · 4.2) 2.1 (1.6 · 2.6) 5.5 (3.7 · 7.3) 1927 77.0 (76.1 · 77.8) 79.3 (77.7 · 80.8) 70.2 (67.5 · 72.9) 1920 85.5 (84.3 · 86.7) 87.9 (86.3 · 89.6) 78.4 (77.0 · 79.7) 1921 81.3 (79.4 · 83.3) 83.0 (81.1 · 85.0) 80.7 (77.0 · 84.4) 1911 85.6 (84.0 · 87.1) 87.7 (85.9 · 89.6) 80.8 (78.1 · 83.5) 1910 95.9 (95.3 · 96.4) 97.6 (97.0 · 98.2) 92.5 (91.3 · 93.8) 1911 85.6 (84.0 · 87.1) 87.4 (87.7 · 99.5) 86.4 (91.4 · 93.9) 1910 95.9 (95.3 · 96.4) 97.6 (97.0 · 98.2) 92.5 (91.3 · 93.6) | Responses % (95% Cl) % (95% Cl) % (95% Cl) % (95% Cl) 2071 3.0 (2.5 · 3.4) 1.1 (0.7 · 1.6) 5.3 (4.3 · 6.3) 16.2 (6.5 · 25.9) 1997 10.3 (9.4 · 11.2) 8.3 (7.3 · 9.4) 12.6 (9.8 · 15.4) 18.0 (9.0 · 26.9) 19960 10.8 (9.7 · 11.9) 10.4 (8.7 · 12.0) 9.0 (5.3 · 12.8) 8.8 (4.1 · 13.6) 2052 12.6 (11.4 · 13.8) 12.4 (11.7 · 13.1) 8.9 (3.7 · 14.0) 36.4 (24.5 · 48.3) 2048 3.8 (3.4 · 4.2) 2.1 (1.6 · 2.6) 5.5 (3.7 · 7.3) 16.4 (5.3 · 27.6) 1927 77.0 (76.1 · 77.8) 79.3 (77.7 · 80.8) 70.2 (67.5 · 72.9) 71.1 (58.8 · 83.4) 1927 77.0 (76.1 · 77.8) 87.9 (86.3 · 89.6) 80.7 (77.0 · 84.4) 60.9 (51.2 · 70.5) 1920 85.5 (84.0 · 87.1) 87.7 (85.9 · 89.6) 80.8 (78.1 · 83.5) 80.3 (71.3 · 89.3) 1911 85.6 (84.0 · 87.1) 87.6 (97.0 · 98.2) 92.5 (91.3 · 93.1) 77.1 (67.2 · 87.0) 1910 95.9 (95.3 · 96.4) 97.6 (97.0 · 98.2) 92.6 (91.4 · 93.2) 62.9 (73.5 · 92.2) 1911 95.4 (88.4 · 90.4) |

In districts with enrollment over 35, results are suppressed if fewer than 30 students responded to a question. All percentages are rounded to the nearest tenth.

**Items in this column are included in risk and protective factors known to influence multiple youth health outcomes.

Boulder Valley Re 2 In order to make this document more readable, we split the answer options for this table so that White, Hispanic/Latinx, Black/African American, and Asian can be found in another table.

| In order to make this document more readable, we split the answer options for this table so that White, Hispanic/L Health Measures* | Number of Responses | Total % (95% CI) | American Indian/Alaska Native % (95% CI) | Native Hawaiian/Other Pacific Islander % (95% CI) | Multiracial % (95% Cl) |
|---|------------------------|----------------------|---|--|---------------------------|
| Bullying | | | | | |
| Percentage of students who have ever been bullied on school property during the past 12 months | 2140 | 21.9 (19.6 - 24.3) | . () | . () | 26.1 (22.9 - 29.3) |
| Among students bullied on school property, the percentage who were bullied in a classroom in the past 12 months | 494 | 56.6 (52.8 - 60.3) | . () | . () | 57.8 (49.3 - 66.4) |
| Among students bullied on school property, the percentage who were bullied in a hallway or stairwell in the past 12 months | 494 | 46.3 (42.8 - 49.8) | . () | . () | 56.2 (48.3 - 64.2) |
| Among students bullied on school property, the percentage who were bullied in a locker room or bathroom in the past 12 months | 494 | 17.3 (14.8 - 19.9) | . () | . () | 17.2 (12.8 - 21.6) |
| Among students bullied on school property, the percentage who were bullied in a cafeteria or lunch room in the past 12 months | 494 | 33.1 (30.6 - 35.6) | . () | . () | 31.7 (26.3 - 37.0) |
| Among students bullied on school property, the percentage who were bullied on a bus or at a bus stop in the past 12 months | 494 | 11.5 (9.9 - 13.1) | . () | . () | 17.1 (11.2 - 23.0) |
| Among students bullied on school property, the percentage who were bullied outside before school in the past 12 months | 494 | 18.0 (15.8 - 20.2) | . () | . () | 23.1 (18.7 - 27.5) |
| Among students bullied on school property, the percentage who were bullied outside after school in the past 12 months | 494 | 23.6 (21.0 - 26.2) | . () | . () | 32.1 (26.7 - 37.5) |
| Among students bullied on school property, the percentage who were bullied outside during lunch or break in the past 12 months | 494 | 31.1 (27.7 - 34.6) | . () | . () | 53.2 (49.0 - 57.4) |
| Percentage of students who had ever been electronically bullied during the past 12 months | 2249 | 11.8 (10.0 - 13.5) | . () | . () | 16.8 (15.3 - 18.2) |
| Among students who were teased in the past 12 months, the percentage who were teased because of sexual orientation | 418 | 14.5 (12.7 - 16.4) | . () | . () | 16.3 (10.9 - 21.8) |
| Among students who were teased in the past 12 months, the percentage who were teased because of gender identity | 418 | 14.3 (12.8 - 15.7) | . () | . () | 14.5 (10.0 - 18.9) |
| Among students who were teased in the past 12 months, the percentage who were teased because of religion | 418 | 12.4 (10.7 - 14.0) | . () | . () | 19.3 (12.8 - 25.9) |
| Among students who were teased in the past 12 months, the percentage who were teased because of disability | 418 | 12.8 (9.8 - 15.8) | . () | . () | 15.6 (7.5 - 23.7) |
| Among students who were teased in the past 12 months, the percentage who were teased because of physical appearance | 418 | 70.2 (67.7 - 72.7) | . () | . () | 68.7 (64.7 - 72.8) |
| Among students who were teased in the past 12 months, the percentage who were teased because of race or ethnicity | 418 | 29.0 (26.2 - 31.8) | . () | . () | 45.3 (38.5 - 52.2) |
| Percentage of students who saw someone else being bullied on school property in the past 30 days | 2224 | 35.4 (31.7 - 39.1) | . () | . () | 39.8 (34.3 - 45.3) |
| Violence | | | | | |
| Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school | 2273 | 13.5 (12.4 - 14.7) | . () | . () | 16.4 (13.2 - 19.6) |
| Percentage of students who were in a physical fight one or more times during the past 12 months | 2235 | 19.9 (17.8 - 22.0) | . () | .() | 24.6 (21.1 - 28.1) |
| Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose one or more times by someone they were dating or going out with | 829 | 9.6 (8.4 - 10.8) | . () | . () | 13.8 (11.9 - 15.7) |

| Health Measures* | Number of Responses | Total % (95% Cl) | American Indian/Alaska Native % (95% Cl) | Native Hawaiian/Other Pacific Islander % (95% CI) | Multiracial % (95% Cl) |
|---|------------------------|----------------------|---|--|---------------------------|
| Among students who dated or went out with someone during the past 12 months, the percentage who had been controlled or emotionally hurt by someone they were dating or going out with | 832 | 16.9 (14.9 - 18.9) | . () | . () | 22.0 (18.0 - 26.1) |
| Mental Health | | | | | |
| Percentage of students who agree or strongly agree their stress level is manageable most days | 2273 | 58.6 (55.0 - 62.2) | . () | . () | 53.1 (49.5 - 56.7) |
| Percentage of students who most of the time or always had poor mental health during the past 30 days | 2248 | 21.2 (19.3 - 23.1) | . () | . () | 24.7 (22.3 - 27.0) |
| Percentage of students who purposefully hurt themselves without wanting to die in the past 12 months | 2237 | 11.4 (10.2 - 12.7) | . () | . () | 14.1 (11.0 - 17.1) |
| Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row during the past 12 months that they stopped doing some usual activities | 2233 | 19.7(18.4 - 21.1) | . () | . () | 29.9 (25.9 - 33.9) |
| Percentage of students who ever seriously thought about killing themselves | 2229 | 14.9 (13.6 - 16.2) | . () | . () | 21.5 (18.1 - 24.8) |
| Percentage of students who ever made a plan about how they would kill themselves | 2226 | 11.5 (9.4 - 13.5) | . () | . () | 14.3 (12.4 - 16.1) |
| Percentage of students who ever tried to kill themselves | 2226 | 4.4 (3.6 - 5.3) | . () | . () | 6.4 (4.3 - 8.5) |
| Percentage of students who have an adult to go to for help with a serious problem | 2255 | 74.6 (72.2 - 77.1) | . () | . () | 70.2 (67.0 - 73.3) |
| Percentage of students who most of the time or always could talk to a friend about feelings during their life | 2252 | 56.4 (54.0 - 58.7) | . () | . () | 52.7 (47.9 - 57.5) |
| Percentage of students who had a friend tell them they had thoughts of suicide one or more times during the past 12 months | 2226 | 27.4 (24.3 - 30.4) | . () | . () | 29.8 (23.5 - 36.1) |
| Percentage of students who would tell their parents or guardians if they were concerned about their own or someone else's well-being or mental health | 2143 | 64.2 (61.9 - 66.5) | . () | . () | 60.4 (56.1 - 64.8) |
| Percentage of students who would tell another trusted adult (who is not their parents or guardians) if they were concerned about their own or someone else's well-being or mental health | 2143 | 52.8 (51.5 - 54.2) | . () | . () | 53.8 (51.6 - 56.0) |
| Percentage of students who would tell a friend if they were concerned about their own or someone else's well- being or mental health | 2143 | 33.5 (32.5 - 34.6) | . () | . () | 41.1 (36.9 - 45.2) |
| Percentage of students who would submit an anonymous report through their school's safety reporting system if they were concerned about their own or someone else's well-being or mental health | 2143 | 33.6 (30.9 - 36.3) | . () | . () | 36.0 (31.1 - 40.9) |
| Percentage of students who would contact a crisis line if they were concerned about their own or someone else's well-being or mental health | 2143 | 16.4 (14.8 - 18.1) | . () | . () | 18.8(16.1 - 21.4) |
| Percentage of students who have ever experienced the death of a family member or close friend | 2254 | 64.8 (62.0 - 67.6) | . () | . () | 72.7 (70.4 - 75.1) |
| Racism | | | | | |
| Percentage who were treated badly or unfairly in school because of their race or ethnicity in the past 12 months | 2088 | 5.5 (4.9 - 6.1) | . () | . () | 11.3 (8.5 - 14.1) |
| Percentage who were watched closely or followed by security guards or store clerks at a store or mall because of their race or ethnicity in the past 12 months | 2088 | 2.7 (2.3 - 3.1) | . () | . () | 6.5 (5.1 - 7.8) |
| Percentage who were assumed less intelligent because of their race or ethnicity in the past 12 months | 2088 | 3.5 (2.8 - 4.3) | . () | . () | 7.8 (6.2 - 9.4) |
| Percentage who saw family members treated unfairly because of their race or ethnicity in the past 12 months | 2088 | 4.8 (4.4 - 5.2) | . () | . () | 11.1 (9.0 - 13.3) |
| Alcohol | | | | | |

| Health Measures* | Number of Responses | Total % (95% CI) | American Indian/Alaska Native % (95% CI) | Native Hawaiian/Other Pacific Islander % (95% Cl) | Multiracial % (95% CI) |
|---|------------------------|----------------------|---|--|---------------------------|
| Percentage of students who have ever had a drink of alcohol other than a few sips | 2194 | 21.1 (19.9 - 22.2) | . () | . () | 25.7 (22.6 - 28.9) |
| Percentage of students who had their first drink of alcohol, other than a few sips, before the age of 11 | 2194 | 11.5 (10.6 - 12.5) | . () | . (. • .) | 14.4 (11.8 - 17.1) |
| Percentage of students who had at least one drink of alcohol on one or more of the past 30 days | 2219 | 5.3 (4.4 - 6.2) | . () | . () | 7.3 (5.0 - 9.5) |
| Percentage of students who feel it would be sort of easy or very easy to get alcohol if they wanted | 2099 | 31.4 (28.8 - 34.0) | . () | . () | 37.3 (34.4 - 40.2) |
| Percentage of students who think it is wrong or very wrong for someone of the same age to drink alcohol regularly (at least once or twice per month) | 2207 | 91.1 (90.6 - 91.5) | . () | . () | 88.6 (86.2 - 91.0) |
| Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they drank alcohol regularly (at least once or twice per month) | 2201 | 92.0 (91.1 - 92.8) | . () | . () | 91.1 (89.2 - 92.9) |
| Percentage of students who thought 5 or more out of every 10 students in their grade drank alcohol in the past 30 days | 2170 | 14.9 (13.4 - 16.5) | . () | . () | 14.4 (12.2 - 16.6) |
| Торассо | | | | | |
| Percentage of students who have ever smoked a cigarette, even one or two puffs | 2205 | 5.0 (4.3 - 5.7) | . () | . () | 8.7 (7.3 - 10.2) |
| Percentage of students who smoked a cigarette, even one or two puffs, for the first time before age 11 | 2205 | 2.4 (2.0 - 2.9) | . () | . () | 4.9 (4.1 - 5.8) |
| Percentage of students who smoked cigarettes on one or more of the past 30 days | 2222 | 1.7 (1.3 - 2.0) | . () | . () | 2.2 (0.6 - 3.7) |
| Percentage of students who think it would be sort of easy or very easy to get cigarettes if they wanted | 2109 | 15.8 (14.7 - 16.9) | . () | . () | 22.6 (20.6 - 24.6) |
| Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they smoked cigarettes | 2203 | 97.2 (96.8 - 97.6) | . () | . () | 97.0 (95.9 - 98.0) |
| Percentage of students who have ever used an electronic vapor product | 2211 | 8.4 (6.3 - 10.5) | . () | . () | 10.3 (7.4 - 13.3) |
| Percentage of students who used electronic vapor products for the first time before age 11 | 2211 | 2.7 (2.2 - 3.1) | . () | . () | 4.0 (3.0 - 5.1) |
| Percentage of students who used an electronic vapor product in the past 30 days | 2214 | 3.6 (3.0 - 4.3) | . () | . () | 3.7 (2.9 - 4.6) |
| Percentage of students who feel it would be sort of easy or very easy to get electronic vapor products if they wanted | 2108 | 27.2 (25.4 - 29.1) | . () | . () | 29.4 (26.1 - 32.6) |
| Percentage of students who think it is wrong or very wrong for someone of the same age to use electronic vapor products | 2205 | 94.1 (93.3 - 94.9) | . () | . () | 91.5 (89.7 - 93.4) |
| Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they used electronic vapor products | 2200 | 97.5 (97.0 - 98.1) | . () | . () | 94.9 (93.7 - 96.2) |
| Percentage of students who think people who use electronic vapor products every day have a moderate or great risk of harm | 2167 | 86.3 (84.9 - 87.7) | . () | . () | 81.6 (76.8 - 86.4) |
| Marijuana | | | | | |
| Percentage of students who have ever tried marijuana | 2201 | 5.1 (4.5 - 5.8) | . () | . () | 7.6 (5.8 - 9.4) |
| Percentage of students who tried marijuana for the first time before the age of 11 | 2201 | 1.3 (0.9 - 1.8) | . () | . () | 3.3 (2.3 - 4.3) |
| Percentage of students who used marijuana one or more times during the past 30 days | 2199 | 2.9 (2.7 - 3.1) | . () | . () | 3.5 (2.5 - 4.4) |

| Health Measures* | Number of Responses | Total % (95% Cl) | American Indian/Alaska Native % (95% Cl) | Native Hawaiian/Other Pacific Islander % (95% Cl) | Multiracial % (95% CI) |
|---|------------------------|----------------------|---|--|---------------------------|
| Percentage of students who feel it would be sort of easy or very easy to get marijuana if they wanted | 2082 | 14.5 (13.5 - 15.6) | . () | . () | 21.5 (18.1 - 24.9) |
| Percentage of students who think it is wrong or very wrong for someone of the same age to use marijuana | 2196 | 94.4 (93.9 - 94.8) | . () | .() | 90.5 (89.3 - 91.7) |
| Percentage of students who think their parents or guardians feel it is wrong or very wrong if they used marijuana | 2189 | 96.9 (96.5 - 97.3) | . () | . () | 94.8 (93.7 - 96.0) |
| Percentage of students who thought 5 or more out of every 10 students in their grade used marijuana in the past 30 days | 2162 | 15.4 (13.3 - 17.6) | . () | . () | 17.0 (14.1 - 19.9) |
| Among students who used marijuana in the past 30 days, the percentage who smoked it | 70 | 74.7 (68.9 - 80.4) | . () | . () | . () |
| Among students who used marijuana in the past 30 days, the percentage who ate it | 70 | 46.9 (36.6 - 57.2) | . () | . () | . () |
| Among students who used marijuana in the past 30 days, the percentage who vaporized it | 70 | 56.8 (49.1 - 64.6) | . () | . () | . () |
| Among students who used marijuana in the past 30 days, the percentage who dabbed it | 70 | 47.4 (36.9 - 57.8) | . () | . () | . () |
| Prescription Pain Medication | | | | | |
| Percentage of students who have ever used prescription pain medicine not prescribed to them or differently than how a doctor told them to use it | 2176 | 6.1 (5.3 - 6.8) | . () | . () | 6.5 (4.7 - 8.2) |
| Percentage of students who used prescription pain medicine not prescribed to them or differently than how a doctor told them to use it for the first time before age 11 | 2176 | 4.3 (3.6 - 5.1) | . () | . () | 3.9 (2.9 - 4.9) |
| Percentage of students who feel it would be sort of easy or very easy to get prescription pain medicine not prescribed to them | 2096 | 21.7 (19.6 - 23.8) | . () | . () | 23.1 (18.5 - 27.6) |
| Percentage of students who think it is wrong or very wrong for someone of the same age to use prescription pain medicine without a doctor's prescription | 2199 | 92.3 (91.6 - 92.9) | . () | . () | 90.4 (88.7 - 92.1) |
| Nutrition | | | | | |
| Percentage of students who ate fruit one or more times per day in the past 7 days | 2205 | 65.4 (61.2 - 69.6) | . () | . () | 66.2 (59.7 - 72.7) |
| Percentage of students who ate vegetables such as green salad, potatoes, carrots, or other vegetables one or more times per day in the past 7 days | 2189 | 68.6 (64.7 - 72.5) | . () | . () | 69.6 (64.6 - 74.6) |
| Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day in the past 7 days | 2192 | 12.3 (10.6 - 14.1) | . () | . () | 13.9 (11.6 - 16.1) |
| Percentage of students who drank a sports drink, energy drink, or other sweetened beverage one or more times in the past 7 days | 2124 | 60.7 (57.3 - 64.1) | . () | . () | 65.6 (61.1 - 70.1) |
| Percentage of students who ate breakfast on all of the past 7 days | 2180 | 51.0 (48.6 - 53.4) | . () | . () | 48.4 (43.5 - 53.2) |
| Percentage of students who sometimes, most of the time, or always went hungry in the past 30 days because of a lack of food at home | 2172 | 8.3 (7.2 - 9.5) | . () | . () | 9.2 (7.2 - 11.2) |
| Physical Activity | | | | | |
| Percentage of students who were physically active for a total of at least 60 minutes per day on 5 or more of the past 7 days | 2131 | 62.5 (59.6 - 65.4) | . () | . () | 58.5 (55.5 - 61.4) |
| Percentage of students who spent 3+ hours in front of a TV, computer, smart phone, or other electronic device for something other than schoolwork | 2133 | 44.6 (40.5 - 48.7) | . () | . () | 47.3 (39.4 - 55.1) |
| Body Image & Eating Disorders | | | | | |

| Health Measures* | Number of Responses | Total % (95% Cl) | American Indian/Alaska Native % (95% Cl) | Native Hawaiian/Other Pacific Islander % (95% CI) | Multiracial % (95% CI) |
|---|------------------------|----------------------|---|--|---------------------------|
| Percentage of students who most of the time or always felt confident with their body image during the past 30 days | 2090 | 54.9 (52.7 - 57.1) | . () | . () | 49.6 (44.3 - 54.9) |
| Percentage of students who most of the time or always worried about their physical appearance more than they wanted to during the past 30 days | 2060 | 29.9 (28.1 - 31.7) | . () | . () | 30.9 (27.4 - 34.5) |
| Percentage of students who tried to lose weight or keep from gaining weight by going without eating for 24 hours or more; taking any diet pills, powders, or liquids; vomiting or taking laxatives; or skipping meals during the past 30 days | 2075 | 13.3 (11.1 - 15.6) | . () | . () | 15.9 (12.8 - 19.1) |
| Home Life | | | | | |
| Percentage of students who usually or definitely feel safe in their neighborhood | 2139 | 95.0 (94.1 - 95.9) | . () | . () | 93.9 (92.1 - 95.7) |
| Percentage of students who provide care for someone in their family or household who is chronically ill, elderly, or disabled with activities they would have difficulty doing on their own one or more days per week | 2071 | 11.3 (10.5 - 12.0) | . () | . () | 14.0 (10.3 - 17.8) |
| School & Community | | | | | |
| Percentage of students who agree or strongly agree that they belong at their school | 2122 | 73.8 (70.9 - 76.8) | . () | . () | 68.2 (62.4 - 73.9) |
| Percentage of students who usually or definitely feel safe at school | 2117 | 89.9 (88.7 - 91.1) | . () | . () | 89.0 (86.1 - 92.0) |
| Percentage of students who usually or definitely think their grades are better than most students in class | 2089 | 69.8 (66.4 - 73.1) | . () | . () | 68.6 (64.3 - 73.0) |
| Percentage of students who think it is important or very important to finish high school | 2124 | 96.9 (96.3 - 97.4) | . () | . () | 96.3 (95.5 - 97.2) |
| Percentage of students who talked to a school counselor about their future plans after high school in the past 12 months | 2039 | 29.6 (18.1 - 41.0) | . () | . () | 25.7 (15.1 - 36.2) |
| Percentage of students who talked to a teacher about their future plans after high school in the past 12 months | 2039 | 32.3 (24.1 - 40.6) | . () | . () | 32.1 (21.3 - 42.9) |
| Percentage of students who talked to an administrator about their future plans after high school in the past 12 months | 2039 | 7.8 (5.7 - 10.0) | . () | . () | 9.9 (6.1 - 13.8) |
| Percentage of students who talked to a coach about their future plans after high school in the past 12 months | 2039 | 7.9 (6.8 - 9.0) | . () | . () | 9.6 (6.9 - 12.2) |
| Percentage of students who talked to another school staff member (who is not a school counselor, teacher, administrator, or coach) about their future plans after high school in the past 12 months | 2039 | 6.7 (5.4 - 8.0) | . () | . () | 7.7 (5.5 - 9.9) |
| Percentage of students who participated in sports (team or individual) during the past 12 months | 2060 | 61.1 (59.3 - 63.0) | . () | . () | 63.3 (58.5 - 68.1) |
| Percentage of students who participated in sports, band, drama, clubs, or student government at school during the past 12 months | 2060 | 80.6 (78.5 - 82.7) | . () | . () | 79.7 (76.5 - 82.9) |
| Percentage of students who had paid employment during the past 12 months | 2060 | 4.3 (3.8 - 4.8) | . () | . () | 4.4 (3.6 - 5.2) |
| Percentage of students who participated in another activity besides sports, band, drama, clubs, student government, or paid employment during the past 12 months | 2060 | 22.8 (20.5 - 25.1) | . () | . () | 23.7 (19.8 - 27.6) |
| Other Health Topics | | | | | |
| Percentage of students who usually slept somewhere other than their home during the past 30 days | 2076 | 5.6 (4.7 - 6.5) | . () | . () | 8.2 (6.7 - 9.8) |
| Percentage of students who sleep 8 or more hours per night on average school nights | 2075 | 67.2 (64.8 - 69.5) | . () | . () | 62.1 (57.9 - 66.3) |
| Percentage of students who never or rarely wear a seat belt while riding in a car | 2071 | 3.0 (2.5 - 3.4) | . () | . () | 3.8 (1.9 - 5.7) |

| Health Measures* | Number of Responses | Total % (95% CI) | American Indian/Alaska Native % (95% CI) | Native Hawaiian/Other Pacific Islander % (95% Cl) | Multiracial % (95% CI) |
|--|------------------------|----------------------|---|--|---------------------------|
| Percentage of students who could fire a loaded gun without adult permission in less than one hour | 1997 | 10.3 (9.4 - 11.2) | . () | . () | 14.6(10.2 - 19.0) |
| Percentage of students who would be able to get a loaded gun without adult permission in or around their home, from a friend or schoolmate, or from a family member | 1960 | 10.8 (9.7 - 11.9) | . () | . () | 14.5 (9.4 - 19.6) |
| Percentage of students who had ever been told by a doctor or nurse that they had asthma | 2052 | 12.6 (11.4 - 13.8) | . () | . () | 17.3 (13.4 - 21.2) |
| Percentage of students who went outdoors to spend time in nature at least once a week during the past 12 months | 2048 | 3.8 (3.4 - 4.2) | . () | . () | 6.6 (4.4 - 8.7) |
| Extra Questions | | | | | |
| Percentage of students who think people who have five or more drinks of an alcoholic beverage once or twice a week have a moderate or great risk of harming themselves physically or in other ways | 1927 | 77.0 (76.1 - 77.8) | . () | . () | 74.2 (70.8 - 77.6) |
| Percentage of students who think people who smoke one or more packs of cigarettes per day have a moderate or great risk of harming themselves physically or in other ways | 1920 | 85.5 (84.3 - 86.7) | . () | . () | 82.8 (80.5 - 85.0) |
| Percentage of students who think people who smoke marijuana once or twice a week have a moderate or great risk of harming themselves physically or in other ways | 1917 | 81.3 (79.4 - 83.3) | . () | . () | 73.0 (68.7 - 77.4) |
| Percentage of students who think people who use prescription drugs that are not prescribed to them have a moderate or great risk of harming themselves physically or in other ways | 1911 | 85.6 (84.0 - 87.1) | . () | . () | 82.9 (80.2 - 85.5) |
| Percentage of students who think their parents would feel it is wrong or very wrong if they drank 1 or 2 drinks of an alcoholic beverage nearly every day | 1910 | 95.9 (95.3 - 96.4) | . () | . () | 96.4 (95.2 - 97.5) |
| Percentage of students who think their parents would feel it is wrong or very wrong for them to smoke tobacco | 1912 | 97.4 (97.0 - 97.8) | . () | . () | 97.6 (96.3 - 98.9) |
| Percentage of students who think their parents would feel it is wrong or very wrong for them to use prescription drugs not prescribed to them | 1900 | 96.4 (96.0 - 96.9) | . () | . () | 96.5 (95.3 - 97.7) |
| Percentage of students who think their friends would feel it is wrong or very wrong for them to have one or two alcoholic drinks nearly every day | 1904 | 89.4 (88.4 - 90.4) | . () | . () | 85.4 (81.4 - 89.5) |
| Percentage of students who think their friends would feel it is wrong or very wrong for them to smoke tobacco | 1903 | 91.3 (90.0 - 92.7) | . () | . () | 89.6 (87.3 - 91.9) |
| Percentage of students who think their friends would feel it is wrong or very wrong for them to smoke marijuana | 1901 | 88.4 (86.7 - 90.1) | . () | . () | 83.3 (78.9 - 87.6) |
| Percentage of students who think their friends would feel it is wrong or very wrong to use prescription drugs not prescribed to them | 1886 | 91.7 (91.0 - 92.3) | . () | . () | 90.8 (88.4 - 93.3) |
| Percentage of students who used prescription drugs not prescribed to them during the past 30 days | 1968 | 2.5 (2.0 - 3.0) | . () | . () | 3.6 (2.8 - 4.3) |

In districts with enrollment over 35, results are suppressed if fewer than 30 students responded to a question. All percentages are rounded to the nearest tenth.

**Items in this column are included in risk and protective factors known to influence multiple youth health outcomes.

| Number of Responses | Total % (95% CI) | Straight % (95% CI) | Bisexual % (95% CI) | Gay/Lesbian % (95% CI) | Not Sure % (95% CI) |
|------------------------|---|--|--|--|---|
| | | | | | |
| 2140 | 21.9 (19.6 - 24.3) | 18.6(16.1 - 21.2) | 27.0 (19.8 - 34.2) | 49.1 (42.4 - 55.9) | 32.9 (29.3 - 36.5) |
| 494 | 56.6 (52.8 - 60.3) | 55.7 (50.8 - 60.6) | 66.1 (58.5 - 73.6) | . () | 51.0 (45.5 - 56.5) |
| 494 | 46.3 (42.8 - 49.8) | 43.2 (38.8 - 47.5) | 59.2 (48.2 - 70.2) | . () | 51.7(41.8 - 61.6) |
| 494 | 17.3(14.8 - 19.9) | 16.1(12.7 - 19.5) | 20.6 (12.5 - 28.8) | . () | 11.1 (5.6 - 16.7) |
| 494 | 33.1 (30.6 - 35.6) | 32.8 (29.5 - 36.1) | 38.0 (31.9 - 44.0) | . () | 27.3 (18.6 - 36.1) |
| 494 | 11.5 (9.9 - 13.1) | 9.3 (8.1 - 10.6) | 11.2 (5.2 - 17.3) | . () | 13.7(2.6 - 24.8) |
| 494 | 18.0(15.8 - 20.2) | 14.6(12.4 - 16.9) | 23.3 (15.6 - 31.1) | . () | 23.4 (11.1 - 35.6) |
| 494 | 23.6 (21.0 - 26.2) | 21.2(19.4 - 23.0) | 24.2 (16.6 - 31.8) | . () | 31.4 (21.6 - 41.1) |
| 494 | 31.1 (27.7 - 34.6) | 30.2 (26.0 - 34.5) | 28.6 (19.2 - 38.0) | . () | 35.3 (25.8 - 44.8) |
| 2249 | 11.8 (10.0 - 13.5) | 10.5 (9.0 - 12.0) | 15.1 (12.1 - 18.1) | 25.3 (18.7 - 32.0) | 12.2(10.3 - 14.0) |
| 418 | 14.5(12.7 - 16.4) | 3.1 (1.1 - 5.1) | 30.8 (22.1 - 39.5) | . () | 11.6 (5.8 - 17.3) |
| 418 | 14.3 (12.8 - 15.7) | 2.8 (1.8 - 3.8) | 18.7(11.1 - 26.4) | . () | 27.7 (12.6 - 42.8) |
| 418 | 12.4(10.7 - 14.0) | 10.8 (9.1 - 12.5) | 13.8 (6.7 - 20.9) | . () | 10.1 (3.0 - 17.2) |
| 418 | 12.8 (9.8 - 15.8) | 8.5 (5.2 - 11.8) | 10.3 (4.3 - 16.3) | . () | 15.9(11.0 - 20.7) |
| 418 | 70.2(67.7 - 72.7) | 73.7 (70.2 - 77.3) | 71.9(64.0 - 79.8) | . () | 69.8 (61.4 - 78.2) |
| 418 | 29.0 (26.2 - 31.8) | 31.2 (27.4 - 35.1) | 28.9 (18.7 - 39.2) | . () | 22.1(14.3 - 29.9) |
| 2224 | 35.4 (31.7 - 39.1) | 34.9 (31.4 - 38.4) | 36.5 (26.9 - 46.2) | 43.1 (36.3 - 50.0) | 39.7 (35.4 - 43.9) |
| | | | | | |
| 2273 | 13.5(12.4 - 14.7) | 11.5(10.2 - 12.8) | 17.4 (12.6 - 22.3) | 25.8 (15.2 - 36.5) | 22.9 (13.7 - 32.1) |
| | Responses 2140 494 418 418 418 418 418 2224 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | Responses % (95% CI) 2140 21.9 (19.6 - 24.3) 494 56.6 (52.8 - 60.3) 494 56.6 (52.8 - 60.3) 494 46.3 (42.8 - 49.8) 494 46.3 (42.8 - 49.8) 494 17.3 (14.8 - 19.9) 494 33.1 (30.6 - 35.6) 494 11.5 (9.9 - 13.1) 494 18.0 (15.8 - 20.2) 494 18.0 (15.8 - 20.2) 494 31.1 (27.7 - 34.6) 2249 11.8 (10.0 - 13.5) 418 14.5 (12.7 - 16.4) 418 14.3 (12.8 - 15.7) 418 12.8 (9.8 - 15.8) 418 12.8 (9.8 - 15.8) 418 29.0 (26.2 - 31.8) 2224 35.4 (31.7 - 39.1) | Responses % (95% Cl) % (95% Cl) 2140 21.9 (19.6 · 24.3) 18.6 (16.1 · 21.2) 494 56.6 (52.8 · 60.3) 55.7 (50.8 · 60.6) 494 46.3 (42.8 · 49.8) 43.2 (38.8 · 47.5) 494 17.3 (14.8 · 19.9) 16.1 (12.7 · 19.5) 494 33.1 (30.6 · 35.6) 32.8 (29.5 · 36.1) 494 11.5 (9.9 · 13.1) 9.3 (8.1 · 10.6) 494 18.0 (15.8 · 20.2) 14.6 (12.4 · 16.9) 494 31.1 (27.7 · 34.6) 30.2 (26.0 · 34.5) 494 31.1 (27.7 · 34.6) 30.2 (26.0 · 34.5) 2249 11.8 (10.0 · 13.5) 10.5 (9.0 · 12.0) 418 14.5 (12.7 · 16.4) 3.1 (1.1 · 5.1) 418 14.3 (12.8 · 15.7) 2.8 (1.8 · 3.8) 418 12.4 (10.7 · 14.0) 10.8 (9.1 · 12.5) 418 12.8 (9.8 · 15.8) 8.5 (5.2 · 11.8) 418 12.8 (9.8 · 15.8) 31.2 (27.4 · 35.1) 418 29.0 (26.2 · 31.8) 31.2 (27.4 · 35.1) 418 29.0 (26.2 · 31.8) 31.2 (27.4 · 35.1) 418 29.0 (26. | Responses % (95% Cl) % (95% Cl) % (95% Cl) 1 1 1 1 2140 21.9 (19.6 - 24.3) 18.6 (16.1 - 21.2) 27.0 (19.8 - 34.2) 494 56.6 (52.8 - 60.3) 55.7 (50.8 - 60.6) 66.1 (58.5 - 73.6) 494 46.3 (42.8 - 49.8) 43.2 (38.8 - 47.5) 59.2 (48.2 - 70.2) 494 17.3 (14.8 - 19.9) 16.1 (12.7 - 19.5) 20.6 (12.5 - 28.8) 494 33.1 (30.6 - 35.6) 32.8 (29.5 - 36.1) 38.0 (31.9 - 44.0) 494 11.5 (9.9 - 13.1) 9.3 (8.1 - 10.6) 11.2 (5.2 - 17.3) 494 18.0 (15.8 - 20.2) 14.6 (12.4 - 16.9) 23.3 (15.6 - 31.1) 494 31.1 (27.7 - 34.6) 30.2 (26.0 - 34.5) 28.6 (19.2 - 38.0) 494 31.1 (27.7 - 16.4) 3.1 (1.1 - 5.1) 30.8 (22.1 - 39.5) 494 31.4 (10.0 - 13.5) 10.5 (9.0 - 12.0) 15.1 (12.1 - 18.1) 494 14.3 (12.8 - 15.7) 2.8 (1.8 - 3.8) 18.7 (11.1 - 26.4) 418 14.3 (12.8 - 15.7) 2.8 (1.8 - 3.8) 10.3 (4.3 - 16.3) 418 12.8 (9.8 - 15. | Responses % (95% Cl) % (95% Cl) % (95% Cl) % (95% Cl) 2140 21.9 (19.6 - 24.3) 18.6 (16.1 - 21.2) 27.0 (19.8 - 34.2) 49.1 (42.4 - 55.9) 494 56.6 (52.8 - 60.3) 55.7 (50.8 - 60.6) 66.1 (58.5 - 73.6) . (. · .) 494 46.3 (42.8 - 49.8) 43.2 (38.8 - 47.5) 59.2 (48.2 - 70.2) . (. · .) 494 17.3 (14.8 - 19.9) 16.1 (12.7 - 19.5) 20.6 (12.5 - 28.8) . (. · .) 494 33.1 (30.6 - 35.6) 32.8 (29.5 - 36.1) 38.0 (31.9 - 44.0) . (. · .) 494 11.5 (9.9 - 13.1) 9.3 (8.1 - 10.6) 11.2 (5.2 - 17.3) . (. · .) 494 18.0 (15.8 - 20.2) 14.6 (12.4 - 16.9) 23.3 (15.6 - 31.8) . (. · .) 494 18.0 (15.8 - 20.2) 14.6 (12.4 - 16.9) 23.3 (15.6 - 31.8) . (. · .) 494 18.0 (15.8 - 20.2) 14.6 (12.4 - 16.9) 23.3 (15.6 - 31.8) . (. · .) 494 31.1 (27.7 - 34.6) 30.2 (26.0 - 34.5) 28.6 (19.2 - 38.0) . (. · .) 494 14.5 (12.7 - 16.4) 31.1 (1 - 5.1) 30.8 (22.1 - 39.5) </td |

| Health Measures* | Number of Responses | Total % (95% Cl) | Straight % (95% Cl) | Bisexual % (95% CI) | Gay/Lesbian % (95% CI) | Not Sure % (95% Cl) |
|---|------------------------|----------------------|------------------------|------------------------|---------------------------|------------------------|
| Percentage of students who were in a physical fight one or more times during the past 12 months | 2235 | 19.9(17.8 - 22.0) | 20.4 (18.4 - 22.4) | 12.9(9.6 - 16.1) | 27.6 (16.9 - 38.3) | 17.9(12.5 - 23.4) |
| Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose one or more times by someone they were dating or going out with | 829 | 9.6 (8.4 - 10.8) | 7.1 (6.0 - 8.2) | 13.7 (6.2 - 21.3) | 23.1 (15.4 - 30.9) | 21.7 (15.9 - 27.5) |
| Among students who dated or went out with someone during the past 12 months, the percentage who had been controlled or emotionally hurt by someone they were dating or going out with | 832 | 16.9(14.9 - 18.9) | 14.3(12.5 - 16.1) | 35.2 (25.3 - 45.2) | 35.4 (25.0 - 45.7) | 25.0 (17.9 - 32.0) |
| Mental Health | | | | | | |
| Percentage of students who agree or strongly agree their stress level is manageable most days | 2273 | 58.6 (55.0 - 62.2) | 63.8 (61.1 - 66.4) | 47.1 (42.9 - 51.2) | 15.2 (11.2 - 19.3) | 38.3 (29.9 - 46.7) |
| Percentage of students who most of the time or always had poor mental health during the past 30 days | 2248 | 21.2 (19.3 - 23.1) | 17.7(16.4 - 19.1) | 36.4 (30.9 - 41.8) | 50.0 (41.4 - 58.7) | 24.6 (20.5 - 28.6) |
| Percentage of students who purposefully hurt themselves without wanting to die in the past 12 months | 2237 | 11.4 (10.2 - 12.7) | 7.9 (6.9 - 9.0) | 20.4 (14.6 - 26.3) | 35.1 (30.7 - 39.4) | 16.4 (13.0 - 19.8) |
| Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row during the past 12 months that they stopped doing some usual activities | 2233 | 19.7(18.4 - 21.1) | 15.6(14.2 - 16.9) | 35.6 (31.5 - 39.7) | 48.0 (37.2 - 58.8) | 22.4 (17.7 - 27.0) |
| Percentage of students who ever seriously thought about killing themselves | 2229 | 14.9(13.6-16.2) | 10.9 (9.8 - 12.0) | 26.2 (22.9 - 29.4) | 43.2 (38.3 - 48.2) | 25.4 (20.6 - 30.3) |
| Percentage of students who ever made a plan about how they would kill themselves | 2226 | 11.5 (9.4 - 13.5) | 8.0 (7.0 - 9.0) | 20.6 (17.5 - 23.6) | 43.2 (31.1 - 55.4) | 18.1 (14.2 - 22.0) |
| Percentage of students who ever tried to kill themselves | 2226 | 4.4 (3.6 - 5.3) | 2.9 (2.3 - 3.5) | 5.3 (3.5 - 7.0) | 26.4 (19.0 - 33.9) | 4.3 (2.2 - 6.3) |
| Percentage of students who have an adult to go to for help with a serious problem | 2255 | 74.6 (72.2 - 77.1) | 76.4 (73.9 - 78.9) | 75.8 (70.1 - 81.6) | 74.5(67.1 - 81.9) | 65.3 (60.1 - 70.5) |
| Percentage of students who most of the time or always could talk to a friend about feelings during their life | 2252 | 56.4 (54.0 - 58.7) | 59.0 (56.6 - 61.4) | 61.2 (57.9 - 64.5) | 41.8 (35.6 - 47.9) | 43.5 (39.3 - 47.7) |
| Percentage of students who had a friend tell them they had thoughts of suicide one or more times during the past 12 months | 2226 | 27.4 (24.3 - 30.4) | 23.2 (20.4 - 26.0) | 48.7 (43.1 - 54.2) | 53.9 (41.4 - 66.5) | 31.4 (27.0 - 35.8) |
| Percentage of students who would tell their parents or guardians if they were concerned about their own or someone else's well-being or mental health | 2143 | 64.2 (61.9 - 66.5) | 66.8 (64.0 - 69.5) | 57.7 (53.1 - 62.3) | 40.8 (33.5 - 48.1) | 59.6 (56.6 - 62.6) |
| Percentage of students who would tell another trusted adult (who is not their parents or guardians) if they were concerned about their own or someone else's well-being or mental health | 2143 | 52.8 (51.5 - 54.2) | 53.7 (51.7 - 55.6) | 50.6 (47.2 - 54.1) | 46.9 (39.9 - 53.8) | 51.9 (49.3 - 54.5) |
| Percentage of students who would tell a friend if they were concerned about their own or someone else's well- being or mental health | 2143 | 33.5 (32.5 - 34.6) | 33.7 (32.6 - 34.8) | 38.6 (33.4 - 43.7) | 21.2(14.3 - 28.1) | 29.6 (24.6 - 34.5) |
| Percentage of students who would submit an anonymous report through their school's safety reporting system if they were concerned about their own or someone else's well-being or mental health | 2143 | 33.6 (30.9 - 36.3) | 33.2 (30.1 - 36.2) | 39.4 (33.7 - 45.1) | 45.8 (36.6 - 55.0) | 32.3 (28.7 - 36.0) |
| Percentage of students who would contact a crisis line if they were concerned about their own or someone else's well-being or mental health | 2143 | 16.4 (14.8 - 18.1) | 15.8(14.5 - 17.2) | 22.7(16.6 - 28.7) | 29.2 (22.1 - 36.3) | 14.9 (13.1 - 16.7) |
| Percentage of students who have ever experienced the death of a family member or close friend | 2254 | 64.8 (62.0 - 67.6) | 66.5 (63.6 - 69.3) | 63.6 (60.0 - 67.2) | 72.4(67.7 - 77.1) | 56.6 (51.0 - 62.3) |
| Racism | | | | | | |
| Percentage who were treated badly or unfairly in school because of their race or ethnicity in the past 12 months | 2088 | 5.5 (4.9 - 6.1) | 5.4 (4.5 - 6.2) | 5.4 (3.6 - 7.3) | 6.9 (3.1 - 10.8) | 3.9 (2.5 - 5.3) |

| Health Measures* | Number of Responses | Total % (95% Cl) | Straight % (95% CI) | Bisexual % (95% CI) | Gay/Lesbian % (95% Cl) | Not Sure % (95% Cl) |
|---|------------------------|----------------------|------------------------|------------------------|---------------------------|------------------------|
| Percentage who were watched closely or followed by security guards or store clerks at a store or mall because of their race or ethnicity in the past 12 months | 2088 | 2.7 (2.3 - 3.1) | 2.6 (2.2 - 3.0) | 2.1 (1.1 - 3.1) | . () | 2.9 (2.0 - 3.7) |
| Percentage who were assumed less intelligent because of their race or ethnicity in the past 12 months | 2088 | 3.5 (2.8 - 4.3) | 3.4 (2.8 - 4.0) | 1.4 (0.3 - 2.5) | 9.7 (3.2 - 16.2) | 2.2 (1.2 - 3.2) |
| Percentage who saw family members treated unfairly because of their race or ethnicity in the past 12 months | 2088 | 4.8 (4.4 - 5.2) | 4.3 (3.6 - 4.9) | 6.3 (3.8 - 8.8) | 10.0 (4.0 - 16.0) | 4.8 (3.1 - 6.5) |
| Alcohol | | | | | | |
| Percentage of students who have ever had a drink of alcohol other than a few sips | 2194 | 21.1 (19.9 - 22.2) | 20.6 (19.4 - 21.8) | 28.3 (24.8 - 31.7) | 40.6 (31.1 - 50.2) | 17.3 (14.4 - 20.1) |
| Percentage of students who had their first drink of alcohol, other than a few sips, before the age of 11 | 2194 | 11.5 (10.6 - 12.5) | 11.0 (10.1 - 12.0) | 14.7(10.9 - 18.4) | 26.5 (21.3 - 31.7) | 7.8 (6.1 - 9.5) |
| Percentage of students who had at least one drink of alcohol on one or more of the past 30 days | 2219 | 5.3 (4.4 - 6.2) | 5.1 (4.0 - 6.2) | 4.1 (2.3 - 5.8) | 20.7 (10.6 - 30.7) | 3.7 (1.7 - 5.7) |
| Percentage of students who feel it would be sort of easy or very easy to get alcohol if they wanted | 2099 | 31.4 (28.8 - 34.0) | 30.8 (27.8 - 33.8) | 36.3 (31.4 - 41.2) | 48.5 (37.5 - 59.5) | 30.9 (25.6 - 36.1) |
| Percentage of students who think it is wrong or very wrong for someone of the same age to drink alcohol regularly (at least once or twice per month) | 2207 | 91.1 (90.6 - 91.5) | 91.4 (90.9 - 92.0) | 91.6 (88.5 - 94.6) | 80.3 (71.3 - 89.2) | 88.5 (83.8 - 93.1) |
| Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they drank alcohol regularly (at least once or twice per month) | 2201 | 92.0 (91.1 - 92.8) | 92.9 (92.1 - 93.7) | 90.4 (87.4 - 93.4) | 86.8 (83.6 - 90.0) | 87.2 (84.3 - 90.1) |
| Percentage of students who thought 5 or more out of every 10 students in their grade drank alcohol in the past 30 days | 2170 | 14.9 (13.4 - 16.5) | 15.9(13.9 - 17.9) | 10.3 (7.8 - 12.8) | 22.2 (16.1 - 28.3) | 10.9 (9.0 - 12.7) |
| Тоbассо | | | | | | |
| Percentage of students who have ever smoked a cigarette, even one or two puffs | 2205 | 5.0 (4.3 - 5.7) | 4.7 (3.8 - 5.7) | 6.6 (4.0 - 9.2) | 6.9 (1.8 - 11.9) | 3.7 (2.3 - 5.1) |
| Percentage of students who smoked a cigarette, even one or two puffs, for the first time before age 11 | 2205 | 2.4 (2.0 - 2.9) | 2.1 (1.6 - 2.5) | . () | 6.9(1.8 - 11.9) | 1.3 (0.6 - 1.9) |
| Percentage of students who smoked cigarettes on one or more of the past 30 days | 2222 | 1.7 (1.3 - 2.0) | 1.2 (0.9 - 1.5) | . () | 4.9 (1.3 - 8.6) | . () |
| Percentage of students who think it would be sort of easy or very easy to get cigarettes if they wanted | 2109 | 15.8 (14.7 - 16.9) | 16.0 (14.5 - 17.4) | 13.1(9.7 - 16.6) | 19.4(14.2-24.6) | 14.4(11.8 - 17.0) |
| Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they smoked cigarettes | 2203 | 97.2 (96.8 - 97.6) | 97.6 (97.2 - 97.9) | 98.1 (96.3 - 99.8) | 94.8 (91.2 - 98.5) | 98.3 (97.4 - 99.2) |
| Percentage of students who have ever used an electronic vapor product | 2211 | 8.4 (6.3 - 10.5) | 9.2 (6.7 - 11.6) | 5.6 (2.2 - 8.9) | 10.6 (5.6 - 15.6) | 3.0 (1.5 - 4.5) |
| Percentage of students who used electronic vapor products for the first time before age 11 | 2211 | 2.7 (2.2 - 3.1) | 2.7 (2.0 - 3.3) | . () | 8.3 (4.1 - 12.6) | 1.6 (0.7 - 2.4) |
| Percentage of students who used an electronic vapor product in the past 30 days | 2214 | 3.6 (3.0 - 4.3) | 3.7 (2.9 - 4.6) | 2.6 (0.2 - 4.9) | 9.5 (4.6 - 14.4) | 2.1 (1.0 - 3.2) |
| Percentage of students who feel it would be sort of easy or very easy to get electronic vapor products if they wanted | 2108 | 27.2 (25.4 - 29.1) | 27.9 (26.0 - 29.9) | 26.7 (21.6 - 31.8) | 40.3 (33.1 - 47.5) | 19.0(14.7 - 23.3) |
| Percentage of students who think it is wrong or very wrong for someone of the same age to use electronic vapor products | 2205 | 94.1 (93.3 - 94.9) | 94.3 (93.5 - 95.1) | 94.2 (91.2 - 97.3) | 86.9 (82.6 - 91.1) | 96.4 (93.8 - 99.0) |

| Health Measures* | Number of Responses | Total % (95% CI) | Straight % (95% Cl) | Bisexual % (95% CI) | Gay/Lesbian % (95% Cl) | Not Sure % (95% Cl) |
|---|------------------------|----------------------|------------------------|------------------------|---------------------------|------------------------|
| Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they used electronic vapor products | 2200 | 97.5 (97.0 - 98.1) | 98.0 (97.4 - 98.7) | 96.6 (94.2 - 98.9) | 94.8 (91.1 - 98.5) | 98.0 (97.0 - 98.9) |
| Percentage of students who think people who use electronic vapor products every day have a moderate or great risk of harm | 2167 | 86.3 (84.9 - 87.7) | 86.0 (84.4 - 87.6) | 86.1 (82.5 - 89.7) | 84.8 (80.1 - 89.5) | 85.8 (82.9 - 88.7) |
| Marijuana | | | | | | |
| Percentage of students who have ever tried marijuana | 2201 | 5.1 (4.5 - 5.8) | 4.9 (4.0 - 5.7) | 3.8 (2.5 - 5.2) | 15.0 (7.8 - 22.2) | 4.3 (2.7 - 5.9) |
| Percentage of students who tried marijuana for the first time before the age of 11 | 2201 | 1.3 (0.9 - 1.8) | 0.8 (0.5 - 1.2) | . () | 8.1 (3.5 - 12.7) | 1.3 (0.6 - 1.9) |
| Percentage of students who used marijuana one or more times during the past 30 days | 2199 | 2.9 (2.7 - 3.1) | 2.3 (2.0 - 2.7) | . () | 15.6 (7.8 - 23.4) | 2.1 (1.0 - 3.2) |
| Percentage of students who feel it would be sort of easy or very easy to get marijuana if they wanted | 2082 | 14.5 (13.5 - 15.6) | 14.5 (13.3 - 15.6) | 13.2(10.4 - 15.9) | 25.1 (18.3 - 31.8) | 8.8 (6.6 - 11.1) |
| Percentage of students who think it is wrong or very wrong for someone of the same age to use marijuana | 2196 | 94.4 (93.9 - 94.8) | 94.8 (94.2 - 95.4) | 91.8 (90.2 - 93.3) | 82.3 (74.8 - 89.8) | 97.0 (95.3 - 98.6) |
| Percentage of students who think their parents or guardians feel it is wrong or very wrong if they used marijuana | 2189 | 96.9 (96.5 - 97.3) | 97.4 (96.9 - 97.8) | 97.0 (94.7 - 99.2) | 94.2 (90.8 - 97.6) | 97.5 (96.4 - 98.6) |
| Percentage of students who thought 5 or more out of every 10 students in their grade used marijuana in the past 30 days | 2162 | 15.4 (13.3 - 17.6) | 15.4(12.8 - 18.0) | 12.0 (8.4 - 15.7) | 26.9 (18.9 - 34.8) | 11.8 (8.6 - 15.1) |
| Among students who used marijuana in the past 30 days, the percentage who smoked it | 70 | 74.7 (68.9 - 80.4) | 78.7 (73.2 - 84.2) | . () | . () | . () |
| Among students who used marijuana in the past 30 days, the percentage who ate it | 70 | 46.9 (36.6 - 57.2) | 38.2 (25.6 - 50.8) | . () | . () | . () |
| Among students who used marijuana in the past 30 days, the percentage who vaporized it | 70 | 56.8 (49.1 - 64.6) | 59.8 (51.8 - 67.7) | . () | . () | . () |
| Among students who used marijuana in the past 30 days, the percentage who dabbed it | 70 | 47.4 (36.9 - 57.8) | 35.6 (24.4 - 46.7) | . () | . () | . () |
| Prescription Pain Medication | | | | | | |
| Percentage of students who have ever used prescription pain medicine not prescribed to them or differently than how a doctor told them to use it | 2176 | 6.1 (5.3 - 6.8) | 5.0 (4.0 - 6.0) | 4.0 (1.4 - 6.7) | 20.2 (15.0 - 25.4) | 7.7 (4.2 - 11.2) |
| Percentage of students who used prescription pain medicine not prescribed to them or differently than how a doctor told them to use it for the first time before age 11 | 2176 | 4.3 (3.6 - 5.1) | 3.6 (2.7 - 4.4) | 1.5 (0.3 - 2.7) | 18.5(14.5 - 22.4) | 5.2 (3.0 - 7.4) |
| Percentage of students who feel it would be sort of easy or very easy to get prescription pain medicine not prescribed to them | 2096 | 21.7 (19.6 - 23.8) | 19.3(17.0 - 21.5) | 23.2 (18.0 - 28.3) | 41.3 (34.8 - 47.9) | 26.7 (20.4 - 33.0) |
| Percentage of students who think it is wrong or very wrong for someone of the same age to use prescription pain medicine without a doctor's prescription | 2199 | 92.3 (91.6 - 92.9) | 93.1 (92.3 - 93.9) | 91.2(88.5 - 94.0) | 83.2 (77.2 - 89.2) | 89.9 (84.9 - 94.9) |
| Nutrition | | | | | | |
| Percentage of students who ate fruit one or more times per day in the past 7 days | 2205 | 65.4 (61.2 - 69.6) | 65.8 (62.2 - 69.4) | 66.5 (57.6 - 75.3) | 71.1 (59.0 - 83.2) | 65.3 (55.5 - 75.0) |
| Percentage of students who ate vegetables such as green salad, potatoes, carrots, or other vegetables one or more times per day in the past 7 days | 2189 | 68.6 (64.7 - 72.5) | 69.2 (65.3 - 73.2) | 66.5 (61.3 - 71.7) | 72.1 (58.9 - 85.3) | 74.1(67.8 - 80.4) |

| Health Measures* | Number of Responses | Total % (95% Cl) | Straight % (95% Cl) | Bisexual % (95% CI) | Gay/Lesbian % (95% Cl) | Not Sure % (95% Cl) |
|---|------------------------|----------------------|------------------------|------------------------|---------------------------|------------------------|
| Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day in the past 7 days | 2192 | 12.3 (10.6 - 14.1) | 12.6(10.8 - 14.3) | 9.6 (6.3 - 12.8) | 12.2 (6.6 - 17.8) | 7.9 (5.9 - 9.9) |
| Percentage of students who drank a sports drink, energy drink, or other sweetened beverage one or more times in the past 7 days | 2124 | 60.7 (57.3 - 64.1) | 63.0 (60.3 - 65.6) | 57.6 (52.4 - 62.8) | 54.8 (44.2 - 65.5) | 50.0 (44.4 - 55.7) |
| Percentage of students who ate breakfast on all of the past 7 days | 2180 | 51.0 (48.6 - 53.4) | 51.9 (49.7 - 54.0) | 43.4 (34.6 - 52.2) | 28.2 (21.5 - 34.9) | 53.8 (48.3 - 59.4) |
| Percentage of students who sometimes, most of the time, or always went hungry in the past 30 days because of a lack of food at home | 2172 | 8.3 (7.2 - 9.5) | 8.4 (7.1 - 9.7) | 6.9 (3.3 - 10.6) | 22.1 (13.1 - 31.2) | 4.0 (2.3 - 5.7) |
| Physical Activity | | | | | | |
| Percentage of students who were physically active for a total of at least 60 minutes per day on 5 or more of the past 7 days | 2131 | 62.5 (59.6 - 65.4) | 65.6 (61.8 - 69.4) | 54.4 (50.3 - 58.5) | 54.1 (44.4 - 63.8) | 58.4 (52.3 - 64.5) |
| Percentage of students who spent 3+ hours in front of a TV, computer, smart phone, or other electronic device for something other than schoolwork | 2133 | 44.6 (40.5 - 48.7) | 45.6 (41.3 - 49.9) | 47.1 (39.8 - 54.4) | 62.0 (55.5 - 68.5) | 33.6 (22.7 - 44.5) |
| Body Image & Eating Disorders | | | | | | |
| Percentage of students who most of the time or always felt confident with their body image during the past 30 days | 2090 | 54.9 (52.7 - 57.1) | 57.5 (55.3 - 59.7) | 49.6 (45.4 - 53.8) | 25.7 (18.0 - 33.3) | 51.4 (45.2 - 57.5) |
| Percentage of students who most of the time or always worried about their physical appearance more than they wanted to during the past 30 days | 2060 | 29.9 (28.1 - 31.7) | 27.2 (25.3 - 29.1) | 37.6 (31.4 - 43.8) | 67.5 (57.3 - 77.6) | 30.7 (24.6 - 36.8) |
| Percentage of students who tried to lose weight or keep from gaining weight by going without eating for 24 hours or more; taking any diet pills, powders, or liquids; vomiting or taking laxatives; or skipping meals during the past 30 days | 2075 | 13.3 (11.1 - 15.6) | 11.3 (9.2 - 13.4) | 18.0 (13.7 - 22.2) | 35.8 (29.3 - 42.2) | 15.3 (11.6 - 19.0) |
| Home Life | | | | | | |
| Percentage of students who usually or definitely feel safe in their neighborhood | 2139 | 95.0 (94.1 - 95.9) | 96.3 (95.7 - 96.9) | 97.3 (96.2 - 98.3) | 89.4 (84.8 - 93.9) | 91.0 (88.9 - 93.1) |
| Percentage of students who provide care for someone in their family or household who is chronically ill, elderly, or disabled with activities they would have difficulty doing on their own one or more days per week | 2071 | 11.3 (10.5 - 12.0) | 10.2 (9.5 - 11.0) | 16.0 (12.9 - 19.2) | 26.2 (21.1 - 31.2) | 8.2 (4.3 - 12.0) |
| School & Community | | | | | | |
| Percentage of students who agree or strongly agree that they belong at their school | 2122 | 73.8 (70.9 - 76.8) | 79.2 (76.5 - 82.0) | 65.7 (59.4 - 72.1) | 40.6 (30.8 - 50.4) | 54.9 (48.9 - 60.9) |
| Percentage of students who usually or definitely feel safe at school | 2117 | 89.9 (88.7 - 91.1) | 92.1 (90.8 - 93.3) | 85.9 (81.2 - 90.6) | 67.2 (62.5 - 71.8) | 89.3 (86.5 - 92.1) |
| Percentage of students who usually or definitely think their grades are better than most students in class | 2089 | 69.8 (66.4 - 73.1) | 70.5 (67.5 - 73.5) | 68.7 (60.0 - 77.4) | 61.6 (54.0 - 69.2) | 70.8 (64.4 - 77.2) |
| Percentage of students who think it is important or very important to finish high school | 2124 | 96.9 (96.3 - 97.4) | 97.4 (96.8 - 97.9) | 98.0 (96.3 - 99.7) | 93.3 (89.4 - 97.2) | 97.5 (96.1 - 99.0) |
| Percentage of students who talked to a school counselor about their future plans after high school in the past 12 months | 2039 | 29.6 (18.1 - 41.0) | 30.8 (19.2 - 42.4) | 23.1 (14.9 - 31.3) | 15.9 (11.5 - 20.4) | 27.6 (18.6 - 36.6) |
| Percentage of students who talked to a teacher about their future plans after high school in the past 12 months | 2039 | 32.3 (24.1 - 40.6) | 33.4 (24.4 - 42.4) | 31.9 (28.1 - 35.8) | 27.7 (21.6 - 33.8) | 33.4 (23.6 - 43.3) |
| Percentage of students who talked to an administrator about their future plans after high school in the past 12 months | 2039 | 7.8 (5.7 - 10.0) | 8.3 (6.2 - 10.5) | 10.2(4.7 - 15.7) | . () | 5.4 (2.5 - 8.2) |

| Health Measures* | Number of Responses | Total % (95% Cl) | Straight % (95% Cl) | Bisexual % (95% CI) | Gay/Lesbian % (95% Cl) | Not Sure % (95% Cl) |
|---|------------------------|----------------------|------------------------|------------------------|---------------------------|------------------------|
| Percentage of students who talked to a coach about their future plans after high school in the past 12 months | 2039 | 7.9 (6.8 - 9.0) | 9.1 (8.0 - 10.1) | 7.4 (5.1 - 9.8) | . () | 4.1(1.4 - 6.8) |
| Percentage of students who talked to another school staff member (who is not a school counselor, teacher, administrator, or coach) about their future plans after high school in the past 12 months | 2039 | 6.7 (5.4 - 8.0) | 6.0 (4.9 - 7.1) | 12.2 (5.5 - 18.8) | 5.6 (2.3 - 9.0) | 8.4 (5.6 - 11.1) |
| Percentage of students who participated in sports (team or individual) during the past 12 months | 2060 | 61.1 (59.3 - 63.0) | 64.9 (62.7 - 67.0) | 59.1 (53.4 - 64.8) | 28.8 (21.0 - 36.5) | 58.0 (53.0 - 63.1) |
| Percentage of students who participated in sports, band, drama, clubs, or student government at school during the past 12 months | 2060 | 80.6 (78.5 - 82.7) | 79.7(77.4 - 82.0) | 87.6 (84.6 - 90.6) | 77.4 (73.8 - 81.0) | 85.0 (81.1 - 88.8) |
| Percentage of students who had paid employment during the past 12 months | 2060 | 4.3 (3.8 - 4.8) | 4.4 (4.1 - 4.8) | 5.4 (1.3 - 9.4) | . () | 3.7 (2.1 - 5.3) |
| Percentage of students who participated in another activity besides sports, band, drama, clubs, student government, or paid employment during the past 12 months | 2060 | 22.8 (20.5 - 25.1) | 21.4 (19.2 - 23.5) | 25.2 (21.4 - 29.0) | 32.0 (23.0 - 41.0) | 23.9 (21.3 - 26.6) |
| Other Health Topics | | | | | | |
| Percentage of students who usually slept somewhere other than their home during the past 30 days | 2076 | 5.6 (4.7 - 6.5) | 5.0 (4.1 - 5.9) | 6.7(4.2 - 9.1) | 9.3 (4.5 - 14.2) | 5.5 (3.7 - 7.3) |
| Percentage of students who sleep 8 or more hours per night on average school nights | 2075 | 67.2 (64.8 - 69.5) | 70.4 (68.6 - 72.3) | 62.2 (53.0 - 71.4) | 37.3 (32.4 - 42.1) | 57.5 (52.8 - 62.2) |
| Percentage of students who never or rarely wear a seat belt while riding in a car | 2071 | 3.0 (2.5 - 3.4) | 2.3 (1.9 - 2.7) | . () | 7.7 (2.9 - 12.5) | 2.6 (1.0 - 4.2) |
| Percentage of students who could fire a loaded gun without adult permission in less than one hour | 1997 | 10.3 (9.4 - 11.2) | 9.9 (9.0 - 10.9) | 10.7(7.2 - 14.1) | 12.7 (6.3 - 19.1) | 9.7 (7.8 - 11.6) |
| Percentage of students who would be able to get a loaded gun without adult permission in or around their home, from a friend or schoolmate, or from a family member | 1960 | 10.8 (9.7 - 11.9) | 10.3 (9.0 - 11.6) | 10.1 (7.1 - 13.0) | 14.4 (5.8 - 23.0) | 13.6 (9.7 - 17.5) |
| Percentage of students who had ever been told by a doctor or nurse that they had asthma | 2052 | 12.6 (11.4 - 13.8) | 11.6 (10.2 - 13.0) | 14.4(9.8 - 19.0) | 15.9 (6.9 - 24.9) | 13.9(10.4 - 17.3) |
| Percentage of students who went outdoors to spend time in nature at least once a week during the past 12 months | 2048 | 3.8 (3.4 - 4.2) | 3.0 (2.5 - 3.5) | 3.2 (1.7 - 4.8) | 11.4 (3.5 - 19.2) | 5.0 (3.6 - 6.4) |
| Extra Questions | | | | | | |
| Percentage of students who think people who have five or more drinks of an alcoholic beverage once or twice a week have a moderate or great risk of harming themselves physically or in other ways | 1927 | 77.0 (76.1 - 77.8) | 77.1 (76.3 - 77.9) | 75.5 (70.7 - 80.2) | 68.1 (63.2 - 73.1) | 77.0 (73.1 - 80.9) |
| Percentage of students who think people who smoke one or more packs of cigarettes per day have a moderate or great risk of harming themselves physically or in other ways | 1920 | 85.5 (84.3 - 86.7) | 86.3 (84.9 - 87.7) | 81.6 (78.1 - 85.2) | 73.3 (67.9 - 78.7) | 85.2 (80.0 - 90.4) |
| Percentage of students who think people who smoke marijuana once or twice a week have a moderate or great risk of harming themselves physically or in other ways | 1917 | 81.3 (79.4 - 83.3) | 82.8 (80.4 - 85.2) | 75.0 (70.0 - 79.9) | 58.8 (53.5 - 64.2) | 85.0 (79.0 - 90.9) |
| Percentage of students who think people who use prescription drugs that are not prescribed to them have a moderate or great risk of harming themselves physically or in other ways | 1911 | 85.6 (84.0 - 87.1) | 86.8 (85.5 - 88.2) | 82.7(78.1 - 87.2) | 75.3 (69.2 - 81.5) | 81.8 (79.0 - 84.7) |
| Percentage of students who think their parents would feel it is wrong or very wrong if they drank 1 or 2 drinks of an alcoholic beverage nearly every day | 1910 | 95.9 (95.3 - 96.4) | 96.3 (95.9 - 96.6) | 92.7 (90.3 - 95.0) | 95.5 (91.7 - 99.3) | 97.9 (97.0 - 98.8) |
| Percentage of students who think their parents would feel it is wrong or very wrong for them to smoke tobacco | 1912 | 97.4 (97.0 - 97.8) | 97.4 (97.1 - 97.8) | 98.2 (97.0 - 99.5) | 95.5 (91.7 - 99.3) | 98.6 (97.8 - 99.5) |
| Percentage of students who think their parents would feel it is wrong or very wrong for them to use prescription drugs not prescribed to them | 1900 | 96.4 (96.0 - 96.9) | 96.8 (96.3 - 97.4) | 98.2 (97.0 - 99.5) | 95.5 (91.7 - 99.3) | 95.5 (93.5 - 97.4) |

| Health Measures* | Number of Responses | Total % (95% Cl) | Straight % (95% CI) | Bisexual % (95% CI) | Gay/Lesbian % (95% CI) | Not Sure % (95% Cl) |
|---|------------------------|----------------------|------------------------|------------------------|---------------------------|------------------------|
| Percentage of students who think their friends would feel it is wrong or very wrong for them to have one or two alcoholic drinks nearly every day | 1904 | 89.4 (88.4 - 90.4) | 89.4 (88.4 - 90.3) | 91.1 (88.0 - 94.2) | 85.2 (78.1 - 92.2) | 88.8 (85.7 - 91.9) |
| Percentage of students who think their friends would feel it is wrong or very wrong for them to smoke tobacco | 1903 | 91.3 (90.0 - 92.7) | 91.5 (89.9 - 93.1) | 93.7 (90.8 - 96.6) | 79.5 (70.7 - 88.4) | 89.6 (86.1 - 93.2) |
| Percentage of students who think their friends would feel it is wrong or very wrong for them to smoke marijuana | 1901 | 88.4 (86.7 - 90.1) | 88.3 (86.5 - 90.1) | 91.7(88.2 - 95.2) | 77.0 (68.5 - 85.6) | 87.6 (84.1 - 91.0) |
| Percentage of students who think their friends would feel it is wrong or very wrong to use prescription drugs not prescribed to them | 1886 | 91.7 (91.0 - 92.3) | 92.5 (91.8 - 93.2) | 92.0 (90.3 - 93.7) | 83.9 (78.1 - 89.7) | 88.1 (85.4 - 90.8) |
| Percentage of students who used prescription drugs not prescribed to them during the past 30 days | 1968 | 2.5 (2.0 - 3.0) | 1.7 (1.3 - 2.0) | . () | 10.8 (5.0 - 16.6) | 2.7 (1.3 - 4.1) |

In districts with enrollment over 35, results are suppressed if fewer than 30 students responded to a question. All percentages are rounded to the nearest tenth.

**Items in this column are included in risk and protective factors known to influence multiple youth health outcomes.

| Number of Responses | Total % (95% Cl) | Cisgender % (95% Cl) | Transgender % (95% CI) | Not Sure % (95% Cl) |
|------------------------|--|--|--|---|
| | | | | |
| 2140 | 21.9(19.6 - 24.3) | 20.2(17.9 - 22.5) | 52.7 (45.2 - 60.2) | 51.9 (44.2 - 59.6) |
| 494 | 56.6 (52.8 - 60.3) | 55.4 (50.0 - 60.8) | . () | 59.1 (44.4 - 73.8) |
| 494 | 46.3 (42.8 - 49.8) | 45.4 (41.3 - 49.4) | . () | 51.9 (45.0 - 58.9) |
| 494 | 17.3(14.8 - 19.9) | 15.0 (13.2 - 16.9) | . () | 30.7 (17.4 - 44.0) |
| 494 | 33.1 (30.6 - 35.6) | 31.9 (28.9 - 34.9) | . () | 30.1 (18.8 - 41.4) |
| 494 | 11.5 (9.9 - 13.1) | 8.7 (7.6 - 9.9) | . () | 31.2 (21.5 - 40.8) |
| 494 | 18.0(15.8 - 20.2) | 14.6 (12.9 - 16.3) | . () | 41.6 (23.5 - 59.6) |
| 494 | 23.6 (21.0 - 26.2) | 22.1(19.2 - 24.9) | . () | 36.3 (23.7 - 48.9) |
| 494 | 31.1 (27.7 - 34.6) | 29.6 (26.7 - 32.4) | . () | 31.2 (20.1 - 42.3) |
| 2249 | 11.8 (10.0 - 13.5) | 10.7(8.8 - 12.5) | 34.2 (27.9 - 40.5) | 26.6 (21.0 - 32.3) |
| 418 | 14.5(12.7 - 16.4) | 10.2 (9.3 - 11.1) | 44.2 (25.2 - 63.2) | . () |
| 418 | 14.3 (12.8 - 15.7) | 6.9 (6.0 - 7.8) | 61.4 (47.2 - 75.5) | . () |
| 418 | 12.4 (10.7 - 14.0) | 12.1 (10.4 - 13.8) | 17.5 (6.8 - 28.3) | . () |
| 418 | 12.8 (9.8 - 15.8) | 11.5 (8.1 - 15.0) | 23.4 (11.1 - 35.7) | . () |
| 418 | 70.2(67.7 - 72.7) | 73.2 (69.7 - 76.7) | 44.1 (34.9 - 53.3) | . () |
| 418 | 29.0 (26.2 - 31.8) | 28.9 (25.8 - 32.1) | 26.7 (18.1 - 35.3) | . () |
| 2224 | 35.4 (31.7 - 39.1) | 35.0 (31.4 - 38.5) | 51.4 (45.0 - 57.8) | 45.5 (35.2 - 55.8) |
| | Responses 2140 494 418 | Responses % (95% Cl) 2140 21.9 (19.6 - 24.3) 494 56.6 (52.8 - 60.3) 494 56.6 (52.8 - 60.3) 494 46.3 (42.8 - 49.8) 494 17.3 (14.8 - 19.9) 494 33.1 (30.6 - 35.6) 494 11.5 (9.9 - 13.1) 494 18.0 (15.8 - 20.2) 494 18.0 (15.8 - 20.2) 494 31.1 (27.7 - 34.6) 2249 11.8 (10.0 - 13.5) 418 14.5 (12.7 - 16.4) 418 12.4 (10.7 - 14.0) 418 12.8 (9.8 - 15.8) 418 70.2 (67.7 - 72.7) 418 29.0 (26.2 - 31.8) | Responses % (95% Cl) % (95% Cl) 2140 21.9 (19.6 - 24.3) 20.2 (17.9 - 22.5) 494 56.6 (52.8 - 60.3) 55.4 (50.0 - 60.8) 494 46.3 (42.8 - 49.8) 45.4 (41.3 - 49.4) 494 17.3 (14.8 - 19.9) 15.0 (13.2 - 16.9) 494 33.1 (30.6 - 35.6) 31.9 (28.9 - 34.9) 494 11.5 (9.9 - 13.1) 8.7 (7.6 - 9.9) 494 18.0 (15.8 - 20.2) 14.6 (12.9 - 16.3) 494 23.6 (21.0 - 26.2) 22.1 (19.2 - 24.9) 494 31.1 (27.7 - 34.6) 29.6 (26.7 - 32.4) 494 31.1 (27.7 - 13.6) 29.6 (26.7 - 32.4) 494 14.5 (12.7 - 16.4) 10.2 (9.3 - 11.1) 418 14.3 (12.8 - 15.7) 6.9 (6.0 - 7.8) 418 12.4 (10.7 - 14.0) 12.1 (10.4 - 13.8) 418 12.8 (9.8 - 15.8) 11.5 (8.1 - 15.0) 418 70.2 (67.7 - 72.7) 73.2 (69.7 - 76.7) 418 29.0 (26.2 - 31.8) 28.9 (25.8 - 32.1) | Responses % (95% Cl) % (95% Cl) % (95% Cl) 2140 21.9 (19.6 - 24.3) 20.2 (17.9 - 22.5) 52.7 (45.2 - 60.2) 494 56.6 (52.8 - 60.3) 55.4 (50.0 - 60.8) . () 494 56.6 (52.8 - 60.3) 55.4 (50.0 - 60.8) . () 494 46.3 (42.8 - 49.8) 45.4 (41.3 - 49.4) . () 494 17.3 (14.8 - 19.9) 15.0 (13.2 - 16.9) . () 494 33.1 (30.6 - 35.6) 31.9 (28.9 - 34.9) . () 494 11.5 (9.9 - 13.1) 8.7 (7.6 - 9.9) . () 494 18.0 (15.8 - 20.2) 14.6 (12.9 - 16.3) . () 494 23.6 (21.0 - 26.2) 22.1 (19.2 - 24.9) . () 494 31.1 (27.7 - 34.6) 29.6 (26.7 - 32.4) . () 494 31.4 (27.7 - 16.4) 10.2 (9.3 - 11.1) 44.2 (25.2 - 63.2) 418 14.5 (12.7 - 16.4) 10.2 (9.3 - 11.1) 44.2 (25.2 - 63.2) 418 14.3 (12.8 - 15.7) 6.9 (6.0 - 7.8) 61.4 (47.2 - 75.5) 418 12.4 (10.7 - 14.0) |

| Health Measures* | Number of Responses | Total % (95% CI) | Cisgender % (95% Cl) | Transgender % (95% CI) | Not Sure % (95% Cl) |
|---|------------------------|----------------------|-------------------------|---------------------------|------------------------|
| Violence | | | | | |
| Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school | 2273 | 13.5 (12.4 - 14.7) | 13.0 (11.9 - 14.0) | 32.3 (24.4 - 40.2) | 24.7(18.6 - 30.7) |
| Percentage of students who were in a physical fight one or more times during the past 12 months | 2235 | 19.9(17.8 - 22.0) | 19.1(16.4 - 21.7) | 38.7 (29.8 - 47.5) | 26.3 (13.1 - 39.6) |
| Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose one or more times by someone they were dating or going out with | 829 | 9.6 (8.4 - 10.8) | 8.4 (7.1 - 9.6) | . () | . () |
| Among students who dated or went out with someone during the past 12 months, the percentage who had been controlled or emotionally hurt by someone they were dating or going out with | 832 | 16.9 (14.9 - 18.9) | 16.0 (14.3 - 17.8) | . () | . () |
| Mental Health | | | | | |
| Percentage of students who agree or strongly agree their stress level is manageable most days | 2273 | 58.6 (55.0 - 62.2) | 60.2 (56.9 - 63.4) | 22.0 (15.5 - 28.4) | 30.5 (17.9 - 43.0) |
| Percentage of students who most of the time or always had poor mental health during the past 30 days | 2248 | 21.2 (19.3 - 23.1) | 19.9(18.4 - 21.4) | 63.1 (55.8 - 70.5) | 39.7 (23.6 - 55.9) |
| Percentage of students who purposefully hurt themselves without wanting to die in the past 12 months | 2237 | 11.4 (10.2 - 12.7) | 10.0 (8.9 - 11.0) | 46.2 (35.3 - 57.1) | 32.5 (25.6 - 39.5) |
| Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row during the past 12 months that they stopped doing some usual activities | 2233 | 19.7(18.4 - 21.1) | 18.4(17.1 - 19.6) | 50.8 (44.1 - 57.4) | 42.8 (34.6 - 50.9) |
| Percentage of students who ever seriously thought about killing themselves | 2229 | 14.9 (13.6 - 16.2) | 13.4 (12.4 - 14.4) | 53.6 (43.7 - 63.4) | 33.7 (21.4 - 46.0) |
| Percentage of students who ever made a plan about how they would kill themselves | 2226 | 11.5 (9.4 - 13.5) | 10.4 (8.8 - 11.9) | 41.9(27.5 - 56.2) | 32.2 (19.7 - 44.8) |
| Percentage of students who ever tried to kill themselves | 2226 | 4.4 (3.6 - 5.3) | 3.5 (3.0 - 4.0) | 31.8 (15.5 - 48.1) | 16.7 (9.3 - 24.0) |
| Percentage of students who have an adult to go to for help with a serious problem | 2255 | 74.6 (72.2 - 77.1) | 75.9 (73.8 - 78.0) | 47.6 (37.5 - 57.8) | 58.9 (49.4 - 68.4) |
| Percentage of students who most of the time or always could talk to a friend about feelings during their life | 2252 | 56.4 (54.0 - 58.7) | 57.8 (55.6 - 59.9) | 40.4 (31.0 - 49.8) | 35.0 (28.1 - 42.0) |
| Percentage of students who had a friend tell them they had thoughts of suicide one or more times during the past 12 months | 2226 | 27.4 (24.3 - 30.4) | 26.9 (24.3 - 29.6) | 58.8 (48.2 - 69.4) | 32.0 (21.1 - 42.9) |
| Percentage of students who would tell their parents or guardians if they were concerned about their own or someone else's well-being or mental health | 2143 | 64.2 (61.9 - 66.5) | 65.3 (62.6 - 68.0) | 36.8 (29.2 - 44.4) | 45.7 (39.0 - 52.4) |
| Percentage of students who would tell another trusted adult (who is not their parents or guardians) if they were concerned about their own or someone else's well-being or mental health | 2143 | 52.8 (51.5 - 54.2) | 53.4 (51.9 - 54.9) | 39.8 (29.5 - 50.1) | 38.4 (33.2 - 43.7) |
| Percentage of students who would tell a friend if they were concerned about their own or someone else's well- being or mental health | 2143 | 33.5 (32.5 - 34.6) | 34.4 (33.3 - 35.6) | 21.2 (16.1 - 26.2) | 27.0 (21.3 - 32.7) |
| Percentage of students who would submit an anonymous report through their school's safety reporting system if they were concerned about their own or someone else's well-being or mental health | 2143 | 33.6 (30.9 - 36.3) | 34.0 (31.3 - 36.8) | 34.2 (22.9 - 45.4) | 33.6 (27.6 - 39.5) |

| Health Measures* | Number of Responses | Total % (95% CI) | Cisgender % (95% Cl) | Transgender % (95% Cl) | Not Sure % (95% Cl) |
|---|------------------------|----------------------|-------------------------|---------------------------|------------------------|
| Percentage of students who would contact a crisis line if they were concerned about their own or someone else's well-being or mental health | 2143 | 16.4 (14.8 - 18.1) | 16.1 (14.6 - 17.6) | 21.2 (12.7 - 29.7) | 25.1 (19.9 - 30.4) |
| Percentage of students who have ever experienced the death of a family member or close friend | 2254 | 64.8 (62.0 - 67.6) | 64.6 (62.0 - 67.3) | 73.3 (65.4 - 81.3) | 68.1 (54.2 - 82.1) |
| Racism | | | | | |
| Percentage who were treated badly or unfairly in school because of their race or ethnicity in the past 12 months | 2088 | 5.5 (4.9 - 6.1) | 5.2 (4.6 - 5.9) | 20.3 (15.1 - 25.5) | 4.9 (1.5 - 8.4) |
| Percentage who were watched closely or followed by security guards or store clerks at a store or mall because of their race or ethnicity in the past 12 months | 2088 | 2.7 (2.3 - 3.1) | 2.3 (2.0 - 2.7) | 18.1 (13.7 - 22.6) | . () |
| Percentage who were assumed less intelligent because of their race or ethnicity in the past 12 months | 2088 | 3.5 (2.8 - 4.3) | 3.3 (2.6 - 3.9) | 16.1(8.2 - 24.0) | 5.1 (2.5 - 7.8) |
| Percentage who saw family members treated unfairly because of their race or ethnicity in the past 12 months | 2088 | 4.8 (4.4 - 5.2) | 4.6 (4.1 - 5.1) | 15.7 (9.0 - 22.5) | . () |
| Alcohol | | | | | |
| Percentage of students who have ever had a drink of alcohol other than a few sips | 2194 | 21.1 (19.9 - 22.2) | 20.6 (19.4 - 21.8) | 39.7 (33.1 - 46.3) | 23.4 (15.5 - 31.3) |
| Percentage of students who had their first drink of alcohol, other than a few sips, before the age of 11 | 2194 | 11.5 (10.6 - 12.5) | 10.9 (10.1 - 11.8) | 31.3 (23.8 - 38.7) | 18.4 (9.4 - 27.5) |
| Percentage of students who had at least one drink of alcohol on one or more of the past 30 days | 2219 | 5.3 (4.4 - 6.2) | 5.0 (4.1 - 5.9) | 20.8 (13.1 - 28.5) | 5.9 (2.6 - 9.1) |
| Percentage of students who feel it would be sort of easy or very easy to get alcohol if they wanted | 2099 | 31.4 (28.8 - 34.0) | 31.4 (28.9 - 33.9) | 53.0 (46.1 - 59.9) | 25.6 (15.3 - 35.8) |
| Percentage of students who think it is wrong or very wrong for someone of the same age to drink alcohol regularly (at least once or twice per month) | 2207 | 91.1 (90.6 - 91.5) | 91.4 (90.8 - 92.1) | 73.0 (64.6 - 81.4) | 89.0 (79.9 - 98.0) |
| Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they drank alcohol regularly (at least once or twice per month) | 2201 | 92.0 (91.1 - 92.8) | 92.6 (91.8 - 93.4) | 77.9 (72.2 - 83.7) | 85.3 (75.1 - 95.5) |
| Percentage of students who thought 5 or more out of every 10 students in their grade drank alcohol in the past 30 days | 2170 | 14.9(13.4 - 16.5) | 14.8(12.9 - 16.8) | 28.8 (21.0 - 36.5) | 16.2 (8.6 - 23.8) |
| Тоbассо | | | | | |
| Percentage of students who have ever smoked a cigarette, even one or two puffs | 2205 | 5.0 (4.3 - 5.7) | 4.6 (3.8 - 5.4) | 21.1(13.5 - 28.7) | 4.9 (2.1 - 7.8) |
| Percentage of students who smoked a cigarette, even one or two puffs, for the first time before age 11 | 2205 | 2.4 (2.0 - 2.9) | 1.9(1.5 - 2.4) | 17.6 (9.1 - 26.1) | 4.9 (2.1 - 7.8) |
| Percentage of students who smoked cigarettes on one or more of the past 30 days | 2222 | 1.7 (1.3 - 2.0) | 1.2 (0.9 - 1.4) | 19.8(12.2 - 27.5) | 4.0 (1.1 - 6.8) |
| Percentage of students who think it would be sort of easy or very easy to get cigarettes if they wanted | 2109 | 15.8(14.7 - 16.9) | 15.3(14.1 - 16.5) | 31.0 (22.2 - 39.9) | 22.3 (17.1 - 27.5) |

| Health Measures* | Number of Responses | Total % (95% Cl) | Cisgender % (95% Cl) | Transgender % (95% Cl) | Not Sure % (95% Cl) |
|---|------------------------|----------------------|-------------------------|---------------------------|------------------------|
| Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they smoked cigarettes | 2203 | 97.2 (96.8 - 97.6) | 97.6 (97.3 - 98.0) | 84.3 (76.2 - 92.4) | 96.0 (93.1 - 98.8) |
| Percentage of students who have ever used an electronic vapor product | 2211 | 8.4 (6.3 - 10.5) | 8.3 (5.9 - 10.7) | 18.9(13.5 - 24.3) | 6.3 (3.4 - 9.3) |
| Percentage of students who used electronic vapor products for the first time before age 11 | 2211 | 2.7 (2.2 - 3.1) | 2.4 (1.8 - 2.9) | 16.1 (10.6 - 21.6) | 4.0 (1.1 - 6.8) |
| Percentage of students who used an electronic vapor product in the past 30 days | 2214 | 3.6 (3.0 - 4.3) | 3.3 (2.5 - 4.1) | 15.5(8.7 - 22.4) | 4.9 (2.1 - 7.7) |
| Percentage of students who feel it would be sort of easy or very easy to get electronic vapor products if they wanted | 2108 | 27.2 (25.4 - 29.1) | 27.0 (24.8 - 29.3) | 41.7 (31.9 - 51.5) | 27.0 (19.1 - 34.8) |
| Percentage of students who think it is wrong or very wrong for someone of the same age to use electronic vapor products | 2205 | 94.1 (93.3 - 94.9) | 94.6(93.7 - 95.5) | 75.1 (62.3 - 88.0) | 95.9 (92.9 - 98.9) |
| Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they used electronic vapor products | 2200 | 97.5 (97.0 - 98.1) | 98.0 (97.5 - 98.5) | 84.0 (75.4 - 92.5) | 96.0 (93.1 - 98.8) |
| Percentage of students who think people who use electronic vapor products every day have a moderate or great risk of harm | 2167 | 86.3 (84.9 - 87.7) | 86.4 (84.9 - 87.8) | 84.9 (80.7 - 89.1) | 83.9 (75.3 - 92.5) |
| Marijuana | | | | | |
| Percentage of students who have ever tried marijuana | 2201 | 5.1 (4.5 - 5.8) | 4.7 (3.9 - 5.6) | 22.3 (14.9 - 29.7) | 5.0 (2.2 - 7.8) |
| Percentage of students who tried marijuana for the first time before the age of 11 | 2201 | 1.3 (0.9 - 1.8) | 0.8 (0.6 - 1.0) | 18.4 (11.8 - 25.0) | 4.1 (1.2 - 6.9) |
| Percentage of students who used marijuana one or more times during the past 30 days | 2199 | 2.9 (2.7 - 3.1) | 2.4 (2.0 - 2.8) | 20.4 (11.4 - 29.4) | 4.1 (1.2 - 6.9) |
| Percentage of students who feel it would be sort of easy or very easy to get marijuana if they wanted | 2082 | 14.5 (13.5 - 15.6) | 14.1 (12.9 - 15.4) | 33.0 (23.3 - 42.7) | 17.5 (11.0 - 23.9) |
| Percentage of students who think it is wrong or very wrong for someone of the same age to use marijuana | 2196 | 94.4 (93.9 - 94.8) | 94.7 (94.1 - 95.3) | 73.3 (62.0 - 84.7) | 94.8 (91.7 - 97.8) |
| Percentage of students who think their parents or guardians feel it is wrong or very wrong if they used marijuana | 2189 | 96.9 (96.5 - 97.3) | 97.3 (96.9 - 97.8) | 86.3 (77.4 - 95.2) | 94.8 (91.9 - 97.8) |
| Percentage of students who thought 5 or more out of every 10 students in their grade used marijuana in the past 30 days | 2162 | 15.4 (13.3 - 17.6) | 15.0(12.4 - 17.5) | 36.2 (30.4 - 42.0) | 24.4 (12.8 - 36.0) |
| Among students who used marijuana in the past 30 days, the percentage who smoked it | 70 | 74.7 (68.9 - 80.4) | 74.9(67.8 - 82.1) | . () | . () |
| Among students who used marijuana in the past 30 days, the percentage who ate it | 70 | 46.9 (36.6 - 57.2) | 38.1 (27.5 - 48.6) | . () | . () |
| Among students who used marijuana in the past 30 days, the percentage who vaporized it | 70 | 56.8 (49.1 - 64.6) | 52.8 (44.4 - 61.3) | . () | . () |
| Among students who used marijuana in the past 30 days, the percentage who dabbed it | 70 | 47.4 (36.9 - 57.8) | 42.4 (31.2 - 53.6) | . () | . () |

| Health Measures* | Number of Responses | Total % (95% CI) | Cisgender % (95% Cl) | Transgender % (95% CI) | Not Sure % (95% Cl) |
|---|------------------------|----------------------|-------------------------|---------------------------|------------------------|
| Prescription Pain Medication | | | | | |
| Percentage of students who have ever used prescription pain medicine not prescribed to them or differently than how a doctor told them to use it | 2176 | 6.1 (5.3 - 6.8) | 5.5 (4.8 - 6.2) | 25.6 (13.5 - 37.6) | 8.7 (4.4 - 13.0) |
| Percentage of students who used prescription pain medicine not prescribed to them or differently than how a doctor told them to use it for the first time before age 11 | 2176 | 4.3 (3.6 - 5.1) | 3.8 (3.2 - 4.4) | 23.2 (12.5 - 33.8) | 6.9 (3.3 - 10.4) |
| Percentage of students who feel it would be sort of easy or very easy to get prescription pain medicine not prescribed to them | 2096 | 21.7 (19.6 - 23.8) | 20.7 (18.5 - 22.9) | 53.2 (41.4 - 64.9) | 33.9 (22.4 - 45.3) |
| Percentage of students who think it is wrong or very wrong for someone of the same age to use prescription pain medicine without a doctor's prescription | 2199 | 92.3 (91.6 - 92.9) | 92.8 (91.9 - 93.7) | 66.6 (52.1 - 81.0) | 89.0 (86.2 - 91.7) |
| Nutrition | | | | | |
| Percentage of students who ate fruit one or more times per day in the past 7 days | 2205 | 65.4 (61.2 - 69.6) | 65.8(61.4 - 70.1) | 58.3 (44.6 - 72.1) | 57.3 (46.3 - 68.4) |
| Percentage of students who ate vegetables such as green salad, potatoes, carrots, or other vegetables one or more times per day in the past 7 days | 2189 | 68.6 (64.7 - 72.5) | 68.8 (64.8 - 72.8) | 55.1 (41.8 - 68.4) | 65.8 (59.6 - 71.9) |
| Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day in the past 7 days | 2192 | 12.3 (10.6 - 14.1) | 12.0 (10.0 - 13.9) | 25.5 (15.9 - 35.1) | 14.5 (9.7 - 19.2) |
| Percentage of students who drank a sports drink, energy drink, or other sweetened beverage one or more times in the past 7 days | 2124 | 60.7 (57.3 - 64.1) | 61.5 (58.4 - 64.6) | 49.6 (38.8 - 60.3) | 46.3 (35.6 - 57.1) |
| Percentage of students who ate breakfast on all of the past 7 days | 2180 | 51.0 (48.6 - 53.4) | 51.8 (49.3 - 54.3) | 26.5 (16.3 - 36.7) | 42.2 (36.2 - 48.1) |
| Percentage of students who sometimes, most of the time, or always went hungry in the past 30 days because of a lack of food at home | 2172 | 8.3 (7.2 - 9.5) | 8.0 (6.7 - 9.4) | 23.3 (15.2 - 31.5) | 7.0 (3.7 - 10.2) |
| Physical Activity | | | | | |
| Percentage of students who were physically active for a total of at least 60 minutes per day on 5 or more of the past 7 days | 2131 | 62.5 (59.6 - 65.4) | 63.5 (60.8 - 66.3) | 36.0 (26.3 - 45.8) | 54.5 (39.7 - 69.3) |
| Percentage of students who spent 3+ hours in front of a TV, computer, smart phone, or other electronic device for something other than schoolwork | 2133 | 44.6 (40.5 - 48.7) | 44.4 (40.0 - 48.8) | 59.2 (50.3 - 68.1) | 51.5(45.0 - 57.9) |
| Body Image & Eating Disorders | | | | | |
| Percentage of students who most of the time or always felt confident with their body image during the past 30 days | 2090 | 54.9 (52.7 - 57.1) | 55.9 (53.7 - 58.2) | 33.6 (26.5 - 40.8) | 43.8 (38.5 - 49.2) |
| Percentage of students who most of the time or always worried about their physical appearance more than they wanted to during the past 30 days | 2060 | 29.9 (28.1 - 31.7) | 28.9 (27.0 - 30.9) | 71.2(62.7 - 79.7) | 42.8 (37.0 - 48.6) |
| Percentage of students who tried to lose weight or keep from gaining weight by going without eating for 24 hours or more; taking any diet pills, powders, or liquids; vomiting or taking laxatives; or skipping meals during the past 30 days | 2075 | 13.3 (11.1 - 15.6) | 12.4 (10.2 - 14.6) | 33.0 (23.3 - 42.6) | 26.8 (20.7 - 32.8) |
| Home Life | | | | | |

| Health Measures* | Number of Responses | Total % (95% CI) | Cisgender % (95% Cl) | Transgender % (95% Cl) | Not Sure % (95% Cl) |
|---|------------------------|----------------------|-------------------------|---------------------------|------------------------|
| Percentage of students who usually or definitely feel safe in their neighborhood | 2139 | 95.0 (94.1 - 95.9) | 95.8 (95.2 - 96.5) | 77.6 (68.9 - 86.3) | 84.0(71.5 - 96.6) |
| Percentage of students who provide care for someone in their family or household who is chronically ill, elderly, or disabled with activities they would have difficulty doing on their own one or more days per week | 2071 | 11.3 (10.5 - 12.0) | 11.1 (10.3 - 11.9) | 22.8 (17.7 - 27.8) | 10.4 (5.7 - 15.1) |
| School & Community | | | | | |
| Percentage of students who agree or strongly agree that they belong at their school | 2122 | 73.8 (70.9 - 76.8) | 75.6 (72.7 - 78.4) | 32.7 (18.9 - 46.4) | 44.1 (37.6 - 50.7) |
| Percentage of students who usually or definitely feel safe at school | 2117 | 89.9 (88.7 - 91.1) | 90.9 (89.7 - 92.0) | 54.7 (45.2 - 64.2) | 81.1 (72.3 - 89.9) |
| Percentage of students who usually or definitely think their grades are better than most students in class | 2089 | 69.8 (66.4 - 73.1) | 70.5 (67.2 - 73.8) | 61.7 (53.1 - 70.2) | 51.4 (46.3 - 56.5) |
| Percentage of students who think it is important or very important to finish high school | 2124 | 96.9 (96.3 - 97.4) | 97.3 (96.8 - 97.8) | 79.4 (73.6 - 85.2) | 93.8 (90.2 - 97.4) |
| Percentage of students who talked to a school counselor about their future plans after high school in the past 12 months | 2039 | 29.6 (18.1 - 41.0) | 30.2 (18.4 - 42.0) | 23.8 (14.8 - 32.8) | 22.3 (11.5 - 33.2) |
| Percentage of students who talked to a teacher about their future plans after high school in the past 12 months | 2039 | 32.3 (24.1 - 40.6) | 33.0 (24.6 - 41.3) | 33.7 (27.6 - 39.8) | 23.4 (10.7 - 36.1) |
| Percentage of students who talked to an administrator about their future plans after high school in the past 12 months | 2039 | 7.8 (5.7 - 10.0) | 8.1 (5.8 - 10.5) | 6.0 (2.1 - 9.8) | . () |
| Percentage of students who talked to a coach about their future plans after high school in the past 12 months | 2039 | 7.9 (6.8 - 9.0) | 8.4 (7.3 - 9.5) | . () | . () |
| Percentage of students who talked to another school staff member (who is not a school counselor, teacher, administrator, or coach) about their future plans after high school in the past 12 months | 2039 | 6.7 (5.4 - 8.0) | 6.0 (5.2 - 6.8) | 18.2 (9.8 - 26.5) | 15.7 (2.1 - 29.2) |
| Percentage of students who participated in sports (team or individual) during the past 12 months | 2060 | 61.1 (59.3 - 63.0) | 61.8 (60.1 - 63.5) | 46.9 (39.1 - 54.6) | 45.1 (33.5 - 56.6) |
| Percentage of students who participated in sports, band, drama, clubs, or student government at school during the past 12 months | 2060 | 80.6 (78.5 - 82.7) | 80.4 (78.2 - 82.6) | 78.6 (72.8 - 84.4) | 79.4 (75.1 - 83.6) |
| Percentage of students who had paid employment during the past 12 months | 2060 | 4.3 (3.8 - 4.8) | 4.2 (3.6 - 4.8) | 7.8 (3.0 - 12.6) | 7.3 (3.7 - 10.9) |
| Percentage of students who participated in another activity besides sports, band, drama, clubs, student government, or paid employment during the past 12 months | 2060 | 22.8 (20.5 - 25.1) | 22.1 (20.1 - 24.2) | 23.8 (16.9 - 30.8) | 46.2 (35.8 - 56.6) |
| Other Health Topics | | | | | |
| Percentage of students who usually slept somewhere other than their home during the past 30 days | 2076 | 5.6 (4.7 - 6.5) | 5.1 (4.3 - 5.9) | 29.0 (22.8 - 35.3) | 7.8 (4.3 - 11.4) |
| Percentage of students who sleep 8 or more hours per night on average school nights | 2075 | 67.2 (64.8 - 69.5) | 68.7 (66.7 - 70.8) | 36.3 (26.1 - 46.6) | 35.1 (30.0 - 40.2) |
| Percentage of students who never or rarely wear a seat belt while riding in a car | 2071 | 3.0 (2.5 - 3.4) | 2.4 (2.0 - 2.7) | 18.0(9.7 - 26.3) | 7.0 (3.6 - 10.4) |

| Health Measures* | Number of Responses | Total % (95% Cl) | Cisgender % (95% CI) | Transgender % (95% CI) | Not Sure % (95% Cl) |
|--|------------------------|----------------------|-------------------------|---------------------------|------------------------|
| Percentage of students who could fire a loaded gun without adult permission in less than one hour | 1997 | 10.3 (9.4 - 11.2) | 9.8 (8.7 - 11.0) | 22.9 (16.1 - 29.8) | 16.4 (9.3 - 23.4) |
| Percentage of students who would be able to get a loaded gun without adult permission in or around their home, from a friend or schoolmate, or from a family member | 1960 | 10.8 (9.7 - 11.9) | 10.2 (8.8 - 11.5) | 28.8 (22.3 - 35.2) | 21.4 (12.1 - 30.7) |
| Percentage of students who had ever been told by a doctor or nurse that they had asthma | 2052 | 12.6 (11.4 - 13.8) | 12.5 (11.2 - 13.7) | 23.3 (13.7 - 32.9) | 15.1 (10.0 - 20.3) |
| Percentage of students who went outdoors to spend time in nature at least once a week during the past 12 months | 2048 | 3.8 (3.4 - 4.2) | 3.0 (2.5 - 3.5) | 27.2(16.8 - 37.6) | 8.2 (4.7 - 11.8) |
| Extra Questions | | | | | |
| Percentage of students who think people who have five or more drinks of an alcoholic beverage once or twice a week have a moderate or great risk of harming themselves physically or in other ways | 1927 | 77.0 (76.1 - 77.8) | 77.3 (76.2 - 78.4) | 64.1 (52.5 - 75.7) | 73.0 (63.1 - 82.8) |
| Percentage of students who think people who smoke one or more packs of cigarettes per day have a moderate or great risk of harming themselves physically or in other ways | 1920 | 85.5 (84.3 - 86.7) | 86.2 (85.0 - 87.3) | 66.2 (53.7 - 78.8) | 80.4 (73.5 - 87.3) |
| Percentage of students who think people who smoke marijuana once or twice a week have a moderate or great risk of harming themselves physically or in other ways | 1917 | 81.3 (79.4 - 83.3) | 82.0 (80.0 - 83.9) | 57.6 (43.3 - 72.0) | 79.7 (71.5 - 87.9) |
| Percentage of students who think people who use prescription drugs that are not prescribed to them have a moderate or great risk of harming themselves physically or in other ways | 1911 | 85.6 (84.0 - 87.1) | 86.2 (84.8 - 87.5) | 70.1 (55.1 - 85.2) | 82.8 (75.4 - 90.3) |
| Percentage of students who think their parents would feel it is wrong or very wrong if they drank 1 or 2 drinks of an alcoholic beverage nearly every day | 1910 | 95.9 (95.3 - 96.4) | 96.2 (95.8 - 96.7) | 80.0 (70.9 - 89.2) | 95.2 (92.0 - 98.4) |
| Percentage of students who think their parents would feel it is wrong or very wrong for them to smoke tobacco | 1912 | 97.4 (97.0 - 97.8) | 97.7(97.5 - 98.0) | 86.3 (78.7 - 93.9) | 95.2 (92.0 - 98.4) |
| Percentage of students who think their parents would feel it is wrong or very wrong for them to use prescription drugs not prescribed to them | 1900 | 96.4 (96.0 - 96.9) | 96.8 (96.4 - 97.2) | 81.7 (74.1 - 89.3) | 94.0 (90.7 - 97.2) |
| Percentage of students who think their friends would feel it is wrong or very wrong for them to have one or two alcoholic drinks nearly every day | 1904 | 89.4 (88.4 - 90.4) | 89.9 (88.7 - 91.0) | 70.3 (64.0 - 76.6) | 86.9 (80.6 - 93.1) |
| Percentage of students who think their friends would feel it is wrong or very wrong for them to smoke tobacco | 1903 | 91.3 (90.0 - 92.7) | 91.7 (90.1 - 93.3) | 77.2 (70.5 - 83.9) | 89.1 (82.5 - 95.8) |
| Percentage of students who think their friends would feel it is wrong or very wrong for them to smoke marijuana | 1901 | 88.4 (86.7 - 90.1) | 88.8 (86.9 - 90.7) | 72.4 (65.2 - 79.5) | 83.7 (77.6 - 89.7) |
| Percentage of students who think their friends would feel it is wrong or very wrong to use prescription drugs not prescribed to them | 1886 | 91.7 (91.0 - 92.3) | 92.4 (91.8 - 93.0) | 62.8 (50.9 - 74.7) | 86.4 (80.4 - 92.5) |
| Percentage of students who used prescription drugs not prescribed to them during the past 30 days | 1968 | 2.5 (2.0 - 3.0) | 1.9 (1.6 - 2.3) | 18.7(12.3 - 25.2) | 8.3 (4.0 - 12.6) |

In districts with enrollment over 35, results are suppressed if fewer than 30 students responded to a question. All percentages are rounded to the nearest tenth.

**Items in this column are included in risk and protective factors known to influence multiple youth health outcomes.