

# 2023

## HIGH SCHOOL DISTRICT-LEVEL REPORT SURVEY RESULTS



# HEALTHY KIDS COLORADO SURVEY

### Background

The Healthy Kids Colorado Survey (HKCS) collects anonymous health information from middle and high school students throughout the state and is used to better understand youth health and the factors that help young people make healthy choices. This report includes your district's weighted results from the 2023 HKCS and represents students that participated in the survey in your district. The HKCS is supported by the Colorado Departments of Public Health & Environment, Education, Public Safety, and the Behavioral Health Administration, and is administered by the Colorado School of Public Health (CSPH).

### Questionnaire and Survey Administration

The HKCS measures comprehensive health topics for adolescents including unintentional injuries and violence; mental health; school safety; substance use; physical activity and nutrition; sexual behavior (optional); and risk and protective factors. Many questions are drawn from the Centers for Disease Control and Prevention Youth Risk Behavior Surveillance System. Other questions have been added with community input to meet additional data needs in Colorado. The standard version of the high school survey has 125 questions.

The survey is administered online in English or Spanish and takes about 30 minutes to complete. Teachers provide instructions to students emphasizing the anonymous and voluntary nature of the survey. Parental consent procedures are followed according to each district's guidelines, with advance notification of the administration. Parents may choose not to allow their child to participate, and students may also decline participation. The HKCS selects a random sample of schools to represent Colorado and is also available to other schools at no cost. Within some schools, a sample of classrooms is selected to participate. In most schools, all students are surveyed.

### Key Definitions and Considerations

**Response rate:** Response rate, shown on the next tab, is the total number of students who participated in the survey divided by the number of students eligible to participate in the district, for both sampled and opt-in schools. The higher the response rate, the more confidence that the results represent the entire student population in the district. **For response rates less than 60%, results should be interpreted with caution, as they are likely less representative.**

**Confidentiality:** Responses are suppressed if they might allow students to be identified. A period (.) appears when results are suppressed, specifically if fewer than 3 students responded 'yes' to a question or if results represent 0% or 100% of students. In districts with enrollment over 35, results are suppressed if fewer than 30 students responded to a question.

**Significance:** When comparing results, for example between different demographic groups, examine the 95% confidence intervals. If the intervals overlap, there is no evidence to believe the compared results are different from each other. If they do not overlap, there is high confidence that the results are different (i.e., the difference is statistically significant). Judgement is needed to decide whether the size of the difference is meaningful and important.

**Risk and Protective Factors:** Certain results in this report are categorized as risk and protective factor items, which help us understand the upstream predictors of youth health outcomes. Risk factors are characteristics of community, family, and school environments, and of students and their peer groups, that predict increased likelihood of unwanted health outcomes. Protective factors are behavior patterns and social factors that appear to increase a young person's resistance to unwanted health outcomes. Risk and protective factors are often shared across multiple outcomes, which means they can predict more than one youth health outcome. Reducing risk and increasing protective factors can result in healthier youth across a variety of shared outcomes.

[www.healthykidscolo.org](http://www.healthykidscolo.org) | [CSPHSurveyTeam@CUAnschutz.edu](mailto:CSPHSurveyTeam@CUAnschutz.edu)

## 2023 HKCS RESULTS: HIGH SCHOOL

### *Boulder Valley Re 2*

Expanded response options were included for certain demographic questions on the HKCS. In Table 1 below, results for all response options are shown. In Table 2 on the next tab, results for limited response options are shown that are used throughout the report.

**Table 1. Student demographics by all response options**

Response Rate\*: 79.1%

Demographic	Number	Number/Total Sample
<b>Participants</b>		
Total	2526	100.0%
<b>Gender</b>		
Female	1131	45.6%
Male	1221	49.2%
Nonbinary	65	2.6%
Another identity	33	1.3%
Not Sure	32	1.3%
<b>Grade</b>		
9th Grade	658	26.3%
10th Grade	558	22.3%
11th Grade	603	24.1%
12th Grade	682	27.3%
<b>Race/Ethnicity</b>		
White	1651	67.4%
Hispanic/Latinx	235	9.6%
Black/African American	39	1.6%
East/Southeast Asian	72	2.9%
South Asian	73	3.0%
American Indian/Alaska Native	11	0.4%

Demographic	Number	Number/Total Sample
Native Hawaiian/Other Pacific Islander	4	0.2%
Middle Eastern/North African/Arab	18	0.7%
Multiracial	328	13.4%
Another identity	19	0.8%
<b>Sexual Orientation</b>		
Straight	1833	75.2%
Bisexual	220	9.0%
Gay/Lesbian	100	4.1%
Pansexual	83	3.4%
Asexual	47	1.9%
Another identity	50	2.1%
Not Sure	105	4.3%
<b>Gender Identity</b>		
Cisgender	2306	93.8%
Transgender	94	3.8%
Not Sure	59	2.4%

\*The higher the response rate, the more confidence that the results represent your student population. For response rates less than 60%, results should be interpreted with caution.

\*\*Students included in "Another identity" selected this response on the survey and had the option to write in their answer.

\*\*\*Students included in "Multiracial" selected two or more racial and ethnic identities and represent numerous unique combinations.

## 2023 HKCS RESULTS: HIGH SCHOOL

### Boulder Valley Re 2

Expanded response options were included for certain demographic questions on the HKCS. In Table 1 on the previous tab, results for all response options are shown.

In Table 2 below, results for limited response options are shown that are used throughout the report.

All response options are important, valued, and valid. To reduce the amount of data suppressed in the report,

certain response options for demographics were either combined or not reported in Table 2 and in subsequent tabs throughout the report.

Specifically: Gender: "Not sure" and "Another identity" are not reported. Race/Ethnicity: "East/Southeast Asian" and "South Asian" are combined into "Asian"

"Middle Eastern/North African/Arab" and "Another identity" are not reported. Sexual Orientation: "Pansexual", "Asexual", and "Another identity" are not reported.

**Table 2. Student demographics by limited response options, as applicable**      Response Rate\*: 79.1%

Demographic	Number	Number/Total Sample
<b>Participants</b>		
Total	2526	100.0%
<b>Gender</b>		
Female	1131	45.6%
Male	1221	49.2%
Nonbinary	65	2.6%
<b>Grade</b>		
9th Grade	658	26.3%
10th Grade	558	22.3%
11th Grade	603	24.1%
12th Grade	682	27.3%
<b>Race/Ethnicity</b>		
White	1651	67.4%
Hispanic/Latinx	235	9.6%
Black/African American	39	1.6%
Asian	145	5.9%
American Indian/Alaska Native	11	0.4%
Native Hawaiian/Other Pacific Islander	4	0.2%

Multiracial	328	13.4%
<b>Sexual Orientation</b>		
Straight	1833	75.2%
Bisexual	220	9.0%
Gay/Lesbian	100	4.1%
Not Sure	105	4.3%
<b>Gender Identity</b>		
Cisgender	2306	93.8%
Transgender	94	3.8%
Not Sure	59	2.4%

\*The higher the response rate, the more confidence that the results represent your student population. For response rates less than 60%, results should be interpreted with caution.

# 2023 HKCS RESULTS: HIGH SCHOOL

## Boulder Valley Re 2

Health Measures*	Risk or Protective Factor Items**	Number of Responses	Total % (95% CI)	Female % (95% CI)	Male % (95% CI)	Nonbinary % (95% CI)
<b>Safety</b>						
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else		2360	3.1 ( 2.0 - 4.2 )	1.9 ( 1.0 - 2.8 )	4.2 ( 2.2 - 6.2 )	. ( . - . )
Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been drinking alcohol one or more times		1627	5.0 ( 3.9 - 6.0 )	3.8 ( 2.5 - 5.1 )	5.9 ( 4.4 - 7.4 )	. ( . - . )
Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been using marijuana one or more times		1624	8.6 ( 6.6 - 10.7 )	6.6 ( 4.8 - 8.3 )	10.3 ( 7.5 - 13.2 )	7.1 ( 2.4 - 11.7 )
Among students who drove a car or other vehicle during the past 30 days, the percentage who texted, posted, or used their phone in some other way while driving on one or more of the days		1618	41.2 ( 37.7 - 44.7 )	43.0 ( 40.7 - 45.4 )	39.9 ( 34.5 - 45.4 )	31.5 ( 19.9 - 43.1 )
<b>Bullying</b>						
Percentage of students who have ever been bullied on school property during the past 12 months		2286	12.5 ( 10.7 - 14.4 )	13.9 ( 11.1 - 16.6 )	9.6 ( 7.9 - 11.2 )	24.4 ( 10.0 - 38.8 )
Among students bullied on school property, the percentage who were bullied in a classroom in the past 12 months		300	50.0 ( 37.4 - 62.5 )	45.8 ( 31.7 - 59.9 )	57.7 ( 48.5 - 66.8 )	. ( . - . )
Among students bullied on school property, the percentage who were bullied in a hallway or stairwell in the past 12 months		300	39.5 ( 30.7 - 48.3 )	38.0 ( 30.2 - 45.8 )	40.7 ( 27.1 - 54.3 )	. ( . - . )
Among students bullied on school property, the percentage who were bullied in a locker room or bathroom in the past 12 months		300	18.8 ( 16.7 - 20.9 )	19.9 ( 15.4 - 24.4 )	18.0 ( 11.8 - 24.2 )	. ( . - . )
Among students bullied on school property, the percentage who were bullied in a cafeteria or lunch room in the past 12 months		300	28.7 ( 23.7 - 33.7 )	29.7 ( 24.1 - 35.3 )	29.1 ( 15.8 - 42.5 )	. ( . - . )
Among students bullied on school property, the percentage who were bullied on a bus or at a bus stop in the past 12 months		300	10.0 ( 6.2 - 13.8 )	6.6 ( 2.8 - 10.5 )	12.9 ( 5.9 - 20.0 )	. ( . - . )
Among students bullied on school property, the percentage who were bullied outside before school in the past 12 months		300	14.3 ( 9.8 - 18.9 )	11.8 ( 9.8 - 13.8 )	18.4 ( 8.8 - 28.0 )	. ( . - . )
Among students bullied on school property, the percentage who were bullied outside after school in the past 12 months		300	26.4 ( 21.6 - 31.1 )	21.8 ( 18.0 - 25.7 )	32.1 ( 22.3 - 41.8 )	. ( . - . )
Among students bullied on school property, the percentage who were bullied outside during lunch or break in the past 12 months		300	25.3 ( 21.6 - 28.9 )	24.2 ( 18.3 - 30.1 )	28.1 ( 21.3 - 34.8 )	. ( . - . )
Percentage of students who had ever been electronically bullied during the past 12 months		2353	9.7 ( 8.2 - 11.2 )	11.9 ( 9.9 - 13.9 )	6.9 ( 4.5 - 9.2 )	12.8 ( 2.4 - 23.1 )
Among students who were teased in the past 12 months, the percentage who were teased because of sexual orientation	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	357	27.4 ( 21.6 - 33.1 )	21.7 ( 12.6 - 30.7 )	23.8 ( 18.0 - 29.7 )	. ( . - . )
Among students who were teased in the past 12 months, the percentage who were teased because of gender identity	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	357	24.5 ( 20.1 - 28.8 )	17.6 ( 12.3 - 23.0 )	19.7 ( 13.5 - 26.0 )	. ( . - . )
Among students who were teased in the past 12 months, the percentage who were teased because of religion	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	357	14.8 ( 10.8 - 18.7 )	13.7 ( 8.8 - 18.6 )	15.5 ( 9.1 - 21.9 )	. ( . - . )
Among students who were teased in the past 12 months, the percentage who were teased because of disability	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	357	18.6 ( 15.5 - 21.7 )	15.3 ( 14.0 - 16.7 )	19.3 ( 10.1 - 28.5 )	. ( . - . )
Among students who were teased in the past 12 months, the percentage who were teased because of physical appearance	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	357	62.0 ( 55.5 - 68.5 )	67.7 ( 63.8 - 71.6 )	53.7 ( 41.0 - 66.4 )	. ( . - . )
Among students who were teased in the past 12 months, the percentage who were teased because of race or ethnicity	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	357	26.5 ( 20.0 - 33.0 )	23.7 ( 14.6 - 32.8 )	33.3 ( 26.6 - 40.0 )	. ( . - . )
<b>Violence</b>						
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school		2363	8.6 ( 6.7 - 10.6 )	11.7 ( 9.6 - 13.7 )	5.4 ( 2.9 - 8.0 )	12.1 ( 3.5 - 20.7 )

Health Measures*	Risk or Protective Factor Items**	Number of Responses	Total % (95% CI)	Female % (95% CI)	Male % (95% CI)	Nonbinary % (95% CI)
Percentage of students who were in a physical fight one or more times during the past 12 months		2327	10.2 ( 9.1 - 11.3 )	5.1 ( 4.0 - 6.2 )	14.7 ( 12.6 - 16.8 )	5.6 ( 0.0 - 11.8 )
Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose one or more times by someone they were dating or going out with		1224	8.9 ( 7.4 - 10.4 )	7.4 ( 4.9 - 9.9 )	9.6 ( 5.5 - 13.8 )	14.3 ( 0.0 - 35.3 )
Among students who dated or went out with someone during the past 12 months, the percentage who had been controlled or emotionally hurt by someone they were dating or going out with		1220	18.1 ( 16.4 - 19.9 )	20.9 ( 18.4 - 23.4 )	15.2 ( 12.0 - 18.5 )	19.3 ( 4.1 - 34.5 )
<b>Consent/Sexual Violence</b>						
Percentage of students who had a sexual experience where they were unsure if they gave their fully-granted consent to the other person		2320	11.3 ( 9.6 - 12.9 )	15.3 ( 12.6 - 17.9 )	6.0 ( 5.3 - 6.7 )	29.1 ( 19.8 - 38.3 )
Percentage of students who had a sexual experience where they were unsure if they received fully-granted consent from the other person		2316	2.6 ( 2.3 - 3.0 )	2.1 ( 1.4 - 2.8 )	3.2 ( 2.0 - 4.4 )	. ( . - . )
Percentage of students who had a revealing or sexual photo or video of themselves texted, e-mailed, or posted electronically without their permission in the past 12 months		2323	4.5 ( 3.5 - 5.4 )	5.1 ( 3.5 - 6.7 )	4.0 ( 3.4 - 4.6 )	4.2 ( 0.8 - 7.6 )
Percentage of students who have made sexual comments, jokes, gestures or looks at someone when unwanted		2317	5.9 ( 4.6 - 7.1 )	3.5 ( 2.7 - 4.3 )	8.3 ( 6.1 - 10.6 )	. ( . - . )
Percentage of students who touched, grabbed or pinched someone in a sexual way when unwanted		2317	2.8 ( 2.0 - 3.6 )	2.6 ( 1.6 - 3.7 )	3.0 ( 2.4 - 3.6 )	. ( . - . )
Percentage of students who have ever had sex while under the influence of alcohol or drugs		2308	10.2 ( 7.3 - 13.0 )	11.5 ( 9.4 - 13.6 )	8.9 ( 4.9 - 12.8 )	11.1 ( 3.7 - 18.6 )
Percentage of students who have ever been physically forced to have sex when they did not want to		2310	3.6 ( 2.9 - 4.4 )	5.4 ( 4.1 - 6.7 )	1.8 ( 1.0 - 2.7 )	7.9 ( 1.6 - 14.3 )
<b>Mental Health</b>						
Percentage of students who agree or strongly agree their stress level is manageable most days		2329	57.5 ( 54.9 - 60.0 )	47.2 ( 41.9 - 52.4 )	70.0 ( 67.3 - 72.8 )	32.1 ( 18.1 - 46.1 )
Percentage of students who most of the time or always had poor mental health during the past 30 days		2317	28.9 ( 27.7 - 30.1 )	37.5 ( 34.9 - 40.2 )	17.5 ( 14.7 - 20.3 )	61.0 ( 44.8 - 77.2 )
Percentage of students who purposefully hurt themselves without wanting to die in the past 12 months		2290	14.7 ( 12.9 - 16.5 )	17.5 ( 15.9 - 19.0 )	9.4 ( 6.4 - 12.5 )	48.0 ( 40.6 - 55.5 )
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row during the past 12 months that they stopped doing some usual activities		2297	23.4 ( 22.1 - 24.6 )	30.1 ( 27.9 - 32.3 )	13.9 ( 12.7 - 15.1 )	51.2 ( 31.8 - 70.6 )
Percentage of students who seriously considered attempting suicide during the past 12 months		2285	11.6 ( 10.6 - 12.6 )	13.4 ( 11.0 - 15.9 )	8.1 ( 6.2 - 10.0 )	33.1 ( 20.3 - 46.0 )
Percentage of students who made a plan about how they would attempt suicide during the past 12 months		2275	9.6 ( 8.5 - 10.7 )	10.6 ( 8.5 - 12.7 )	7.2 ( 5.8 - 8.6 )	25.0 ( 9.6 - 40.3 )
Percentage of students who attempted suicide one or more times during the past 12 months		2282	4.5 ( 4.0 - 5.1 )	4.8 ( 3.6 - 5.9 )	3.4 ( 1.6 - 5.2 )	20.0 ( 9.5 - 30.5 )
Percentage of students who have an adult to go to for help with a serious problem	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2279	77.9 ( 77.2 - 78.7 )	76.9 ( 74.1 - 79.6 )	81.0 ( 78.3 - 83.8 )	56.2 ( 45.4 - 67.1 )
Percentage of students who most of the time or always could talk to a friend about feelings during their life	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2278	59.7 ( 56.3 - 63.1 )	62.7 ( 57.7 - 67.7 )	58.8 ( 55.8 - 61.7 )	44.9 ( 30.7 - 59.1 )
Percentage of students who had a friend tell them they had thoughts of suicide one or more times during the past 12 months		2259	31.8 ( 30.0 - 33.6 )	35.2 ( 32.3 - 38.2 )	25.4 ( 22.5 - 28.3 )	62.3 ( 50.7 - 74.0 )
Percentage of students who would tell their parents or guardians if they were concerned about their own or someone else's well-being or mental health		2189	56.8 ( 55.5 - 58.2 )	62.8 ( 57.8 - 67.9 )	54.4 ( 49.6 - 59.1 )	32.4 ( 18.2 - 46.5 )
Percentage of students who would tell another trusted adult (who is not their parents or guardians) if they were concerned about their own or someone else's well-being or mental health		2189	51.3 ( 49.3 - 53.4 )	55.4 ( 51.3 - 59.5 )	48.6 ( 43.0 - 54.2 )	42.3 ( 33.3 - 51.2 )
Percentage of students who would tell a friend if they were concerned about their own or someone else's well-being or mental health		2189	45.1 ( 41.7 - 48.5 )	42.3 ( 40.4 - 44.2 )	47.5 ( 41.6 - 53.3 )	52.8 ( 32.1 - 73.5 )
Percentage of students who would submit an anonymous report through their school's safety reporting system if they were concerned about their own or someone else's well-being or mental health		2189	28.3 ( 25.5 - 31.1 )	32.0 ( 30.3 - 33.6 )	25.3 ( 19.9 - 30.8 )	24.1 ( 17.8 - 30.4 )



Health Measures*	Risk or Protective Factor Items**	Number of Responses	Total % (95% CI)	Female % (95% CI)	Male % (95% CI)	Nonbinary % (95% CI)
Percentage of students who would contact a crisis line if they were concerned about their own or someone else's well-being or mental health		2189	26.1 ( 23.4 - 28.8 )	27.3 ( 23.8 - 30.8 )	24.8 ( 21.9 - 27.7 )	32.1 ( 28.7 - 35.4 )
Percentage of students who have ever experienced the death of a family member or close friend		2276	69.1 ( 65.2 - 73.0 )	72.2 ( 69.1 - 75.4 )	67.1 ( 63.4 - 70.9 )	63.0 ( 50.8 - 75.3 )
<b>Racism</b>						
Percentage who were treated badly or unfairly in school because of their race or ethnicity in the past 12 months	Risk Factor: Recent Experiences with Oppression: Racism	2155	3.8 ( 3.0 - 4.7 )	3.9 ( 2.8 - 4.9 )	4.2 ( 2.5 - 5.8 )	. ( . - . )
Percentage who were watched closely or followed by security guards or store clerks at a store or mall because of their race or ethnicity in the past 12 months	Risk Factor: Recent Experiences with Oppression: Racism	2155	3.4 ( 3.0 - 3.8 )	3.7 ( 2.8 - 4.7 )	3.0 ( 1.9 - 4.0 )	. ( . - . )
Percentage who were assumed less intelligent because of their race or ethnicity in the past 12 months	Risk Factor: Recent Experiences with Oppression: Racism	2155	5.1 ( 4.1 - 6.0 )	6.4 ( 3.7 - 9.1 )	3.8 ( 2.0 - 5.6 )	. ( . - . )
Percentage who saw family members treated unfairly because of their race or ethnicity in the past 12 months	Risk Factor: Recent Experiences with Oppression: Racism	2155	6.5 ( 5.1 - 7.8 )	8.8 ( 7.0 - 10.6 )	4.4 ( 3.3 - 5.6 )	7.0 ( 0.0 - 14.4 )
<b>Alcohol</b>						
Percentage of students who have ever had a drink of alcohol other than a few sips		2164	50.8 ( 45.5 - 56.1 )	52.4 ( 47.7 - 57.1 )	49.6 ( 44.0 - 55.2 )	54.7 ( 43.7 - 65.6 )
Percentage of students who had their first drink of alcohol, other than a few sips, before age 13	Risk Factor: Early Initiation of Substance Use	2164	12.2 ( 8.9 - 15.5 )	12.0 ( 9.7 - 14.2 )	12.1 ( 6.9 - 17.2 )	14.9 ( 10.1 - 19.8 )
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days		2177	27.6 ( 22.5 - 32.7 )	29.0 ( 25.5 - 32.6 )	27.1 ( 20.8 - 33.4 )	17.6 ( 7.4 - 27.8 )
Percentage of students who binge drank (4+ drinks, within a couple of hours) on one or more of the past 30 days		2168	17.8 ( 11.9 - 23.7 )	18.5 ( 13.8 - 23.3 )	17.9 ( 11.2 - 24.5 )	13.6 ( 2.9 - 24.2 )
Percentage of students who feel it would be sort of easy or very easy to get alcohol if they wanted	Risk Factor: Availability of Substances in Community	2131	60.3 ( 57.7 - 62.9 )	61.2 ( 58.7 - 63.6 )	59.0 ( 54.0 - 63.9 )	63.3 ( 54.3 - 72.3 )
Percentage of students who think it is wrong or very wrong for someone of the same age to drink alcohol regularly (at least once or twice per month)	Risk Factor: Youth Peer Attitudes Favorable Towards Substance Use	2191	58.7 ( 51.8 - 65.5 )	57.6 ( 50.8 - 64.4 )	59.4 ( 53.1 - 65.7 )	53.6 ( 37.1 - 70.2 )
Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they drank alcohol regularly (at least once or twice per month)	Risk Factor: Parental Attitudes Favorable Toward Substance Use	2186	78.7 ( 73.8 - 83.7 )	80.3 ( 75.7 - 84.9 )	77.6 ( 71.9 - 83.4 )	75.9 ( 69.4 - 82.4 )
Percentage of students who thought 5 or more out of every 10 students in their grade had four or more drinks on at least one day in the past 30 days		2167	42.9 ( 35.9 - 49.9 )	51.1 ( 44.9 - 57.3 )	36.5 ( 30.1 - 42.8 )	37.1 ( 29.2 - 45.1 )
<b>Tobacco</b>						
Percentage of students who have ever smoked a cigarette, even one or two puffs		2171	17.1 ( 12.2 - 22.0 )	18.3 ( 13.1 - 23.5 )	16.1 ( 10.3 - 21.9 )	17.9 ( 5.1 - 30.7 )
Percentage of students who smoked a cigarette, even one or two puffs, for the first time before age 13	Risk Factor: Early Initiation of Substance Use	2171	3.8 ( 2.4 - 5.2 )	3.3 ( 1.1 - 5.5 )	4.2 ( 1.6 - 6.9 )	. ( . - . )
Percentage of students who smoked cigarettes on one or more of the past 30 days		2171	5.3 ( 3.0 - 7.5 )	5.0 ( 3.2 - 6.8 )	5.3 ( 2.2 - 8.4 )	6.8 ( 0.0 - 14.2 )
Among students who smoked in the past 30 days, the percentage who smoked menthol cigarettes		108	26.7 ( 3.1 - 50.3 )	24.2 ( 5.0 - 43.5 )	24.7 ( 0.0 - 50.8 )	. ( . - . )
Percentage of students who have used cigars, chewing tobacco, hookah, pipe, or bidis in the past 30 days		2093	4.0 ( 2.4 - 5.6 )	2.5 ( 2.0 - 2.9 )	5.6 ( 2.4 - 8.8 )	. ( . - . )
Percentage of students who think it would be sort of easy or very easy to get cigarettes if they wanted	Risk Factor: Availability of Substances in Community	2154	38.6 ( 33.3 - 43.9 )	37.2 ( 32.8 - 41.7 )	39.8 ( 31.8 - 47.8 )	36.8 ( 29.6 - 44.0 )
Percentage of students who have ever used an electronic vapor product		2148	27.5 ( 22.4 - 32.6 )	31.2 ( 26.0 - 36.4 )	24.0 ( 18.3 - 29.6 )	35.1 ( 24.5 - 45.7 )
Percentage of students who had used an electronic vapor product before age 13	Risk Factor: Early Initiation of Substance Use	2148	6.0 ( 4.2 - 7.8 )	6.3 ( 4.8 - 7.8 )	5.7 ( 3.0 - 8.4 )	. ( . - . )
Percentage of students who used an electronic vapor product in the past 30 days		2081	9.0 ( 6.9 - 11.1 )	10.4 ( 8.3 - 12.6 )	8.1 ( 5.1 - 11.1 )	. ( . - . )

Health Measures*	Risk or Protective Factor Items**	Number of Responses	Total % (95% CI)	Female % (95% CI)	Male % (95% CI)	Nonbinary % (95% CI)
Percentage of students who feel it would be sort of easy or very easy to get electronic vapor products if they wanted	Risk Factor: Availability of Substances in Community	2152	57.4 ( 55.3 - 59.5 )	57.0 ( 53.4 - 60.6 )	57.6 ( 54.6 - 60.6 )	61.1 ( 51.9 - 70.4 )
Percentage of students who think it is wrong or very wrong for someone of the same age to use electronic vapor products	Risk Factor: Youth Peer Attitudes Favorable Towards Substance Use	2196	74.3 ( 71.9 - 76.7 )	71.7 ( 68.9 - 74.6 )	77.3 ( 75.6 - 79.1 )	64.6 ( 50.9 - 78.3 )
Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they used electronic vapor products	Risk Factor: Parental Attitudes Favorable Toward Substance Use	2188	95.4 ( 94.5 - 96.3 )	96.4 ( 95.3 - 97.5 )	94.8 ( 93.5 - 96.1 )	89.6 ( 81.0 - 98.2 )
Among students who have used electronic vapor products, the percentage who used them because a friend or family member used them		511	55.7 ( 47.5 - 63.9 )	59.7 ( 53.0 - 66.3 )	49.9 ( 38.8 - 60.9 )	. ( . - . )
Among students who have used electronic vapor products, the percentage who used them because they were trying to quit other tobacco products		511	3.7 ( 1.7 - 5.7 )	1.5 ( 0.0 - 3.3 )	5.2 ( 2.6 - 7.9 )	. ( . - . )
Among students who have used electronic vapor products, the percentage who used them because they cost less than other tobacco products		511	4.6 ( 3.2 - 5.9 )	3.6 ( 1.8 - 5.3 )	5.8 ( 1.6 - 10.0 )	. ( . - . )
Among students who have used electronic vapor products, the percentage who used them because it is easier to get them than other tobacco products		511	12.0 ( 8.9 - 15.1 )	12.1 ( 9.3 - 14.9 )	10.1 ( 5.5 - 14.7 )	. ( . - . )
Among students who have used electronic vapor products, the percentage who used them because they are less harmful than other tobacco products		511	10.4 ( 7.6 - 13.3 )	10.0 ( 5.0 - 15.0 )	10.0 ( 5.9 - 14.1 )	. ( . - . )
Among students who have used electronic vapor products, the percentage who used them because they are available in flavors		511	16.4 ( 14.7 - 18.2 )	18.0 ( 16.0 - 20.0 )	13.1 ( 9.5 - 16.7 )	. ( . - . )
Among students who have used electronic vapor products, the percentage who used them because they can be used in areas where other tobacco products are not allowed		511	10.7 ( 8.5 - 12.8 )	8.8 ( 6.6 - 10.9 )	11.7 ( 6.0 - 17.4 )	. ( . - . )
Among students who use electronic vapor products, the percentage who most of the time or always reach for them without thinking about it		556	10.5 ( 8.7 - 12.3 )	13.2 ( 9.5 - 17.0 )	7.9 ( 4.0 - 11.9 )	. ( . - . )
Percentage of students who probably or definitely will use an electronic vapor product if one of their best friends offers it		2127	15.1 ( 13.1 - 17.1 )	18.1 ( 15.0 - 21.1 )	12.0 ( 10.5 - 13.6 )	22.3 ( 15.0 - 29.7 )
Percentage of students who think people who use electronic vapor products every day have a moderate or great risk of harm		2111	83.2 ( 80.7 - 85.8 )	87.3 ( 85.5 - 89.1 )	79.4 ( 76.2 - 82.6 )	80.7 ( 67.6 - 93.7 )
Percentage of students who have seen or heard ads for electronic vapor products in the past 30 days		2072	63.2 ( 59.6 - 66.8 )	67.1 ( 63.7 - 70.6 )	60.0 ( 54.9 - 65.1 )	60.6 ( 51.0 - 70.2 )
Among those underage students who tried to buy tobacco or vaping products in a store, the percentage who were not refused because of age		140	87.1 ( 82.8 - 91.4 )	88.9 ( 83.9 - 93.8 )	85.6 ( 73.7 - 97.6 )	. ( . - . )
Among underage students who used tobacco products in the past 30 days, the percentage who bought them over the internet		166	7.8 ( 3.9 - 11.7 )	7.1 ( 3.6 - 10.6 )	7.4 ( 0.0 - 15.4 )	. ( . - . )
Among underage students who used tobacco products in the past 30 days, the percentage who bought them through the mail		166	3.1 ( 0.6 - 5.6 )	. ( . - . )	5.2 ( 0.6 - 9.8 )	. ( . - . )
Among underage students who used tobacco products in the past 30 days, the percentage who bought them from a gas station, convenience store, grocery store, or drug store		166	18.3 ( 13.4 - 23.2 )	15.1 ( 8.2 - 22.1 )	19.2 ( 10.9 - 27.4 )	. ( . - . )
Among students who reported current tobacco use, the percentage who ever tried to quit using all tobacco products during the past 12 months		183	46.0 ( 41.6 - 50.4 )	47.9 ( 41.2 - 54.7 )	46.9 ( 36.9 - 57.0 )	. ( . - . )
Percentage of students who think breathing secondhand vapor has a moderate or great risk		2039	61.8 ( 59.5 - 64.0 )	65.5 ( 64.0 - 67.1 )	59.1 ( 56.3 - 61.9 )	52.2 ( 35.3 - 69.1 )
Percentage of students who were inside their home while someone was smoking a cigarette, cigar, pipe, or using an electronic vapor product for one or more days in the past 7 days		2044	12.9 ( 10.3 - 15.6 )	14.2 ( 10.7 - 17.7 )	11.1 ( 8.7 - 13.5 )	17.7 ( 9.2 - 26.3 )
<b>Marijuana</b>						
Percentage of students who have ever tried marijuana		2062	29.0 ( 22.1 - 35.9 )	27.9 ( 20.5 - 35.2 )	30.1 ( 23.0 - 37.2 )	31.2 ( 13.2 - 49.3 )
Percentage of students who tried marijuana for the first time before age 13	Risk Factor: Early Initiation of Substance Use	2062	4.6 ( 3.7 - 5.4 )	3.0 ( 2.1 - 4.0 )	6.0 ( 4.2 - 7.7 )	. ( . - . )
Percentage of students who used marijuana one or more times during the past 30 days		2023	16.9 ( 12.4 - 21.4 )	14.7 ( 11.2 - 18.2 )	18.3 ( 12.6 - 23.9 )	22.5 ( 10.7 - 34.3 )
Percentage of students who feel it would be sort of easy or very easy to get marijuana if they wanted	Risk Factor: Availability of Substances in Community	2112	48.3 ( 44.5 - 52.0 )	45.5 ( 41.6 - 49.5 )	50.5 ( 45.6 - 55.4 )	51.3 ( 31.7 - 70.9 )

Health Measures*	Risk or Protective Factor Items**	Number of Responses	Total % (95% CI)	Female % (95% CI)	Male % (95% CI)	Nonbinary % (95% CI)
Percentage of students who think it is wrong or very wrong for someone of the same age to use marijuana	Risk Factor: Youth Peer Attitudes Favorable Towards Substance Use	2192	61.0 ( 55.0 - 66.9 )	62.9 ( 57.9 - 68.0 )	60.4 ( 53.7 - 67.1 )	45.6 ( 23.7 - 67.6 )
Percentage of students who think their parents or guardians feel it is wrong or very wrong if they used marijuana	Risk Factor: Parental Attitudes Favorable Toward Substance Use	2181	86.1 ( 84.0 - 88.2 )	87.7 ( 87.0 - 88.5 )	84.9 ( 81.2 - 88.5 )	85.8 ( 78.8 - 92.8 )
Percentage of students who thought 5 or more out of every 10 students in their grade used marijuana in the past 30 days		2169	44.7 ( 40.8 - 48.7 )	51.0 ( 47.8 - 54.2 )	39.7 ( 34.1 - 45.4 )	42.6 ( 32.1 - 53.2 )
Among students who used marijuana in the past 30 days, the percentage who smoked it		328	72.0 ( 67.5 - 76.4 )	77.3 ( 67.6 - 87.0 )	70.5 ( 64.0 - 77.0 )	. ( . - . )
Among students who used marijuana in the past 30 days, the percentage who ate it		328	37.8 ( 33.7 - 41.9 )	28.4 ( 24.2 - 32.6 )	42.9 ( 38.3 - 47.5 )	. ( . - . )
Among students who used marijuana in the past 30 days, the percentage who vaporized it		328	45.5 ( 40.2 - 50.7 )	38.6 ( 31.3 - 45.9 )	49.7 ( 44.1 - 55.4 )	. ( . - . )
Among students who used marijuana in the past 30 days, the percentage who dabbed it		328	29.7 ( 22.6 - 36.8 )	34.7 ( 30.2 - 39.2 )	24.4 ( 15.5 - 33.4 )	. ( . - . )
Among students who used marijuana in the past 30 days, the percentage who usually smoked it		320	50.4 ( 45.6 - 55.3 )	57.2 ( 47.1 - 67.3 )	47.8 ( 41.4 - 54.2 )	. ( . - . )
Among students who used marijuana in the past 30 days, the percentage who usually got it from an adult over the age of 21		307	20.4 ( 14.6 - 26.2 )	23.3 ( 11.7 - 34.8 )	18.2 ( 16.1 - 20.3 )	. ( . - . )
Percentage of students who used THC concentrates, hash oil, or waxes one or more times during the past 30 days		2042	8.3 ( 6.7 - 9.9 )	7.5 ( 5.6 - 9.4 )	8.6 ( 6.2 - 11.0 )	9.1 ( 3.5 - 14.8 )
<b>Prescription Pain Medication</b>						
Percentage of students who have ever used prescription pain medicine not prescribed to them or differently than how a doctor told them to use it		2032	6.6 ( 6.1 - 7.1 )	6.9 ( 4.6 - 9.1 )	6.1 ( 3.7 - 8.5 )	7.0 ( 4.2 - 9.8 )
Percentage of students who used prescription pain medicine not prescribed to them or differently than how a doctor told them to use it for the first time before age 13	Risk Factor: Early Initiation of Substance Use	2032	2.6 ( 1.9 - 3.3 )	2.2 ( 1.4 - 3.1 )	2.6 ( 0.6 - 4.6 )	. ( . - . )
Percentage of students who took prescription pain medicine not prescribed to them or differently than how a doctor told them to use it one or more times in the past 30 days		2041	2.5 ( 2.0 - 3.0 )	2.1 ( 0.9 - 3.3 )	2.8 ( 1.6 - 3.9 )	. ( . - . )
Percentage of students who feel it would be sort of easy or very easy to get prescription pain medicine not prescribed to them	Risk Factor: Availability of Substances in Community	2146	25.1 ( 23.4 - 26.9 )	26.0 ( 23.3 - 28.7 )	23.3 ( 21.7 - 25.0 )	37.5 ( 29.1 - 46.0 )
Percentage of students who think it is wrong or very wrong for someone of the same age to use prescription pain medicine without a doctor's prescription	Risk Factor: Youth Peer Attitudes Favorable Towards Substance Use	2194	88.8 ( 87.6 - 89.9 )	89.5 ( 87.7 - 91.2 )	88.6 ( 86.4 - 90.7 )	86.1 ( 77.1 - 95.1 )
<b>Other Drugs</b>						
Percentage of students who have ever used stimulants not prescribed to them or differently than prescribed		1988	5.2 ( 3.7 - 6.6 )	4.6 ( 2.8 - 6.3 )	5.4 ( 3.7 - 7.2 )	5.4 ( 1.7 - 9.0 )
Percentage of students who have ever used cocaine		1988	2.0 ( 1.2 - 2.9 )	1.5 ( 0.5 - 2.5 )	2.5 ( 1.4 - 3.5 )	. ( . - . )
Percentage of students who have ever sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high		1988	2.4 ( 1.6 - 3.3 )	1.8 ( 0.8 - 2.7 )	3.2 ( 1.2 - 5.2 )	. ( . - . )
Percentage of students who have ever used heroin		1988	0.9 ( 0.4 - 1.3 )	0.3 ( 0.0 - 0.8 )	1.2 ( 0.2 - 2.3 )	. ( . - . )
Percentage of students who have ever used methamphetamines		1988	0.7 ( 0.3 - 1.2 )	. ( . - . )	1.1 ( 0.1 - 2.2 )	. ( . - . )
Percentage of students who have ever used ecstasy		1988	1.7 ( 1.3 - 2.1 )	1.2 ( 0.5 - 1.9 )	2.3 ( 1.3 - 3.3 )	. ( . - . )
Percentage of students who have ever used psychedelics		1988	6.4 ( 3.8 - 9.0 )	4.5 ( 2.3 - 6.8 )	7.6 ( 3.6 - 11.6 )	8.5 ( 1.7 - 15.2 )
Percentage of students who have ever used fentanyl		1988	0.8 ( 0.3 - 1.2 )	0.5 ( 0.1 - 0.9 )	0.9 ( 0.3 - 1.6 )	. ( . - . )
Percentage of students who have ever used kratom		1988	1.0 ( 0.4 - 1.6 )	0.4 ( 0.0 - 0.9 )	1.6 ( 0.5 - 2.7 )	. ( . - . )

Health Measures*	Risk or Protective Factor Items**	Number of Responses	Total % (95% CI)	Female % (95% CI)	Male % (95% CI)	Nonbinary % (95% CI)
Percentage of students who have ever used hemp-derived, intoxicating cannabinoid products like Delta-8 and Delta-10 THC		1988	5.1 ( 4.3 - 6.0 )	3.9 ( 2.1 - 5.6 )	6.2 ( 4.4 - 7.9 )	4.4 ( 1.0 - 7.8 )
<b>Sexual Health</b>						
Percentage of students who have ever had consensual sex		1993	25.1 ( 21.4 - 28.9 )	23.3 ( 20.6 - 26.0 )	26.8 ( 21.9 - 31.7 )	22.3 ( 10.7 - 33.8 )
Percentage of students who had consensual sex in the last three months		1993	16.8 ( 14.3 - 19.3 )	16.4 ( 14.1 - 18.7 )	16.8 ( 12.8 - 20.8 )	18.7 ( 9.2 - 28.1 )
Among students who had consensual sex during the past three months, the percentage who used a condom or their partner used a condom the last time they had consensual sex		314	65.6 ( 60.7 - 70.5 )	59.2 ( 47.3 - 71.1 )	71.4 ( 68.1 - 74.7 )	. ( . - . )
Among students who had consensual sex during the past three months, the percentage who used or their partner used any method of contraception the last time they had consensual sex		314	87.6 ( 84.8 - 90.4 )	82.3 ( 77.2 - 87.3 )	91.5 ( 87.8 - 95.2 )	. ( . - . )
<b>Nutrition</b>						
Percentage of students who ate fruit one or more times per day in the past 7 days		2011	53.9 ( 50.5 - 57.3 )	52.1 ( 46.5 - 57.7 )	56.3 ( 51.3 - 61.4 )	46.2 ( 36.8 - 55.6 )
Percentage of students who ate vegetables such as green salad, potatoes, carrots, or other vegetables one or more times per day in the past 7 days		1988	57.9 ( 53.3 - 62.5 )	56.6 ( 51.6 - 61.7 )	60.6 ( 54.4 - 66.7 )	40.2 ( 26.8 - 53.6 )
Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day in the past 7 days		2002	14.0 ( 9.5 - 18.4 )	11.7 ( 8.3 - 15.2 )	15.7 ( 10.0 - 21.3 )	16.8 ( 12.2 - 21.5 )
Percentage of students who drank a sports drink, energy drink, or other sweetened beverage one or more times in the past 7 days		1955	63.0 ( 58.3 - 67.8 )	66.5 ( 61.8 - 71.3 )	59.2 ( 53.7 - 64.7 )	65.8 ( 55.2 - 76.4 )
Percentage of students who ate breakfast on all of the past 7 days		1985	39.4 ( 37.6 - 41.1 )	31.5 ( 27.8 - 35.3 )	48.5 ( 45.1 - 51.9 )	22.8 ( 16.0 - 29.5 )
Percentage of students who sometimes, most of the time, or always went hungry in the past 30 days because of a lack of food at home	Risk Factor: Economic Instability	1983	8.3 ( 6.2 - 10.3 )	8.7 ( 6.9 - 10.6 )	7.9 ( 3.7 - 12.1 )	7.8 ( 0.4 - 15.3 )
<b>Physical Activity</b>						
Percentage of students who were physically active for a total of at least 60 minutes per day on 5 or more of the past 7 days		1952	55.6 ( 52.1 - 59.1 )	46.6 ( 41.6 - 51.7 )	66.7 ( 64.4 - 69.0 )	24.5 ( 17.0 - 32.1 )
Percentage of students who spent 3+ hours in front of a TV, computer, smart phone, or other electronic device for something other than schoolwork		1934	68.6 ( 66.6 - 70.6 )	69.7 ( 65.9 - 73.4 )	66.8 ( 63.9 - 69.8 )	80.6 ( 71.5 - 89.8 )
Percentage of students who could walk or ride a bike, scooter, or skateboard to school if they wanted to		1959	56.0 ( 52.2 - 59.9 )	50.7 ( 46.6 - 54.8 )	61.8 ( 55.8 - 67.9 )	39.1 ( 17.3 - 60.9 )
Percentage of students who had a concussion in the past 12 months from playing sports or being physically active		1948	15.8 ( 13.6 - 17.9 )	14.4 ( 12.7 - 16.0 )	17.3 ( 14.9 - 19.7 )	14.9 ( 3.6 - 26.2 )
<b>Body Image &amp; Eating Disorders</b>						
Percentage of students who most of the time or always felt confident with their body image during the past 30 days		1905	47.8 ( 44.8 - 50.9 )	36.6 ( 31.0 - 42.2 )	60.9 ( 55.2 - 66.7 )	21.6 ( 15.6 - 27.7 )
Percentage of students who most of the time or always worried about their physical appearance more than they wanted to during the past 30 days		1891	38.4 ( 37.1 - 39.7 )	50.4 ( 48.2 - 52.7 )	25.8 ( 23.8 - 27.7 )	48.9 ( 34.2 - 63.6 )
Percentage of students who tried to lose weight or keep from gaining weight by going without eating for 24 hours or more; taking any diet pills, powders, or liquids; vomiting or taking laxatives; or skipping meals during the past 30 days		1893	19.2 ( 17.6 - 20.9 )	27.2 ( 25.2 - 29.3 )	10.3 ( 7.5 - 13.2 )	32.5 ( 25.0 - 39.9 )
<b>Home Life</b>						
Percentage of students who usually or definitely feel the rules in their family are clear	Risk Factor: Limited Parent Time to Monitor Youth Behavior	1884	92.5 ( 91.7 - 93.3 )	92.6 ( 90.8 - 94.4 )	93.2 ( 91.7 - 94.7 )	80.8 ( 71.0 - 90.6 )
Percentage of students who usually or definitely could ask their parents or guardians for help with a personal problem	Protective Factor: Family Opportunities for Prosocial Involvement	1881	87.2 ( 85.7 - 88.7 )	87.3 ( 85.0 - 89.6 )	89.4 ( 86.7 - 92.1 )	63.9 ( 51.1 - 76.7 )
Percentage of students who usually or definitely have parents or guardians who ask if their homework is done	Risk Factor: Limited Parent Time to Monitor Youth Behavior	1850	77.0 ( 71.7 - 82.3 )	74.8 ( 70.1 - 79.5 )	79.7 ( 73.4 - 85.9 )	67.8 ( 59.6 - 75.9 )

Health Measures*	Risk or Protective Factor Items**	Number of Responses	Total % (95% CI)	Female % (95% CI)	Male % (95% CI)	Nonbinary % (95% CI)
Percentage of students who usually or definitely have chances to do fun things with their parents or guardians	Protective Factor: Family Opportunities for Prosocial Involvement	1857	83.2 ( 80.4 - 86.0 )	83.5 ( 79.4 - 87.6 )	85.4 ( 83.0 - 87.8 )	62.3 ( 46.5 - 78.1 )
Percentage of students who usually or definitely have parents or guardians who ask them what they think before most family decisions	Protective Factor: Family Opportunities for Prosocial Involvement	1853	74.4 ( 72.3 - 76.5 )	71.8 ( 67.8 - 75.7 )	79.6 ( 76.0 - 83.2 )	46.0 ( 33.5 - 58.5 )
Percentage of students who usually or definitely think they would be caught by their parents or guardians for skipping school	Risk Factor: Limited Parent Time to Monitor Youth Behavior	1867	89.8 ( 88.5 - 91.1 )	90.2 ( 88.2 - 92.2 )	90.3 ( 88.8 - 91.8 )	80.8 ( 74.5 - 87.2 )
Percentage of students who usually or definitely feel safe in their neighborhood	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	1875	97.2 ( 96.6 - 97.9 )	98.1 ( 97.3 - 98.9 )	96.9 ( 95.9 - 97.9 )	94.0 ( 88.8 - 99.1 )
Percentage of students who provide care for someone in their family or household who is chronically ill, elderly, or disabled with activities they would have difficulty doing on their own one or more days per week		1868	9.7 ( 8.0 - 11.3 )	10.5 ( 8.0 - 13.1 )	9.0 ( 7.0 - 11.1 )	6.9 ( 0.0 - 14.3 )
<b>School &amp; Community</b>						
Percentage of students who agree or strongly agree that they belong at their school	Protective Factor: School Opportunities for Prosocial Involvement	1869	75.2 ( 72.3 - 78.2 )	71.7 ( 65.8 - 77.7 )	81.3 ( 76.8 - 85.8 )	51.5 ( 41.9 - 61.2 )
Percentage of students who most of the time or always enjoyed being in school over the last year	Risk Factor: Limited Commitment to the Value of School	1870	45.7 ( 44.7 - 46.6 )	41.7 ( 38.6 - 44.8 )	51.3 ( 46.9 - 55.6 )	25.1 ( 13.3 - 36.9 )
Percentage of students who skipped one or more whole days of school during the past four weeks	Risk Factor: Limited Commitment to the Value of School	1863	31.6 ( 24.5 - 38.6 )	36.1 ( 29.0 - 43.2 )	28.1 ( 21.2 - 35.1 )	29.0 ( 17.7 - 40.3 )
Percentage of students who think most of their classes are fairly, quite, or very interesting	Risk Factor: Limited Commitment to the Value of School	1863	73.2 ( 70.5 - 75.9 )	74.8 ( 72.8 - 76.8 )	72.4 ( 68.2 - 76.6 )	59.6 ( 51.5 - 67.7 )
Percentage of students who think the things they are learning in school are going to be important or very important for later in life	Risk Factor: Limited Commitment to the Value of School	1830	59.6 ( 57.0 - 62.2 )	58.1 ( 53.4 - 62.9 )	60.9 ( 57.4 - 64.4 )	50.7 ( 46.7 - 54.7 )
Percentage of students who talked to a school counselor about their future plans after high school in the past 12 months		1803	48.5 ( 39.9 - 57.1 )	50.9 ( 43.4 - 58.3 )	46.3 ( 37.1 - 55.5 )	44.8 ( 21.1 - 68.4 )
Percentage of students who talked to a teacher about their future plans after high school in the past 12 months		1803	49.1 ( 46.8 - 51.4 )	52.2 ( 49.1 - 55.3 )	47.1 ( 44.4 - 49.9 )	39.4 ( 21.0 - 57.8 )
Percentage of students who talked to an administrator about their future plans after high school in the past 12 months		1803	10.2 ( 8.6 - 11.8 )	9.8 ( 7.8 - 11.9 )	11.5 ( 10.1 - 12.9 )	. ( . - . )
Percentage of students who talked to a coach about their future plans after high school in the past 12 months		1803	17.4 ( 14.0 - 20.9 )	17.6 ( 14.4 - 20.8 )	19.3 ( 14.4 - 24.3 )	. ( . - . )
Percentage of students who talked to another school staff member (who is not a school counselor, teacher, administrator, or coach) about their future plans after high school in the past 12 months		1803	13.1 ( 10.5 - 15.7 )	13.2 ( 9.9 - 16.4 )	13.1 ( 9.8 - 16.4 )	13.1 ( 7.6 - 18.5 )
Percentage of students who usually or definitely feel safe at school	Protective Factor: School Opportunities for Prosocial Involvement	1812	95.0 ( 93.7 - 96.3 )	94.8 ( 93.1 - 96.5 )	96.2 ( 93.3 - 99.2 )	87.3 ( 81.1 - 93.4 )
Percentage of students who usually or definitely think their teacher notices when they do a good job and lets them know about it	Protective Factor: School Rewards for Prosocial Involvement	1810	68.8 ( 64.9 - 72.8 )	67.3 ( 63.0 - 71.5 )	72.1 ( 68.0 - 76.1 )	53.1 ( 43.7 - 62.6 )
Percentage of students who usually or definitely think their school lets their parents or guardians know when they have done something well	Protective Factor: School Rewards for Prosocial Involvement	1796	42.4 ( 37.5 - 47.3 )	38.7 ( 34.1 - 43.2 )	47.2 ( 42.1 - 52.3 )	40.1 ( 30.5 - 49.7 )
Percentage of students who usually or definitely think their grades are better than most students in class	Risk Factor: Limited Academic Success	1797	75.7 ( 73.4 - 77.9 )	77.0 ( 72.7 - 81.3 )	74.9 ( 71.7 - 78.0 )	60.2 ( 36.4 - 84.1 )
Percentage of students who participated in sports (team or individual) during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	1788	56.8 ( 51.6 - 62.0 )	52.6 ( 45.4 - 59.8 )	64.0 ( 59.8 - 68.1 )	28.2 ( 16.5 - 39.9 )
Percentage of students who participated in sports, band, drama, clubs, or student government at school during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	1788	77.2 ( 72.9 - 81.6 )	74.1 ( 66.0 - 82.1 )	80.2 ( 77.2 - 83.2 )	71.9 ( 63.1 - 80.7 )
Percentage of students who had paid employment during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	1788	19.7 ( 17.1 - 22.4 )	18.4 ( 14.8 - 22.0 )	20.9 ( 17.8 - 23.9 )	20.0 ( 3.6 - 36.5 )
Percentage of students who participated in another activity besides sports, band, drama, clubs, student government, or paid employment during the past 12 months***	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	1788	20.5 ( 16.2 - 24.9 )	21.9 ( 16.8 - 27.0 )	18.7 ( 13.9 - 23.5 )	25.1 ( 15.4 - 34.9 )
Percentage of students who participated in organized community service as a non-paid volunteer during the past 30 days	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	1789	35.3 ( 28.0 - 42.5 )	36.4 ( 28.8 - 44.0 )	34.2 ( 27.2 - 41.2 )	24.1 ( 7.9 - 40.3 )
<b>Other Health Topics</b>						

Health Measures*	Risk or Protective Factor Items**	Number of Responses	Total % (95% CI)	Female % (95% CI)	Male % (95% CI)	Nonbinary % (95% CI)
Percentage of students who usually slept somewhere other than their home during the past 30 days	Risk Factor: Economic Instability	1787	5.4 ( 3.2 - 7.5 )	4.8 ( 3.7 - 5.8 )	6.3 ( 2.9 - 9.6 )	. ( . - . )
Percentage of students who sleep 8 or more hours per night on average school nights		1790	36.1 ( 33.9 - 38.3 )	33.1 ( 29.7 - 36.4 )	40.8 ( 39.1 - 42.4 )	25.6 ( 19.8 - 31.5 )
Percentage of students who could fire a loaded gun without adult permission in less than one hour	Risk Factor: Access to Firearms	1754	10.8 ( 6.9 - 14.7 )	10.0 ( 6.7 - 13.2 )	11.6 ( 5.8 - 17.5 )	9.9 ( 3.6 - 16.1 )
Percentage of students who would be able to get a loaded gun without adult permission in or around their home, from a friend or schoolmate, or from a family member		1721	16.0 ( 12.7 - 19.2 )	14.5 ( 10.2 - 18.7 )	17.2 ( 13.5 - 20.9 )	17.1 ( 6.7 - 27.6 )
Percentage of students who have experienced problems with their mouth or teeth in the past 12 months, not including braces or injuries		1668	24.4 ( 22.2 - 26.6 )	25.5 ( 22.4 - 28.7 )	20.5 ( 18.5 - 22.4 )	41.8 ( 26.5 - 57.0 )
Percentage of students who had ever been told by a doctor or nurse that they had asthma		1723	16.2 ( 14.7 - 17.6 )	15.7 ( 13.1 - 18.3 )	16.0 ( 13.9 - 18.2 )	23.9 ( 13.7 - 34.0 )
Percentage of students who went outdoors to spend time in nature at least once a week during the past 12 months		1732	5.2 ( 4.3 - 6.0 )	5.5 ( 4.0 - 7.1 )	3.9 ( 2.1 - 5.7 )	14.3 ( 5.4 - 23.3 )
<b>Extra Questions</b>						
Percentage of students who think people who have five or more drinks of an alcoholic beverage once or twice a week have a moderate or great risk of harming themselves physically or in other ways		1630	75.2 ( 73.1 - 77.4 )	79.1 ( 76.7 - 81.5 )	70.8 ( 66.3 - 75.4 )	76.7 ( 67.9 - 85.6 )
Percentage of students who think people who smoke one or more packs of cigarettes per day have a moderate or great risk of harming themselves physically or in other ways		1623	85.3 ( 83.3 - 87.2 )	88.4 ( 85.7 - 91.1 )	81.9 ( 78.1 - 85.7 )	85.5 ( 77.8 - 93.1 )
Percentage of students who think people who smoke marijuana once or twice a week have a moderate or great risk of harming themselves physically or in other ways		1615	61.2 ( 58.9 - 63.5 )	70.5 ( 67.6 - 73.4 )	53.6 ( 50.4 - 56.8 )	48.5 ( 37.6 - 59.3 )
Percentage of students who think people who use prescription drugs that are not prescribed to them have a moderate or great risk of harming themselves physically or in other ways		1615	87.9 ( 84.9 - 90.8 )	88.2 ( 85.7 - 90.8 )	87.1 ( 83.1 - 91.1 )	91.3 ( 87.9 - 94.7 )
Percentage of students who think their parents would feel it is wrong or very wrong if they drank 1 or 2 drinks of an alcoholic beverage nearly every day		1614	94.4 ( 93.2 - 95.7 )	96.2 ( 95.7 - 96.6 )	92.6 ( 89.6 - 95.6 )	95.8 ( 90.2 - 100.0 )
Percentage of students who think their parents would feel it is wrong or very wrong for them to smoke tobacco		1604	95.5 ( 94.5 - 96.4 )	96.1 ( 94.9 - 97.3 )	94.6 ( 92.1 - 97.0 )	97.9 ( 95.1 - 100.0 )
Percentage of students who think their parents would feel it is wrong or very wrong for them to use prescription drugs not prescribed to them		1604	95.9 ( 94.6 - 97.2 )	96.6 ( 95.7 - 97.5 )	95.1 ( 92.0 - 98.1 )	97.9 ( 93.8 - 100.0 )
Percentage of students who think their friends would feel it is wrong or very wrong for them to have one or two alcoholic drinks nearly every day		1603	74.6 ( 71.8 - 77.4 )	76.2 ( 71.5 - 80.8 )	73.2 ( 69.1 - 77.3 )	68.5 ( 60.4 - 76.6 )
Percentage of students who think their friends would feel it is wrong or very wrong for them to smoke tobacco		1606	74.8 ( 71.8 - 77.7 )	73.8 ( 70.7 - 76.8 )	75.6 ( 71.0 - 80.2 )	72.3 ( 56.8 - 87.8 )
Percentage of students who think their friends would feel it is wrong or very wrong for them to smoke marijuana		1604	57.6 ( 52.7 - 62.5 )	58.6 ( 54.4 - 62.9 )	58.2 ( 52.3 - 64.1 )	37.0 ( 17.4 - 56.5 )
Percentage of students who think their friends would feel it is wrong or very wrong to use prescription drugs not prescribed to them		1609	86.7 ( 84.8 - 88.6 )	88.0 ( 85.9 - 90.2 )	85.3 ( 82.0 - 88.5 )	84.8 ( 75.6 - 93.9 )
Percentage of students who used prescription drugs not prescribed to them during the past 30 days		1637	2.8 ( 2.2 - 3.3 )	2.4 ( 1.7 - 3.1 )	3.2 ( 1.5 - 4.9 )	. ( . - . )

\*Data are suppressed, shown by a period (.), if fewer than 3 students responded "yes" to a question or if results represent 0% or 100% of students.

In districts with enrollment over 35, results are suppressed if fewer than 30 students responded to a question. All percentages are rounded to the nearest tenth.

\*\*Items in this column are included in risk and protective factors known to influence multiple youth health outcomes.

\*\*\*Students included in "Another activity" selected this response on the survey and had the option to write in their answer.

## 2023 HKCS RESULTS: HIGH SCHOOL

### Boulder Valley Re 2

Health Measures*	Number of Responses	Total % (95% CI)	9th Grade % (95% CI)	10th Grade % (95% CI)	11th Grade % (95% CI)	12th Grade % (95% CI)
<b>Safety</b>						
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else	2360	3.1 ( 2.0 - 4.2 )	4.5 ( 2.3 - 6.7 )	2.0 ( 0.4 - 3.5 )	3.4 ( 0.8 - 6.0 )	2.6 ( 1.8 - 3.4 )
Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been drinking alcohol one or more times	1627	5.0 ( 3.9 - 6.0 )	6.8 ( 4.2 - 9.4 )	4.4 ( 1.5 - 7.3 )	4.0 ( 2.4 - 5.6 )	5.6 ( 3.0 - 8.3 )
Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been using marijuana one or more times	1624	8.6 ( 6.6 - 10.7 )	6.8 ( 3.7 - 10.0 )	4.2 ( 1.9 - 6.5 )	8.0 ( 5.0 - 11.0 )	13.1 ( 9.3 - 17.0 )
Among students who drove a car or other vehicle during the past 30 days, the percentage who texted, posted, or used their phone in some other way while driving on one or more of the days	1618	41.2 ( 37.7 - 44.7 )	15.5 ( 8.7 - 22.2 )	19.2 ( 15.7 - 22.7 )	49.3 ( 45.1 - 53.5 )	60.3 ( 54.0 - 66.6 )
<b>Bullying</b>						
Percentage of students who have ever been bullied on school property during the past 12 months	2286	12.5 ( 10.7 - 14.4 )	15.8 ( 12.1 - 19.5 )	13.5 ( 10.4 - 16.6 )	10.9 ( 8.8 - 13.0 )	10.0 ( 6.9 - 13.0 )
Among students bullied on school property, the percentage who were bullied in a classroom in the past 12 months	300	50.0 ( 37.4 - 62.5 )	63.4 ( 53.7 - 73.1 )	46.1 ( 34.1 - 58.1 )	43.1 ( 21.2 - 65.1 )	44.0 ( 20.8 - 67.2 )
Among students bullied on school property, the percentage who were bullied in a hallway or stairwell in the past 12 months	300	39.5 ( 30.7 - 48.3 )	45.2 ( 28.5 - 62.0 )	36.2 ( 25.3 - 47.1 )	38.1 ( 22.0 - 54.1 )	37.0 ( 24.4 - 49.6 )
Among students bullied on school property, the percentage who were bullied in a locker room or bathroom in the past 12 months	300	18.8 ( 16.7 - 20.9 )	22.8 ( 14.6 - 31.0 )	14.2 ( 8.8 - 19.6 )	19.2 ( 5.4 - 33.0 )	18.5 ( 8.3 - 28.7 )
Among students bullied on school property, the percentage who were bullied in a cafeteria or lunch room in the past 12 months	300	28.7 ( 23.7 - 33.7 )	28.7 ( 18.8 - 38.6 )	26.9 ( 15.7 - 38.2 )	37.9 ( 28.1 - 47.8 )	20.4 ( 13.6 - 27.3 )
Among students bullied on school property, the percentage who were bullied on a bus or at a bus stop in the past 12 months	300	10.0 ( 6.2 - 13.8 )	15.1 ( 5.7 - 24.4 )	4.5 ( 0.1 - 8.9 )	12.0 ( 7.3 - 16.7 )	5.4 ( 0.0 - 12.0 )
Among students bullied on school property, the percentage who were bullied outside before school in the past 12 months	300	14.3 ( 9.8 - 18.9 )	12.2 ( 5.8 - 18.6 )	16.8 ( 8.2 - 25.4 )	13.9 ( 8.1 - 19.6 )	14.2 ( 5.7 - 22.8 )
Among students bullied on school property, the percentage who were bullied outside after school in the past 12 months	300	26.4 ( 21.6 - 31.1 )	25.3 ( 17.9 - 32.7 )	27.5 ( 18.1 - 36.8 )	29.5 ( 19.9 - 39.1 )	24.0 ( 21.3 - 26.7 )
Among students bullied on school property, the percentage who were bullied outside during lunch or break in the past 12 months	300	25.3 ( 21.6 - 28.9 )	31.1 ( 26.3 - 35.9 )	25.1 ( 15.4 - 34.9 )	18.4 ( 10.3 - 26.5 )	23.0 ( 14.9 - 31.0 )
Percentage of students who had ever been electronically bullied during the past 12 months	2353	9.7 ( 8.2 - 11.2 )	11.3 ( 7.1 - 15.6 )	9.0 ( 5.6 - 12.5 )	9.4 ( 7.2 - 11.5 )	9.0 ( 6.1 - 12.0 )
Among students who were teased in the past 12 months, the percentage who were teased because of sexual orientation	357	27.4 ( 21.6 - 33.1 )	28.8 ( 16.3 - 41.3 )	26.3 ( 8.7 - 43.8 )	27.9 ( 16.6 - 39.2 )	23.9 ( 12.6 - 35.3 )
Among students who were teased in the past 12 months, the percentage who were teased because of gender identity	357	24.5 ( 20.1 - 28.8 )	18.7 ( 8.0 - 29.5 )	24.7 ( 14.1 - 35.3 )	34.1 ( 24.7 - 43.5 )	18.6 ( 11.1 - 26.0 )
Among students who were teased in the past 12 months, the percentage who were teased because of religion	357	14.8 ( 10.8 - 18.7 )	14.5 ( 9.2 - 19.8 )	10.9 ( 6.7 - 15.1 )	18.2 ( 9.2 - 27.2 )	14.6 ( 5.7 - 23.5 )
Among students who were teased in the past 12 months, the percentage who were teased because of disability	357	18.6 ( 15.5 - 21.7 )	13.2 ( 9.9 - 16.5 )	15.7 ( 2.9 - 28.4 )	25.6 ( 18.8 - 32.5 )	18.9 ( 5.2 - 32.7 )
Among students who were teased in the past 12 months, the percentage who were teased because of physical appearance	357	62.0 ( 55.5 - 68.5 )	63.6 ( 52.2 - 75.0 )	67.7 ( 60.2 - 75.2 )	55.6 ( 49.0 - 62.1 )	60.7 ( 45.5 - 75.9 )
Among students who were teased in the past 12 months, the percentage who were teased because of race or ethnicity	357	26.5 ( 20.0 - 33.0 )	35.9 ( 21.2 - 50.6 )	29.5 ( 20.3 - 38.6 )	16.5 ( 6.2 - 26.8 )	19.7 ( 14.3 - 25.2 )
<b>Violence</b>						
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school	2363	8.6 ( 6.7 - 10.6 )	9.9 ( 7.1 - 12.8 )	8.4 ( 6.7 - 10.1 )	7.4 ( 4.9 - 9.9 )	8.3 ( 4.6 - 12.0 )

Health Measures*	Number of Responses	Total % (95% CI)	9th Grade % (95% CI)	10th Grade % (95% CI)	11th Grade % (95% CI)	12th Grade % (95% CI)
Percentage of students who were in a physical fight one or more times during the past 12 months	2327	10.2 ( 9.1 - 11.3 )	13.9 ( 12.3 - 15.5 )	12.2 ( 9.3 - 15.2 )	7.9 ( 6.6 - 9.2 )	6.7 ( 4.5 - 8.9 )
Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose one or more times by someone they were dating or going out with	1224	8.9 ( 7.4 - 10.4 )	10.3 ( 4.0 - 16.5 )	10.2 ( 8.0 - 12.4 )	7.7 ( 4.9 - 10.5 )	8.1 ( 6.2 - 10.1 )
Among students who dated or went out with someone during the past 12 months, the percentage who had been controlled or emotionally hurt by someone they were dating or going out with	1220	18.1 ( 16.4 - 19.9 )	18.8 ( 13.2 - 24.5 )	15.6 ( 12.5 - 18.8 )	19.4 ( 15.9 - 23.0 )	18.0 ( 16.4 - 19.6 )
<b>Consent/Sexual Violence</b>						
Percentage of students who had a sexual experience where they were unsure if they gave their fully-granted consent to the other person	2320	11.3 ( 9.6 - 12.9 )	6.5 ( 4.4 - 8.7 )	10.4 ( 8.1 - 12.8 )	13.0 ( 9.7 - 16.2 )	14.1 ( 12.2 - 16.0 )
Percentage of students who had a sexual experience where they were unsure if they received fully-granted consent from the other person	2316	2.6 ( 2.3 - 3.0 )	2.4 ( 0.7 - 4.0 )	1.9 ( 0.1 - 3.6 )	3.6 ( 2.4 - 4.9 )	2.2 ( 1.0 - 3.4 )
Percentage of students who had a revealing or sexual photo or video of themselves texted, e-mailed, or posted electronically without their permission in the past 12 months	2323	4.5 ( 3.5 - 5.4 )	5.8 ( 3.5 - 8.0 )	4.5 ( 3.1 - 6.0 )	3.9 ( 2.7 - 5.1 )	4.0 ( 2.7 - 5.2 )
Percentage of students who have made sexual comments, jokes, gestures or looks at someone when unwanted	2317	5.9 ( 4.6 - 7.1 )	4.7 ( 2.7 - 6.8 )	5.3 ( 2.5 - 8.0 )	7.1 ( 5.0 - 9.1 )	6.2 ( 4.7 - 7.7 )
Percentage of students who touched, grabbed or pinched someone in a sexual way when unwanted	2317	2.8 ( 2.0 - 3.6 )	2.9 ( 2.0 - 3.8 )	2.5 ( 0.8 - 4.3 )	2.6 ( 1.4 - 3.8 )	3.2 ( 2.0 - 4.4 )
Percentage of students who have ever had sex while under the influence of alcohol or drugs	2308	10.2 ( 7.3 - 13.0 )	3.3 ( 2.4 - 4.3 )	7.6 ( 5.9 - 9.4 )	9.8 ( 8.6 - 11.0 )	18.6 ( 12.7 - 24.5 )
Percentage of students who have ever been physically forced to have sex when they did not want to	2310	3.6 ( 2.9 - 4.4 )	2.6 ( 0.9 - 4.2 )	4.7 ( 2.6 - 6.9 )	3.4 ( 2.2 - 4.6 )	3.6 ( 2.8 - 4.5 )
<b>Mental Health</b>						
Percentage of students who agree or strongly agree their stress level is manageable most days	2329	57.5 ( 54.9 - 60.0 )	58.2 ( 53.7 - 62.8 )	59.0 ( 54.1 - 63.9 )	53.8 ( 48.8 - 58.9 )	58.8 ( 56.4 - 61.1 )
Percentage of students who most of the time or always had poor mental health during the past 30 days	2317	28.9 ( 27.7 - 30.1 )	25.7 ( 20.6 - 30.9 )	25.5 ( 23.0 - 27.9 )	33.4 ( 28.8 - 38.1 )	30.2 ( 26.7 - 33.7 )
Percentage of students who purposefully hurt themselves without wanting to die in the past 12 months	2290	14.7 ( 12.9 - 16.5 )	13.0 ( 11.8 - 14.2 )	15.6 ( 12.6 - 18.6 )	16.6 ( 13.4 - 19.8 )	13.6 ( 12.2 - 15.0 )
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row during the past 12 months that they stopped doing some usual activities	2297	23.4 ( 22.1 - 24.6 )	20.4 ( 17.4 - 23.4 )	22.8 ( 20.0 - 25.7 )	24.3 ( 19.9 - 28.8 )	25.4 ( 24.2 - 26.6 )
Percentage of students who seriously considered attempting suicide during the past 12 months	2285	11.6 ( 10.6 - 12.6 )	9.5 ( 8.2 - 10.9 )	11.3 ( 9.6 - 12.9 )	12.5 ( 9.2 - 15.9 )	12.6 ( 9.9 - 15.3 )
Percentage of students who made a plan about how they would attempt suicide during the past 12 months	2275	9.6 ( 8.5 - 10.7 )	9.1 ( 7.2 - 10.9 )	7.4 ( 5.4 - 9.3 )	11.0 ( 7.8 - 14.1 )	10.8 ( 9.1 - 12.4 )
Percentage of students who attempted suicide one or more times during the past 12 months	2282	4.5 ( 4.0 - 5.1 )	4.7 ( 2.6 - 6.9 )	4.7 ( 3.0 - 6.4 )	5.0 ( 2.9 - 7.0 )	3.8 ( 3.0 - 4.6 )
Percentage of students who have an adult to go to for help with a serious problem	2279	77.9 ( 77.2 - 78.7 )	72.1 ( 70.7 - 73.6 )	79.2 ( 74.0 - 84.3 )	80.6 ( 76.7 - 84.5 )	79.6 ( 78.3 - 81.0 )
Percentage of students who most of the time or always could talk to a friend about feelings during their life	2278	59.7 ( 56.3 - 63.1 )	54.8 ( 49.4 - 60.2 )	59.0 ( 55.0 - 63.0 )	62.2 ( 58.6 - 65.9 )	62.0 ( 54.6 - 69.5 )
Percentage of students who had a friend tell them they had thoughts of suicide one or more times during the past 12 months	2259	31.8 ( 30.0 - 33.6 )	32.4 ( 29.9 - 35.0 )	30.3 ( 24.3 - 36.2 )	35.0 ( 30.0 - 40.0 )	29.9 ( 25.8 - 33.9 )
Percentage of students who would tell their parents or guardians if they were concerned about their own or someone else's well-being or mental health	2189	56.8 ( 55.5 - 58.2 )	55.4 ( 51.3 - 59.6 )	58.1 ( 56.1 - 60.1 )	55.8 ( 52.2 - 59.4 )	58.2 ( 55.9 - 60.5 )
Percentage of students who would tell another trusted adult (who is not their parents or guardians) if they were concerned about their own or someone else's well-being or mental health	2189	51.3 ( 49.3 - 53.4 )	50.1 ( 45.3 - 54.8 )	51.0 ( 43.1 - 58.8 )	51.7 ( 50.1 - 53.4 )	52.6 ( 50.2 - 55.1 )
Percentage of students who would tell a friend if they were concerned about their own or someone else's well-being or mental health	2189	45.1 ( 41.7 - 48.5 )	36.8 ( 30.6 - 43.0 )	44.5 ( 39.6 - 49.5 )	48.6 ( 45.0 - 52.2 )	50.0 ( 44.6 - 55.3 )
Percentage of students who would submit an anonymous report through their school's safety reporting system if they were concerned about their own or someone else's well-being or mental health	2189	28.3 ( 25.5 - 31.1 )	30.7 ( 25.5 - 36.0 )	32.5 ( 27.9 - 37.1 )	26.5 ( 23.4 - 29.6 )	24.3 ( 19.9 - 28.6 )



Health Measures*	Number of Responses	Total % (95% CI)	9th Grade % (95% CI)	10th Grade % (95% CI)	11th Grade % (95% CI)	12th Grade % (95% CI)
Percentage of students who would contact a crisis line if they were concerned about their own or someone else's well-being or mental health	2189	26.1 ( 23.4 - 28.8 )	24.0 ( 19.0 - 29.0 )	28.6 ( 26.1 - 31.1 )	26.4 ( 23.1 - 29.6 )	25.5 ( 18.6 - 32.3 )
Percentage of students who have ever experienced the death of a family member or close friend	2276	69.1 ( 65.2 - 73.0 )	66.7 ( 60.3 - 73.1 )	69.0 ( 63.3 - 74.7 )	71.0 ( 66.2 - 75.7 )	69.4 ( 64.5 - 74.2 )
<b>Racism</b>						
Percentage who were treated badly or unfairly in school because of their race or ethnicity in the past 12 months	2155	3.8 ( 3.0 - 4.7 )	3.5 ( 2.8 - 4.1 )	4.9 ( 2.3 - 7.5 )	3.1 ( 2.0 - 4.2 )	4.0 ( 2.9 - 5.0 )
Percentage who were watched closely or followed by security guards or store clerks at a store or mall because of their race or ethnicity in the past 12 months	2155	3.4 ( 3.0 - 3.8 )	2.3 ( 1.6 - 3.0 )	4.6 ( 3.0 - 6.1 )	3.8 ( 2.4 - 5.3 )	2.7 ( 1.6 - 3.8 )
Percentage who were assumed less intelligent because of their race or ethnicity in the past 12 months	2155	5.1 ( 4.1 - 6.0 )	4.6 ( 3.0 - 6.3 )	4.0 ( 1.6 - 6.4 )	6.9 ( 3.4 - 10.4 )	4.6 ( 3.6 - 5.6 )
Percentage who saw family members treated unfairly because of their race or ethnicity in the past 12 months	2155	6.5 ( 5.1 - 7.8 )	5.7 ( 2.8 - 8.6 )	7.4 ( 5.3 - 9.4 )	6.6 ( 3.7 - 9.4 )	6.4 ( 2.8 - 10.1 )
<b>Alcohol</b>						
Percentage of students who have ever had a drink of alcohol other than a few sips	2164	50.8 ( 45.5 - 56.1 )	34.0 ( 25.6 - 42.4 )	44.6 ( 41.0 - 48.2 )	54.6 ( 50.3 - 59.0 )	67.4 ( 61.7 - 73.1 )
Percentage of students who had their first drink of alcohol, other than a few sips, before age 13	2164	12.2 ( 8.9 - 15.5 )	14.2 ( 7.7 - 20.8 )	12.6 ( 9.9 - 15.4 )	13.0 ( 7.8 - 18.3 )	9.0 ( 5.6 - 12.4 )
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days	2177	27.6 ( 22.5 - 32.7 )	14.8 ( 11.9 - 17.7 )	19.5 ( 17.1 - 22.0 )	29.3 ( 25.5 - 33.1 )	44.7 ( 33.3 - 56.2 )
Percentage of students who binge drank (4+ drinks, within a couple of hours) on one or more of the past 30 days	2168	17.8 ( 11.9 - 23.7 )	6.4 ( 3.9 - 8.9 )	11.2 ( 7.8 - 14.6 )	18.0 ( 17.0 - 19.1 )	33.3 ( 22.6 - 44.1 )
Percentage of students who feel it would be sort of easy or very easy to get alcohol if they wanted	2131	60.3 ( 57.7 - 62.9 )	47.5 ( 44.9 - 50.0 )	57.2 ( 51.8 - 62.6 )	63.3 ( 57.1 - 69.5 )	72.3 ( 67.9 - 76.6 )
Percentage of students who think it is wrong or very wrong for someone of the same age to drink alcohol regularly (at least once or twice per month)	2191	58.7 ( 51.8 - 65.5 )	75.1 ( 71.4 - 78.7 )	65.1 ( 58.6 - 71.7 )	55.6 ( 52.5 - 58.8 )	40.7 ( 30.8 - 50.6 )
Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they drank alcohol regularly (at least once or twice per month)	2186	78.7 ( 73.8 - 83.7 )	90.2 ( 89.0 - 91.3 )	85.5 ( 82.5 - 88.5 )	76.3 ( 73.1 - 79.5 )	64.9 ( 58.2 - 71.5 )
Percentage of students who thought 5 or more out of every 10 students in their grade had four or more drinks on at least one day in the past 30 days	2167	42.9 ( 35.9 - 49.9 )	32.5 ( 24.3 - 40.7 )	39.9 ( 30.2 - 49.6 )	46.3 ( 41.2 - 51.5 )	51.2 ( 45.4 - 57.0 )
<b>Tobacco</b>						
Percentage of students who have ever smoked a cigarette, even one or two puffs	2171	17.1 ( 12.2 - 22.0 )	8.0 ( 6.5 - 9.4 )	14.8 ( 8.8 - 20.8 )	18.3 ( 14.6 - 21.9 )	25.6 ( 19.4 - 31.8 )
Percentage of students who smoked a cigarette, even one or two puffs, for the first time before age 13	2171	3.8 ( 2.4 - 5.2 )	3.1 ( 2.0 - 4.2 )	4.2 ( 2.2 - 6.2 )	4.8 ( 1.9 - 7.6 )	3.3 ( 1.5 - 5.1 )
Percentage of students who smoked cigarettes on one or more of the past 30 days	2171	5.3 ( 3.0 - 7.5 )	2.8 ( 1.3 - 4.4 )	3.4 ( 0.7 - 6.2 )	5.0 ( 3.7 - 6.2 )	9.3 ( 5.7 - 13.0 )
Among students who smoked in the past 30 days, the percentage who smoked menthol cigarettes	108	26.7 ( 3.1 - 50.3 )	. ( . - . )	. ( . - . )	. ( . - . )	17.5 ( 0.8 - 34.3 )
Percentage of students who have used cigars, chewing tobacco, hookah, pipe, or bidis in the past 30 days	2093	4.0 ( 2.4 - 5.6 )	2.4 ( 1.6 - 3.2 )	2.6 ( 1.0 - 4.2 )	4.0 ( 2.2 - 5.8 )	6.6 ( 4.0 - 9.1 )
Percentage of students who think it would be sort of easy or very easy to get cigarettes if they wanted	2154	38.6 ( 33.3 - 43.9 )	26.5 ( 23.6 - 29.3 )	35.4 ( 31.0 - 39.8 )	42.3 ( 33.4 - 51.2 )	49.1 ( 40.7 - 57.4 )
Percentage of students who have ever used an electronic vapor product	2148	27.5 ( 22.4 - 32.6 )	17.7 ( 14.2 - 21.2 )	22.9 ( 17.5 - 28.4 )	27.6 ( 21.6 - 33.6 )	40.3 ( 31.9 - 48.7 )
Percentage of students who had used an electronic vapor product before age 13	2148	6.0 ( 4.2 - 7.8 )	6.7 ( 3.2 - 10.2 )	6.0 ( 5.3 - 6.7 )	5.3 ( 3.1 - 7.6 )	6.2 ( 3.4 - 9.0 )
Percentage of students who used an electronic vapor product in the past 30 days	2081	9.0 ( 6.9 - 11.1 )	5.2 ( 3.7 - 6.7 )	8.8 ( 4.3 - 13.2 )	8.4 ( 6.9 - 10.0 )	13.2 ( 11.3 - 15.0 )

Health Measures*	Number of Responses	Total % (95% CI)	9th Grade % (95% CI)	10th Grade % (95% CI)	11th Grade % (95% CI)	12th Grade % (95% CI)
Percentage of students who feel it would be sort of easy or very easy to get electronic vapor products if they wanted	2152	57.4 ( 55.3 - 59.5 )	47.4 ( 42.4 - 52.5 )	57.0 ( 51.2 - 62.9 )	60.3 ( 52.4 - 68.1 )	64.8 ( 62.3 - 67.4 )
Percentage of students who think it is wrong or very wrong for someone of the same age to use electronic vapor products	2196	74.3 ( 71.9 - 76.7 )	79.8 ( 76.2 - 83.4 )	76.6 ( 72.4 - 80.7 )	73.2 ( 71.6 - 74.8 )	68.4 ( 64.7 - 72.0 )
Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they used electronic vapor products	2188	95.4 ( 94.5 - 96.3 )	97.2 ( 95.8 - 98.5 )	96.7 ( 95.3 - 98.1 )	93.8 ( 91.5 - 96.2 )	94.0 ( 91.7 - 96.3 )
Among students who have used electronic vapor products, the percentage who used them because a friend or family member used them	511	55.7 ( 47.5 - 63.9 )	45.6 ( 38.1 - 53.1 )	53.2 ( 46.8 - 59.6 )	65.3 ( 53.5 - 77.1 )	54.2 ( 41.2 - 67.3 )
Among students who have used electronic vapor products, the percentage who used them because they were trying to quit other tobacco products	511	3.7 ( 1.7 - 5.7 )	. ( . - . )	5.0 ( 0.0 - 10.1 )	. ( . - . )	5.2 ( 1.0 - 9.4 )
Among students who have used electronic vapor products, the percentage who used them because they cost less than other tobacco products	511	4.6 ( 3.2 - 5.9 )	. ( . - . )	4.8 ( 0.1 - 9.5 )	6.9 ( 0.8 - 13.0 )	3.3 ( 1.3 - 5.3 )
Among students who have used electronic vapor products, the percentage who used them because it is easier to get them than other tobacco products	511	12.0 ( 8.9 - 15.1 )	10.2 ( 3.0 - 17.4 )	11.6 ( 4.2 - 19.1 )	17.3 ( 13.1 - 21.4 )	9.2 ( 6.4 - 11.9 )
Among students who have used electronic vapor products, the percentage who used them because they are less harmful than other tobacco products	511	10.4 ( 7.6 - 13.3 )	15.1 ( 6.7 - 23.5 )	7.2 ( 1.2 - 13.2 )	11.7 ( 8.3 - 15.0 )	8.6 ( 6.2 - 11.0 )
Among students who have used electronic vapor products, the percentage who used them because they are available in flavors	511	16.4 ( 14.7 - 18.2 )	14.0 ( 6.1 - 22.0 )	14.7 ( 6.4 - 22.9 )	16.4 ( 11.8 - 21.0 )	18.1 ( 14.3 - 21.9 )
Among students who have used electronic vapor products, the percentage who used them because they can be used in areas where other tobacco products are not allowed	511	10.7 ( 8.5 - 12.8 )	7.5 ( 3.1 - 11.9 )	10.9 ( 5.4 - 16.4 )	12.3 ( 7.6 - 17.0 )	10.4 ( 7.2 - 13.7 )
Among students who use electronic vapor products, the percentage who most of the time or always reach for them without thinking about it	556	10.5 ( 8.7 - 12.3 )	20.3 ( 12.6 - 27.9 )	12.8 ( 4.3 - 21.3 )	9.7 ( 6.9 - 12.4 )	6.2 ( 1.5 - 10.9 )
Percentage of students who probably or definitely will use an electronic vapor product if one of their best friends offers it	2127	15.1 ( 13.1 - 17.1 )	10.9 ( 8.9 - 12.8 )	13.4 ( 9.1 - 17.8 )	15.3 ( 11.1 - 19.5 )	20.3 ( 18.2 - 22.5 )
Percentage of students who think people who use electronic vapor products every day have a moderate or great risk of harm	2111	83.2 ( 80.7 - 85.8 )	80.3 ( 75.9 - 84.8 )	80.7 ( 77.0 - 84.4 )	86.3 ( 82.3 - 90.4 )	85.4 ( 78.4 - 92.3 )
Percentage of students who have seen or heard ads for electronic vapor products in the past 30 days	2072	63.2 ( 59.6 - 66.8 )	63.2 ( 57.8 - 68.7 )	65.0 ( 58.0 - 72.0 )	66.7 ( 63.2 - 70.2 )	59.5 ( 54.9 - 64.0 )
Among those underage students who tried to buy tobacco or vaping products in a store, the percentage who were not refused because of age	140	87.1 ( 82.8 - 91.4 )	83.9 ( 72.3 - 95.6 )	. ( . - . )	84.4 ( 78.0 - 90.7 )	. ( . - . )
Among underage students who used tobacco products in the past 30 days, the percentage who bought them over the internet	166	7.8 ( 3.9 - 11.7 )	. ( . - . )	. ( . - . )	12.0 ( 4.6 - 19.4 )	5.5 ( 1.2 - 9.9 )
Among underage students who used tobacco products in the past 30 days, the percentage who bought them through the mail	166	3.1 ( 0.6 - 5.6 )	. ( . - . )	. ( . - . )	. ( . - . )	. ( . - . )
Among underage students who used tobacco products in the past 30 days, the percentage who bought them from a gas station, convenience store, grocery store, or drug store	166	18.3 ( 13.4 - 23.2 )	. ( . - . )	14.0 ( 5.6 - 22.4 )	19.8 ( 9.8 - 29.7 )	22.1 ( 16.9 - 27.3 )
Among students who reported current tobacco use, the percentage who ever tried to quit using all tobacco products during the past 12 months	183	46.0 ( 41.6 - 50.4 )	. ( . - . )	53.6 ( 33.9 - 73.2 )	40.8 ( 28.7 - 53.0 )	40.1 ( 24.4 - 55.7 )
Percentage of students who think breathing secondhand vapor has a moderate or great risk	2039	61.8 ( 59.5 - 64.0 )	64.7 ( 58.4 - 71.0 )	61.3 ( 57.0 - 65.5 )	62.6 ( 58.1 - 67.1 )	58.7 ( 56.6 - 60.7 )
Percentage of students who were inside their home while someone was smoking a cigarette, cigar, pipe, or using an electronic vapor product for one or more days in the past 7 days	2044	12.9 ( 10.3 - 15.6 )	13.9 ( 10.9 - 16.9 )	11.8 ( 9.2 - 14.5 )	14.2 ( 8.9 - 19.6 )	12.2 ( 9.8 - 14.6 )
<b>Marijuana</b>						
Percentage of students who have ever tried marijuana	2062	29.0 ( 22.1 - 35.9 )	13.9 ( 12.1 - 15.6 )	25.1 ( 18.7 - 31.4 )	29.6 ( 23.8 - 35.4 )	45.3 ( 36.5 - 54.1 )
Percentage of students who tried marijuana for the first time before age 13	2062	4.6 ( 3.7 - 5.4 )	3.8 ( 3.0 - 4.6 )	6.1 ( 4.3 - 7.9 )	4.9 ( 2.4 - 7.5 )	3.7 ( 2.2 - 5.2 )
Percentage of students who used marijuana one or more times during the past 30 days	2023	16.9 ( 12.4 - 21.4 )	7.3 ( 5.9 - 8.7 )	14.2 ( 10.6 - 17.9 )	16.3 ( 13.8 - 18.9 )	28.5 ( 21.4 - 35.5 )
Percentage of students who feel it would be sort of easy or very easy to get marijuana if they wanted	2112	48.3 ( 44.5 - 52.0 )	34.9 ( 30.3 - 39.5 )	43.9 ( 39.1 - 48.7 )	51.8 ( 45.5 - 58.1 )	61.2 ( 59.0 - 63.4 )

Health Measures*	Number of Responses	Total % (95% CI)	9th Grade % (95% CI)	10th Grade % (95% CI)	11th Grade % (95% CI)	12th Grade % (95% CI)
Percentage of students who think it is wrong or very wrong for someone of the same age to use marijuana	2192	61.0 ( 55.0 - 66.9 )	76.6 ( 73.6 - 79.6 )	66.4 ( 59.7 - 73.0 )	58.7 ( 56.2 - 61.2 )	44.5 ( 36.6 - 52.3 )
Percentage of students who think their parents or guardians feel it is wrong or very wrong if they used marijuana	2181	86.1 ( 84.0 - 88.2 )	93.5 ( 92.8 - 94.3 )	90.7 ( 87.2 - 94.2 )	84.0 ( 82.2 - 85.8 )	77.0 ( 74.9 - 79.2 )
Percentage of students who thought 5 or more out of every 10 students in their grade used marijuana in the past 30 days	2169	44.7 ( 40.8 - 48.7 )	37.3 ( 29.1 - 45.5 )	41.5 ( 33.9 - 49.0 )	47.4 ( 43.6 - 51.1 )	52.4 ( 48.9 - 55.8 )
Among students who used marijuana in the past 30 days, the percentage who smoked it	328	72.0 ( 67.5 - 76.4 )	75.0 ( 62.8 - 87.2 )	66.3 ( 59.4 - 73.3 )	68.6 ( 62.8 - 74.5 )	76.7 ( 72.0 - 81.3 )
Among students who used marijuana in the past 30 days, the percentage who ate it	328	37.8 ( 33.7 - 41.9 )	27.9 ( 10.4 - 45.4 )	29.8 ( 19.5 - 40.1 )	45.7 ( 34.1 - 57.2 )	39.4 ( 34.8 - 44.1 )
Among students who used marijuana in the past 30 days, the percentage who vaporized it	328	45.5 ( 40.2 - 50.7 )	47.7 ( 25.6 - 69.8 )	59.6 ( 50.0 - 69.2 )	52.9 ( 45.0 - 60.7 )	35.3 ( 26.7 - 43.9 )
Among students who used marijuana in the past 30 days, the percentage who dabbed it	328	29.7 ( 22.6 - 36.8 )	18.3 ( 4.2 - 32.4 )	29.8 ( 18.8 - 40.8 )	30.2 ( 17.3 - 43.0 )	30.2 ( 19.0 - 41.4 )
Among students who used marijuana in the past 30 days, the percentage who usually smoked it	320	50.4 ( 45.6 - 55.3 )	50.1 ( 31.0 - 69.1 )	45.1 ( 36.2 - 54.1 )	43.5 ( 37.9 - 49.1 )	58.1 ( 52.1 - 64.1 )
Among students who used marijuana in the past 30 days, the percentage who usually got it from an adult over the age of 21	307	20.4 ( 14.6 - 26.2 )	24.1 ( 9.7 - 38.5 )	12.5 ( 8.4 - 16.6 )	27.2 ( 9.0 - 45.5 )	20.1 ( 16.9 - 23.3 )
Percentage of students who used THC concentrates, hash oil, or waxes one or more times during the past 30 days	2042	8.3 ( 6.7 - 9.9 )	4.4 ( 2.5 - 6.4 )	8.2 ( 5.3 - 11.0 )	7.6 ( 4.9 - 10.4 )	12.7 ( 9.7 - 15.6 )
<b>Prescription Pain Medication</b>						
Percentage of students who have ever used prescription pain medicine not prescribed to them or differently than how a doctor told them to use it	2032	6.6 ( 6.1 - 7.1 )	5.4 ( 3.7 - 7.2 )	5.3 ( 3.0 - 7.7 )	7.3 ( 4.1 - 10.5 )	7.8 ( 5.7 - 9.9 )
Percentage of students who used prescription pain medicine not prescribed to them or differently than how a doctor told them to use it for the first time before age 13	2032	2.6 ( 1.9 - 3.3 )	3.8 ( 2.0 - 5.6 )	1.3 ( 0.5 - 2.1 )	3.3 ( 1.0 - 5.6 )	2.2 ( 0.9 - 3.5 )
Percentage of students who took prescription pain medicine not prescribed to them or differently than how a doctor told them to use it one or more times in the past 30 days	2041	2.5 ( 2.0 - 3.0 )	3.5 ( 2.2 - 4.7 )	1.5 ( 0.4 - 2.6 )	3.1 ( 1.0 - 5.2 )	2.1 ( 0.9 - 3.2 )
Percentage of students who feel it would be sort of easy or very easy to get prescription pain medicine not prescribed to them	2146	25.1 ( 23.4 - 26.9 )	25.4 ( 22.0 - 28.7 )	25.0 ( 20.0 - 30.0 )	25.4 ( 21.3 - 29.4 )	25.3 ( 20.6 - 30.0 )
Percentage of students who think it is wrong or very wrong for someone of the same age to use prescription pain medicine without a doctor's prescription	2194	88.8 ( 87.6 - 89.9 )	87.5 ( 85.4 - 89.5 )	87.6 ( 85.6 - 89.6 )	88.8 ( 84.7 - 92.9 )	90.5 ( 88.3 - 92.6 )
<b>Other Drugs</b>						
Percentage of students who have ever used stimulants not prescribed to them or differently than prescribed	1988	5.2 ( 3.7 - 6.6 )	3.1 ( 1.0 - 5.3 )	4.9 ( 2.3 - 7.5 )	5.3 ( 3.4 - 7.2 )	7.3 ( 5.2 - 9.3 )
Percentage of students who have ever used cocaine	1988	2.0 ( 1.2 - 2.9 )	. ( . - . )	. ( . - . )	2.0 ( 0.9 - 3.2 )	5.0 ( 3.6 - 6.5 )
Percentage of students who have ever sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high	1988	2.4 ( 1.6 - 3.3 )	2.5 ( 1.1 - 4.0 )	2.7 ( 1.0 - 4.3 )	2.3 ( 1.0 - 3.5 )	2.4 ( 1.4 - 3.5 )
Percentage of students who have ever used heroin	1988	0.9 ( 0.4 - 1.3 )	0.6 ( 0.0 - 1.4 )	. ( . - . )	1.4 ( 0.0 - 2.9 )	1.0 ( 0.7 - 1.2 )
Percentage of students who have ever used methamphetamines	1988	0.7 ( 0.3 - 1.2 )	. ( . - . )	. ( . - . )	1.4 ( 0.0 - 2.9 )	1.1 ( 0.7 - 1.5 )
Percentage of students who have ever used ecstasy	1988	1.7 ( 1.3 - 2.1 )	0.6 ( 0.0 - 1.3 )	0.5 ( 0.0 - 1.0 )	2.2 ( 0.9 - 3.6 )	3.3 ( 2.3 - 4.4 )
Percentage of students who have ever used psychedelics	1988	6.4 ( 3.8 - 9.0 )	1.8 ( 0.9 - 2.7 )	5.1 ( 1.5 - 8.8 )	6.6 ( 5.2 - 8.1 )	11.2 ( 6.9 - 15.5 )
Percentage of students who have ever used fentanyl	1988	0.8 ( 0.3 - 1.2 )	0.7 ( 0.0 - 1.5 )	. ( . - . )	1.1 ( 0.2 - 1.9 )	0.7 ( 0.4 - 1.1 )
Percentage of students who have ever used kratom	1988	1.0 ( 0.4 - 1.6 )	. ( . - . )	. ( . - . )	1.5 ( 0.1 - 2.8 )	2.0 ( 1.0 - 3.0 )

Health Measures*	Number of Responses	Total % (95% CI)	9th Grade % (95% CI)	10th Grade % (95% CI)	11th Grade % (95% CI)	12th Grade % (95% CI)
Percentage of students who have ever used hemp-derived, intoxicating cannabinoid products like Delta-8 and Delta-10 THC	1988	5.1 ( 4.3 - 6.0 )	2.6 ( 0.7 - 4.5 )	5.1 ( 1.6 - 8.6 )	5.3 ( 4.2 - 6.5 )	7.4 ( 6.5 - 8.3 )
<b>Sexual Health</b>						
Percentage of students who have ever had consensual sex	1993	25.1 ( 21.4 - 28.9 )	9.4 ( 6.9 - 11.9 )	19.7 ( 16.0 - 23.4 )	26.8 ( 22.9 - 30.7 )	41.9 ( 38.1 - 45.7 )
Percentage of students who had consensual sex in the last three months	1993	16.8 ( 14.3 - 19.3 )	5.9 ( 3.7 - 8.0 )	12.1 ( 8.9 - 15.3 )	18.4 ( 12.6 - 24.2 )	29.2 ( 24.9 - 33.5 )
Among students who had consensual sex during the past three months, the percentage who used a condom or their partner used a condom the last time they had consensual sex	314	65.6 ( 60.7 - 70.5 )	. ( . - . )	63.4 ( 50.9 - 75.8 )	68.6 ( 57.7 - 79.6 )	62.7 ( 56.9 - 68.4 )
Among students who had consensual sex during the past three months, the percentage who used or their partner used any method of contraception the last time they had consensual sex	314	87.6 ( 84.8 - 90.4 )	. ( . - . )	85.5 ( 80.8 - 90.2 )	88.7 ( 83.5 - 93.8 )	89.1 ( 84.2 - 94.1 )
<b>Nutrition</b>						
Percentage of students who ate fruit one or more times per day in the past 7 days	2011	53.9 ( 50.5 - 57.3 )	54.6 ( 51.5 - 57.6 )	58.7 ( 52.4 - 65.1 )	52.0 ( 48.7 - 55.3 )	49.7 ( 43.7 - 55.6 )
Percentage of students who ate vegetables such as green salad, potatoes, carrots, or other vegetables one or more times per day in the past 7 days	1988	57.9 ( 53.3 - 62.5 )	56.5 ( 54.0 - 59.1 )	62.4 ( 55.0 - 69.8 )	56.5 ( 50.6 - 62.5 )	55.5 ( 47.7 - 63.2 )
Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day in the past 7 days	2002	14.0 ( 9.5 - 18.4 )	14.3 ( 10.2 - 18.5 )	15.2 ( 10.6 - 19.7 )	15.3 ( 10.3 - 20.2 )	10.9 ( 4.3 - 17.5 )
Percentage of students who drank a sports drink, energy drink, or other sweetened beverage one or more times in the past 7 days	1955	63.0 ( 58.3 - 67.8 )	61.8 ( 55.9 - 67.7 )	62.9 ( 54.1 - 71.8 )	66.8 ( 63.4 - 70.2 )	60.9 ( 56.7 - 65.0 )
Percentage of students who ate breakfast on all of the past 7 days	1985	39.4 ( 37.6 - 41.1 )	40.5 ( 34.1 - 46.9 )	43.7 ( 39.4 - 48.0 )	38.0 ( 31.8 - 44.2 )	35.8 ( 31.9 - 39.7 )
Percentage of students who sometimes, most of the time, or always went hungry in the past 30 days because of a lack of food at home	1983	8.3 ( 6.2 - 10.3 )	8.2 ( 5.3 - 11.1 )	7.9 ( 4.5 - 11.2 )	8.0 ( 4.9 - 11.2 )	9.0 ( 6.2 - 11.8 )
<b>Physical Activity</b>						
Percentage of students who were physically active for a total of at least 60 minutes per day on 5 or more of the past 7 days	1952	55.6 ( 52.1 - 59.1 )	60.0 ( 57.4 - 62.7 )	61.8 ( 57.2 - 66.3 )	53.0 ( 46.0 - 60.1 )	48.0 ( 43.7 - 52.3 )
Percentage of students who spent 3+ hours in front of a TV, computer, smart phone, or other electronic device for something other than schoolwork	1934	68.6 ( 66.6 - 70.6 )	63.6 ( 59.3 - 68.0 )	65.8 ( 64.2 - 67.4 )	72.5 ( 68.7 - 76.2 )	72.9 ( 70.8 - 75.1 )
Percentage of students who could walk or ride a bike, scooter, or skateboard to school if they wanted to	1959	56.0 ( 52.2 - 59.9 )	59.1 ( 53.1 - 65.1 )	59.2 ( 54.7 - 63.7 )	53.2 ( 48.4 - 58.1 )	54.2 ( 46.0 - 62.3 )
Percentage of students who had a concussion in the past 12 months from playing sports or being physically active	1948	15.8 ( 13.6 - 17.9 )	20.9 ( 15.9 - 25.9 )	11.8 ( 7.0 - 16.7 )	16.8 ( 15.0 - 18.5 )	13.5 ( 12.3 - 14.7 )
<b>Body Image &amp; Eating Disorders</b>						
Percentage of students who most of the time or always felt confident with their body image during the past 30 days	1905	47.8 ( 44.8 - 50.9 )	45.9 ( 41.9 - 49.9 )	46.9 ( 43.2 - 50.7 )	47.0 ( 39.8 - 54.2 )	50.9 ( 45.0 - 56.8 )
Percentage of students who most of the time or always worried about their physical appearance more than they wanted to during the past 30 days	1891	38.4 ( 37.1 - 39.7 )	36.9 ( 32.7 - 41.2 )	38.6 ( 35.0 - 42.1 )	39.7 ( 32.9 - 46.5 )	38.9 ( 34.8 - 43.0 )
Percentage of students who tried to lose weight or keep from gaining weight by going without eating for 24 hours or more; taking any diet pills, powders, or liquids; vomiting or taking laxatives; or skipping meals during the past 30 days	1893	19.2 ( 17.6 - 20.9 )	21.4 ( 18.8 - 24.0 )	16.9 ( 14.5 - 19.4 )	20.1 ( 16.5 - 23.8 )	18.8 ( 14.3 - 23.4 )
<b>Home Life</b>						
Percentage of students who usually or definitely feel the rules in their family are clear	1884	92.5 ( 91.7 - 93.3 )	91.7 ( 90.4 - 93.0 )	93.9 ( 92.0 - 95.8 )	92.0 ( 88.2 - 95.9 )	92.1 ( 89.9 - 94.3 )
Percentage of students who usually or definitely could ask their parents or guardians for help with a personal problem	1881	87.2 ( 85.7 - 88.7 )	85.2 ( 83.2 - 87.2 )	89.4 ( 87.0 - 91.8 )	85.9 ( 82.8 - 88.9 )	88.5 ( 86.8 - 90.3 )
Percentage of students who usually or definitely have parents or guardians who ask if their homework is done	1850	77.0 ( 71.7 - 82.3 )	86.1 ( 84.7 - 87.5 )	80.5 ( 74.3 - 86.7 )	77.4 ( 73.3 - 81.6 )	64.4 ( 56.6 - 72.2 )

Health Measures*	Number of Responses	Total % (95% CI)	9th Grade % (95% CI)	10th Grade % (95% CI)	11th Grade % (95% CI)	12th Grade % (95% CI)
Percentage of students who usually or definitely have chances to do fun things with their parents or guardians	1857	83.2 ( 80.4 - 86.0 )	84.4 ( 81.5 - 87.4 )	83.4 ( 80.6 - 86.3 )	80.9 ( 73.3 - 88.5 )	83.6 ( 80.6 - 86.7 )
Percentage of students who usually or definitely have parents or guardians who ask them what they think before most family decisions	1853	74.4 ( 72.3 - 76.5 )	74.2 ( 72.9 - 75.5 )	72.2 ( 67.6 - 76.7 )	75.6 ( 72.3 - 78.9 )	75.7 ( 73.3 - 78.2 )
Percentage of students who usually or definitely think they would be caught by their parents or guardians for skipping school	1867	89.8 ( 88.5 - 91.1 )	92.5 ( 90.1 - 94.9 )	91.8 ( 90.0 - 93.5 )	88.6 ( 86.9 - 90.2 )	87.4 ( 84.8 - 90.1 )
Percentage of students who usually or definitely feel safe in their neighborhood	1875	97.2 ( 96.6 - 97.9 )	98.1 ( 96.9 - 99.4 )	98.4 ( 96.8 - 100.0 )	94.1 ( 90.4 - 97.7 )	98.4 ( 97.1 - 99.8 )
Percentage of students who provide care for someone in their family or household who is chronically ill, elderly, or disabled with activities they would have difficulty doing on their own one or more days per week	1868	9.7 ( 8.0 - 11.3 )	9.1 ( 7.8 - 10.5 )	8.7 ( 6.6 - 10.8 )	10.2 ( 7.1 - 13.2 )	9.8 ( 7.3 - 12.3 )
<b>School &amp; Community</b>						
Percentage of students who agree or strongly agree that they belong at their school	1869	75.2 ( 72.3 - 78.2 )	74.1 ( 69.8 - 78.5 )	75.9 ( 72.6 - 79.2 )	74.7 ( 68.3 - 81.0 )	75.8 ( 71.1 - 80.4 )
Percentage of students who most of the time or always enjoyed being in school over the last year	1870	45.7 ( 44.7 - 46.6 )	43.8 ( 40.9 - 46.6 )	47.2 ( 40.6 - 53.8 )	45.1 ( 41.5 - 48.7 )	46.1 ( 42.4 - 49.9 )
Percentage of students who skipped one or more whole days of school during the past four weeks	1863	31.6 ( 24.5 - 38.6 )	21.2 ( 14.6 - 27.7 )	24.8 ( 17.6 - 32.0 )	28.2 ( 25.9 - 30.6 )	49.7 ( 40.4 - 59.0 )
Percentage of students who think most of their classes are fairly, quite, or very interesting	1863	73.2 ( 70.5 - 75.9 )	67.7 ( 64.1 - 71.3 )	70.9 ( 66.8 - 75.1 )	74.6 ( 69.5 - 79.7 )	78.1 ( 75.5 - 80.8 )
Percentage of students who think the things they are learning in school are going to be important or very important for later in life	1830	59.6 ( 57.0 - 62.2 )	59.5 ( 54.5 - 64.5 )	58.1 ( 55.2 - 61.0 )	56.1 ( 52.4 - 59.8 )	63.8 ( 59.4 - 68.2 )
Percentage of students who talked to a school counselor about their future plans after high school in the past 12 months	1803	48.5 ( 39.9 - 57.1 )	23.6 ( 11.4 - 35.8 )	32.4 ( 18.5 - 46.2 )	48.9 ( 38.0 - 59.8 )	85.1 ( 76.1 - 94.1 )
Percentage of students who talked to a teacher about their future plans after high school in the past 12 months	1803	49.1 ( 46.8 - 51.4 )	28.1 ( 22.3 - 33.8 )	43.8 ( 40.9 - 46.7 )	50.6 ( 45.0 - 56.1 )	70.1 ( 66.6 - 73.6 )
Percentage of students who talked to an administrator about their future plans after high school in the past 12 months	1803	10.2 ( 8.6 - 11.8 )	6.4 ( 4.1 - 8.8 )	10.6 ( 8.3 - 13.0 )	9.8 ( 6.6 - 13.1 )	13.3 ( 10.7 - 15.9 )
Percentage of students who talked to a coach about their future plans after high school in the past 12 months	1803	17.4 ( 14.0 - 20.9 )	10.9 ( 9.1 - 12.6 )	18.8 ( 11.9 - 25.6 )	17.6 ( 12.0 - 23.1 )	21.8 ( 18.8 - 24.8 )
Percentage of students who talked to another school staff member (who is not a school counselor, teacher, administrator, or coach) about their future plans after high school in the past 12 months	1803	13.1 ( 10.5 - 15.7 )	8.2 ( 3.9 - 12.4 )	11.9 ( 9.4 - 14.3 )	13.0 ( 9.7 - 16.2 )	18.5 ( 13.5 - 23.5 )
Percentage of students who usually or definitely feel safe at school	1812	95.0 ( 93.7 - 96.3 )	95.3 ( 92.5 - 98.0 )	96.2 ( 94.7 - 97.8 )	95.4 ( 93.2 - 97.6 )	93.3 ( 90.3 - 96.2 )
Percentage of students who usually or definitely think their teacher notices when they do a good job and lets them know about it	1810	68.8 ( 64.9 - 72.8 )	70.4 ( 67.3 - 73.6 )	71.9 ( 66.2 - 77.5 )	69.5 ( 65.2 - 73.8 )	63.8 ( 57.0 - 70.5 )
Percentage of students who usually or definitely think their school lets their parents or guardians know when they have done something well	1796	42.4 ( 37.5 - 47.3 )	46.7 ( 41.6 - 51.8 )	50.9 ( 43.9 - 57.8 )	40.7 ( 35.1 - 46.4 )	31.6 ( 22.6 - 40.6 )
Percentage of students who usually or definitely think their grades are better than most students in class	1797	75.7 ( 73.4 - 77.9 )	76.1 ( 69.1 - 83.1 )	74.3 ( 70.6 - 78.0 )	74.0 ( 69.2 - 78.8 )	78.7 ( 74.3 - 83.1 )
Percentage of students who participated in sports (team or individual) during the past 12 months	1788	56.8 ( 51.6 - 62.0 )	57.7 ( 51.9 - 63.6 )	64.1 ( 58.0 - 70.1 )	55.0 ( 44.5 - 65.5 )	51.2 ( 47.0 - 55.4 )
Percentage of students who participated in sports, band, drama, clubs, or student government at school during the past 12 months	1788	77.2 ( 72.9 - 81.6 )	76.9 ( 73.4 - 80.4 )	79.5 ( 74.3 - 84.6 )	77.8 ( 70.9 - 84.7 )	75.3 ( 69.3 - 81.4 )
Percentage of students who had paid employment during the past 12 months	1788	19.7 ( 17.1 - 22.4 )	5.3 ( 2.2 - 8.5 )	13.3 ( 8.4 - 18.2 )	26.3 ( 19.9 - 32.8 )	31.7 ( 28.1 - 35.2 )
Percentage of students who participated in another activity besides sports, band, drama, clubs, student government, or paid employment during the past 12 months***	1788	20.5 ( 16.2 - 24.9 )	17.7 ( 14.4 - 21.0 )	17.1 ( 12.2 - 22.1 )	21.8 ( 16.5 - 27.0 )	24.6 ( 16.9 - 32.4 )
Percentage of students who participated in organized community service as a non-paid volunteer during the past 30 days	1789	35.3 ( 28.0 - 42.5 )	25.2 ( 16.7 - 33.8 )	33.9 ( 20.1 - 47.6 )	41.0 ( 34.1 - 47.8 )	39.7 ( 35.3 - 44.1 )
<b>Other Health Topics</b>						

Health Measures*	Number of Responses	Total % (95% CI)	9th Grade % (95% CI)	10th Grade % (95% CI)	11th Grade % (95% CI)	12th Grade % (95% CI)
Percentage of students who usually slept somewhere other than their home during the past 30 days	1787	5.4 ( 3.2 - 7.5 )	6.3 ( 2.0 - 10.6 )	3.3 ( 0.8 - 5.8 )	6.4 ( 3.5 - 9.3 )	5.6 ( 2.8 - 8.3 )
Percentage of students who sleep 8 or more hours per night on average school nights	1790	36.1 ( 33.9 - 38.3 )	45.0 ( 39.7 - 50.3 )	37.1 ( 31.1 - 43.2 )	33.3 ( 28.9 - 37.7 )	29.7 ( 25.5 - 33.9 )
Percentage of students who could fire a loaded gun without adult permission in less than one hour	1754	10.8 ( 6.9 - 14.7 )	10.5 ( 5.2 - 15.8 )	11.3 ( 7.2 - 15.3 )	11.3 ( 5.5 - 17.1 )	10.5 ( 5.3 - 15.8 )
Percentage of students who would be able to get a loaded gun without adult permission in or around their home, from a friend or schoolmate, or from a family member	1721	16.0 ( 12.7 - 19.2 )	14.8 ( 10.5 - 19.0 )	15.4 ( 10.7 - 20.2 )	18.7 ( 14.1 - 23.4 )	15.3 ( 11.6 - 19.0 )
Percentage of students who have experienced problems with their mouth or teeth in the past 12 months, not including braces or injuries	1668	24.4 ( 22.2 - 26.6 )	27.9 ( 25.7 - 30.1 )	22.5 ( 18.8 - 26.2 )	23.9 ( 16.9 - 30.9 )	23.9 ( 22.4 - 25.5 )
Percentage of students who had ever been told by a doctor or nurse that they had asthma	1723	16.2 ( 14.7 - 17.6 )	14.5 ( 10.3 - 18.8 )	17.9 ( 15.3 - 20.5 )	15.6 ( 13.0 - 18.3 )	15.9 ( 12.7 - 19.1 )
Percentage of students who went outdoors to spend time in nature at least once a week during the past 12 months	1732	5.2 ( 4.3 - 6.0 )	3.9 ( 2.0 - 5.8 )	5.1 ( 2.1 - 8.0 )	8.4 ( 5.5 - 11.3 )	3.3 ( 0.0 - 6.6 )
<b>Extra Questions</b>						
Percentage of students who think people who have five or more drinks of an alcoholic beverage once or twice a week have a moderate or great risk of harming themselves physically or in other ways	1630	75.2 ( 73.1 - 77.4 )	80.4 ( 75.0 - 85.8 )	72.4 ( 68.7 - 76.1 )	76.5 ( 72.6 - 80.4 )	72.1 ( 68.2 - 76.0 )
Percentage of students who think people who smoke one or more packs of cigarettes per day have a moderate or great risk of harming themselves physically or in other ways	1623	85.3 ( 83.3 - 87.2 )	87.3 ( 83.6 - 90.9 )	81.1 ( 78.1 - 84.2 )	85.1 ( 81.6 - 88.6 )	87.5 ( 81.8 - 93.1 )
Percentage of students who think people who smoke marijuana once or twice a week have a moderate or great risk of harming themselves physically or in other ways	1615	61.2 ( 58.9 - 63.5 )	70.8 ( 64.9 - 76.6 )	62.8 ( 58.5 - 67.0 )	60.3 ( 58.2 - 62.3 )	52.6 ( 49.7 - 55.4 )
Percentage of students who think people who use prescription drugs that are not prescribed to them have a moderate or great risk of harming themselves physically or in other ways	1615	87.9 ( 84.9 - 90.8 )	87.5 ( 82.9 - 92.1 )	84.2 ( 82.6 - 85.9 )	89.2 ( 88.2 - 90.1 )	90.1 ( 84.9 - 95.4 )
Percentage of students who think their parents would feel it is wrong or very wrong if they drank 1 or 2 drinks of an alcoholic beverage nearly every day	1614	94.4 ( 93.2 - 95.7 )	95.7 ( 93.5 - 98.0 )	94.8 ( 92.3 - 97.3 )	94.6 ( 92.2 - 97.0 )	92.8 ( 90.1 - 95.6 )
Percentage of students who think their parents would feel it is wrong or very wrong for them to smoke tobacco	1604	95.5 ( 94.5 - 96.4 )	95.6 ( 94.0 - 97.1 )	95.5 ( 93.2 - 97.8 )	94.8 ( 93.9 - 95.6 )	96.0 ( 94.7 - 97.3 )
Percentage of students who think their parents would feel it is wrong or very wrong for them to use prescription drugs not prescribed to them	1604	95.9 ( 94.6 - 97.2 )	96.8 ( 94.9 - 98.7 )	97.4 ( 95.5 - 99.3 )	94.0 ( 91.0 - 96.9 )	95.7 ( 94.6 - 96.7 )
Percentage of students who think their friends would feel it is wrong or very wrong for them to have one or two alcoholic drinks nearly every day	1603	74.6 ( 71.8 - 77.4 )	75.9 ( 71.1 - 80.8 )	77.1 ( 74.1 - 80.1 )	72.1 ( 66.7 - 77.5 )	73.2 ( 68.3 - 78.0 )
Percentage of students who think their friends would feel it is wrong or very wrong for them to smoke tobacco	1606	74.8 ( 71.8 - 77.7 )	82.0 ( 77.2 - 86.7 )	76.6 ( 69.9 - 83.3 )	71.3 ( 67.3 - 75.4 )	69.9 ( 65.4 - 74.3 )
Percentage of students who think their friends would feel it is wrong or very wrong for them to smoke marijuana	1604	57.6 ( 52.7 - 62.5 )	70.9 ( 66.7 - 75.2 )	64.2 ( 60.4 - 68.1 )	53.5 ( 49.1 - 57.9 )	43.8 ( 37.5 - 50.0 )
Percentage of students who think their friends would feel it is wrong or very wrong to use prescription drugs not prescribed to them	1609	86.7 ( 84.8 - 88.6 )	88.2 ( 85.7 - 90.7 )	86.0 ( 81.7 - 90.4 )	86.9 ( 82.2 - 91.5 )	86.0 ( 81.5 - 90.6 )
Percentage of students who used prescription drugs not prescribed to them during the past 30 days	1637	2.8 ( 2.2 - 3.3 )	2.7 ( 0.6 - 4.9 )	3.0 ( 0.8 - 5.2 )	3.2 ( 0.8 - 5.6 )	2.2 ( 0.4 - 3.9 )

\*Data are suppressed, shown by a period (.), if fewer than 3 students responded "yes" to a question or if results represent 0% or 100% of students.

In districts with enrollment over 35, results are suppressed if fewer than 30 students responded to a question. All percentages are rounded to the nearest tenth.

\*\*Items in this column are included in risk and protective factors known to influence multiple youth health outcomes.

\*\*\*Students included in "Another activity" selected this response on the survey and had the option to write in their answer.

# 2023 HKCS RESULTS: HIGH SCHOOL

## Boulder Valley Re 2

In order to make this document more readable, we split the answer options for this table so that American Indian/Alaskan Native, Native Hawaiian/Other Pacific Islander, and Multiracial can be found in another table.

Health Measures*	Number of Responses	Total % (95% CI)	White % (95% CI)	Hispanic/Latinx % (95% CI)	Black/African American % (95% CI)	Asian % (95% CI)
<b>Safety</b>						
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else	2360	3.1 ( 2.0 - 4.2 )	2.1 ( 1.3 - 2.8 )	5.2 ( 2.9 - 7.6 )	10.3 ( 0.0 - 21.1 )	. ( . - . )
Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been drinking alcohol one or more times	1627	5.0 ( 3.9 - 6.0 )	3.7 ( 2.8 - 4.6 )	7.2 ( 0.4 - 14.0 )	. ( . - . )	4.8 ( 1.4 - 8.2 )
Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been using marijuana one or more times	1624	8.6 ( 6.6 - 10.7 )	8.4 ( 5.7 - 11.1 )	8.2 ( 5.7 - 10.6 )	. ( . - . )	3.3 ( 1.0 - 5.5 )
Among students who drove a car or other vehicle during the past 30 days, the percentage who texted, posted, or used their phone in some other way while driving on one or more of the days	1618	41.2 ( 37.7 - 44.7 )	44.6 ( 40.2 - 49.0 )	30.5 ( 25.2 - 35.8 )	. ( . - . )	32.0 ( 23.6 - 40.4 )
<b>Bullying</b>						
Percentage of students who have ever been bullied on school property during the past 12 months	2286	12.5 ( 10.7 - 14.4 )	12.3 ( 10.6 - 14.0 )	10.6 ( 6.0 - 15.2 )	16.5 ( 3.8 - 29.2 )	8.9 ( 7.3 - 10.4 )
Among students bullied on school property, the percentage who were bullied in a classroom in the past 12 months	300	50.0 ( 37.4 - 62.5 )	48.2 ( 35.2 - 61.3 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students bullied on school property, the percentage who were bullied in a hallway or stairwell in the past 12 months	300	39.5 ( 30.7 - 48.3 )	38.7 ( 32.1 - 45.3 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students bullied on school property, the percentage who were bullied in a locker room or bathroom in the past 12 months	300	18.8 ( 16.7 - 20.9 )	13.6 ( 10.6 - 16.7 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students bullied on school property, the percentage who were bullied in a cafeteria or lunch room in the past 12 months	300	28.7 ( 23.7 - 33.7 )	25.8 ( 21.4 - 30.1 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students bullied on school property, the percentage who were bullied on a bus or at a bus stop in the past 12 months	300	10.0 ( 6.2 - 13.8 )	5.6 ( 0.9 - 10.3 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students bullied on school property, the percentage who were bullied outside before school in the past 12 months	300	14.3 ( 9.8 - 18.9 )	11.0 ( 7.6 - 14.4 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students bullied on school property, the percentage who were bullied outside after school in the past 12 months	300	26.4 ( 21.6 - 31.1 )	21.6 ( 17.7 - 25.5 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students bullied on school property, the percentage who were bullied outside during lunch or break in the past 12 months	300	25.3 ( 21.6 - 28.9 )	21.5 ( 17.1 - 25.9 )	. ( . - . )	. ( . - . )	. ( . - . )
Percentage of students who had ever been electronically bullied during the past 12 months	2353	9.7 ( 8.2 - 11.2 )	9.7 ( 8.3 - 11.1 )	7.8 ( 5.9 - 9.7 )	15.0 ( 5.2 - 24.8 )	9.0 ( 5.7 - 12.3 )
Among students who were teased in the past 12 months, the percentage who were teased because of sexual orientation	357	27.4 ( 21.6 - 33.1 )	27.6 ( 23.8 - 31.4 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students who were teased in the past 12 months, the percentage who were teased because of gender identity	357	24.5 ( 20.1 - 28.8 )	26.7 ( 22.4 - 30.9 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students who were teased in the past 12 months, the percentage who were teased because of religion	357	14.8 ( 10.8 - 18.7 )	13.6 ( 7.4 - 19.8 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students who were teased in the past 12 months, the percentage who were teased because of disability	357	18.6 ( 15.5 - 21.7 )	18.2 ( 13.5 - 22.9 )	. ( . - . )	. ( . - . )	. ( . - . )

Health Measures*	Number of Responses	Total % (95% CI)	White % (95% CI)	Hispanic/Latinx % (95% CI)	Black/African American % (95% CI)	Asian % (95% CI)
Among students who were teased in the past 12 months, the percentage who were teased because of physical appearance	357	62.0 ( 55.5 - 68.5 )	62.0 ( 47.7 - 76.2 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students who were teased in the past 12 months, the percentage who were teased because of race or ethnicity	357	26.5 ( 20.0 - 33.0 )	7.9 ( 5.4 - 10.5 )	. ( . - . )	. ( . - . )	. ( . - . )
<b>Violence</b>						
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school	2363	8.6 ( 6.7 - 10.6 )	7.1 ( 5.2 - 8.9 )	12.9 ( 10.9 - 15.0 )	12.3 ( 1.0 - 23.6 )	5.9 ( 0.4 - 11.3 )
Percentage of students who were in a physical fight one or more times during the past 12 months	2327	10.2 ( 9.1 - 11.3 )	9.1 ( 7.7 - 10.5 )	12.7 ( 10.2 - 15.2 )	21.2 ( 14.5 - 27.8 )	5.3 ( 4.1 - 6.5 )
Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose one or more times by someone they were dating or going out with	1224	8.9 ( 7.4 - 10.4 )	7.2 ( 5.2 - 9.2 )	13.4 ( 9.8 - 16.9 )	. ( . - . )	. ( . - . )
Among students who dated or went out with someone during the past 12 months, the percentage who had been controlled or emotionally hurt by someone they were dating or going out with	1220	18.1 ( 16.4 - 19.9 )	17.1 ( 15.2 - 19.0 )	21.2 ( 16.9 - 25.4 )	. ( . - . )	14.6 ( 5.6 - 23.5 )
<b>Consent/Sexual Violence</b>						
Percentage of students who had a sexual experience where they were unsure if they gave their fully-granted consent to the other person	2320	11.3 ( 9.6 - 12.9 )	11.0 ( 8.5 - 13.5 )	10.4 ( 6.4 - 14.5 )	14.3 ( 2.6 - 26.0 )	5.2 ( 0.1 - 10.4 )
Percentage of students who had a sexual experience where they were unsure if they received fully-granted consent from the other person	2316	2.6 ( 2.3 - 3.0 )	2.2 ( 1.9 - 2.6 )	3.8 ( 1.7 - 5.8 )	. ( . - . )	. ( . - . )
Percentage of students who had a revealing or sexual photo or video of themselves texted, e-mailed, or posted electronically without their permission in the past 12 months	2323	4.5 ( 3.5 - 5.4 )	4.7 ( 3.9 - 5.6 )	4.0 ( 2.6 - 5.5 )	. ( . - . )	2.2 ( 0.8 - 3.6 )
Percentage of students who have made sexual comments, jokes, gestures or looks at someone when unwanted	2317	5.9 ( 4.6 - 7.1 )	7.0 ( 5.5 - 8.6 )	2.8 ( 1.1 - 4.5 )	. ( . - . )	4.0 ( 0.4 - 7.7 )
Percentage of students who touched, grabbed or pinched someone in a sexual way when unwanted	2317	2.8 ( 2.0 - 3.6 )	2.6 ( 2.0 - 3.3 )	3.2 ( 1.3 - 5.1 )	. ( . - . )	2.2 ( 0.8 - 3.6 )
Percentage of students who have ever had sex while under the influence of alcohol or drugs	2308	10.2 ( 7.3 - 13.0 )	11.1 ( 6.9 - 15.2 )	7.0 ( 4.6 - 9.4 )	. ( . - . )	2.3 ( 0.0 - 4.6 )
Percentage of students who have ever been physically forced to have sex when they did not want to	2310	3.6 ( 2.9 - 4.4 )	2.9 ( 2.3 - 3.4 )	5.2 ( 1.9 - 8.6 )	. ( . - . )	. ( . - . )
<b>Mental Health</b>						
Percentage of students who agree or strongly agree their stress level is manageable most days	2329	57.5 ( 54.9 - 60.0 )	57.7 ( 53.8 - 61.7 )	59.9 ( 55.4 - 64.3 )	48.8 ( 33.4 - 64.3 )	59.8 ( 52.7 - 66.9 )
Percentage of students who most of the time or always had poor mental health during the past 30 days	2317	28.9 ( 27.7 - 30.1 )	29.0 ( 26.4 - 31.6 )	27.9 ( 24.0 - 31.7 )	25.3 ( 9.0 - 41.6 )	21.2 ( 16.3 - 26.1 )
Percentage of students who purposefully hurt themselves without wanting to die in the past 12 months	2290	14.7 ( 12.9 - 16.5 )	14.7 ( 11.7 - 17.7 )	13.0 ( 9.1 - 17.0 )	18.0 ( 4.5 - 31.5 )	8.7 ( 4.7 - 12.6 )
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row during the past 12 months that they stopped doing some usual activities	2297	23.4 ( 22.1 - 24.6 )	21.7 ( 19.8 - 23.5 )	28.4 ( 24.7 - 32.0 )	17.8 ( 4.5 - 31.2 )	17.9 ( 15.7 - 20.0 )
Percentage of students who seriously considered attempting suicide during the past 12 months	2285	11.6 ( 10.6 - 12.6 )	11.3 ( 9.7 - 12.9 )	12.7 ( 8.0 - 17.4 )	9.5 ( 0.0 - 23.1 )	7.5 ( 3.4 - 11.6 )
Percentage of students who made a plan about how they would attempt suicide during the past 12 months	2275	9.6 ( 8.5 - 10.7 )	9.6 ( 8.3 - 11.0 )	9.5 ( 4.7 - 14.3 )	. ( . - . )	8.0 ( 4.8 - 11.3 )
Percentage of students who attempted suicide one or more times during the past 12 months	2282	4.5 ( 4.0 - 5.1 )	4.1 ( 3.1 - 5.2 )	6.5 ( 2.7 - 10.2 )	. ( . - . )	4.6 ( 1.8 - 7.3 )



Health Measures*	Number of Responses	Total % (95% CI)	White % (95% CI)	Hispanic/Latinx % (95% CI)	Black/African American % (95% CI)	Asian % (95% CI)
Percentage of students who have an adult to go to for help with a serious problem	2279	77.9 ( 77.2 - 78.7 )	80.9 ( 79.9 - 81.9 )	71.7 ( 66.9 - 76.4 )	62.0 ( 52.0 - 72.0 )	78.5 ( 72.3 - 84.7 )
Percentage of students who most of the time or always could talk to a friend about feelings during their life	2278	59.7 ( 56.3 - 63.1 )	61.0 ( 57.5 - 64.6 )	53.2 ( 46.4 - 60.0 )	52.3 ( 38.7 - 65.9 )	70.6 ( 65.8 - 75.4 )
Percentage of students who had a friend tell them they had thoughts of suicide one or more times during the past 12 months	2259	31.8 ( 30.0 - 33.6 )	33.5 ( 31.7 - 35.4 )	25.5 ( 22.3 - 28.7 )	28.6 ( 16.7 - 40.4 )	26.5 ( 18.2 - 34.8 )
Percentage of students who would tell their parents or guardians if they were concerned about their own or someone else's well-being or mental health	2189	56.8 ( 55.5 - 58.2 )	57.4 ( 56.1 - 58.7 )	57.9 ( 53.5 - 62.3 )	. ( . - . )	56.4 ( 40.9 - 71.9 )
Percentage of students who would tell another trusted adult (who is not their parents or guardians) if they were concerned about their own or someone else's well-being or mental health	2189	51.3 ( 49.3 - 53.4 )	53.7 ( 51.1 - 56.3 )	43.8 ( 39.2 - 48.3 )	. ( . - . )	56.8 ( 49.4 - 64.1 )
Percentage of students who would tell a friend if they were concerned about their own or someone else's well-being or mental health	2189	45.1 ( 41.7 - 48.5 )	47.6 ( 42.3 - 52.9 )	37.4 ( 28.9 - 46.0 )	. ( . - . )	46.1 ( 37.2 - 55.0 )
Percentage of students who would submit an anonymous report through their school's safety reporting system if they were concerned about their own or someone else's well-being or mental health	2189	28.3 ( 25.5 - 31.1 )	30.1 ( 27.4 - 32.8 )	22.7 ( 15.8 - 29.6 )	. ( . - . )	28.9 ( 22.5 - 35.2 )
Percentage of students who would contact a crisis line if they were concerned about their own or someone else's well-being or mental health	2189	26.1 ( 23.4 - 28.8 )	28.6 ( 24.4 - 32.8 )	18.1 ( 14.8 - 21.3 )	. ( . - . )	21.1 ( 8.1 - 34.0 )
Percentage of students who have ever experienced the death of a family member or close friend	2276	69.1 ( 65.2 - 73.0 )	68.7 ( 63.9 - 73.6 )	73.7 ( 69.0 - 78.3 )	62.9 ( 41.8 - 84.0 )	57.0 ( 48.8 - 65.2 )
<b>Racism</b>						
Percentage who were treated badly or unfairly in school because of their race or ethnicity in the past 12 months	2155	3.8 ( 3.0 - 4.7 )	1.2 ( 0.8 - 1.7 )	8.2 ( 4.8 - 11.6 )	. ( . - . )	10.2 ( 6.5 - 13.9 )
Percentage who were watched closely or followed by security guards or store clerks at a store or mall because of their race or ethnicity in the past 12 months	2155	3.4 ( 3.0 - 3.8 )	0.4 ( 0.0 - 0.7 )	11.1 ( 9.4 - 12.8 )	. ( . - . )	7.3 ( 4.6 - 10.1 )
Percentage who were assumed less intelligent because of their race or ethnicity in the past 12 months	2155	5.1 ( 4.1 - 6.0 )	0.7 ( 0.2 - 1.2 )	18.1 ( 13.4 - 22.7 )	. ( . - . )	7.9 ( 1.7 - 14.1 )
Percentage who saw family members treated unfairly because of their race or ethnicity in the past 12 months	2155	6.5 ( 5.1 - 7.8 )	0.9 ( 0.4 - 1.5 )	18.9 ( 15.9 - 22.0 )	. ( . - . )	21.4 ( 15.9 - 26.9 )
<b>Alcohol</b>						
Percentage of students who have ever had a drink of alcohol other than a few sips	2164	50.8 ( 45.5 - 56.1 )	53.4 ( 46.5 - 60.3 )	47.5 ( 41.4 - 53.6 )	29.8 ( 14.5 - 45.1 )	28.9 ( 16.3 - 41.5 )
Percentage of students who had their first drink of alcohol, other than a few sips, before age 13	2164	12.2 ( 8.9 - 15.5 )	10.4 ( 7.8 - 13.1 )	18.5 ( 10.0 - 26.9 )	11.4 ( 0.0 - 31.6 )	4.7 ( 0.0 - 10.4 )
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days	2177	27.6 ( 22.5 - 32.7 )	30.4 ( 23.0 - 37.8 )	21.4 ( 16.9 - 25.8 )	14.4 ( 2.5 - 26.3 )	12.9 ( 9.6 - 16.2 )
Percentage of students who binge drank (4+ drinks, within a couple of hours) on one or more of the past 30 days	2168	17.8 ( 11.9 - 23.7 )	20.1 ( 12.0 - 28.1 )	12.1 ( 10.5 - 13.7 )	14.4 ( 2.5 - 26.3 )	7.3 ( 3.5 - 11.0 )
Percentage of students who feel it would be sort of easy or very easy to get alcohol if they wanted	2131	60.3 ( 57.7 - 62.9 )	64.8 ( 61.0 - 68.6 )	47.6 ( 41.6 - 53.5 )	. ( . - . )	40.5 ( 31.5 - 49.4 )
Percentage of students who think it is wrong or very wrong for someone of the same age to drink alcohol regularly (at least once or twice per month)	2191	58.7 ( 51.8 - 65.5 )	55.3 ( 47.1 - 63.4 )	67.9 ( 63.3 - 72.5 )	. ( . - . )	73.1 ( 69.5 - 76.8 )
Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they drank alcohol regularly (at least once or twice per month)	2186	78.7 ( 73.8 - 83.7 )	75.6 ( 70.1 - 81.1 )	86.3 ( 79.5 - 93.1 )	. ( . - . )	91.7 ( 89.2 - 94.1 )
Percentage of students who thought 5 or more out of every 10 students in their grade had four or more drinks on at least one day in the past 30 days	2167	42.9 ( 35.9 - 49.9 )	42.9 ( 33.8 - 52.1 )	45.9 ( 43.7 - 48.2 )	. ( . - . )	33.5 ( 26.1 - 40.9 )

Health Measures*	Number of Responses	Total % (95% CI)	White % (95% CI)	Hispanic/Latinx % (95% CI)	Black/African American % (95% CI)	Asian % (95% CI)
<b>Tobacco</b>						
Percentage of students who have ever smoked a cigarette, even one or two puffs	2171	17.1 ( 12.2 - 22.0 )	16.6 ( 10.6 - 22.5 )	19.4 ( 17.6 - 21.2 )	10.7 ( 0.0 - 22.1 )	5.3 ( 1.4 - 9.2 )
Percentage of students who smoked a cigarette, even one or two puffs, for the first time before age 13	2171	3.8 ( 2.4 - 5.2 )	2.3 ( 1.0 - 3.5 )	8.1 ( 2.9 - 13.2 )	. ( . - . )	. ( . - . )
Percentage of students who smoked cigarettes on one or more of the past 30 days	2171	5.3 ( 3.0 - 7.5 )	5.3 ( 2.8 - 7.8 )	5.4 ( 2.9 - 7.9 )	10.7 ( 0.0 - 22.1 )	. ( . - . )
Among students who smoked in the past 30 days, the percentage who smoked menthol cigarettes	108	26.7 ( 3.1 - 50.3 )	26.2 ( 2.5 - 49.8 )	. ( . - . )	. ( . - . )	. ( . - . )
Percentage of students who have used cigars, chewing tobacco, hookah, pipe, or bidis in the past 30 days	2093	4.0 ( 2.4 - 5.6 )	4.3 ( 2.3 - 6.2 )	2.7 ( 0.1 - 5.3 )	. ( . - . )	. ( . - . )
Percentage of students who think it would be sort of easy or very easy to get cigarettes if they wanted	2154	38.6 ( 33.3 - 43.9 )	39.4 ( 30.9 - 47.9 )	37.1 ( 27.4 - 46.8 )	. ( . - . )	23.5 ( 17.2 - 29.8 )
Percentage of students who have ever used an electronic vapor product	2148	27.5 ( 22.4 - 32.6 )	26.0 ( 19.6 - 32.5 )	35.0 ( 29.6 - 40.3 )	20.8 ( 10.0 - 31.6 )	9.4 ( 6.6 - 12.2 )
Percentage of students who had used an electronic vapor product before age 13	2148	6.0 ( 4.2 - 7.8 )	4.3 ( 2.0 - 6.6 )	10.7 ( 6.0 - 15.4 )	13.4 ( 3.8 - 23.0 )	. ( . - . )
Percentage of students who used an electronic vapor product in the past 30 days	2081	9.0 ( 6.9 - 11.1 )	8.3 ( 5.9 - 10.6 )	11.6 ( 9.0 - 14.2 )	10.7 ( 0.0 - 22.1 )	. ( . - . )
Percentage of students who feel it would be sort of easy or very easy to get electronic vapor products if they wanted	2152	57.4 ( 55.3 - 59.5 )	59.7 ( 55.7 - 63.7 )	50.7 ( 47.6 - 53.7 )	. ( . - . )	33.8 ( 25.1 - 42.6 )
Percentage of students who think it is wrong or very wrong for someone of the same age to use electronic vapor products	2196	74.3 ( 71.9 - 76.7 )	74.3 ( 71.9 - 76.6 )	73.6 ( 70.8 - 76.4 )	. ( . - . )	84.4 ( 82.1 - 86.7 )
Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they used electronic vapor products	2188	95.4 ( 94.5 - 96.3 )	95.1 ( 94.4 - 95.7 )	96.9 ( 93.8 - 99.9 )	. ( . - . )	95.5 ( 93.6 - 97.5 )
Among students who have used electronic vapor products, the percentage who used them because a friend or family member used them	511	55.7 ( 47.5 - 63.9 )	61.3 ( 53.2 - 69.4 )	40.7 ( 31.5 - 49.8 )	. ( . - . )	. ( . - . )
Among students who have used electronic vapor products, the percentage who used them because they were trying to quit other tobacco products	511	3.7 ( 1.7 - 5.7 )	2.9 ( 1.1 - 4.6 )	6.8 ( 0.4 - 13.1 )	. ( . - . )	. ( . - . )
Among students who have used electronic vapor products, the percentage who used them because they cost less than other tobacco products	511	4.6 ( 3.2 - 5.9 )	2.5 ( 0.9 - 4.0 )	10.1 ( 3.4 - 16.8 )	. ( . - . )	. ( . - . )
Among students who have used electronic vapor products, the percentage who used them because it is easier to get them than other tobacco products	511	12.0 ( 8.9 - 15.1 )	11.1 ( 8.2 - 14.1 )	11.5 ( 5.9 - 17.1 )	. ( . - . )	. ( . - . )
Among students who have used electronic vapor products, the percentage who used them because they are less harmful than other tobacco products	511	10.4 ( 7.6 - 13.3 )	8.0 ( 6.1 - 9.8 )	17.4 ( 9.1 - 25.6 )	. ( . - . )	. ( . - . )
Among students who have used electronic vapor products, the percentage who used them because they are available in flavors	511	16.4 ( 14.7 - 18.2 )	15.1 ( 13.4 - 16.7 )	19.0 ( 16.7 - 21.3 )	. ( . - . )	. ( . - . )
Among students who have used electronic vapor products, the percentage who used them because they can be used in areas where other tobacco products are not allowed	511	10.7 ( 8.5 - 12.8 )	8.3 ( 6.3 - 10.3 )	18.7 ( 13.0 - 24.5 )	. ( . - . )	. ( . - . )
Among students who use electronic vapor products, the percentage who most of the time or always reach for them without thinking about it	556	10.5 ( 8.7 - 12.3 )	8.8 ( 5.5 - 12.1 )	11.3 ( 8.5 - 14.2 )	. ( . - . )	. ( . - . )
Percentage of students who probably or definitely will use an electronic vapor product if one of their best friends offers it	2127	15.1 ( 13.1 - 17.1 )	14.1 ( 11.6 - 16.6 )	19.0 ( 12.4 - 25.6 )	13.5 ( 5.3 - 21.7 )	4.4 ( 1.6 - 7.2 )
Percentage of students who think people who use electronic vapor products every day have a moderate or great risk of harm	2111	83.2 ( 80.7 - 85.8 )	85.0 ( 82.4 - 87.6 )	75.0 ( 71.1 - 79.0 )	75.0 ( 56.9 - 93.1 )	93.3 ( 89.7 - 96.9 )

Health Measures*	Number of Responses	Total % (95% CI)	White % (95% CI)	Hispanic/Latinx % (95% CI)	Black/African American % (95% CI)	Asian % (95% CI)
Percentage of students who have seen or heard ads for electronic vapor products in the past 30 days	2072	63.2 ( 59.6 - 66.8 )	64.4 ( 61.4 - 67.4 )	55.4 ( 43.2 - 67.7 )	56.5 ( 33.7 - 79.4 )	61.3 ( 57.0 - 65.6 )
Among those underage students who tried to buy tobacco or vaping products in a store, the percentage who were not refused because of age	140	87.1 ( 82.8 - 91.4 )	87.9 ( 83.5 - 92.3 )	. ( . - . )	. ( . - . )	. ( . - . )
Among underage students who used tobacco products in the past 30 days, the percentage who bought them over the internet	166	7.8 ( 3.9 - 11.7 )	6.9 ( 4.5 - 9.2 )	. ( . - . )	. ( . - . )	. ( . - . )
Among underage students who used tobacco products in the past 30 days, the percentage who bought them through the mail	166	3.1 ( 0.6 - 5.6 )	. ( . - . )	. ( . - . )	. ( . - . )	. ( . - . )
Among underage students who used tobacco products in the past 30 days, the percentage who bought them from a gas station, convenience store, grocery store, or drug store	166	18.3 ( 13.4 - 23.2 )	22.5 ( 15.0 - 29.9 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students who reported current tobacco use, the percentage who ever tried to quit using all tobacco products during the past 12 months	183	46.0 ( 41.6 - 50.4 )	48.3 ( 42.5 - 54.0 )	. ( . - . )	. ( . - . )	. ( . - . )
Percentage of students who think breathing secondhand vapor has a moderate or great risk	2039	61.8 ( 59.5 - 64.0 )	59.0 ( 56.6 - 61.5 )	67.8 ( 60.2 - 75.4 )	. ( . - . )	76.2 ( 70.0 - 82.4 )
Percentage of students who were inside their home while someone was smoking a cigarette, cigar, pipe, or using an electronic vapor product for one or more days in the past 7 days	2044	12.9 ( 10.3 - 15.6 )	12.7 ( 9.9 - 15.5 )	13.7 ( 9.5 - 18.0 )	. ( . - . )	6.9 ( 4.1 - 9.8 )
<b>Marijuana</b>						
Percentage of students who have ever tried marijuana	2062	29.0 ( 22.1 - 35.9 )	30.1 ( 21.2 - 39.1 )	27.1 ( 22.7 - 31.5 )	. ( . - . )	12.7 ( 4.2 - 21.2 )
Percentage of students who tried marijuana for the first time before age 13	2062	4.6 ( 3.7 - 5.4 )	2.9 ( 1.7 - 4.0 )	9.3 ( 7.5 - 11.2 )	. ( . - . )	. ( . - . )
Percentage of students who used marijuana one or more times during the past 30 days	2023	16.9 ( 12.4 - 21.4 )	18.4 ( 12.8 - 23.9 )	13.7 ( 12.7 - 14.7 )	. ( . - . )	6.0 ( 0.8 - 11.1 )
Percentage of students who feel it would be sort of easy or very easy to get marijuana if they wanted	2112	48.3 ( 44.5 - 52.0 )	51.7 ( 45.3 - 58.0 )	39.7 ( 31.4 - 48.0 )	. ( . - . )	24.6 ( 21.3 - 28.0 )
Percentage of students who think it is wrong or very wrong for someone of the same age to use marijuana	2192	61.0 ( 55.0 - 66.9 )	57.7 ( 49.6 - 65.8 )	70.7 ( 66.0 - 75.4 )	. ( . - . )	80.9 ( 77.0 - 84.8 )
Percentage of students who think their parents or guardians feel it is wrong or very wrong if they used marijuana	2181	86.1 ( 84.0 - 88.2 )	83.0 ( 80.0 - 86.1 )	94.4 ( 91.2 - 97.6 )	. ( . - . )	95.3 ( 93.3 - 97.4 )
Percentage of students who thought 5 or more out of every 10 students in their grade used marijuana in the past 30 days	2169	44.7 ( 40.8 - 48.7 )	45.8 ( 41.7 - 49.9 )	43.7 ( 33.4 - 54.1 )	. ( . - . )	31.9 ( 23.7 - 40.1 )
Among students who used marijuana in the past 30 days, the percentage who smoked it	328	72.0 ( 67.5 - 76.4 )	70.5 ( 63.3 - 77.8 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students who used marijuana in the past 30 days, the percentage who ate it	328	37.8 ( 33.7 - 41.9 )	38.8 ( 33.2 - 44.4 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students who used marijuana in the past 30 days, the percentage who vaporized it	328	45.5 ( 40.2 - 50.7 )	43.6 ( 37.1 - 50.0 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students who used marijuana in the past 30 days, the percentage who dabbed it	328	29.7 ( 22.6 - 36.8 )	28.9 ( 22.7 - 35.2 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students who used marijuana in the past 30 days, the percentage who usually smoked it	320	50.4 ( 45.6 - 55.3 )	49.6 ( 42.1 - 57.1 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students who used marijuana in the past 30 days, the percentage who usually got it from an adult over the age of 21	307	20.4 ( 14.6 - 26.2 )	20.5 ( 16.1 - 25.0 )	. ( . - . )	. ( . - . )	. ( . - . )
Percentage of students who used THC concentrates, hash oil, or waxes one or more times during the past 30 days	2042	8.3 ( 6.7 - 9.9 )	8.3 ( 6.8 - 9.8 )	8.1 ( 6.1 - 10.0 )	. ( . - . )	. ( . - . )

Health Measures*	Number of Responses	Total % (95% CI)	White % (95% CI)	Hispanic/Latinx % (95% CI)	Black/African American % (95% CI)	Asian % (95% CI)
<b>Prescription Pain Medication</b>						
Percentage of students who have ever used prescription pain medicine not prescribed to them or differently than how a doctor told them to use it	2032	6.6 ( 6.1 - 7.1 )	5.3 ( 4.3 - 6.4 )	10.0 ( 7.8 - 12.1 )	. ( . - . )	4.4 ( 1.9 - 6.8 )
Percentage of students who used prescription pain medicine not prescribed to them or differently than how a doctor told them to use it for the first time before age 13	2032	2.6 ( 1.9 - 3.3 )	2.1 ( 1.6 - 2.6 )	4.0 ( 1.7 - 6.3 )	. ( . - . )	3.7 ( 1.3 - 6.0 )
Percentage of students who took prescription pain medicine not prescribed to them or differently than how a doctor told them to use it one or more times in the past 30 days	2041	2.5 ( 2.0 - 3.0 )	2.0 ( 1.3 - 2.8 )	2.8 ( 1.3 - 4.3 )	. ( . - . )	3.2 ( 1.1 - 5.3 )
Percentage of students who feel it would be sort of easy or very easy to get prescription pain medicine not prescribed to them	2146	25.1 ( 23.4 - 26.9 )	26.3 ( 24.9 - 27.7 )	18.7 ( 14.5 - 23.0 )	. ( . - . )	27.4 ( 19.3 - 35.5 )
Percentage of students who think it is wrong or very wrong for someone of the same age to use prescription pain medicine without a doctor's prescription	2194	88.8 ( 87.6 - 89.9 )	89.8 ( 88.7 - 90.9 )	89.0 ( 85.6 - 92.4 )	. ( . - . )	82.9 ( 78.3 - 87.4 )
<b>Other Drugs</b>						
Percentage of students who have ever used stimulants not prescribed to them or differently than prescribed	1988	5.2 ( 3.7 - 6.6 )	4.6 ( 2.8 - 6.3 )	6.0 ( 3.1 - 8.8 )	. ( . - . )	6.1 ( 3.5 - 8.7 )
Percentage of students who have ever used cocaine	1988	2.0 ( 1.2 - 2.9 )	1.7 ( 0.6 - 2.8 )	3.5 ( 1.5 - 5.5 )	. ( . - . )	. ( . - . )
Percentage of students who have ever sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high	1988	2.4 ( 1.6 - 3.3 )	1.9 ( 0.9 - 3.0 )	4.3 ( 2.7 - 5.9 )	. ( . - . )	. ( . - . )
Percentage of students who have ever used heroin	1988	0.9 ( 0.4 - 1.3 )	0.6 ( 0.0 - 1.1 )	1.7 ( 0.0 - 4.0 )	. ( . - . )	. ( . - . )
Percentage of students who have ever used methamphetamines	1988	0.7 ( 0.3 - 1.2 )	0.5 ( 0.1 - 0.9 )	1.7 ( 0.0 - 4.0 )	. ( . - . )	. ( . - . )
Percentage of students who have ever used ecstasy	1988	1.7 ( 1.3 - 2.1 )	1.2 ( 0.9 - 1.6 )	2.9 ( 0.2 - 5.6 )	. ( . - . )	. ( . - . )
Percentage of students who have ever used psychedelics	1988	6.4 ( 3.8 - 9.0 )	6.6 ( 3.0 - 10.2 )	6.1 ( 3.5 - 8.6 )	. ( . - . )	. ( . - . )
Percentage of students who have ever used fentanyl	1988	0.8 ( 0.3 - 1.2 )	0.4 ( 0.0 - 1.0 )	1.7 ( 0.0 - 3.9 )	. ( . - . )	. ( . - . )
Percentage of students who have ever used kratom	1988	1.0 ( 0.4 - 1.6 )	0.9 ( 0.4 - 1.4 )	1.7 ( 0.0 - 4.0 )	. ( . - . )	. ( . - . )
Percentage of students who have ever used hemp-derived, intoxicating cannabinoid products like Delta-8 and Delta-10 THC	1988	5.1 ( 4.3 - 6.0 )	4.9 ( 4.2 - 5.7 )	5.4 ( 3.1 - 7.7 )	. ( . - . )	. ( . - . )
<b>Sexual Health</b>						
Percentage of students who have ever had consensual sex	1993	25.1 ( 21.4 - 28.9 )	26.0 ( 21.6 - 30.4 )	23.8 ( 18.9 - 28.7 )	. ( . - . )	7.6 ( 4.5 - 10.6 )
Percentage of students who had consensual sex in the last three months	1993	16.8 ( 14.3 - 19.3 )	18.1 ( 15.3 - 20.9 )	14.1 ( 10.9 - 17.2 )	. ( . - . )	4.3 ( 1.9 - 6.6 )
Among students who had consensual sex during the past three months, the percentage who used a condom or their partner used a condom the last time they had consensual sex	314	65.6 ( 60.7 - 70.5 )	64.8 ( 56.0 - 73.6 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students who had consensual sex during the past three months, the percentage who used or their partner used any method of contraception the last time they had consensual sex	314	87.6 ( 84.8 - 90.4 )	88.2 ( 83.5 - 92.9 )	. ( . - . )	. ( . - . )	. ( . - . )
<b>Nutrition</b>						

Health Measures*	Number of Responses	Total % (95% CI)	White % (95% CI)	Hispanic/Latinx % (95% CI)	Black/African American % (95% CI)	Asian % (95% CI)
Percentage of students who ate fruit one or more times per day in the past 7 days	2011	53.9 ( 50.5 - 57.3 )	56.8 ( 53.0 - 60.6 )	41.6 ( 35.4 - 47.9 )	. ( . - . )	60.7 ( 58.0 - 63.4 )
Percentage of students who ate vegetables such as green salad, potatoes, carrots, or other vegetables one or more times per day in the past 7 days	1988	57.9 ( 53.3 - 62.5 )	62.0 ( 57.5 - 66.4 )	40.5 ( 35.5 - 45.5 )	. ( . - . )	72.3 ( 61.9 - 82.6 )
Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day in the past 7 days	2002	14.0 ( 9.5 - 18.4 )	12.2 ( 8.1 - 16.3 )	19.6 ( 14.0 - 25.3 )	. ( . - . )	12.3 ( 6.6 - 17.9 )
Percentage of students who drank a sports drink, energy drink, or other sweetened beverage one or more times in the past 7 days	1955	63.0 ( 58.3 - 67.8 )	62.6 ( 57.9 - 67.3 )	69.4 ( 61.0 - 77.7 )	. ( . - . )	59.2 ( 51.0 - 67.4 )
Percentage of students who ate breakfast on all of the past 7 days	1985	39.4 ( 37.6 - 41.1 )	40.8 ( 39.7 - 41.9 )	33.1 ( 26.5 - 39.8 )	. ( . - . )	44.3 ( 34.2 - 54.4 )
Percentage of students who sometimes, most of the time, or always went hungry in the past 30 days because of a lack of food at home	1983	8.3 ( 6.2 - 10.3 )	6.0 ( 3.9 - 8.1 )	16.7 ( 12.9 - 20.4 )	. ( . - . )	7.5 ( 0.7 - 14.2 )
<b>Physical Activity</b>						
Percentage of students who were physically active for a total of at least 60 minutes per day on 5 or more of the past 7 days	1952	55.6 ( 52.1 - 59.1 )	58.8 ( 55.8 - 61.8 )	43.3 ( 37.1 - 49.6 )	. ( . - . )	53.4 ( 47.4 - 59.5 )
Percentage of students who spent 3+ hours in front of a TV, computer, smart phone, or other electronic device for something other than schoolwork	1934	68.6 ( 66.6 - 70.6 )	68.0 ( 66.4 - 69.7 )	73.1 ( 67.3 - 79.0 )	. ( . - . )	60.7 ( 50.4 - 71.0 )
Percentage of students who could walk or ride a bike, scooter, or skateboard to school if they wanted to	1959	56.0 ( 52.2 - 59.9 )	57.8 ( 50.8 - 64.8 )	48.9 ( 36.0 - 61.9 )	. ( . - . )	48.4 ( 46.2 - 50.6 )
Percentage of students who had a concussion in the past 12 months from playing sports or being physically active	1948	15.8 ( 13.6 - 17.9 )	15.6 ( 14.0 - 17.2 )	17.2 ( 10.9 - 23.5 )	. ( . - . )	13.2 ( 9.6 - 16.9 )
<b>Body Image &amp; Eating Disorders</b>						
Percentage of students who most of the time or always felt confident with their body image during the past 30 days	1905	47.8 ( 44.8 - 50.9 )	48.9 ( 44.9 - 53.0 )	44.1 ( 33.3 - 54.9 )	. ( . - . )	47.1 ( 36.4 - 57.9 )
Percentage of students who most of the time or always worried about their physical appearance more than they wanted to during the past 30 days	1891	38.4 ( 37.1 - 39.7 )	38.8 ( 37.2 - 40.4 )	37.1 ( 29.2 - 45.0 )	. ( . - . )	38.0 ( 27.2 - 48.7 )
Percentage of students who tried to lose weight or keep from gaining weight by going without eating for 24 hours or more; taking any diet pills, powders, or liquids; vomiting or taking laxatives; or skipping meals during the past 30 days	1893	19.2 ( 17.6 - 20.9 )	16.7 ( 15.4 - 18.0 )	27.7 ( 21.9 - 33.5 )	. ( . - . )	24.0 ( 15.8 - 32.2 )
<b>Home Life</b>						
Percentage of students who usually or definitely feel the rules in their family are clear	1884	92.5 ( 91.7 - 93.3 )	93.4 ( 92.4 - 94.4 )	90.6 ( 85.1 - 96.0 )	. ( . - . )	93.0 ( 87.7 - 98.3 )
Percentage of students who usually or definitely could ask their parents or guardians for help with a personal problem	1881	87.2 ( 85.7 - 88.7 )	89.5 ( 88.2 - 90.7 )	80.8 ( 75.5 - 86.1 )	. ( . - . )	80.4 ( 74.4 - 86.4 )
Percentage of students who usually or definitely have parents or guardians who ask if their homework is done	1850	77.0 ( 71.7 - 82.3 )	77.5 ( 71.5 - 83.4 )	76.7 ( 69.8 - 83.7 )	. ( . - . )	78.2 ( 74.1 - 82.4 )
Percentage of students who usually or definitely have chances to do fun things with their parents or guardians	1857	83.2 ( 80.4 - 86.0 )	84.7 ( 82.1 - 87.3 )	77.7 ( 70.6 - 84.8 )	. ( . - . )	80.4 ( 77.5 - 83.3 )
Percentage of students who usually or definitely have parents or guardians who ask them what they think before most family decisions	1853	74.4 ( 72.3 - 76.5 )	77.1 ( 75.6 - 78.6 )	64.3 ( 59.4 - 69.3 )	. ( . - . )	75.4 ( 66.1 - 84.6 )
Percentage of students who usually or definitely think they would be caught by their parents or guardians for skipping school	1867	89.8 ( 88.5 - 91.1 )	90.9 ( 89.6 - 92.1 )	85.8 ( 80.7 - 90.8 )	. ( . - . )	88.6 ( 82.8 - 94.4 )
Percentage of students who usually or definitely feel safe in their neighborhood	1875	97.2 ( 96.6 - 97.9 )	97.9 ( 97.3 - 98.4 )	94.7 ( 92.4 - 97.0 )	. ( . - . )	96.8 ( 91.6 - 100.0 )

Health Measures*	Number of Responses	Total % (95% CI)	White % (95% CI)	Hispanic/Latinx % (95% CI)	Black/African American % (95% CI)	Asian % (95% CI)
Percentage of students who provide care for someone in their family or household who is chronically ill, elderly, or disabled with activities they would have difficulty doing on their own one or more days per week	1868	9.7 ( 8.0 - 11.3 )	7.3 ( 6.4 - 8.1 )	17.2 ( 11.4 - 23.0 )	. ( . - . )	15.4 ( 10.8 - 19.9 )
<b>School &amp; Community</b>						
Percentage of students who agree or strongly agree that they belong at their school	1869	75.2 ( 72.3 - 78.2 )	78.1 ( 74.2 - 81.9 )	67.1 ( 63.4 - 70.7 )	. ( . - . )	82.6 ( 77.9 - 87.3 )
Percentage of students who most of the time or always enjoyed being in school over the last year	1870	45.7 ( 44.7 - 46.6 )	45.8 ( 44.7 - 46.9 )	44.2 ( 40.7 - 47.8 )	. ( . - . )	55.5 ( 45.9 - 65.2 )
Percentage of students who skipped one or more whole days of school during the past four weeks	1863	31.6 ( 24.5 - 38.6 )	28.5 ( 21.6 - 35.3 )	44.3 ( 35.0 - 53.5 )	. ( . - . )	24.1 ( 19.8 - 28.5 )
Percentage of students who think most of their classes are fairly, quite, or very interesting	1863	73.2 ( 70.5 - 75.9 )	72.7 ( 70.9 - 74.4 )	73.3 ( 61.8 - 84.9 )	. ( . - . )	88.1 ( 83.9 - 92.4 )
Percentage of students who think the things they are learning in school are going to be important or very important for later in life	1830	59.6 ( 57.0 - 62.2 )	59.2 ( 56.5 - 61.9 )	57.2 ( 49.1 - 65.2 )	. ( . - . )	79.2 ( 74.4 - 84.0 )
Percentage of students who talked to a school counselor about their future plans after high school in the past 12 months	1803	48.5 ( 39.9 - 57.1 )	49.8 ( 42.6 - 57.0 )	37.0 ( 23.0 - 51.1 )	. ( . - . )	68.8 ( 46.7 - 90.9 )
Percentage of students who talked to a teacher about their future plans after high school in the past 12 months	1803	49.1 ( 46.8 - 51.4 )	50.2 ( 48.3 - 52.2 )	45.3 ( 35.3 - 55.3 )	. ( . - . )	53.7 ( 44.2 - 63.2 )
Percentage of students who talked to an administrator about their future plans after high school in the past 12 months	1803	10.2 ( 8.6 - 11.8 )	9.4 ( 7.4 - 11.4 )	12.2 ( 3.6 - 20.8 )	. ( . - . )	10.3 ( 4.9 - 15.7 )
Percentage of students who talked to a coach about their future plans after high school in the past 12 months	1803	17.4 ( 14.0 - 20.9 )	19.0 ( 15.3 - 22.8 )	7.7 ( 3.9 - 11.6 )	. ( . - . )	18.4 ( 10.9 - 25.8 )
Percentage of students who talked to another school staff member (who is not a school counselor, teacher, administrator, or coach) about their future plans after high school in the past 12 months	1803	13.1 ( 10.5 - 15.7 )	13.2 ( 10.1 - 16.3 )	12.9 ( 9.8 - 16.1 )	. ( . - . )	10.8 ( 6.2 - 15.4 )
Percentage of students who usually or definitely feel safe at school	1812	95.0 ( 93.7 - 96.3 )	95.5 ( 94.5 - 96.5 )	92.7 ( 90.1 - 95.2 )	. ( . - . )	. ( . - . )
Percentage of students who usually or definitely think their teacher notices when they do a good job and lets them know about it	1810	68.8 ( 64.9 - 72.8 )	68.8 ( 64.8 - 72.7 )	69.7 ( 64.3 - 75.1 )	. ( . - . )	80.9 ( 72.4 - 89.5 )
Percentage of students who usually or definitely think their school lets their parents or guardians know when they have done something well	1796	42.4 ( 37.5 - 47.3 )	40.8 ( 36.4 - 45.2 )	46.8 ( 39.4 - 54.1 )	. ( . - . )	63.4 ( 51.9 - 74.9 )
Percentage of students who usually or definitely think their grades are better than most students in class	1797	75.7 ( 73.4 - 77.9 )	78.2 ( 74.9 - 81.6 )	65.8 ( 60.9 - 70.8 )	. ( . - . )	79.9 ( 73.3 - 86.5 )
Percentage of students who participated in sports (team or individual) during the past 12 months	1788	56.8 ( 51.6 - 62.0 )	61.5 ( 56.1 - 67.0 )	36.9 ( 24.1 - 49.8 )	. ( . - . )	62.6 ( 51.0 - 74.1 )
Percentage of students who participated in sports, band, drama, clubs, or student government at school during the past 12 months	1788	77.2 ( 72.9 - 81.6 )	82.5 ( 79.4 - 85.7 )	53.4 ( 42.1 - 64.8 )	. ( . - . )	86.6 ( 73.7 - 99.6 )
Percentage of students who had paid employment during the past 12 months	1788	19.7 ( 17.1 - 22.4 )	21.9 ( 19.8 - 23.9 )	11.1 ( 8.1 - 14.2 )	. ( . - . )	18.1 ( 11.3 - 24.8 )
Percentage of students who participated in another activity besides sports, band, drama, clubs, student government, or paid employment during the past 12 months***	1788	20.5 ( 16.2 - 24.9 )	21.2 ( 16.2 - 26.3 )	14.9 ( 8.3 - 21.4 )	. ( . - . )	26.8 ( 19.9 - 33.8 )
Percentage of students who participated in organized community service as a non-paid volunteer during the past 30 days	1789	35.3 ( 28.0 - 42.5 )	37.3 ( 31.4 - 43.3 )	21.7 ( 14.2 - 29.2 )	. ( . - . )	54.1 ( 30.4 - 77.9 )
<b>Other Health Topics</b>						
Percentage of students who usually slept somewhere other than their home during the past 30 days	1787	5.4 ( 3.2 - 7.5 )	5.2 ( 2.7 - 7.6 )	6.2 ( 2.0 - 10.4 )	. ( . - . )	3.6 ( 0.2 - 7.1 )

Health Measures*	Number of Responses	Total % (95% CI)	White % (95% CI)	Hispanic/Latinx % (95% CI)	Black/African American % (95% CI)	Asian % (95% CI)
Percentage of students who sleep 8 or more hours per night on average school nights	1790	36.1 ( 33.9 - 38.3 )	36.8 ( 32.4 - 41.3 )	36.7 ( 28.5 - 45.0 )	. ( . - . )	33.3 ( 29.8 - 36.8 )
Percentage of students who could fire a loaded gun without adult permission in less than one hour	1754	10.8 ( 6.9 - 14.7 )	9.8 ( 6.0 - 13.6 )	12.6 ( 4.6 - 20.6 )	. ( . - . )	10.2 ( 3.5 - 16.9 )
Percentage of students who would be able to get a loaded gun without adult permission in or around their home, from a friend or schoolmate, or from a family member	1721	16.0 ( 12.7 - 19.2 )	16.7 ( 13.1 - 20.4 )	13.2 ( 7.5 - 18.8 )	. ( . - . )	8.0 ( 2.0 - 14.0 )
Percentage of students who have experienced problems with their mouth or teeth in the past 12 months, not including braces or injuries	1668	24.4 ( 22.2 - 26.6 )	23.3 ( 20.0 - 26.6 )	28.6 ( 23.9 - 33.3 )	. ( . - . )	20.0 ( 12.0 - 28.0 )
Percentage of students who had ever been told by a doctor or nurse that they had asthma	1723	16.2 ( 14.7 - 17.6 )	15.9 ( 13.9 - 17.9 )	15.4 ( 11.0 - 19.8 )	. ( . - . )	16.0 ( 12.2 - 19.7 )
Percentage of students who went outdoors to spend time in nature at least once a week during the past 12 months	1732	5.2 ( 4.3 - 6.0 )	4.1 ( 3.0 - 5.3 )	9.3 ( 5.6 - 13.1 )	. ( . - . )	6.8 ( 3.1 - 10.6 )
<b>Extra Questions</b>						
Percentage of students who think people who have five or more drinks of an alcoholic beverage once or twice a week have a moderate or great risk of harming themselves physically or in other ways	1630	75.2 ( 73.1 - 77.4 )	76.0 ( 72.0 - 80.0 )	68.8 ( 61.4 - 76.2 )	. ( . - . )	85.9 ( 75.2 - 96.5 )
Percentage of students who think people who smoke one or more packs of cigarettes per day have a moderate or great risk of harming themselves physically or in other ways	1623	85.3 ( 83.3 - 87.2 )	87.2 ( 84.8 - 89.5 )	76.9 ( 71.9 - 81.9 )	. ( . - . )	90.2 ( 84.0 - 96.4 )
Percentage of students who think people who smoke marijuana once or twice a week have a moderate or great risk of harming themselves physically or in other ways	1615	61.2 ( 58.9 - 63.5 )	60.8 ( 58.6 - 63.0 )	60.4 ( 54.2 - 66.6 )	. ( . - . )	78.0 ( 71.7 - 84.3 )
Percentage of students who think people who use prescription drugs that are not prescribed to them have a moderate or great risk of harming themselves physically or in other ways	1615	87.9 ( 84.9 - 90.8 )	89.7 ( 86.6 - 92.9 )	81.8 ( 75.7 - 88.0 )	. ( . - . )	89.7 ( 84.4 - 95.1 )
Percentage of students who think their parents would feel it is wrong or very wrong if they drank 1 or 2 drinks of an alcoholic beverage nearly every day	1614	94.4 ( 93.2 - 95.7 )	94.3 ( 92.8 - 95.8 )	94.2 ( 91.8 - 96.7 )	. ( . - . )	96.6 ( 93.3 - 100.0 )
Percentage of students who think their parents would feel it is wrong or very wrong for them to smoke tobacco	1604	95.5 ( 94.5 - 96.4 )	95.4 ( 94.4 - 96.5 )	96.4 ( 94.8 - 98.0 )	. ( . - . )	95.3 ( 92.0 - 98.6 )
Percentage of students who think their parents would feel it is wrong or very wrong for them to use prescription drugs not prescribed to them	1604	95.9 ( 94.6 - 97.2 )	96.6 ( 95.3 - 97.9 )	92.9 ( 89.6 - 96.1 )	. ( . - . )	93.9 ( 90.1 - 97.6 )
Percentage of students who think their friends would feel it is wrong or very wrong for them to have one or two alcoholic drinks nearly every day	1603	74.6 ( 71.8 - 77.4 )	73.9 ( 71.7 - 76.1 )	75.9 ( 66.8 - 85.1 )	. ( . - . )	76.9 ( 68.4 - 85.5 )
Percentage of students who think their friends would feel it is wrong or very wrong for them to smoke tobacco	1606	74.8 ( 71.8 - 77.7 )	74.5 ( 70.4 - 78.6 )	77.2 ( 71.4 - 83.0 )	. ( . - . )	80.9 ( 69.7 - 92.1 )
Percentage of students who think their friends would feel it is wrong or very wrong for them to smoke marijuana	1604	57.6 ( 52.7 - 62.5 )	54.2 ( 46.7 - 61.7 )	69.0 ( 57.7 - 80.3 )	. ( . - . )	75.0 ( 65.8 - 84.2 )
Percentage of students who think their friends would feel it is wrong or very wrong to use prescription drugs not prescribed to them	1609	86.7 ( 84.8 - 88.6 )	86.6 ( 85.2 - 88.0 )	86.6 ( 79.8 - 93.4 )	. ( . - . )	85.3 ( 75.4 - 95.2 )
Percentage of students who used prescription drugs not prescribed to them during the past 30 days	1637	2.8 ( 2.2 - 3.3 )	2.5 ( 1.7 - 3.4 )	4.2 ( 2.2 - 6.1 )	. ( . - . )	3.0 ( 0.0 - 6.5 )

\*Data are suppressed, shown by a period (.), if fewer than 3 students responded "yes" to a question or if results represent 0% or 100% of students.

In districts with enrollment over 35, results are suppressed if fewer than 30 students responded to a question. All percentages are rounded to the nearest tenth.

\*\*Items in this column are included in risk and protective factors known to influence multiple youth health outcomes.

\*\*\*Students included in "Another activity" selected this response on the survey and had the option to write in their answer.

## 2023 HKCS RESULTS: HIGH SCHOOL

### Boulder Valley Re 2

In order to make this document more readable, we split the answer options for this table so that White, Hispanic/Latinx, Black/African American, and Asian can be found in another table.

Health Measures*	Number of Responses	Total % (95% CI)	American Indian/Alaska Native % (95% CI)	Native Hawaiian/Other Pacific Islander % (95% CI)	Multiracial % (95% CI)
<b>Safety</b>					
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else	2360	3.1 ( 2.0 - 4.2 )	. ( . - . )	. ( . - . )	4.7 ( 0.5 - 9.0 )
Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been drinking alcohol one or more times	1627	5.0 ( 3.9 - 6.0 )	. ( . - . )	. ( . - . )	7.7 ( 5.9 - 9.6 )
Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been using marijuana one or more times	1624	8.6 ( 6.6 - 10.7 )	. ( . - . )	. ( . - . )	10.2 ( 8.0 - 12.4 )
Among students who drove a car or other vehicle during the past 30 days, the percentage who texted, posted, or used their phone in some other way while driving on one or more of the days	1618	41.2 ( 37.7 - 44.7 )	. ( . - . )	. ( . - . )	39.3 ( 33.9 - 44.7 )
<b>Bullying</b>					
Percentage of students who have ever been bullied on school property during the past 12 months	2286	12.5 ( 10.7 - 14.4 )	. ( . - . )	. ( . - . )	16.7 ( 11.1 - 22.3 )
Among students bullied on school property, the percentage who were bullied in a classroom in the past 12 months	300	50.0 ( 37.4 - 62.5 )	. ( . - . )	. ( . - . )	52.2 ( 38.4 - 66.1 )
Among students bullied on school property, the percentage who were bullied in a hallway or stairwell in the past 12 months	300	39.5 ( 30.7 - 48.3 )	. ( . - . )	. ( . - . )	42.7 ( 31.7 - 53.6 )
Among students bullied on school property, the percentage who were bullied in a locker room or bathroom in the past 12 months	300	18.8 ( 16.7 - 20.9 )	. ( . - . )	. ( . - . )	25.0 ( 17.8 - 32.1 )
Among students bullied on school property, the percentage who were bullied in a cafeteria or lunch room in the past 12 months	300	28.7 ( 23.7 - 33.7 )	. ( . - . )	. ( . - . )	34.9 ( 26.5 - 43.4 )
Among students bullied on school property, the percentage who were bullied on a bus or at a bus stop in the past 12 months	300	10.0 ( 6.2 - 13.8 )	. ( . - . )	. ( . - . )	11.1 ( 6.5 - 15.7 )
Among students bullied on school property, the percentage who were bullied outside before school in the past 12 months	300	14.3 ( 9.8 - 18.9 )	. ( . - . )	. ( . - . )	21.1 ( 10.2 - 32.0 )
Among students bullied on school property, the percentage who were bullied outside after school in the past 12 months	300	26.4 ( 21.6 - 31.1 )	. ( . - . )	. ( . - . )	41.8 ( 24.3 - 59.2 )
Among students bullied on school property, the percentage who were bullied outside during lunch or break in the past 12 months	300	25.3 ( 21.6 - 28.9 )	. ( . - . )	. ( . - . )	32.5 ( 20.7 - 44.4 )
Percentage of students who had ever been electronically bullied during the past 12 months	2353	9.7 ( 8.2 - 11.2 )	. ( . - . )	. ( . - . )	12.2 ( 6.3 - 18.0 )
Among students who were teased in the past 12 months, the percentage who were teased because of sexual orientation	357	27.4 ( 21.6 - 33.1 )	. ( . - . )	. ( . - . )	30.5 ( 18.9 - 42.2 )
Among students who were teased in the past 12 months, the percentage who were teased because of gender identity	357	24.5 ( 20.1 - 28.8 )	. ( . - . )	. ( . - . )	20.5 ( 7.4 - 33.7 )
Among students who were teased in the past 12 months, the percentage who were teased because of religion	357	14.8 ( 10.8 - 18.7 )	. ( . - . )	. ( . - . )	9.4 ( 4.5 - 14.3 )
Among students who were teased in the past 12 months, the percentage who were teased because of disability	357	18.6 ( 15.5 - 21.7 )	. ( . - . )	. ( . - . )	21.6 ( 13.2 - 30.1 )
Among students who were teased in the past 12 months, the percentage who were teased because of physical appearance	357	62.0 ( 55.5 - 68.5 )	. ( . - . )	. ( . - . )	64.6 ( 54.2 - 74.9 )
Among students who were teased in the past 12 months, the percentage who were teased because of race or ethnicity	357	26.5 ( 20.0 - 33.0 )	. ( . - . )	. ( . - . )	50.3 ( 38.7 - 61.9 )
<b>Violence</b>					
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school	2363	8.6 ( 6.7 - 10.6 )	. ( . - . )	. ( . - . )	10.1 ( 3.7 - 16.6 )



Health Measures*	Number of Responses	Total % (95% CI)	American Indian/Alaska Native % (95% CI)	Native Hawaiian/Other Pacific Islander % (95% CI)	Multiracial % (95% CI)
Percentage of students who were in a physical fight one or more times during the past 12 months	2327	10.2 ( 9.1 - 11.3 )	. ( . - . )	. ( . - . )	12.4 ( 7.7 - 17.1 )
Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose one or more times by someone they were dating or going out with	1224	8.9 ( 7.4 - 10.4 )	. ( . - . )	. ( . - . )	9.4 ( 4.4 - 14.3 )
Among students who dated or went out with someone during the past 12 months, the percentage who had been controlled or emotionally hurt by someone they were dating or going out with	1220	18.1 ( 16.4 - 19.9 )	. ( . - . )	. ( . - . )	20.0 ( 11.5 - 28.4 )
<b>Consent/Sexual Violence</b>					
Percentage of students who had a sexual experience where they were unsure if they gave their fully-granted consent to the other person	2320	11.3 ( 9.6 - 12.9 )	. ( . - . )	. ( . - . )	16.5 ( 13.8 - 19.2 )
Percentage of students who had a sexual experience where they were unsure if they received fully-granted consent from the other person	2316	2.6 ( 2.3 - 3.0 )	. ( . - . )	. ( . - . )	4.4 ( 2.8 - 6.0 )
Percentage of students who had a revealing or sexual photo or video of themselves texted, e-mailed, or posted electronically without their permission in the past 12 months	2323	4.5 ( 3.5 - 5.4 )	. ( . - . )	. ( . - . )	4.8 ( 3.8 - 5.8 )
Percentage of students who have made sexual comments, jokes, gestures or looks at someone when unwanted	2317	5.9 ( 4.6 - 7.1 )	. ( . - . )	. ( . - . )	5.9 ( 3.9 - 7.9 )
Percentage of students who touched, grabbed or pinched someone in a sexual way when unwanted	2317	2.8 ( 2.0 - 3.6 )	. ( . - . )	. ( . - . )	4.2 ( 2.4 - 6.1 )
Percentage of students who have ever had sex while under the influence of alcohol or drugs	2308	10.2 ( 7.3 - 13.0 )	. ( . - . )	. ( . - . )	12.7 ( 8.2 - 17.2 )
Percentage of students who have ever been physically forced to have sex when they did not want to	2310	3.6 ( 2.9 - 4.4 )	. ( . - . )	. ( . - . )	4.4 ( 2.6 - 6.1 )
<b>Mental Health</b>					
Percentage of students who agree or strongly agree their stress level is manageable most days	2329	57.5 ( 54.9 - 60.0 )	. ( . - . )	. ( . - . )	54.3 ( 51.3 - 57.3 )
Percentage of students who most of the time or always had poor mental health during the past 30 days	2317	28.9 ( 27.7 - 30.1 )	. ( . - . )	. ( . - . )	31.6 ( 28.0 - 35.2 )
Percentage of students who purposefully hurt themselves without wanting to die in the past 12 months	2290	14.7 ( 12.9 - 16.5 )	. ( . - . )	. ( . - . )	18.4 ( 15.8 - 20.9 )
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row during the past 12 months that they stopped doing some usual activities	2297	23.4 ( 22.1 - 24.6 )	. ( . - . )	. ( . - . )	26.0 ( 24.2 - 27.8 )
Percentage of students who seriously considered attempting suicide during the past 12 months	2285	11.6 ( 10.6 - 12.6 )	. ( . - . )	. ( . - . )	11.3 ( 8.2 - 14.4 )
Percentage of students who made a plan about how they would attempt suicide during the past 12 months	2275	9.6 ( 8.5 - 10.7 )	. ( . - . )	. ( . - . )	9.1 ( 5.4 - 12.8 )
Percentage of students who attempted suicide one or more times during the past 12 months	2282	4.5 ( 4.0 - 5.1 )	. ( . - . )	. ( . - . )	3.0 ( 0.4 - 5.5 )
Percentage of students who have an adult to go to for help with a serious problem	2279	77.9 ( 77.2 - 78.7 )	. ( . - . )	. ( . - . )	74.7 ( 70.7 - 78.8 )
Percentage of students who most of the time or always could talk to a friend about feelings during their life	2278	59.7 ( 56.3 - 63.1 )	. ( . - . )	. ( . - . )	60.8 ( 56.2 - 65.3 )
Percentage of students who had a friend tell them they had thoughts of suicide one or more times during the past 12 months	2259	31.8 ( 30.0 - 33.6 )	. ( . - . )	. ( . - . )	32.1 ( 29.2 - 34.9 )
Percentage of students who would tell their parents or guardians if they were concerned about their own or someone else's well-being or mental health	2189	56.8 ( 55.5 - 58.2 )	. ( . - . )	. ( . - . )	56.9 ( 50.6 - 63.2 )
Percentage of students who would tell another trusted adult (who is not their parents or guardians) if they were concerned about their own or someone else's well-being or mental health	2189	51.3 ( 49.3 - 53.4 )	. ( . - . )	. ( . - . )	48.8 ( 43.1 - 54.5 )
Percentage of students who would tell a friend if they were concerned about their own or someone else's well-being or mental health	2189	45.1 ( 41.7 - 48.5 )	. ( . - . )	. ( . - . )	48.0 ( 41.3 - 54.7 )
Percentage of students who would submit an anonymous report through their school's safety reporting system if they were concerned about their own or someone else's well-being or mental health	2189	28.3 ( 25.5 - 31.1 )	. ( . - . )	. ( . - . )	26.3 ( 21.8 - 30.8 )

Health Measures*	Number of Responses	Total % (95% CI)	American Indian/Alaska Native % (95% CI)	Native Hawaiian/Other Pacific Islander % (95% CI)	Multiracial % (95% CI)
Percentage of students who would contact a crisis line if they were concerned about their own or someone else's well-being or mental health	2189	26.1 ( 23.4 - 28.8 )	. ( . - . )	. ( . - . )	25.7 ( 20.9 - 30.4 )
Percentage of students who have ever experienced the death of a family member or close friend	2276	69.1 ( 65.2 - 73.0 )	. ( . - . )	. ( . - . )	67.8 ( 58.7 - 77.0 )
<b>Racism</b>					
Percentage who were treated badly or unfairly in school because of their race or ethnicity in the past 12 months	2155	3.8 ( 3.0 - 4.7 )	. ( . - . )	. ( . - . )	11.1 ( 6.7 - 15.4 )
Percentage who were watched closely or followed by security guards or store clerks at a store or mall because of their race or ethnicity in the past 12 months	2155	3.4 ( 3.0 - 3.8 )	. ( . - . )	. ( . - . )	7.7 ( 5.6 - 9.9 )
Percentage who were assumed less intelligent because of their race or ethnicity in the past 12 months	2155	5.1 ( 4.1 - 6.0 )	. ( . - . )	. ( . - . )	7.5 ( 4.9 - 10.0 )
Percentage who saw family members treated unfairly because of their race or ethnicity in the past 12 months	2155	6.5 ( 5.1 - 7.8 )	. ( . - . )	. ( . - . )	14.9 ( 10.4 - 19.3 )
<b>Alcohol</b>					
Percentage of students who have ever had a drink of alcohol other than a few sips	2164	50.8 ( 45.5 - 56.1 )	. ( . - . )	. ( . - . )	50.7 ( 43.5 - 57.9 )
Percentage of students who had their first drink of alcohol, other than a few sips, before age 13	2164	12.2 ( 8.9 - 15.5 )	. ( . - . )	. ( . - . )	12.9 ( 10.7 - 15.1 )
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days	2177	27.6 ( 22.5 - 32.7 )	. ( . - . )	. ( . - . )	27.8 ( 23.7 - 31.9 )
Percentage of students who binge drank (4+ drinks, within a couple of hours) on one or more of the past 30 days	2168	17.8 ( 11.9 - 23.7 )	. ( . - . )	. ( . - . )	16.9 ( 14.0 - 19.8 )
Percentage of students who feel it would be sort of easy or very easy to get alcohol if they wanted	2131	60.3 ( 57.7 - 62.9 )	. ( . - . )	. ( . - . )	63.1 ( 56.1 - 70.1 )
Percentage of students who think it is wrong or very wrong for someone of the same age to drink alcohol regularly (at least once or twice per month)	2191	58.7 ( 51.8 - 65.5 )	. ( . - . )	. ( . - . )	54.8 ( 46.6 - 62.9 )
Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they drank alcohol regularly (at least once or twice per month)	2186	78.7 ( 73.8 - 83.7 )	. ( . - . )	. ( . - . )	79.1 ( 75.0 - 83.2 )
Percentage of students who thought 5 or more out of every 10 students in their grade had four or more drinks on at least one day in the past 30 days	2167	42.9 ( 35.9 - 49.9 )	. ( . - . )	. ( . - . )	43.3 ( 37.3 - 49.3 )
<b>Tobacco</b>					
Percentage of students who have ever smoked a cigarette, even one or two puffs	2171	17.1 ( 12.2 - 22.0 )	. ( . - . )	. ( . - . )	20.3 ( 15.5 - 25.1 )
Percentage of students who smoked a cigarette, even one or two puffs, for the first time before age 13	2171	3.8 ( 2.4 - 5.2 )	. ( . - . )	. ( . - . )	5.4 ( 3.9 - 6.9 )
Percentage of students who smoked cigarettes on one or more of the past 30 days	2171	5.3 ( 3.0 - 7.5 )	. ( . - . )	. ( . - . )	5.5 ( 1.2 - 9.9 )
Among students who smoked in the past 30 days, the percentage who smoked menthol cigarettes	108	26.7 ( 3.1 - 50.3 )	. ( . - . )	. ( . - . )	. ( . - . )
Percentage of students who have used cigars, chewing tobacco, hookah, pipe, or bidis in the past 30 days	2093	4.0 ( 2.4 - 5.6 )	. ( . - . )	. ( . - . )	5.4 ( 2.1 - 8.7 )
Percentage of students who think it would be sort of easy or very easy to get cigarettes if they wanted	2154	38.6 ( 33.3 - 43.9 )	. ( . - . )	. ( . - . )	41.5 ( 37.1 - 45.8 )
Percentage of students who have ever used an electronic vapor product	2148	27.5 ( 22.4 - 32.6 )	. ( . - . )	. ( . - . )	31.3 ( 24.5 - 38.1 )
Percentage of students who had used an electronic vapor product before age 13	2148	6.0 ( 4.2 - 7.8 )	. ( . - . )	. ( . - . )	9.4 ( 4.9 - 13.9 )
Percentage of students who used an electronic vapor product in the past 30 days	2081	9.0 ( 6.9 - 11.1 )	. ( . - . )	. ( . - . )	12.0 ( 9.2 - 14.9 )

Health Measures*	Number of Responses	Total % (95% CI)	American Indian/Alaska Native % (95% CI)	Native Hawaiian/Other Pacific Islander % (95% CI)	Multiracial % (95% CI)
Percentage of students who feel it would be sort of easy or very easy to get electronic vapor products if they wanted	2152	57.4 ( 55.3 - 59.5 )	. ( . - . )	. ( . - . )	62.2 ( 58.0 - 66.4 )
Percentage of students who think it is wrong or very wrong for someone of the same age to use electronic vapor products	2196	74.3 ( 71.9 - 76.7 )	. ( . - . )	. ( . - . )	72.6 ( 69.5 - 75.8 )
Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they used electronic vapor products	2188	95.4 ( 94.5 - 96.3 )	. ( . - . )	. ( . - . )	96.0 ( 94.6 - 97.5 )
Among students who have used electronic vapor products, the percentage who used them because a friend or family member used them	511	55.7 ( 47.5 - 63.9 )	. ( . - . )	. ( . - . )	56.2 ( 41.4 - 71.0 )
Among students who have used electronic vapor products, the percentage who used them because they were trying to quit other tobacco products	511	3.7 ( 1.7 - 5.7 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students who have used electronic vapor products, the percentage who used them because they cost less than other tobacco products	511	4.6 ( 3.2 - 5.9 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students who have used electronic vapor products, the percentage who used them because it is easier to get them than other tobacco products	511	12.0 ( 8.9 - 15.1 )	. ( . - . )	. ( . - . )	18.0 ( 14.1 - 21.9 )
Among students who have used electronic vapor products, the percentage who used them because they are less harmful than other tobacco products	511	10.4 ( 7.6 - 13.3 )	. ( . - . )	. ( . - . )	10.3 ( 4.1 - 16.5 )
Among students who have used electronic vapor products, the percentage who used them because they are available in flavors	511	16.4 ( 14.7 - 18.2 )	. ( . - . )	. ( . - . )	18.6 ( 9.1 - 28.1 )
Among students who have used electronic vapor products, the percentage who used them because they can be used in areas where other tobacco products are not allowed	511	10.7 ( 8.5 - 12.8 )	. ( . - . )	. ( . - . )	9.5 ( 2.7 - 16.3 )
Among students who use electronic vapor products, the percentage who most of the time or always reach for them without thinking about it	556	10.5 ( 8.7 - 12.3 )	. ( . - . )	. ( . - . )	17.4 ( 7.2 - 27.6 )
Percentage of students who probably or definitely will use an electronic vapor product if one of their best friends offers it	2127	15.1 ( 13.1 - 17.1 )	. ( . - . )	. ( . - . )	18.8 ( 16.9 - 20.8 )
Percentage of students who think people who use electronic vapor products every day have a moderate or great risk of harm	2111	83.2 ( 80.7 - 85.8 )	. ( . - . )	. ( . - . )	84.8 ( 79.4 - 90.2 )
Percentage of students who have seen or heard ads for electronic vapor products in the past 30 days	2072	63.2 ( 59.6 - 66.8 )	. ( . - . )	. ( . - . )	71.3 ( 66.2 - 76.5 )
Among those underage students who tried to buy tobacco or vaping products in a store, the percentage who were not refused because of age	140	87.1 ( 82.8 - 91.4 )	. ( . - . )	. ( . - . )	. ( . - . )
Among underage students who used tobacco products in the past 30 days, the percentage who bought them over the internet	166	7.8 ( 3.9 - 11.7 )	. ( . - . )	. ( . - . )	. ( . - . )
Among underage students who used tobacco products in the past 30 days, the percentage who bought them through the mail	166	3.1 ( 0.6 - 5.6 )	. ( . - . )	. ( . - . )	. ( . - . )
Among underage students who used tobacco products in the past 30 days, the percentage who bought them from a gas station, convenience store, grocery store, or drug store	166	18.3 ( 13.4 - 23.2 )	. ( . - . )	. ( . - . )	11.1 ( 5.1 - 17.1 )
Among students who reported current tobacco use, the percentage who ever tried to quit using all tobacco products during the past 12 months	183	46.0 ( 41.6 - 50.4 )	. ( . - . )	. ( . - . )	30.1 ( 5.1 - 55.1 )
Percentage of students who think breathing secondhand vapor has a moderate or great risk	2039	61.8 ( 59.5 - 64.0 )	. ( . - . )	. ( . - . )	65.6 ( 59.8 - 71.4 )
Percentage of students who were inside their home while someone was smoking a cigarette, cigar, pipe, or using an electronic vapor product for one or more days in the past 7 days	2044	12.9 ( 10.3 - 15.6 )	. ( . - . )	. ( . - . )	12.0 ( 6.1 - 17.9 )
<b>Marijuana</b>					
Percentage of students who have ever tried marijuana	2062	29.0 ( 22.1 - 35.9 )	. ( . - . )	. ( . - . )	32.7 ( 25.0 - 40.4 )
Percentage of students who tried marijuana for the first time before age 13	2062	4.6 ( 3.7 - 5.4 )	. ( . - . )	. ( . - . )	7.1 ( 5.2 - 8.9 )
Percentage of students who used marijuana one or more times during the past 30 days	2023	16.9 ( 12.4 - 21.4 )	. ( . - . )	. ( . - . )	16.9 ( 13.2 - 20.7 )
Percentage of students who feel it would be sort of easy or very easy to get marijuana if they wanted	2112	48.3 ( 44.5 - 52.0 )	. ( . - . )	. ( . - . )	50.8 ( 44.6 - 57.0 )

Health Measures*	Number of Responses	Total % (95% CI)	American Indian/Alaska Native % (95% CI)	Native Hawaiian/Other Pacific Islander % (95% CI)	Multiracial % (95% CI)
Percentage of students who think it is wrong or very wrong for someone of the same age to use marijuana	2192	61.0 ( 55.0 - 66.9 )	. ( . - . )	. ( . - . )	56.2 ( 47.8 - 64.5 )
Percentage of students who think their parents or guardians feel it is wrong or very wrong if they used marijuana	2181	86.1 ( 84.0 - 88.2 )	. ( . - . )	. ( . - . )	86.6 ( 83.3 - 89.8 )
Percentage of students who thought 5 or more out of every 10 students in their grade used marijuana in the past 30 days	2169	44.7 ( 40.8 - 48.7 )	. ( . - . )	. ( . - . )	43.9 ( 37.2 - 50.5 )
Among students who used marijuana in the past 30 days, the percentage who smoked it	328	72.0 ( 67.5 - 76.4 )	. ( . - . )	. ( . - . )	71.6 ( 58.8 - 84.3 )
Among students who used marijuana in the past 30 days, the percentage who ate it	328	37.8 ( 33.7 - 41.9 )	. ( . - . )	. ( . - . )	47.4 ( 30.1 - 64.7 )
Among students who used marijuana in the past 30 days, the percentage who vaporized it	328	45.5 ( 40.2 - 50.7 )	. ( . - . )	. ( . - . )	52.0 ( 31.5 - 72.6 )
Among students who used marijuana in the past 30 days, the percentage who dabbed it	328	29.7 ( 22.6 - 36.8 )	. ( . - . )	. ( . - . )	33.4 ( 23.6 - 43.1 )
Among students who used marijuana in the past 30 days, the percentage who usually smoked it	320	50.4 ( 45.6 - 55.3 )	. ( . - . )	. ( . - . )	49.2 ( 40.7 - 57.6 )
Among students who used marijuana in the past 30 days, the percentage who usually got it from an adult over the age of 21	307	20.4 ( 14.6 - 26.2 )	. ( . - . )	. ( . - . )	19.9 ( 12.3 - 27.5 )
Percentage of students who used THC concentrates, hash oil, or waxes one or more times during the past 30 days	2042	8.3 ( 6.7 - 9.9 )	. ( . - . )	. ( . - . )	10.8 ( 7.5 - 14.2 )
<b>Prescription Pain Medication</b>					
Percentage of students who have ever used prescription pain medicine not prescribed to them or differently than how a doctor told them to use it	2032	6.6 ( 6.1 - 7.1 )	. ( . - . )	. ( . - . )	8.1 ( 4.6 - 11.6 )
Percentage of students who used prescription pain medicine not prescribed to them or differently than how a doctor told them to use it for the first time before age 13	2032	2.6 ( 1.9 - 3.3 )	. ( . - . )	. ( . - . )	2.7 ( 0.6 - 4.7 )
Percentage of students who took prescription pain medicine not prescribed to them or differently than how a doctor told them to use it one or more times in the past 30 days	2041	2.5 ( 2.0 - 3.0 )	. ( . - . )	. ( . - . )	3.5 ( 0.4 - 6.6 )
Percentage of students who feel it would be sort of easy or very easy to get prescription pain medicine not prescribed to them	2146	25.1 ( 23.4 - 26.9 )	. ( . - . )	. ( . - . )	25.2 ( 16.6 - 33.9 )
Percentage of students who think it is wrong or very wrong for someone of the same age to use prescription pain medicine without a doctor's prescription	2194	88.8 ( 87.6 - 89.9 )	. ( . - . )	. ( . - . )	85.5 ( 81.2 - 89.7 )
<b>Other Drugs</b>					
Percentage of students who have ever used stimulants not prescribed to them or differently than prescribed	1988	5.2 ( 3.7 - 6.6 )	. ( . - . )	. ( . - . )	8.2 ( 4.7 - 11.8 )
Percentage of students who have ever used cocaine	1988	2.0 ( 1.2 - 2.9 )	. ( . - . )	. ( . - . )	2.1 ( 0.6 - 3.6 )
Percentage of students who have ever sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high	1988	2.4 ( 1.6 - 3.3 )	. ( . - . )	. ( . - . )	4.2 ( 1.8 - 6.6 )
Percentage of students who have ever used heroin	1988	0.9 ( 0.4 - 1.3 )	. ( . - . )	. ( . - . )	1.1 ( 0.3 - 2.0 )
Percentage of students who have ever used methamphetamines	1988	0.7 ( 0.3 - 1.2 )	. ( . - . )	. ( . - . )	. ( . - . )
Percentage of students who have ever used ecstasy	1988	1.7 ( 1.3 - 2.1 )	. ( . - . )	. ( . - . )	3.6 ( 2.6 - 4.6 )
Percentage of students who have ever used psychedelics	1988	6.4 ( 3.8 - 9.0 )	. ( . - . )	. ( . - . )	7.5 ( 4.4 - 10.5 )
Percentage of students who have ever used fentanyl	1988	0.8 ( 0.3 - 1.2 )	. ( . - . )	. ( . - . )	1.1 ( 0.0 - 2.4 )
Percentage of students who have ever used kratom	1988	1.0 ( 0.4 - 1.6 )	. ( . - . )	. ( . - . )	. ( . - . )

Health Measures*	Number of Responses	Total % (95% CI)	American Indian/Alaska Native % (95% CI)	Native Hawaiian/Other Pacific Islander % (95% CI)	Multiracial % (95% CI)
Percentage of students who have ever used hemp-derived, intoxicating cannabinoid products like Delta-8 and Delta-10 THC	1988	5.1 ( 4.3 - 6.0 )	. ( . - . )	. ( . - . )	7.8 ( 4.2 - 11.4 )
<b>Sexual Health</b>					
Percentage of students who have ever had consensual sex	1993	25.1 ( 21.4 - 28.9 )	. ( . - . )	. ( . - . )	30.9 ( 22.7 - 39.0 )
Percentage of students who had consensual sex in the last three months	1993	16.8 ( 14.3 - 19.3 )	. ( . - . )	. ( . - . )	18.1 ( 13.3 - 22.9 )
Among students who had consensual sex during the past three months, the percentage who used a condom or their partner used a condom the last time they had consensual sex	314	65.6 ( 60.7 - 70.5 )	. ( . - . )	. ( . - . )	61.7 ( 47.4 - 76.0 )
Among students who had consensual sex during the past three months, the percentage who used or their partner used any method of contraception the last time they had consensual sex	314	87.6 ( 84.8 - 90.4 )	. ( . - . )	. ( . - . )	84.4 ( 76.9 - 91.9 )
<b>Nutrition</b>					
Percentage of students who ate fruit one or more times per day in the past 7 days	2011	53.9 ( 50.5 - 57.3 )	. ( . - . )	. ( . - . )	56.5 ( 51.9 - 61.2 )
Percentage of students who ate vegetables such as green salad, potatoes, carrots, or other vegetables one or more times per day in the past 7 days	1988	57.9 ( 53.3 - 62.5 )	. ( . - . )	. ( . - . )	61.1 ( 50.2 - 71.9 )
Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day in the past 7 days	2002	14.0 ( 9.5 - 18.4 )	. ( . - . )	. ( . - . )	16.8 ( 8.8 - 24.7 )
Percentage of students who drank a sports drink, energy drink, or other sweetened beverage one or more times in the past 7 days	1955	63.0 ( 58.3 - 67.8 )	. ( . - . )	. ( . - . )	61.0 ( 55.1 - 67.0 )
Percentage of students who ate breakfast on all of the past 7 days	1985	39.4 ( 37.6 - 41.1 )	. ( . - . )	. ( . - . )	38.7 ( 31.2 - 46.2 )
Percentage of students who sometimes, most of the time, or always went hungry in the past 30 days because of a lack of food at home	1983	8.3 ( 6.2 - 10.3 )	. ( . - . )	. ( . - . )	10.6 ( 4.5 - 16.7 )
<b>Physical Activity</b>					
Percentage of students who were physically active for a total of at least 60 minutes per day on 5 or more of the past 7 days	1952	55.6 ( 52.1 - 59.1 )	. ( . - . )	. ( . - . )	57.6 ( 52.1 - 63.0 )
Percentage of students who spent 3+ hours in front of a TV, computer, smart phone, or other electronic device for something other than schoolwork	1934	68.6 ( 66.6 - 70.6 )	. ( . - . )	. ( . - . )	68.3 ( 66.0 - 70.6 )
Percentage of students who could walk or ride a bike, scooter, or skateboard to school if they wanted to	1959	56.0 ( 52.2 - 59.9 )	. ( . - . )	. ( . - . )	59.3 ( 54.1 - 64.6 )
Percentage of students who had a concussion in the past 12 months from playing sports or being physically active	1948	15.8 ( 13.6 - 17.9 )	. ( . - . )	. ( . - . )	14.0 ( 11.8 - 16.2 )
<b>Body Image &amp; Eating Disorders</b>					
Percentage of students who most of the time or always felt confident with their body image during the past 30 days	1905	47.8 ( 44.8 - 50.9 )	. ( . - . )	. ( . - . )	44.7 ( 37.7 - 51.6 )
Percentage of students who most of the time or always worried about their physical appearance more than they wanted to during the past 30 days	1891	38.4 ( 37.1 - 39.7 )	. ( . - . )	. ( . - . )	39.9 ( 34.3 - 45.6 )
Percentage of students who tried to lose weight or keep from gaining weight by going without eating for 24 hours or more; taking any diet pills, powders, or liquids; vomiting or taking laxatives; or skipping meals during the past 30 days	1893	19.2 ( 17.6 - 20.9 )	. ( . - . )	. ( . - . )	20.7 ( 17.5 - 23.9 )
<b>Home Life</b>					
Percentage of students who usually or definitely feel the rules in their family are clear	1884	92.5 ( 91.7 - 93.3 )	. ( . - . )	. ( . - . )	91.1 ( 88.9 - 93.3 )
Percentage of students who usually or definitely could ask their parents or guardians for help with a personal problem	1881	87.2 ( 85.7 - 88.7 )	. ( . - . )	. ( . - . )	86.0 ( 78.2 - 93.9 )
Percentage of students who usually or definitely have parents or guardians who ask if their homework is done	1850	77.0 ( 71.7 - 82.3 )	. ( . - . )	. ( . - . )	72.4 ( 67.4 - 77.4 )

Health Measures*	Number of Responses	Total % (95% CI)	American Indian/Alaska Native % (95% CI)	Native Hawaiian/Other Pacific Islander % (95% CI)	Multiracial % (95% CI)
Percentage of students who usually or definitely have chances to do fun things with their parents or guardians	1857	83.2 ( 80.4 - 86.0 )	. ( . - . )	. ( . - . )	83.6 ( 78.3 - 88.9 )
Percentage of students who usually or definitely have parents or guardians who ask them what they think before most family decisions	1853	74.4 ( 72.3 - 76.5 )	. ( . - . )	. ( . - . )	73.5 ( 67.4 - 79.5 )
Percentage of students who usually or definitely think they would be caught by their parents or guardians for skipping school	1867	89.8 ( 88.5 - 91.1 )	. ( . - . )	. ( . - . )	90.8 ( 87.0 - 94.5 )
Percentage of students who usually or definitely feel safe in their neighborhood	1875	97.2 ( 96.6 - 97.9 )	. ( . - . )	. ( . - . )	97.2 ( 95.2 - 99.2 )
Percentage of students who provide care for someone in their family or household who is chronically ill, elderly, or disabled with activities they would have difficulty doing on their own one or more days per week	1868	9.7 ( 8.0 - 11.3 )	. ( . - . )	. ( . - . )	12.0 ( 9.9 - 14.0 )
<b>School &amp; Community</b>					
Percentage of students who agree or strongly agree that they belong at their school	1869	75.2 ( 72.3 - 78.2 )	. ( . - . )	. ( . - . )	66.9 ( 62.2 - 71.5 )
Percentage of students who most of the time or always enjoyed being in school over the last year	1870	45.7 ( 44.7 - 46.6 )	. ( . - . )	. ( . - . )	44.3 ( 42.3 - 46.4 )
Percentage of students who skipped one or more whole days of school during the past four weeks	1863	31.6 ( 24.5 - 38.6 )	. ( . - . )	. ( . - . )	33.0 ( 29.2 - 36.8 )
Percentage of students who think most of their classes are fairly, quite, or very interesting	1863	73.2 ( 70.5 - 75.9 )	. ( . - . )	. ( . - . )	69.1 ( 66.7 - 71.5 )
Percentage of students who think the things they are learning in school are going to be important or very important for later in life	1830	59.6 ( 57.0 - 62.2 )	. ( . - . )	. ( . - . )	60.9 ( 53.9 - 67.9 )
Percentage of students who talked to a school counselor about their future plans after high school in the past 12 months	1803	48.5 ( 39.9 - 57.1 )	. ( . - . )	. ( . - . )	54.1 ( 45.6 - 62.5 )
Percentage of students who talked to a teacher about their future plans after high school in the past 12 months	1803	49.1 ( 46.8 - 51.4 )	. ( . - . )	. ( . - . )	48.7 ( 42.7 - 54.6 )
Percentage of students who talked to an administrator about their future plans after high school in the past 12 months	1803	10.2 ( 8.6 - 11.8 )	. ( . - . )	. ( . - . )	12.4 ( 9.4 - 15.3 )
Percentage of students who talked to a coach about their future plans after high school in the past 12 months	1803	17.4 ( 14.0 - 20.9 )	. ( . - . )	. ( . - . )	22.6 ( 15.6 - 29.7 )
Percentage of students who talked to another school staff member (who is not a school counselor, teacher, administrator, or coach) about their future plans after high school in the past 12 months	1803	13.1 ( 10.5 - 15.7 )	. ( . - . )	. ( . - . )	14.1 ( 9.6 - 18.6 )
Percentage of students who usually or definitely feel safe at school	1812	95.0 ( 93.7 - 96.3 )	. ( . - . )	. ( . - . )	94.1 ( 90.9 - 97.3 )
Percentage of students who usually or definitely think their teacher notices when they do a good job and lets them know about it	1810	68.8 ( 64.9 - 72.8 )	. ( . - . )	. ( . - . )	62.6 ( 57.8 - 67.4 )
Percentage of students who usually or definitely think their school lets their parents or guardians know when they have done something well	1796	42.4 ( 37.5 - 47.3 )	. ( . - . )	. ( . - . )	40.2 ( 35.6 - 44.8 )
Percentage of students who usually or definitely think their grades are better than most students in class	1797	75.7 ( 73.4 - 77.9 )	. ( . - . )	. ( . - . )	75.9 ( 69.2 - 82.6 )
Percentage of students who participated in sports (team or individual) during the past 12 months	1788	56.8 ( 51.6 - 62.0 )	. ( . - . )	. ( . - . )	55.2 ( 46.9 - 63.5 )
Percentage of students who participated in sports, band, drama, clubs, or student government at school during the past 12 months	1788	77.2 ( 72.9 - 81.6 )	. ( . - . )	. ( . - . )	79.0 ( 68.5 - 89.5 )
Percentage of students who had paid employment during the past 12 months	1788	19.7 ( 17.1 - 22.4 )	. ( . - . )	. ( . - . )	22.4 ( 14.4 - 30.3 )
Percentage of students who participated in another activity besides sports, band, drama, clubs, student government, or paid employment during the past 12 months***	1788	20.5 ( 16.2 - 24.9 )	. ( . - . )	. ( . - . )	23.1 ( 13.3 - 32.8 )
Percentage of students who participated in organized community service as a non-paid volunteer during the past 30 days	1789	35.3 ( 28.0 - 42.5 )	. ( . - . )	. ( . - . )	37.7 ( 30.0 - 45.3 )
<b>Other Health Topics</b>					

Health Measures*	Number of Responses	Total % (95% CI)	American Indian/Alaska Native % (95% CI)	Native Hawaiian/Other Pacific Islander % (95% CI)	Multiracial % (95% CI)
Percentage of students who usually slept somewhere other than their home during the past 30 days	1787	5.4 ( 3.2 - 7.5 )	. ( . - . )	. ( . - . )	3.9 ( 1.4 - 6.4 )
Percentage of students who sleep 8 or more hours per night on average school nights	1790	36.1 ( 33.9 - 38.3 )	. ( . - . )	. ( . - . )	30.4 ( 26.0 - 34.9 )
Percentage of students who could fire a loaded gun without adult permission in less than one hour	1754	10.8 ( 6.9 - 14.7 )	. ( . - . )	. ( . - . )	15.0 ( 9.2 - 20.8 )
Percentage of students who would be able to get a loaded gun without adult permission in or around their home, from a friend or schoolmate, or from a family member	1721	16.0 ( 12.7 - 19.2 )	. ( . - . )	. ( . - . )	18.2 ( 13.6 - 22.7 )
Percentage of students who have experienced problems with their mouth or teeth in the past 12 months, not including braces or injuries	1668	24.4 ( 22.2 - 26.6 )	. ( . - . )	. ( . - . )	27.2 ( 20.1 - 34.3 )
Percentage of students who had ever been told by a doctor or nurse that they had asthma	1723	16.2 ( 14.7 - 17.6 )	. ( . - . )	. ( . - . )	18.6 ( 17.0 - 20.3 )
Percentage of students who went outdoors to spend time in nature at least once a week during the past 12 months	1732	5.2 ( 4.3 - 6.0 )	. ( . - . )	. ( . - . )	3.4 ( 0.7 - 6.1 )
<b>Extra Questions</b>					
Percentage of students who think people who have five or more drinks of an alcoholic beverage once or twice a week have a moderate or great risk of harming themselves physically or in other ways	1630	75.2 ( 73.1 - 77.4 )	. ( . - . )	. ( . - . )	76.7 ( 68.8 - 84.7 )
Percentage of students who think people who smoke one or more packs of cigarettes per day have a moderate or great risk of harming themselves physically or in other ways	1623	85.3 ( 83.3 - 87.2 )	. ( . - . )	. ( . - . )	87.8 ( 82.0 - 93.6 )
Percentage of students who think people who smoke marijuana once or twice a week have a moderate or great risk of harming themselves physically or in other ways	1615	61.2 ( 58.9 - 63.5 )	. ( . - . )	. ( . - . )	59.8 ( 50.5 - 69.1 )
Percentage of students who think people who use prescription drugs that are not prescribed to them have a moderate or great risk of harming themselves physically or in other ways	1615	87.9 ( 84.9 - 90.8 )	. ( . - . )	. ( . - . )	86.0 ( 78.6 - 93.4 )
Percentage of students who think their parents would feel it is wrong or very wrong if they drank 1 or 2 drinks of an alcoholic beverage nearly every day	1614	94.4 ( 93.2 - 95.7 )	. ( . - . )	. ( . - . )	95.8 ( 92.3 - 99.2 )
Percentage of students who think their parents would feel it is wrong or very wrong for them to smoke tobacco	1604	95.5 ( 94.5 - 96.4 )	. ( . - . )	. ( . - . )	94.8 ( 91.6 - 98.0 )
Percentage of students who think their parents would feel it is wrong or very wrong for them to use prescription drugs not prescribed to them	1604	95.9 ( 94.6 - 97.2 )	. ( . - . )	. ( . - . )	98.2 ( 95.7 - 100.0 )
Percentage of students who think their friends would feel it is wrong or very wrong for them to have one or two alcoholic drinks nearly every day	1603	74.6 ( 71.8 - 77.4 )	. ( . - . )	. ( . - . )	77.9 ( 71.7 - 84.0 )
Percentage of students who think their friends would feel it is wrong or very wrong for them to smoke tobacco	1606	74.8 ( 71.8 - 77.7 )	. ( . - . )	. ( . - . )	72.4 ( 69.1 - 75.6 )
Percentage of students who think their friends would feel it is wrong or very wrong for them to smoke marijuana	1604	57.6 ( 52.7 - 62.5 )	. ( . - . )	. ( . - . )	52.9 ( 43.7 - 62.0 )
Percentage of students who think their friends would feel it is wrong or very wrong to use prescription drugs not prescribed to them	1609	86.7 ( 84.8 - 88.6 )	. ( . - . )	. ( . - . )	88.2 ( 83.3 - 93.2 )
Percentage of students who used prescription drugs not prescribed to them during the past 30 days	1637	2.8 ( 2.2 - 3.3 )	. ( . - . )	. ( . - . )	. ( . - . )

\*Data are suppressed, shown by a period (.), if fewer than 3 students responded "yes" to a question or if results represent 0% or 100% of students.

In districts with enrollment over 35, results are suppressed if fewer than 30 students responded to a question. All percentages are rounded to the nearest tenth.

\*\*Items in this column are included in risk and protective factors known to influence multiple youth health outcomes.

\*\*\*Students included in "Another activity" selected this response on the survey and had the option to write in their answer.

## 2023 HKCS RESULTS: HIGH SCHOOL

### Boulder Valley Re 2

Health Measures*	Number of Responses	Total % (95% CI)	Straight % (95% CI)	Bisexual % (95% CI)	Gay/Lesbian % (95% CI)	Not Sure % (95% CI)
<b>Safety</b>						
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else	2360	3.1 ( 2.0 - 4.2 )	3.2 ( 2.1 - 4.3 )	2.5 ( 0.9 - 4.1 )	6.1 ( 3.9 - 8.3 )	2.9 ( 0.0 - 6.9 )
Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been drinking alcohol one or more times	1627	5.0 ( 3.9 - 6.0 )	5.0 ( 4.2 - 5.9 )	5.3 ( 2.8 - 7.8 )	. ( . - . )	. ( . - . )
Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been using marijuana one or more times	1624	8.6 ( 6.6 - 10.7 )	8.2 ( 6.2 - 10.3 )	14.1 ( 7.6 - 20.6 )	11.3 ( 4.7 - 17.8 )	. ( . - . )
Among students who drove a car or other vehicle during the past 30 days, the percentage who texted, posted, or used their phone in some other way while driving on one or more of the days	1618	41.2 ( 37.7 - 44.7 )	40.0 ( 35.9 - 44.2 )	56.1 ( 51.0 - 61.3 )	45.7 ( 37.7 - 53.6 )	39.4 ( 30.3 - 48.6 )
<b>Bullying</b>						
Percentage of students who have ever been bullied on school property during the past 12 months	2286	12.5 ( 10.7 - 14.4 )	10.1 ( 8.2 - 11.9 )	21.2 ( 15.2 - 27.2 )	28.8 ( 19.7 - 37.9 )	6.4 ( 4.1 - 8.8 )
Among students bullied on school property, the percentage who were bullied in a classroom in the past 12 months	300	50.0 ( 37.4 - 62.5 )	51.5 ( 43.0 - 60.0 )	39.2 ( 16.0 - 62.5 )	. ( . - . )	. ( . - . )
Among students bullied on school property, the percentage who were bullied in a hallway or stairwell in the past 12 months	300	39.5 ( 30.7 - 48.3 )	36.4 ( 26.9 - 45.9 )	28.7 ( 11.5 - 46.0 )	. ( . - . )	. ( . - . )
Among students bullied on school property, the percentage who were bullied in a locker room or bathroom in the past 12 months	300	18.8 ( 16.7 - 20.9 )	19.3 ( 14.7 - 23.9 )	15.1 ( 10.4 - 19.8 )	. ( . - . )	. ( . - . )
Among students bullied on school property, the percentage who were bullied in a cafeteria or lunch room in the past 12 months	300	28.7 ( 23.7 - 33.7 )	28.4 ( 20.1 - 36.8 )	19.2 ( 13.9 - 24.4 )	. ( . - . )	. ( . - . )
Among students bullied on school property, the percentage who were bullied on a bus or at a bus stop in the past 12 months	300	10.0 ( 6.2 - 13.8 )	10.8 ( 6.3 - 15.2 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students bullied on school property, the percentage who were bullied outside before school in the past 12 months	300	14.3 ( 9.8 - 18.9 )	14.5 ( 6.7 - 22.3 )	18.1 ( 7.8 - 28.3 )	. ( . - . )	. ( . - . )
Among students bullied on school property, the percentage who were bullied outside after school in the past 12 months	300	26.4 ( 21.6 - 31.1 )	25.5 ( 18.8 - 32.1 )	36.1 ( 21.9 - 50.3 )	. ( . - . )	. ( . - . )
Among students bullied on school property, the percentage who were bullied outside during lunch or break in the past 12 months	300	25.3 ( 21.6 - 28.9 )	25.2 ( 21.2 - 29.2 )	21.7 ( 4.6 - 38.8 )	. ( . - . )	. ( . - . )
Percentage of students who had ever been electronically bullied during the past 12 months	2353	9.7 ( 8.2 - 11.2 )	8.0 ( 6.2 - 9.8 )	18.2 ( 15.5 - 20.9 )	21.0 ( 11.9 - 30.2 )	7.1 ( 3.0 - 11.1 )
Among students who were teased in the past 12 months, the percentage who were teased because of sexual orientation	357	27.4 ( 21.6 - 33.1 )	6.9 ( 2.5 - 11.3 )	42.1 ( 31.9 - 52.3 )	74.2 ( 63.5 - 85.0 )	. ( . - . )
Among students who were teased in the past 12 months, the percentage who were teased because of gender identity	357	24.5 ( 20.1 - 28.8 )	6.8 ( 0.0 - 14.5 )	38.6 ( 27.1 - 50.1 )	38.2 ( 22.2 - 54.1 )	. ( . - . )
Among students who were teased in the past 12 months, the percentage who were teased because of religion	357	14.8 ( 10.8 - 18.7 )	19.7 ( 15.7 - 23.8 )	6.7 ( 0.0 - 13.5 )	5.9 ( 1.9 - 10.0 )	. ( . - . )
Among students who were teased in the past 12 months, the percentage who were teased because of disability	357	18.6 ( 15.5 - 21.7 )	15.6 ( 13.3 - 17.9 )	18.0 ( 7.8 - 28.3 )	21.6 ( 9.8 - 33.4 )	. ( . - . )
Among students who were teased in the past 12 months, the percentage who were teased because of physical appearance	357	62.0 ( 55.5 - 68.5 )	67.6 ( 57.8 - 77.5 )	58.5 ( 51.6 - 65.4 )	58.1 ( 42.2 - 73.9 )	. ( . - . )



Health Measures*	Number of Responses	Total % (95% CI)	Straight % (95% CI)	Bisexual % (95% CI)	Gay/Lesbian % (95% CI)	Not Sure % (95% CI)
Among students who were teased in the past 12 months, the percentage who were teased because of race or ethnicity	357	26.5 ( 20.0 - 33.0 )	34.0 ( 26.9 - 41.1 )	22.4 ( 6.6 - 38.3 )	12.1 ( 2.5 - 21.6 )	. ( . - . )
<b>Violence</b>						
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school	2363	8.6 ( 6.7 - 10.6 )	7.5 ( 5.2 - 9.7 )	13.3 ( 8.6 - 18.0 )	18.9 ( 10.7 - 27.0 )	8.1 ( 0.6 - 15.7 )
Percentage of students who were in a physical fight one or more times during the past 12 months	2327	10.2 ( 9.1 - 11.3 )	11.3 ( 10.0 - 12.6 )	6.1 ( 2.6 - 9.5 )	11.8 ( 3.5 - 20.0 )	3.6 ( 0.9 - 6.4 )
Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose one or more times by someone they were dating or going out with	1224	8.9 ( 7.4 - 10.4 )	7.0 ( 5.4 - 8.5 )	13.5 ( 9.2 - 17.7 )	20.0 ( 8.5 - 31.6 )	11.8 ( 0.0 - 23.6 )
Among students who dated or went out with someone during the past 12 months, the percentage who had been controlled or emotionally hurt by someone they were dating or going out with	1220	18.1 ( 16.4 - 19.9 )	15.9 ( 12.8 - 19.0 )	28.9 ( 22.2 - 35.6 )	22.6 ( 5.5 - 39.8 )	25.8 ( 6.7 - 44.9 )
<b>Consent/Sexual Violence</b>						
Percentage of students who had a sexual experience where they were unsure if they gave their fully-granted consent to the other person	2320	11.3 ( 9.6 - 12.9 )	8.6 ( 6.7 - 10.5 )	23.9 ( 19.5 - 28.3 )	24.0 ( 8.3 - 39.7 )	6.2 ( 1.5 - 11.0 )
Percentage of students who had a sexual experience where they were unsure if they received fully-granted consent from the other person	2316	2.6 ( 2.3 - 3.0 )	2.6 ( 2.0 - 3.1 )	4.7 ( 1.3 - 8.1 )	2.8 ( 1.4 - 4.2 )	3.1 ( 0.0 - 6.6 )
Percentage of students who had a revealing or sexual photo or video of themselves texted, e-mailed, or posted electronically without their permission in the past 12 months	2323	4.5 ( 3.5 - 5.4 )	4.7 ( 3.8 - 5.6 )	5.4 ( 0.6 - 10.3 )	2.9 ( 0.0 - 6.2 )	. ( . - . )
Percentage of students who have made sexual comments, jokes, gestures or looks at someone when unwanted	2317	5.9 ( 4.6 - 7.1 )	5.8 ( 4.5 - 7.2 )	8.9 ( 6.9 - 10.9 )	4.6 ( 1.9 - 7.2 )	4.0 ( 1.0 - 7.0 )
Percentage of students who touched, grabbed or pinched someone in a sexual way when unwanted	2317	2.8 ( 2.0 - 3.6 )	2.3 ( 1.7 - 2.9 )	6.3 ( 3.6 - 8.9 )	1.9 ( 0.0 - 5.2 )	2.7 ( 0.1 - 5.2 )
Percentage of students who have ever had sex while under the influence of alcohol or drugs	2308	10.2 ( 7.3 - 13.0 )	9.6 ( 6.4 - 12.7 )	18.9 ( 15.1 - 22.7 )	10.3 ( 3.3 - 17.3 )	5.8 ( 0.1 - 11.5 )
Percentage of students who have ever been physically forced to have sex when they did not want to	2310	3.6 ( 2.9 - 4.4 )	2.6 ( 1.9 - 3.3 )	11.0 ( 6.6 - 15.5 )	11.2 ( 2.3 - 20.2 )	. ( . - . )
<b>Mental Health</b>						
Percentage of students who agree or strongly agree their stress level is manageable most days	2329	57.5 ( 54.9 - 60.0 )	64.6 ( 62.4 - 66.9 )	37.0 ( 31.1 - 42.9 )	31.5 ( 22.7 - 40.3 )	38.8 ( 34.4 - 43.1 )
Percentage of students who most of the time or always had poor mental health during the past 30 days	2317	28.9 ( 27.7 - 30.1 )	21.3 ( 19.9 - 22.8 )	52.4 ( 48.9 - 55.9 )	56.1 ( 47.2 - 65.1 )	42.0 ( 32.3 - 51.7 )
Percentage of students who purposefully hurt themselves without wanting to die in the past 12 months	2290	14.7 ( 12.9 - 16.5 )	8.9 ( 6.6 - 11.2 )	32.0 ( 24.7 - 39.4 )	40.2 ( 31.3 - 49.1 )	15.9 ( 8.5 - 23.3 )
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row during the past 12 months that they stopped doing some usual activities	2297	23.4 ( 22.1 - 24.6 )	16.7 ( 15.0 - 18.3 )	50.1 ( 39.7 - 60.5 )	50.3 ( 43.9 - 56.6 )	24.6 ( 20.5 - 28.7 )
Percentage of students who seriously considered attempting suicide during the past 12 months	2285	11.6 ( 10.6 - 12.6 )	6.9 ( 5.4 - 8.5 )	29.4 ( 20.0 - 38.9 )	30.8 ( 25.2 - 36.5 )	15.9 ( 8.5 - 23.3 )
Percentage of students who made a plan about how they would attempt suicide during the past 12 months	2275	9.6 ( 8.5 - 10.7 )	6.7 ( 5.3 - 8.0 )	18.5 ( 12.8 - 24.3 )	20.4 ( 18.6 - 22.2 )	16.6 ( 11.6 - 21.7 )
Percentage of students who attempted suicide one or more times during the past 12 months	2282	4.5 ( 4.0 - 5.1 )	3.2 ( 2.3 - 4.1 )	9.4 ( 4.2 - 14.6 )	10.1 ( 3.0 - 17.2 )	6.5 ( 0.7 - 12.4 )
Percentage of students who have an adult to go to for help with a serious problem	2279	77.9 ( 77.2 - 78.7 )	80.4 ( 79.3 - 81.5 )	72.4 ( 68.1 - 76.6 )	64.0 ( 57.3 - 70.7 )	73.7 ( 65.0 - 82.4 )

Health Measures*	Number of Responses	Total % (95% CI)	Straight % (95% CI)	Bisexual % (95% CI)	Gay/Lesbian % (95% CI)	Not Sure % (95% CI)
Percentage of students who most of the time or always could talk to a friend about feelings during their life	2278	59.7 ( 56.3 - 63.1 )	62.9 ( 59.4 - 66.4 )	55.6 ( 51.1 - 60.2 )	50.4 ( 41.3 - 59.5 )	48.5 ( 40.6 - 56.4 )
Percentage of students who had a friend tell them they had thoughts of suicide one or more times during the past 12 months	2259	31.8 ( 30.0 - 33.6 )	25.1 ( 22.3 - 27.8 )	56.6 ( 50.4 - 62.9 )	61.3 ( 54.0 - 68.6 )	39.3 ( 30.5 - 48.1 )
Percentage of students who would tell their parents or guardians if they were concerned about their own or someone else's well-being or mental health	2189	56.8 ( 55.5 - 58.2 )	61.1 ( 59.1 - 63.1 )	48.3 ( 45.3 - 51.3 )	36.6 ( 27.8 - 45.4 )	50.0 ( 39.0 - 60.9 )
Percentage of students who would tell another trusted adult (who is not their parents or guardians) if they were concerned about their own or someone else's well-being or mental health	2189	51.3 ( 49.3 - 53.4 )	51.4 ( 49.0 - 53.7 )	50.6 ( 40.4 - 60.7 )	45.1 ( 33.1 - 57.1 )	63.0 ( 56.0 - 70.1 )
Percentage of students who would tell a friend if they were concerned about their own or someone else's well-being or mental health	2189	45.1 ( 41.7 - 48.5 )	44.8 ( 41.0 - 48.7 )	45.1 ( 41.6 - 48.5 )	54.3 ( 36.7 - 72.0 )	52.9 ( 40.1 - 65.6 )
Percentage of students who would submit an anonymous report through their school's safety reporting system if they were concerned about their own or someone else's well-being or mental health	2189	28.3 ( 25.5 - 31.1 )	27.5 ( 24.2 - 30.9 )	29.1 ( 22.4 - 35.8 )	27.2 ( 18.0 - 36.4 )	44.1 ( 27.6 - 60.6 )
Percentage of students who would contact a crisis line if they were concerned about their own or someone else's well-being or mental health	2189	26.1 ( 23.4 - 28.8 )	24.1 ( 22.2 - 26.1 )	23.7 ( 16.1 - 31.2 )	28.3 ( 20.8 - 35.8 )	41.7 ( 30.7 - 52.7 )
Percentage of students who have ever experienced the death of a family member or close friend	2276	69.1 ( 65.2 - 73.0 )	70.1 ( 66.2 - 74.0 )	72.3 ( 67.6 - 76.9 )	63.0 ( 56.4 - 69.7 )	64.7 ( 56.0 - 73.5 )
<b>Racism</b>						
Percentage who were treated badly or unfairly in school because of their race or ethnicity in the past 12 months	2155	3.8 ( 3.0 - 4.7 )	3.7 ( 2.7 - 4.7 )	7.2 ( 2.8 - 11.7 )	7.1 ( 0.0 - 15.6 )	. ( . - . )
Percentage who were watched closely or followed by security guards or store clerks at a store or mall because of their race or ethnicity in the past 12 months	2155	3.4 ( 3.0 - 3.8 )	3.1 ( 1.9 - 4.3 )	6.1 ( 2.3 - 9.9 )	4.8 ( 0.0 - 11.9 )	2.3 ( 0.0 - 5.5 )
Percentage who were assumed less intelligent because of their race or ethnicity in the past 12 months	2155	5.1 ( 4.1 - 6.0 )	5.0 ( 3.5 - 6.5 )	5.4 ( 2.7 - 8.1 )	10.6 ( 1.8 - 19.4 )	3.8 ( 0.8 - 6.8 )
Percentage who saw family members treated unfairly because of their race or ethnicity in the past 12 months	2155	6.5 ( 5.1 - 7.8 )	5.9 ( 4.5 - 7.3 )	9.7 ( 6.1 - 13.3 )	16.4 ( 13.6 - 19.3 )	3.0 ( 0.2 - 5.9 )
<b>Alcohol</b>						
Percentage of students who have ever had a drink of alcohol other than a few sips	2164	50.8 ( 45.5 - 56.1 )	51.7 ( 46.9 - 56.6 )	56.7 ( 45.3 - 68.2 )	61.6 ( 53.6 - 69.6 )	34.6 ( 29.0 - 40.2 )
Percentage of students who had their first drink of alcohol, other than a few sips, before age 13	2164	12.2 ( 8.9 - 15.5 )	12.1 ( 7.7 - 16.6 )	10.7 ( 6.7 - 14.6 )	21.3 ( 10.8 - 31.9 )	7.8 ( 1.7 - 14.0 )
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days	2177	27.6 ( 22.5 - 32.7 )	28.3 ( 22.8 - 33.7 )	32.9 ( 26.0 - 39.8 )	32.4 ( 22.4 - 42.4 )	16.6 ( 10.9 - 22.2 )
Percentage of students who binge drank (4+ drinks, within a couple of hours) on one or more of the past 30 days	2168	17.8 ( 11.9 - 23.7 )	18.7 ( 12.3 - 25.1 )	21.7 ( 16.1 - 27.2 )	20.2 ( 8.8 - 31.5 )	7.2 ( 0.2 - 14.2 )
Percentage of students who feel it would be sort of easy or very easy to get alcohol if they wanted	2131	60.3 ( 57.7 - 62.9 )	59.9 ( 56.3 - 63.5 )	64.5 ( 60.7 - 68.2 )	62.8 ( 54.7 - 71.0 )	47.5 ( 35.4 - 59.6 )
Percentage of students who think it is wrong or very wrong for someone of the same age to drink alcohol regularly (at least once or twice per month)	2191	58.7 ( 51.8 - 65.5 )	57.9 ( 50.3 - 65.5 )	52.5 ( 44.0 - 61.1 )	51.0 ( 45.1 - 57.0 )	66.4 ( 57.4 - 75.5 )
Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they drank alcohol regularly (at least once or twice per month)	2186	78.7 ( 73.8 - 83.7 )	78.5 ( 72.3 - 84.7 )	75.7 ( 67.1 - 84.2 )	80.0 ( 72.4 - 87.7 )	84.9 ( 76.7 - 93.1 )
Percentage of students who thought 5 or more out of every 10 students in their grade had four or more drinks on at least one day in the past 30 days	2167	42.9 ( 35.9 - 49.9 )	44.3 ( 39.0 - 49.6 )	46.1 ( 31.0 - 61.2 )	48.4 ( 35.1 - 61.6 )	24.5 ( 10.8 - 38.2 )
<b>Tobacco</b>						

Health Measures*	Number of Responses	Total % (95% CI)	Straight % (95% CI)	Bisexual % (95% CI)	Gay/Lesbian % (95% CI)	Not Sure % (95% CI)
Percentage of students who have ever smoked a cigarette, even one or two puffs	2171	17.1 ( 12.2 - 22.0 )	16.1 ( 10.9 - 21.3 )	27.7 ( 19.9 - 35.4 )	24.7 ( 19.4 - 30.0 )	5.0 ( 2.2 - 7.9 )
Percentage of students who smoked a cigarette, even one or two puffs, for the first time before age 13	2171	3.8 ( 2.4 - 5.2 )	3.7 ( 1.9 - 5.6 )	6.7 ( 4.4 - 9.1 )	2.4 ( 1.2 - 3.6 )	. ( . - . )
Percentage of students who smoked cigarettes on one or more of the past 30 days	2171	5.3 ( 3.0 - 7.5 )	4.7 ( 2.3 - 7.1 )	10.5 ( 6.3 - 14.8 )	10.4 ( 1.2 - 19.7 )	. ( . - . )
Among students who smoked in the past 30 days, the percentage who smoked menthol cigarettes	108	26.7 ( 3.1 - 50.3 )	23.3 ( 0.0 - 48.0 )	. ( . - . )	. ( . - . )	. ( . - . )
Percentage of students who have used cigars, chewing tobacco, hookah, pipe, or bidis in the past 30 days	2093	4.0 ( 2.4 - 5.6 )	4.3 ( 2.3 - 6.4 )	5.7 ( 2.2 - 9.2 )	. ( . - . )	. ( . - . )
Percentage of students who think it would be sort of easy or very easy to get cigarettes if they wanted	2154	38.6 ( 33.3 - 43.9 )	38.6 ( 31.9 - 45.2 )	42.0 ( 35.7 - 48.4 )	38.2 ( 32.5 - 43.8 )	30.4 ( 18.8 - 42.0 )
Percentage of students who have ever used an electronic vapor product	2148	27.5 ( 22.4 - 32.6 )	27.1 ( 21.0 - 33.2 )	37.9 ( 29.1 - 46.7 )	36.4 ( 33.1 - 39.8 )	12.1 ( 10.2 - 13.9 )
Percentage of students who had used an electronic vapor product before age 13	2148	6.0 ( 4.2 - 7.8 )	6.0 ( 3.9 - 8.1 )	8.4 ( 4.6 - 12.1 )	6.0 ( 2.5 - 9.6 )	4.0 ( 1.3 - 6.6 )
Percentage of students who used an electronic vapor product in the past 30 days	2081	9.0 ( 6.9 - 11.1 )	8.6 ( 6.1 - 11.1 )	15.5 ( 10.2 - 20.8 )	14.7 ( 7.6 - 21.8 )	2.9 ( 1.0 - 4.9 )
Percentage of students who feel it would be sort of easy or very easy to get electronic vapor products if they wanted	2152	57.4 ( 55.3 - 59.5 )	58.4 ( 54.9 - 62.0 )	57.6 ( 52.7 - 62.5 )	60.6 ( 46.2 - 75.0 )	39.4 ( 34.2 - 44.6 )
Percentage of students who think it is wrong or very wrong for someone of the same age to use electronic vapor products	2196	74.3 ( 71.9 - 76.7 )	75.9 ( 73.4 - 78.5 )	59.1 ( 52.9 - 65.2 )	64.6 ( 57.3 - 71.9 )	86.1 ( 79.1 - 93.2 )
Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they used electronic vapor products	2188	95.4 ( 94.5 - 96.3 )	95.8 ( 95.2 - 96.4 )	91.0 ( 86.6 - 95.3 )	97.6 ( 94.6 - 100.0 )	96.9 ( 93.8 - 100.0 )
Among students who have used electronic vapor products, the percentage who used them because a friend or family member used them	511	55.7 ( 47.5 - 63.9 )	55.0 ( 46.6 - 63.5 )	57.9 ( 46.1 - 69.6 )	. ( . - . )	. ( . - . )
Among students who have used electronic vapor products, the percentage who used them because they were trying to quit other tobacco products	511	3.7 ( 1.7 - 5.7 )	2.9 ( 1.4 - 4.4 )	6.7 ( 0.0 - 13.8 )	. ( . - . )	. ( . - . )
Among students who have used electronic vapor products, the percentage who used them because they cost less than other tobacco products	511	4.6 ( 3.2 - 5.9 )	4.6 ( 3.3 - 5.9 )	5.2 ( 0.0 - 11.1 )	. ( . - . )	. ( . - . )
Among students who have used electronic vapor products, the percentage who used them because it is easier to get them than other tobacco products	511	12.0 ( 8.9 - 15.1 )	9.5 ( 6.6 - 12.4 )	18.8 ( 11.2 - 26.4 )	. ( . - . )	. ( . - . )
Among students who have used electronic vapor products, the percentage who used them because they are less harmful than other tobacco products	511	10.4 ( 7.6 - 13.3 )	10.1 ( 6.8 - 13.4 )	14.2 ( 5.1 - 23.4 )	. ( . - . )	. ( . - . )
Among students who have used electronic vapor products, the percentage who used them because they are available in flavors	511	16.4 ( 14.7 - 18.2 )	15.4 ( 13.9 - 16.9 )	23.7 ( 18.6 - 28.8 )	. ( . - . )	. ( . - . )
Among students who have used electronic vapor products, the percentage who used them because they can be used in areas where other tobacco products are not allowed	511	10.7 ( 8.5 - 12.8 )	8.9 ( 6.2 - 11.6 )	13.6 ( 7.5 - 19.7 )	. ( . - . )	. ( . - . )
Among students who use electronic vapor products, the percentage who most of the time or always reach for them without thinking about it	556	10.5 ( 8.7 - 12.3 )	8.8 ( 6.1 - 11.6 )	16.1 ( 9.6 - 22.7 )	23.4 ( 0.8 - 46.0 )	. ( . - . )
Percentage of students who probably or definitely will use an electronic vapor product if one of their best friends offers it	2127	15.1 ( 13.1 - 17.1 )	13.4 ( 11.3 - 15.6 )	26.6 ( 21.4 - 31.8 )	25.8 ( 22.7 - 29.0 )	13.8 ( 8.5 - 19.2 )
Percentage of students who think people who use electronic vapor products every day have a moderate or great risk of harm	2111	83.2 ( 80.7 - 85.8 )	81.1 ( 78.1 - 84.1 )	86.8 ( 82.2 - 91.3 )	86.5 ( 81.7 - 91.3 )	95.3 ( 92.3 - 98.4 )
Percentage of students who have seen or heard ads for electronic vapor products in the past 30 days	2072	63.2 ( 59.6 - 66.8 )	62.2 ( 57.8 - 66.6 )	69.9 ( 65.1 - 74.7 )	72.0 ( 62.0 - 82.0 )	65.8 ( 56.2 - 75.4 )

Health Measures*	Number of Responses	Total % (95% CI)	Straight % (95% CI)	Bisexual % (95% CI)	Gay/Lesbian % (95% CI)	Not Sure % (95% CI)
Among those underage students who tried to buy tobacco or vaping products in a store, the percentage who were not refused because of age	140	87.1 ( 82.8 - 91.4 )	88.7 ( 83.7 - 93.7 )	. ( . - . )	. ( . - . )	. ( . - . )
Among underage students who used tobacco products in the past 30 days, the percentage who bought them over the internet	166	7.8 ( 3.9 - 11.7 )	7.8 ( 2.7 - 13.0 )	. ( . - . )	. ( . - . )	. ( . - . )
Among underage students who used tobacco products in the past 30 days, the percentage who bought them through the mail	166	3.1 ( 0.6 - 5.6 )	. ( . - . )	. ( . - . )	. ( . - . )	. ( . - . )
Among underage students who used tobacco products in the past 30 days, the percentage who bought them from a gas station, convenience store, grocery store, or drug store	166	18.3 ( 13.4 - 23.2 )	19.2 ( 11.0 - 27.4 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students who reported current tobacco use, the percentage who ever tried to quit using all tobacco products during the past 12 months	183	46.0 ( 41.6 - 50.4 )	47.4 ( 43.5 - 51.2 )	. ( . - . )	. ( . - . )	. ( . - . )
Percentage of students who think breathing secondhand vapor has a moderate or great risk	2039	61.8 ( 59.5 - 64.0 )	61.8 ( 59.5 - 64.0 )	56.9 ( 48.2 - 65.6 )	58.5 ( 47.7 - 69.3 )	72.8 ( 61.5 - 84.1 )
Percentage of students who were inside their home while someone was smoking a cigarette, cigar, pipe, or using an electronic vapor product for one or more days in the past 7 days	2044	12.9 ( 10.3 - 15.6 )	11.5 ( 9.0 - 14.0 )	20.7 ( 16.9 - 24.5 )	17.5 ( 9.0 - 26.1 )	13.0 ( 4.4 - 21.7 )
<b>Marijuana</b>						
Percentage of students who have ever tried marijuana	2062	29.0 ( 22.1 - 35.9 )	28.5 ( 22.2 - 34.9 )	40.6 ( 30.9 - 50.3 )	36.8 ( 31.0 - 42.6 )	14.3 ( 6.1 - 22.5 )
Percentage of students who tried marijuana for the first time before age 13	2062	4.6 ( 3.7 - 5.4 )	4.5 ( 3.1 - 5.8 )	5.7 ( 3.1 - 8.3 )	9.1 ( 1.1 - 17.2 )	. ( . - . )
Percentage of students who used marijuana one or more times during the past 30 days	2023	16.9 ( 12.4 - 21.4 )	16.4 ( 12.1 - 20.7 )	24.3 ( 16.3 - 32.4 )	25.6 ( 14.5 - 36.8 )	8.3 ( 2.7 - 13.9 )
Percentage of students who feel it would be sort of easy or very easy to get marijuana if they wanted	2112	48.3 ( 44.5 - 52.0 )	47.9 ( 43.3 - 52.5 )	56.1 ( 50.4 - 61.7 )	45.5 ( 33.0 - 58.0 )	33.4 ( 26.2 - 40.6 )
Percentage of students who think it is wrong or very wrong for someone of the same age to use marijuana	2192	61.0 ( 55.0 - 66.9 )	63.1 ( 57.3 - 69.0 )	43.9 ( 36.5 - 51.4 )	49.3 ( 38.6 - 59.9 )	66.0 ( 59.4 - 72.7 )
Percentage of students who think their parents or guardians feel it is wrong or very wrong if they used marijuana	2181	86.1 ( 84.0 - 88.2 )	87.2 ( 84.3 - 90.0 )	72.4 ( 68.5 - 76.2 )	89.6 ( 86.2 - 92.9 )	91.4 ( 87.8 - 95.0 )
Percentage of students who thought 5 or more out of every 10 students in their grade used marijuana in the past 30 days	2169	44.7 ( 40.8 - 48.7 )	44.6 ( 40.5 - 48.7 )	55.5 ( 48.1 - 63.0 )	48.5 ( 41.1 - 55.9 )	26.6 ( 18.0 - 35.3 )
Among students who used marijuana in the past 30 days, the percentage who smoked it	328	72.0 ( 67.5 - 76.4 )	73.2 ( 67.5 - 78.9 )	75.9 ( 63.7 - 88.1 )	. ( . - . )	. ( . - . )
Among students who used marijuana in the past 30 days, the percentage who ate it	328	37.8 ( 33.7 - 41.9 )	34.7 ( 30.0 - 39.3 )	52.4 ( 36.9 - 67.9 )	. ( . - . )	. ( . - . )
Among students who used marijuana in the past 30 days, the percentage who vaporized it	328	45.5 ( 40.2 - 50.7 )	46.2 ( 41.2 - 51.2 )	42.2 ( 33.8 - 50.7 )	. ( . - . )	. ( . - . )
Among students who used marijuana in the past 30 days, the percentage who dabbed it	328	29.7 ( 22.6 - 36.8 )	24.5 ( 17.5 - 31.4 )	51.3 ( 34.7 - 67.9 )	. ( . - . )	. ( . - . )
Among students who used marijuana in the past 30 days, the percentage who usually smoked it	320	50.4 ( 45.6 - 55.3 )	51.7 ( 47.7 - 55.7 )	57.7 ( 36.8 - 78.6 )	. ( . - . )	. ( . - . )
Among students who used marijuana in the past 30 days, the percentage who usually got it from an adult over the age of 21	307	20.4 ( 14.6 - 26.2 )	19.3 ( 15.3 - 23.3 )	27.5 ( 12.8 - 42.3 )	. ( . - . )	. ( . - . )
Percentage of students who used THC concentrates, hash oil, or waxes one or more times during the past 30 days	2042	8.3 ( 6.7 - 9.9 )	7.4 ( 5.9 - 8.9 )	16.6 ( 10.2 - 23.0 )	15.1 ( 8.7 - 21.5 )	3.1 ( 0.0 - 6.7 )
<b>Prescription Pain Medication</b>						

Health Measures*	Number of Responses	Total % (95% CI)	Straight % (95% CI)	Bisexual % (95% CI)	Gay/Lesbian % (95% CI)	Not Sure % (95% CI)
Percentage of students who have ever used prescription pain medicine not prescribed to them or differently than how a doctor told them to use it	2032	6.6 ( 6.1 - 7.1 )	5.3 ( 4.6 - 6.0 )	12.6 ( 8.5 - 16.6 )	16.2 ( 12.3 - 20.0 )	5.1 ( 0.0 - 11.8 )
Percentage of students who used prescription pain medicine not prescribed to them or differently than how a doctor told them to use it for the first time before age 13	2032	2.6 ( 1.9 - 3.3 )	2.1 ( 1.1 - 3.0 )	3.9 ( 1.2 - 6.6 )	8.5 ( 3.1 - 14.0 )	. ( . - . )
Percentage of students who took prescription pain medicine not prescribed to them or differently than how a doctor told them to use it one or more times in the past 30 days	2041	2.5 ( 2.0 - 3.0 )	2.0 ( 1.4 - 2.5 )	5.6 ( 1.6 - 9.7 )	7.4 ( 2.2 - 12.6 )	. ( . - . )
Percentage of students who feel it would be sort of easy or very easy to get prescription pain medicine not prescribed to them	2146	25.1 ( 23.4 - 26.9 )	23.0 ( 21.3 - 24.7 )	33.3 ( 26.2 - 40.3 )	30.5 ( 12.3 - 48.6 )	25.8 ( 17.4 - 34.2 )
Percentage of students who think it is wrong or very wrong for someone of the same age to use prescription pain medicine without a doctor's prescription	2194	88.8 ( 87.6 - 89.9 )	89.9 ( 88.5 - 91.2 )	81.6 ( 79.2 - 84.1 )	88.1 ( 81.2 - 95.0 )	88.7 ( 83.6 - 93.8 )
<b>Other Drugs</b>						
Percentage of students who have ever used stimulants not prescribed to them or differently than prescribed	1988	5.2 ( 3.7 - 6.6 )	4.3 ( 3.3 - 5.3 )	8.9 ( 3.0 - 14.7 )	13.8 ( 8.8 - 18.7 )	. ( . - . )
Percentage of students who have ever used cocaine	1988	2.0 ( 1.2 - 2.9 )	1.6 ( 0.6 - 2.6 )	4.6 ( 2.3 - 6.9 )	6.4 ( 1.3 - 11.5 )	. ( . - . )
Percentage of students who have ever sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high	1988	2.4 ( 1.6 - 3.3 )	1.9 ( 1.0 - 2.9 )	3.6 ( 1.1 - 6.1 )	11.1 ( 4.6 - 17.6 )	. ( . - . )
Percentage of students who have ever used heroin	1988	0.9 ( 0.4 - 1.3 )	0.7 ( 0.1 - 1.4 )	. ( . - . )	4.4 ( 1.2 - 7.6 )	. ( . - . )
Percentage of students who have ever used methamphetamines	1988	0.7 ( 0.3 - 1.2 )	0.6 ( 0.0 - 1.3 )	. ( . - . )	4.4 ( 1.2 - 7.6 )	. ( . - . )
Percentage of students who have ever used ecstasy	1988	1.7 ( 1.3 - 2.1 )	1.4 ( 0.7 - 2.0 )	4.7 ( 3.3 - 6.0 )	4.5 ( 1.2 - 7.7 )	. ( . - . )
Percentage of students who have ever used psychedelics	1988	6.4 ( 3.8 - 9.0 )	5.1 ( 2.5 - 7.7 )	12.6 ( 6.7 - 18.6 )	14.1 ( 6.9 - 21.2 )	. ( . - . )
Percentage of students who have ever used fentanyl	1988	0.8 ( 0.3 - 1.2 )	0.7 ( 0.1 - 1.3 )	. ( . - . )	4.4 ( 1.2 - 7.6 )	. ( . - . )
Percentage of students who have ever used kratom	1988	1.0 ( 0.4 - 1.6 )	1.1 ( 0.5 - 1.7 )	. ( . - . )	3.5 ( 0.0 - 7.1 )	. ( . - . )
Percentage of students who have ever used hemp-derived, intoxicating cannabinoid products like Delta-8 and Delta-10 THC	1988	5.1 ( 4.3 - 6.0 )	4.2 ( 3.1 - 5.4 )	11.3 ( 6.9 - 15.6 )	13.5 ( 10.1 - 16.8 )	. ( . - . )
<b>Sexual Health</b>						
Percentage of students who have ever had consensual sex	1993	25.1 ( 21.4 - 28.9 )	25.2 ( 21.8 - 28.6 )	33.9 ( 25.8 - 42.0 )	21.2 ( 16.0 - 26.4 )	16.6 ( 2.8 - 30.3 )
Percentage of students who had consensual sex in the last three months	1993	16.8 ( 14.3 - 19.3 )	16.5 ( 14.0 - 18.9 )	26.3 ( 19.8 - 32.9 )	18.0 ( 10.9 - 25.2 )	8.4 ( 0.4 - 16.4 )
Among students who had consensual sex during the past three months, the percentage who used a condom or their partner used a condom the last time they had consensual sex	314	65.6 ( 60.7 - 70.5 )	69.6 ( 62.7 - 76.5 )	54.9 ( 47.7 - 62.0 )	. ( . - . )	. ( . - . )
Among students who had consensual sex during the past three months, the percentage who used or their partner used any method of contraception the last time they had consensual sex	314	87.6 ( 84.8 - 90.4 )	92.0 ( 89.9 - 94.0 )	74.3 ( 61.7 - 86.9 )	. ( . - . )	. ( . - . )
<b>Nutrition</b>						
Percentage of students who ate fruit one or more times per day in the past 7 days	2011	53.9 ( 50.5 - 57.3 )	55.1 ( 50.9 - 59.3 )	46.9 ( 43.4 - 50.4 )	55.8 ( 46.3 - 65.3 )	48.4 ( 41.7 - 55.1 )

Health Measures*	Number of Responses	Total % (95% CI)	Straight % (95% CI)	Bisexual % (95% CI)	Gay/Lesbian % (95% CI)	Not Sure % (95% CI)
Percentage of students who ate vegetables such as green salad, potatoes, carrots, or other vegetables one or more times per day in the past 7 days	1988	57.9 ( 53.3 - 62.5 )	59.0 ( 54.3 - 63.7 )	55.8 ( 47.8 - 63.8 )	47.9 ( 38.9 - 56.9 )	55.0 ( 47.1 - 63.0 )
Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day in the past 7 days	2002	14.0 ( 9.5 - 18.4 )	13.3 ( 9.1 - 17.5 )	16.6 ( 11.4 - 21.8 )	21.2 ( 6.5 - 35.9 )	13.8 ( 7.7 - 19.9 )
Percentage of students who drank a sports drink, energy drink, or other sweetened beverage one or more times in the past 7 days	1955	63.0 ( 58.3 - 67.8 )	61.6 ( 56.5 - 66.8 )	67.0 ( 60.9 - 73.2 )	76.8 ( 69.0 - 84.7 )	54.9 ( 48.1 - 61.6 )
Percentage of students who ate breakfast on all of the past 7 days	1985	39.4 ( 37.6 - 41.1 )	42.9 ( 39.9 - 45.9 )	23.3 ( 16.4 - 30.1 )	27.1 ( 24.2 - 30.1 )	44.4 ( 37.2 - 51.6 )
Percentage of students who sometimes, most of the time, or always went hungry in the past 30 days because of a lack of food at home	1983	8.3 ( 6.2 - 10.3 )	7.9 ( 5.2 - 10.6 )	15.5 ( 10.5 - 20.4 )	9.7 ( 2.5 - 16.9 )	3.0 ( 0.8 - 5.1 )
<b>Physical Activity</b>						
Percentage of students who were physically active for a total of at least 60 minutes per day on 5 or more of the past 7 days	1952	55.6 ( 52.1 - 59.1 )	62.0 ( 58.5 - 65.5 )	33.0 ( 28.1 - 37.8 )	31.3 ( 27.8 - 34.8 )	41.5 ( 32.5 - 50.4 )
Percentage of students who spent 3+ hours in front of a TV, computer, smart phone, or other electronic device for something other than schoolwork	1934	68.6 ( 66.6 - 70.6 )	66.3 ( 64.6 - 68.0 )	75.9 ( 67.4 - 84.3 )	84.9 ( 78.5 - 91.3 )	70.3 ( 63.1 - 77.4 )
Percentage of students who could walk or ride a bike, scooter, or skateboard to school if they wanted to	1959	56.0 ( 52.2 - 59.9 )	57.3 ( 51.9 - 62.7 )	49.7 ( 44.0 - 55.3 )	48.7 ( 42.7 - 54.6 )	59.5 ( 53.0 - 66.0 )
Percentage of students who had a concussion in the past 12 months from playing sports or being physically active	1948	15.8 ( 13.6 - 17.9 )	16.4 ( 15.1 - 17.7 )	16.4 ( 8.4 - 24.3 )	9.7 ( 5.0 - 14.3 )	13.2 ( 7.1 - 19.2 )
<b>Body Image &amp; Eating Disorders</b>						
Percentage of students who most of the time or always felt confident with their body image during the past 30 days	1905	47.8 ( 44.8 - 50.9 )	54.0 ( 52.2 - 55.9 )	30.5 ( 27.0 - 34.1 )	33.5 ( 25.5 - 41.5 )	28.5 ( 22.0 - 35.0 )
Percentage of students who most of the time or always worried about their physical appearance more than they wanted to during the past 30 days	1891	38.4 ( 37.1 - 39.7 )	33.9 ( 31.8 - 35.9 )	56.9 ( 50.7 - 63.1 )	46.1 ( 37.5 - 54.6 )	46.1 ( 34.2 - 57.9 )
Percentage of students who tried to lose weight or keep from gaining weight by going without eating for 24 hours or more; taking any diet pills, powders, or liquids; vomiting or taking laxatives; or skipping meals during the past 30 days	1893	19.2 ( 17.6 - 20.9 )	16.1 ( 13.6 - 18.6 )	31.9 ( 27.9 - 35.8 )	29.3 ( 20.0 - 38.5 )	22.0 ( 16.2 - 27.8 )
<b>Home Life</b>						
Percentage of students who usually or definitely feel the rules in their family are clear	1884	92.5 ( 91.7 - 93.3 )	94.2 ( 93.3 - 95.2 )	89.1 ( 85.1 - 93.1 )	83.2 ( 76.5 - 89.9 )	88.6 ( 82.7 - 94.6 )
Percentage of students who usually or definitely could ask their parents or guardians for help with a personal problem	1881	87.2 ( 85.7 - 88.7 )	90.2 ( 88.6 - 91.8 )	84.3 ( 78.8 - 89.9 )	66.6 ( 56.2 - 76.9 )	81.9 ( 72.6 - 91.1 )
Percentage of students who usually or definitely have parents or guardians who ask if their homework is done	1850	77.0 ( 71.7 - 82.3 )	79.3 ( 72.4 - 86.2 )	67.3 ( 62.1 - 72.5 )	71.4 ( 64.1 - 78.6 )	70.9 ( 63.4 - 78.5 )
Percentage of students who usually or definitely have chances to do fun things with their parents or guardians	1857	83.2 ( 80.4 - 86.0 )	86.1 ( 84.0 - 88.2 )	76.5 ( 71.6 - 81.5 )	68.0 ( 60.1 - 75.9 )	85.7 ( 80.0 - 91.5 )
Percentage of students who usually or definitely have parents or guardians who ask them what they think before most family decisions	1853	74.4 ( 72.3 - 76.5 )	78.9 ( 76.4 - 81.3 )	66.5 ( 63.3 - 69.8 )	50.5 ( 39.1 - 62.0 )	78.4 ( 74.6 - 82.3 )
Percentage of students who usually or definitely think they would be caught by their parents or guardians for skipping school	1867	89.8 ( 88.5 - 91.1 )	91.1 ( 89.5 - 92.6 )	85.1 ( 82.2 - 88.0 )	89.3 ( 85.8 - 92.8 )	91.4 ( 84.3 - 98.6 )
Percentage of students who usually or definitely feel safe in their neighborhood	1875	97.2 ( 96.6 - 97.9 )	97.7 ( 96.8 - 98.6 )	93.9 ( 90.4 - 97.3 )	96.5 ( 93.3 - 99.7 )	97.6 ( 94.7 - 100.0 )
Percentage of students who provide care for someone in their family or household who is chronically ill, elderly, or disabled with activities they would have difficulty doing on their own one or more days per week	1868	9.7 ( 8.0 - 11.3 )	8.9 ( 7.3 - 10.4 )	16.6 ( 10.0 - 23.2 )	11.5 ( 6.7 - 16.3 )	9.4 ( 5.5 - 13.2 )

Health Measures*	Number of Responses	Total % (95% CI)	Straight % (95% CI)	Bisexual % (95% CI)	Gay/Lesbian % (95% CI)	Not Sure % (95% CI)
<b>School &amp; Community</b>						
Percentage of students who agree or strongly agree that they belong at their school	1869	75.2 ( 72.3 - 78.2 )	80.9 ( 79.5 - 82.4 )	58.2 ( 55.9 - 60.5 )	59.2 ( 46.0 - 72.3 )	65.3 ( 59.7 - 71.0 )
Percentage of students who most of the time or always enjoyed being in school over the last year	1870	45.7 ( 44.7 - 46.6 )	48.2 ( 46.4 - 50.0 )	37.9 ( 33.1 - 42.8 )	32.2 ( 27.5 - 36.8 )	38.9 ( 32.4 - 45.5 )
Percentage of students who skipped one or more whole days of school during the past four weeks	1863	31.6 ( 24.5 - 38.6 )	31.5 ( 25.2 - 37.8 )	42.4 ( 31.6 - 53.2 )	32.0 ( 16.9 - 47.2 )	27.7 ( 17.2 - 38.1 )
Percentage of students who think most of their classes are fairly, quite, or very interesting	1863	73.2 ( 70.5 - 75.9 )	72.8 ( 69.8 - 75.8 )	73.4 ( 68.2 - 78.5 )	59.6 ( 47.1 - 72.0 )	74.8 ( 64.2 - 85.4 )
Percentage of students who think the things they are learning in school are going to be important or very important for later in life	1830	59.6 ( 57.0 - 62.2 )	61.1 ( 58.6 - 63.5 )	53.9 ( 49.0 - 58.8 )	40.9 ( 35.2 - 46.6 )	66.5 ( 50.8 - 82.2 )
Percentage of students who talked to a school counselor about their future plans after high school in the past 12 months	1803	48.5 ( 39.9 - 57.1 )	46.7 ( 38.2 - 55.2 )	59.6 ( 46.0 - 73.3 )	46.6 ( 36.0 - 57.3 )	57.9 ( 49.0 - 66.8 )
Percentage of students who talked to a teacher about their future plans after high school in the past 12 months	1803	49.1 ( 46.8 - 51.4 )	49.1 ( 47.3 - 50.9 )	55.7 ( 48.4 - 63.0 )	42.5 ( 36.8 - 48.2 )	54.1 ( 42.6 - 65.6 )
Percentage of students who talked to an administrator about their future plans after high school in the past 12 months	1803	10.2 ( 8.6 - 11.8 )	10.6 ( 8.9 - 12.3 )	13.5 ( 9.0 - 18.0 )	10.7 ( 0.0 - 21.6 )	3.0 ( 0.0 - 6.9 )
Percentage of students who talked to a coach about their future plans after high school in the past 12 months	1803	17.4 ( 14.0 - 20.9 )	20.3 ( 16.2 - 24.3 )	12.8 ( 9.5 - 16.1 )	9.7 ( 5.3 - 14.0 )	8.3 ( 4.2 - 12.4 )
Percentage of students who talked to another school staff member (who is not a school counselor, teacher, administrator, or coach) about their future plans after high school in the past 12 months	1803	13.1 ( 10.5 - 15.7 )	12.2 ( 8.8 - 15.6 )	17.8 ( 13.8 - 21.7 )	14.3 ( 8.1 - 20.6 )	14.4 ( 7.0 - 21.8 )
Percentage of students who usually or definitely feel safe at school	1812	95.0 ( 93.7 - 96.3 )	96.3 ( 95.1 - 97.6 )	90.9 ( 86.1 - 95.7 )	91.5 ( 82.7 - 100.0 )	96.6 ( 92.9 - 100.0 )
Percentage of students who usually or definitely think their teacher notices when they do a good job and lets them know about it	1810	68.8 ( 64.9 - 72.8 )	71.7 ( 67.3 - 76.1 )	65.4 ( 57.8 - 73.1 )	58.3 ( 47.8 - 68.7 )	61.5 ( 48.2 - 74.8 )
Percentage of students who usually or definitely think their school lets their parents or guardians know when they have done something well	1796	42.4 ( 37.5 - 47.3 )	44.2 ( 38.7 - 49.7 )	41.1 ( 35.7 - 46.5 )	34.9 ( 22.0 - 47.8 )	39.1 ( 33.6 - 44.6 )
Percentage of students who usually or definitely think their grades are better than most students in class	1797	75.7 ( 73.4 - 77.9 )	76.5 ( 74.8 - 78.2 )	72.8 ( 65.3 - 80.2 )	65.7 ( 58.5 - 72.9 )	79.4 ( 70.8 - 88.0 )
Percentage of students who participated in sports (team or individual) during the past 12 months	1788	56.8 ( 51.6 - 62.0 )	64.9 ( 60.9 - 68.9 )	35.3 ( 29.0 - 41.6 )	39.1 ( 30.6 - 47.7 )	41.2 ( 26.2 - 56.2 )
Percentage of students who participated in sports, band, drama, clubs, or student government at school during the past 12 months	1788	77.2 ( 72.9 - 81.6 )	78.4 ( 74.6 - 82.3 )	75.3 ( 65.0 - 85.7 )	72.6 ( 61.6 - 83.5 )	74.9 ( 67.8 - 82.0 )
Percentage of students who had paid employment during the past 12 months	1788	19.7 ( 17.1 - 22.4 )	20.0 ( 17.4 - 22.6 )	23.7 ( 13.6 - 33.7 )	23.5 ( 16.0 - 31.1 )	19.5 ( 7.9 - 31.0 )
Percentage of students who participated in another activity besides sports, band, drama, clubs, student government, or paid employment during the past 12 months***	1788	20.5 ( 16.2 - 24.9 )	18.8 ( 14.2 - 23.5 )	23.6 ( 12.4 - 34.8 )	20.9 ( 7.3 - 34.6 )	25.6 ( 19.1 - 32.1 )
Percentage of students who participated in organized community service as a non-paid volunteer during the past 30 days	1789	35.3 ( 28.0 - 42.5 )	35.6 ( 28.5 - 42.7 )	31.8 ( 15.8 - 47.8 )	35.3 ( 22.1 - 48.5 )	42.5 ( 25.2 - 59.7 )
<b>Other Health Topics</b>						
Percentage of students who usually slept somewhere other than their home during the past 30 days	1787	5.4 ( 3.2 - 7.5 )	5.4 ( 3.5 - 7.4 )	8.1 ( 2.3 - 13.9 )	4.2 ( 2.0 - 6.4 )	2.7 ( 0.1 - 5.4 )
Percentage of students who sleep 8 or more hours per night on average school nights	1790	36.1 ( 33.9 - 38.3 )	40.7 ( 38.8 - 42.6 )	24.7 ( 18.2 - 31.3 )	20.5 ( 11.1 - 29.9 )	23.6 ( 17.5 - 29.7 )

Health Measures*	Number of Responses	Total % (95% CI)	Straight % (95% CI)	Bisexual % (95% CI)	Gay/Lesbian % (95% CI)	Not Sure % (95% CI)
Percentage of students who could fire a loaded gun without adult permission in less than one hour	1754	10.8 ( 6.9 - 14.7 )	11.0 ( 6.8 - 15.1 )	15.8 ( 6.2 - 25.3 )	5.6 ( 0.8 - 10.4 )	5.2 ( 1.2 - 9.3 )
Percentage of students who would be able to get a loaded gun without adult permission in or around their home, from a friend or schoolmate, or from a family member	1721	16.0 ( 12.7 - 19.2 )	14.8 ( 11.5 - 18.1 )	23.4 ( 17.1 - 29.8 )	16.0 ( 10.2 - 21.9 )	10.0 ( 4.1 - 16.0 )
Percentage of students who have experienced problems with their mouth or teeth in the past 12 months, not including braces or injuries	1668	24.4 ( 22.2 - 26.6 )	18.8 ( 17.3 - 20.2 )	40.6 ( 32.6 - 48.7 )	37.8 ( 24.3 - 51.3 )	27.6 ( 18.8 - 36.5 )
Percentage of students who had ever been told by a doctor or nurse that they had asthma	1723	16.2 ( 14.7 - 17.6 )	14.2 ( 12.5 - 15.9 )	21.7 ( 18.8 - 24.6 )	28.3 ( 21.7 - 34.9 )	16.6 ( 9.2 - 24.1 )
Percentage of students who went outdoors to spend time in nature at least once a week during the past 12 months	1732	5.2 ( 4.3 - 6.0 )	4.2 ( 3.6 - 4.8 )	9.0 ( 2.4 - 15.7 )	6.2 ( 4.0 - 8.3 )	4.5 ( 0.9 - 8.2 )
<b>Extra Questions</b>						
Percentage of students who think people who have five or more drinks of an alcoholic beverage once or twice a week have a moderate or great risk of harming themselves physically or in other ways	1630	75.2 ( 73.1 - 77.4 )	73.1 ( 69.4 - 76.8 )	77.0 ( 73.5 - 80.5 )	79.3 ( 67.9 - 90.7 )	88.2 ( 81.9 - 94.6 )
Percentage of students who think people who smoke one or more packs of cigarettes per day have a moderate or great risk of harming themselves physically or in other ways	1623	85.3 ( 83.3 - 87.2 )	84.2 ( 82.5 - 85.8 )	87.8 ( 84.1 - 91.5 )	90.9 ( 80.9 - 100.0 )	93.5 ( 90.0 - 97.0 )
Percentage of students who think people who smoke marijuana once or twice a week have a moderate or great risk of harming themselves physically or in other ways	1615	61.2 ( 58.9 - 63.5 )	61.8 ( 58.6 - 65.0 )	54.3 ( 47.2 - 61.4 )	54.8 ( 41.3 - 68.2 )	70.6 ( 61.4 - 79.8 )
Percentage of students who think people who use prescription drugs that are not prescribed to them have a moderate or great risk of harming themselves physically or in other ways	1615	87.9 ( 84.9 - 90.8 )	87.3 ( 84.3 - 90.3 )	87.5 ( 85.9 - 89.2 )	90.7 ( 78.4 - 100.0 )	91.9 ( 86.6 - 97.1 )
Percentage of students who think their parents would feel it is wrong or very wrong if they drank 1 or 2 drinks of an alcoholic beverage nearly every day	1614	94.4 ( 93.2 - 95.7 )	94.4 ( 92.6 - 96.2 )	93.1 ( 88.7 - 97.4 )	91.4 ( 84.0 - 98.8 )	97.8 ( 94.9 - 100.0 )
Percentage of students who think their parents would feel it is wrong or very wrong for them to smoke tobacco	1604	95.5 ( 94.5 - 96.4 )	95.2 ( 93.7 - 96.6 )	93.8 ( 89.8 - 97.8 )	97.0 ( 93.0 - 100.0 )	99.1 ( 97.4 - 100.0 )
Percentage of students who think their parents would feel it is wrong or very wrong for them to use prescription drugs not prescribed to them	1604	95.9 ( 94.6 - 97.2 )	95.5 ( 93.4 - 97.6 )	94.5 ( 89.6 - 99.4 )	97.3 ( 95.0 - 99.5 )	99.4 ( 98.3 - 100.0 )
Percentage of students who think their friends would feel it is wrong or very wrong for them to have one or two alcoholic drinks nearly every day	1603	74.6 ( 71.8 - 77.4 )	74.5 ( 72.0 - 77.0 )	68.4 ( 60.9 - 75.8 )	72.0 ( 58.9 - 85.0 )	84.9 ( 78.9 - 91.0 )
Percentage of students who think their friends would feel it is wrong or very wrong for them to smoke tobacco	1606	74.8 ( 71.8 - 77.7 )	75.1 ( 72.1 - 78.1 )	63.9 ( 57.1 - 70.6 )	70.6 ( 65.4 - 75.8 )	87.2 ( 78.5 - 96.0 )
Percentage of students who think their friends would feel it is wrong or very wrong for them to smoke marijuana	1604	57.6 ( 52.7 - 62.5 )	60.3 ( 54.5 - 66.2 )	40.5 ( 36.2 - 44.8 )	45.2 ( 37.9 - 52.5 )	69.6 ( 61.5 - 77.6 )
Percentage of students who think their friends would feel it is wrong or very wrong to use prescription drugs not prescribed to them	1609	86.7 ( 84.8 - 88.6 )	87.1 ( 84.9 - 89.4 )	80.1 ( 75.2 - 85.0 )	86.5 ( 78.3 - 94.8 )	91.5 ( 88.0 - 95.0 )
Percentage of students who used prescription drugs not prescribed to them during the past 30 days	1637	2.8 ( 2.2 - 3.3 )	2.0 ( 1.1 - 3.0 )	7.6 ( 4.8 - 10.4 )	. ( . - . )	. ( . - . )

\*Data are suppressed, shown by a period (.), if fewer than 3 students responded "yes" to a question or if results represent 0% or 100% of students.

In districts with enrollment over 35, results are suppressed if fewer than 30 students responded to a question. All percentages are rounded to the nearest tenth.

\*\*Items in this column are included in risk and protective factors known to influence multiple youth health outcomes.

\*\*\*Students included in "Another activity" selected this response on the survey and had the option to write in their answer.



## 2023 HKCS RESULTS: HIGH SCHOOL

### Boulder Valley Re 2

Health Measures*	Number of Responses	Total % (95% CI)	Cisgender % (95% CI)	Transgender % (95% CI)	Not Sure % (95% CI)
<b>Safety</b>					
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else	2360	3.1 ( 2.0 - 4.2 )	2.8 ( 1.9 - 3.8 )	6.1 ( 2.8 - 9.4 )	5.0 ( 0.0 - 12.1 )
Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been drinking alcohol one or more times	1627	5.0 ( 3.9 - 6.0 )	4.7 ( 3.6 - 5.8 )	6.4 ( 2.8 - 10.0 )	14.3 ( 4.7 - 23.8 )
Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been using marijuana one or more times	1624	8.6 ( 6.6 - 10.7 )	8.5 ( 6.2 - 10.8 )	11.0 ( 2.0 - 20.0 )	14.2 ( 4.2 - 24.1 )
Among students who drove a car or other vehicle during the past 30 days, the percentage who texted, posted, or used their phone in some other way while driving on one or more of the days	1618	41.2 ( 37.7 - 44.7 )	41.4 ( 37.7 - 45.1 )	46.4 ( 38.6 - 54.2 )	42.2 ( 26.0 - 58.5 )
<b>Bullying</b>					
Percentage of students who have ever been bullied on school property during the past 12 months	2286	12.5 ( 10.7 - 14.4 )	11.2 ( 9.5 - 12.9 )	38.9 ( 29.2 - 48.7 )	23.6 ( 10.6 - 36.6 )
Among students bullied on school property, the percentage who were bullied in a classroom in the past 12 months	300	50.0 ( 37.4 - 62.5 )	50.9 ( 40.0 - 61.8 )	39.2 ( 18.8 - 59.7 )	. ( . - . )
Among students bullied on school property, the percentage who were bullied in a hallway or stairwell in the past 12 months	300	39.5 ( 30.7 - 48.3 )	37.6 ( 28.7 - 46.4 )	45.3 ( 24.3 - 66.3 )	. ( . - . )
Among students bullied on school property, the percentage who were bullied in a locker room or bathroom in the past 12 months	300	18.8 ( 16.7 - 20.9 )	18.9 ( 15.2 - 22.6 )	22.5 ( 12.9 - 32.1 )	. ( . - . )
Among students bullied on school property, the percentage who were bullied in a cafeteria or lunch room in the past 12 months	300	28.7 ( 23.7 - 33.7 )	28.7 ( 22.5 - 34.9 )	29.9 ( 19.8 - 40.1 )	. ( . - . )
Among students bullied on school property, the percentage who were bullied on a bus or at a bus stop in the past 12 months	300	10.0 ( 6.2 - 13.8 )	8.6 ( 4.9 - 12.4 )	8.5 ( 0.7 - 16.3 )	. ( . - . )
Among students bullied on school property, the percentage who were bullied outside before school in the past 12 months	300	14.3 ( 9.8 - 18.9 )	13.6 ( 7.6 - 19.7 )	21.3 ( 15.5 - 27.1 )	. ( . - . )
Among students bullied on school property, the percentage who were bullied outside after school in the past 12 months	300	26.4 ( 21.6 - 31.1 )	26.4 ( 20.6 - 32.1 )	30.8 ( 22.4 - 39.2 )	. ( . - . )
Among students bullied on school property, the percentage who were bullied outside during lunch or break in the past 12 months	300	25.3 ( 21.6 - 28.9 )	25.0 ( 20.6 - 29.5 )	34.4 ( 27.9 - 41.0 )	. ( . - . )
Percentage of students who had ever been electronically bullied during the past 12 months	2353	9.7 ( 8.2 - 11.2 )	8.7 ( 7.2 - 10.3 )	31.4 ( 24.5 - 38.4 )	11.0 ( 0.0 - 23.1 )
Among students who were teased in the past 12 months, the percentage who were teased because of sexual orientation	357	27.4 ( 21.6 - 33.1 )	21.8 ( 14.8 - 28.9 )	46.5 ( 33.3 - 59.6 )	. ( . - . )
Among students who were teased in the past 12 months, the percentage who were teased because of gender identity	357	24.5 ( 20.1 - 28.8 )	12.2 ( 6.7 - 17.8 )	85.1 ( 80.1 - 90.2 )	. ( . - . )
Among students who were teased in the past 12 months, the percentage who were teased because of religion	357	14.8 ( 10.8 - 18.7 )	16.1 ( 12.0 - 20.1 )	10.3 ( 6.4 - 14.3 )	. ( . - . )

Health Measures*	Number of Responses	Total % (95% CI)	Cisgender % (95% CI)	Transgender % (95% CI)	Not Sure % (95% CI)
Among students who were teased in the past 12 months, the percentage who were teased because of disability	357	18.6 ( 15.5 - 21.7 )	17.2 ( 13.9 - 20.5 )	32.2 ( 24.7 - 39.7 )	. ( . - . )
Among students who were teased in the past 12 months, the percentage who were teased because of physical appearance	357	62.0 ( 55.5 - 68.5 )	64.3 ( 55.1 - 73.4 )	52.8 ( 42.6 - 63.1 )	. ( . - . )
Among students who were teased in the past 12 months, the percentage who were teased because of race or ethnicity	357	26.5 ( 20.0 - 33.0 )	29.7 ( 22.6 - 36.8 )	9.9 ( 3.9 - 15.9 )	. ( . - . )
<b>Violence</b>					
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school	2363	8.6 ( 6.7 - 10.6 )	8.1 ( 6.5 - 9.8 )	20.6 ( 11.3 - 30.0 )	11.7 ( 0.0 - 26.7 )
Percentage of students who were in a physical fight one or more times during the past 12 months	2327	10.2 ( 9.1 - 11.3 )	10.0 ( 8.9 - 11.1 )	13.7 ( 9.7 - 17.6 )	12.8 ( 3.4 - 22.2 )
Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose one or more times by someone they were dating or going out with	1224	8.9 ( 7.4 - 10.4 )	8.1 ( 6.9 - 9.3 )	18.9 ( 9.3 - 28.4 )	. ( . - . )
Among students who dated or went out with someone during the past 12 months, the percentage who had been controlled or emotionally hurt by someone they were dating or going out with	1220	18.1 ( 16.4 - 19.9 )	17.7 ( 16.1 - 19.4 )	30.7 ( 16.7 - 44.7 )	. ( . - . )
<b>Consent/Sexual Violence</b>					
Percentage of students who had a sexual experience where they were unsure if they gave their fully-granted consent to the other person	2320	11.3 ( 9.6 - 12.9 )	10.6 ( 9.1 - 12.2 )	27.4 ( 22.9 - 31.8 )	13.9 ( 6.9 - 20.8 )
Percentage of students who had a sexual experience where they were unsure if they received fully-granted consent from the other person	2316	2.6 ( 2.3 - 3.0 )	2.8 ( 2.4 - 3.2 )	. ( . - . )	. ( . - . )
Percentage of students who had a revealing or sexual photo or video of themselves texted, e-mailed, or posted electronically without their permission in the past 12 months	2323	4.5 ( 3.5 - 5.4 )	4.4 ( 3.5 - 5.3 )	7.4 ( 3.7 - 11.2 )	. ( . - . )
Percentage of students who have made sexual comments, jokes, gestures or looks at someone when unwanted	2317	5.9 ( 4.6 - 7.1 )	5.9 ( 4.5 - 7.2 )	5.2 ( 0.2 - 10.3 )	5.6 ( 0.0 - 12.7 )
Percentage of students who touched, grabbed or pinched someone in a sexual way when unwanted	2317	2.8 ( 2.0 - 3.6 )	2.8 ( 2.2 - 3.3 )	2.5 ( 0.8 - 4.1 )	7.5 ( 0.0 - 17.6 )
Percentage of students who have ever had sex while under the influence of alcohol or drugs	2308	10.2 ( 7.3 - 13.0 )	10.4 ( 7.8 - 13.1 )	5.4 ( 0.0 - 11.3 )	13.1 ( 4.4 - 21.8 )
Percentage of students who have ever been physically forced to have sex when they did not want to	2310	3.6 ( 2.9 - 4.4 )	3.4 ( 2.8 - 4.1 )	7.2 ( 1.9 - 12.4 )	7.0 ( 0.0 - 14.0 )
<b>Mental Health</b>					
Percentage of students who agree or strongly agree their stress level is manageable most days	2329	57.5 ( 54.9 - 60.0 )	59.6 ( 57.3 - 61.9 )	20.9 ( 7.4 - 34.4 )	36.0 ( 25.1 - 46.9 )
Percentage of students who most of the time or always had poor mental health during the past 30 days	2317	28.9 ( 27.7 - 30.1 )	26.7 ( 25.8 - 27.5 )	71.3 ( 64.2 - 78.3 )	47.7 ( 36.6 - 58.9 )
Percentage of students who purposefully hurt themselves without wanting to die in the past 12 months	2290	14.7 ( 12.9 - 16.5 )	12.8 ( 10.6 - 14.9 )	48.0 ( 39.6 - 56.5 )	42.9 ( 22.4 - 63.3 )
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row during the past 12 months that they stopped doing some usual activities	2297	23.4 ( 22.1 - 24.6 )	21.3 ( 20.1 - 22.4 )	63.7 ( 51.1 - 76.4 )	47.6 ( 26.6 - 68.6 )

Health Measures*	Number of Responses	Total % (95% CI)	Cisgender % (95% CI)	Transgender % (95% CI)	Not Sure % (95% CI)
Percentage of students who seriously considered attempting suicide during the past 12 months	2285	11.6 ( 10.6 - 12.6 )	10.4 ( 9.5 - 11.3 )	37.8 ( 32.9 - 42.7 )	20.8 ( 14.9 - 26.8 )
Percentage of students who made a plan about how they would attempt suicide during the past 12 months	2275	9.6 ( 8.5 - 10.7 )	8.7 ( 8.0 - 9.4 )	34.2 ( 29.6 - 38.7 )	13.3 ( 6.7 - 19.9 )
Percentage of students who attempted suicide one or more times during the past 12 months	2282	4.5 ( 4.0 - 5.1 )	4.0 ( 3.2 - 4.7 )	17.4 ( 12.5 - 22.3 )	6.7 ( 1.8 - 11.6 )
Percentage of students who have an adult to go to for help with a serious problem	2279	77.9 ( 77.2 - 78.7 )	79.3 ( 78.3 - 80.3 )	51.8 ( 46.3 - 57.4 )	70.8 ( 53.9 - 87.7 )
Percentage of students who most of the time or always could talk to a friend about feelings during their life	2278	59.7 ( 56.3 - 63.1 )	61.2 ( 57.8 - 64.6 )	33.1 ( 27.5 - 38.7 )	53.5 ( 33.5 - 73.4 )
Percentage of students who had a friend tell them they had thoughts of suicide one or more times during the past 12 months	2259	31.8 ( 30.0 - 33.6 )	30.1 ( 28.0 - 32.2 )	60.4 ( 48.7 - 72.2 )	56.4 ( 41.0 - 71.9 )
Percentage of students who would tell their parents or guardians if they were concerned about their own or someone else's well-being or mental health	2189	56.8 ( 55.5 - 58.2 )	58.8 ( 57.4 - 60.2 )	21.5 ( 9.0 - 34.0 )	31.6 ( 23.3 - 40.0 )
Percentage of students who would tell another trusted adult (who is not their parents or guardians) if they were concerned about their own or someone else's well-being or mental health	2189	51.3 ( 49.3 - 53.4 )	51.7 ( 49.4 - 53.9 )	49.7 ( 43.9 - 55.4 )	42.9 ( 37.2 - 48.6 )
Percentage of students who would tell a friend if they were concerned about their own or someone else's well-being or mental health	2189	45.1 ( 41.7 - 48.5 )	45.2 ( 42.0 - 48.4 )	55.0 ( 50.0 - 59.9 )	38.4 ( 21.8 - 55.0 )
Percentage of students who would submit an anonymous report through their school's safety reporting system if they were concerned about their own or someone else's well-being or mental health	2189	28.3 ( 25.5 - 31.1 )	28.7 ( 26.0 - 31.5 )	25.7 ( 19.7 - 31.7 )	29.1 ( 20.4 - 37.8 )
Percentage of students who would contact a crisis line if they were concerned about their own or someone else's well-being or mental health	2189	26.1 ( 23.4 - 28.8 )	26.0 ( 23.5 - 28.5 )	39.7 ( 35.1 - 44.4 )	24.6 ( 14.0 - 35.2 )
Percentage of students who have ever experienced the death of a family member or close friend	2276	69.1 ( 65.2 - 73.0 )	69.6 ( 66.1 - 73.2 )	64.6 ( 59.5 - 69.6 )	58.2 ( 38.6 - 77.8 )
<b>Racism</b>					
Percentage who were treated badly or unfairly in school because of their race or ethnicity in the past 12 months	2155	3.8 ( 3.0 - 4.7 )	3.9 ( 3.1 - 4.7 )	2.6 ( 0.0 - 5.8 )	. ( . - . )
Percentage who were watched closely or followed by security guards or store clerks at a store or mall because of their race or ethnicity in the past 12 months	2155	3.4 ( 3.0 - 3.8 )	3.5 ( 2.8 - 4.1 )	. ( . - . )	7.7 ( 0.8 - 14.7 )
Percentage who were assumed less intelligent because of their race or ethnicity in the past 12 months	2155	5.1 ( 4.1 - 6.0 )	4.9 ( 3.8 - 6.1 )	4.1 ( 0.0 - 11.0 )	7.7 ( 0.8 - 14.7 )
Percentage who saw family members treated unfairly because of their race or ethnicity in the past 12 months	2155	6.5 ( 5.1 - 7.8 )	6.5 ( 5.3 - 7.8 )	8.0 ( 0.7 - 15.4 )	. ( . - . )
<b>Alcohol</b>					
Percentage of students who have ever had a drink of alcohol other than a few sips	2164	50.8 ( 45.5 - 56.1 )	50.9 ( 45.9 - 56.0 )	47.2 ( 38.4 - 55.9 )	61.4 ( 43.2 - 79.5 )
Percentage of students who had their first drink of alcohol, other than a few sips, before age 13	2164	12.2 ( 8.9 - 15.5 )	11.7 ( 8.5 - 14.9 )	18.6 ( 12.6 - 24.6 )	10.6 ( 5.9 - 15.3 )
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days	2177	27.6 ( 22.5 - 32.7 )	28.3 ( 23.2 - 33.4 )	21.9 ( 11.3 - 32.5 )	24.5 ( 4.6 - 44.4 )

Health Measures*	Number of Responses	Total % (95% CI)	Cisgender % (95% CI)	Transgender % (95% CI)	Not Sure % (95% CI)
Percentage of students who binge drank (4+ drinks, within a couple of hours) on one or more of the past 30 days	2168	17.8 ( 11.9 - 23.7 )	18.4 ( 12.4 - 24.3 )	8.5 ( 3.8 - 13.2 )	19.8 ( 2.8 - 36.8 )
Percentage of students who feel it would be sort of easy or very easy to get alcohol if they wanted	2131	60.3 ( 57.7 - 62.9 )	60.1 ( 57.2 - 62.9 )	64.4 ( 54.6 - 74.2 )	70.6 ( 65.7 - 75.6 )
Percentage of students who think it is wrong or very wrong for someone of the same age to drink alcohol regularly (at least once or twice per month)	2191	58.7 ( 51.8 - 65.5 )	58.3 ( 51.1 - 65.5 )	63.0 ( 55.2 - 70.7 )	57.1 ( 37.6 - 76.6 )
Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they drank alcohol regularly (at least once or twice per month)	2186	78.7 ( 73.8 - 83.7 )	79.1 ( 73.9 - 84.4 )	77.8 ( 67.6 - 88.0 )	70.2 ( 52.4 - 88.1 )
Percentage of students who thought 5 or more out of every 10 students in their grade had four or more drinks on at least one day in the past 30 days	2167	42.9 ( 35.9 - 49.9 )	43.9 ( 37.6 - 50.2 )	27.8 ( 12.7 - 42.9 )	42.6 ( 19.5 - 65.7 )
<b>Tobacco</b>					
Percentage of students who have ever smoked a cigarette, even one or two puffs	2171	17.1 ( 12.2 - 22.0 )	17.2 ( 12.0 - 22.4 )	15.1 ( 11.3 - 18.9 )	19.3 ( 4.9 - 33.7 )
Percentage of students who smoked a cigarette, even one or two puffs, for the first time before age 13	2171	3.8 ( 2.4 - 5.2 )	3.7 ( 2.3 - 5.0 )	5.7 ( 1.8 - 9.5 )	. ( . - . )
Percentage of students who smoked cigarettes on one or more of the past 30 days	2171	5.3 ( 3.0 - 7.5 )	5.3 ( 3.1 - 7.5 )	. ( . - . )	12.7 ( 2.9 - 22.5 )
Among students who smoked in the past 30 days, the percentage who smoked menthol cigarettes	108	26.7 ( 3.1 - 50.3 )	25.3 ( 2.3 - 48.2 )	. ( . - . )	. ( . - . )
Percentage of students who have used cigars, chewing tobacco, hookah, pipe, or bidis in the past 30 days	2093	4.0 ( 2.4 - 5.6 )	4.1 ( 2.6 - 5.7 )	. ( . - . )	6.6 ( 1.4 - 11.8 )
Percentage of students who think it would be sort of easy or very easy to get cigarettes if they wanted	2154	38.6 ( 33.3 - 43.9 )	38.6 ( 33.4 - 43.9 )	34.4 ( 30.8 - 38.0 )	50.1 ( 34.6 - 65.6 )
Percentage of students who have ever used an electronic vapor product	2148	27.5 ( 22.4 - 32.6 )	27.8 ( 22.2 - 33.4 )	22.7 ( 18.2 - 27.2 )	31.6 ( 18.2 - 45.1 )
Percentage of students who had used an electronic vapor product before age 13	2148	6.0 ( 4.2 - 7.8 )	5.9 ( 4.3 - 7.6 )	6.6 ( 1.0 - 12.1 )	8.2 ( 2.0 - 14.4 )
Percentage of students who used an electronic vapor product in the past 30 days	2081	9.0 ( 6.9 - 11.1 )	9.2 ( 7.2 - 11.3 )	4.8 ( 0.5 - 9.2 )	11.4 ( 2.6 - 20.3 )
Percentage of students who feel it would be sort of easy or very easy to get electronic vapor products if they wanted	2152	57.4 ( 55.3 - 59.5 )	57.1 ( 54.9 - 59.2 )	66.9 ( 60.7 - 73.1 )	62.4 ( 59.2 - 65.7 )
Percentage of students who think it is wrong or very wrong for someone of the same age to use electronic vapor products	2196	74.3 ( 71.9 - 76.7 )	74.6 ( 72.1 - 77.2 )	69.9 ( 65.3 - 74.5 )	65.5 ( 53.5 - 77.5 )
Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they used electronic vapor products	2188	95.4 ( 94.5 - 96.3 )	95.7 ( 94.8 - 96.7 )	95.0 ( 91.3 - 98.6 )	82.7 ( 74.3 - 91.0 )
Among students who have used electronic vapor products, the percentage who used them because a friend or family member used them	511	55.7 ( 47.5 - 63.9 )	55.3 ( 46.9 - 63.8 )	. ( . - . )	. ( . - . )
Among students who have used electronic vapor products, the percentage who used them because they were trying to quit other tobacco products	511	3.7 ( 1.7 - 5.7 )	3.2 ( 1.4 - 4.9 )	. ( . - . )	. ( . - . )
Among students who have used electronic vapor products, the percentage who used them because they cost less than other tobacco products	511	4.6 ( 3.2 - 5.9 )	4.6 ( 3.0 - 6.2 )	. ( . - . )	. ( . - . )

Health Measures*	Number of Responses	Total % (95% CI)	Cisgender % (95% CI)	Transgender % (95% CI)	Not Sure % (95% CI)
Among students who have used electronic vapor products, the percentage who used them because it is easier to get them than other tobacco products	511	12.0 ( 8.9 - 15.1 )	11.3 ( 8.5 - 14.1 )	. ( . - . )	. ( . - . )
Among students who have used electronic vapor products, the percentage who used them because they are less harmful than other tobacco products	511	10.4 ( 7.6 - 13.3 )	10.3 ( 7.2 - 13.3 )	. ( . - . )	. ( . - . )
Among students who have used electronic vapor products, the percentage who used them because they are available in flavors	511	16.4 ( 14.7 - 18.2 )	16.3 ( 14.2 - 18.4 )	. ( . - . )	. ( . - . )
Among students who have used electronic vapor products, the percentage who used them because they can be used in areas where other tobacco products are not allowed	511	10.7 ( 8.5 - 12.8 )	10.5 ( 8.2 - 12.9 )	. ( . - . )	. ( . - . )
Among students who use electronic vapor products, the percentage who most of the time or always reach for them without thinking about it	556	10.5 ( 8.7 - 12.3 )	10.7 ( 8.5 - 13.0 )	. ( . - . )	. ( . - . )
Percentage of students who probably or definitely will use an electronic vapor product if one of their best friends offers it	2127	15.1 ( 13.1 - 17.1 )	15.1 ( 13.0 - 17.2 )	13.0 ( 8.6 - 17.5 )	21.9 ( 15.6 - 28.2 )
Percentage of students who think people who use electronic vapor products every day have a moderate or great risk of harm	2111	83.2 ( 80.7 - 85.8 )	83.1 ( 80.7 - 85.4 )	93.5 ( 88.1 - 99.0 )	82.4 ( 79.3 - 85.6 )
Percentage of students who have seen or heard ads for electronic vapor products in the past 30 days	2072	63.2 ( 59.6 - 66.8 )	62.9 ( 59.2 - 66.5 )	69.8 ( 64.1 - 75.5 )	67.3 ( 49.0 - 85.7 )
Among those underage students who tried to buy tobacco or vaping products in a store, the percentage who were not refused because of age	140	87.1 ( 82.8 - 91.4 )	87.4 ( 82.4 - 92.3 )	. ( . - . )	. ( . - . )
Among underage students who used tobacco products in the past 30 days, the percentage who bought them over the internet	166	7.8 ( 3.9 - 11.7 )	7.4 ( 2.6 - 12.1 )	. ( . - . )	. ( . - . )
Among underage students who used tobacco products in the past 30 days, the percentage who bought them through the mail	166	3.1 ( 0.6 - 5.6 )	2.8 ( 0.0 - 5.7 )	. ( . - . )	. ( . - . )
Among underage students who used tobacco products in the past 30 days, the percentage who bought them from a gas station, convenience store, grocery store, or drug store	166	18.3 ( 13.4 - 23.2 )	17.1 ( 12.3 - 21.8 )	. ( . - . )	. ( . - . )
Among students who reported current tobacco use, the percentage who ever tried to quit using all tobacco products during the past 12 months	183	46.0 ( 41.6 - 50.4 )	47.0 ( 42.3 - 51.6 )	. ( . - . )	. ( . - . )
Percentage of students who think breathing secondhand vapor has a moderate or great risk	2039	61.8 ( 59.5 - 64.0 )	62.3 ( 59.9 - 64.7 )	57.4 ( 52.4 - 62.5 )	56.3 ( 49.5 - 63.0 )
Percentage of students who were inside their home while someone was smoking a cigarette, cigar, pipe, or using an electronic vapor product for one or more days in the past 7 days	2044	12.9 ( 10.3 - 15.6 )	12.7 ( 10.2 - 15.2 )	20.7 ( 11.0 - 30.3 )	16.4 ( 7.4 - 25.4 )
<b>Marijuana</b>					
Percentage of students who have ever tried marijuana	2062	29.0 ( 22.1 - 35.9 )	29.6 ( 22.4 - 36.7 )	26.7 ( 16.9 - 36.5 )	25.0 ( 11.6 - 38.4 )
Percentage of students who tried marijuana for the first time before age 13	2062	4.6 ( 3.7 - 5.4 )	4.5 ( 3.6 - 5.3 )	6.6 ( 3.8 - 9.3 )	5.5 ( 1.9 - 9.1 )
Percentage of students who used marijuana one or more times during the past 30 days	2023	16.9 ( 12.4 - 21.4 )	17.1 ( 12.5 - 21.7 )	16.3 ( 12.5 - 20.2 )	18.8 ( 5.1 - 32.5 )
Percentage of students who feel it would be sort of easy or very easy to get marijuana if they wanted	2112	48.3 ( 44.5 - 52.0 )	47.9 ( 43.8 - 51.9 )	58.3 ( 47.5 - 69.1 )	52.5 ( 46.7 - 58.4 )
Percentage of students who think it is wrong or very wrong for someone of the same age to use marijuana	2192	61.0 ( 55.0 - 66.9 )	61.1 ( 54.9 - 67.3 )	53.3 ( 51.3 - 55.3 )	52.5 ( 39.5 - 65.6 )

Health Measures*	Number of Responses	Total % (95% CI)	Cisgender % (95% CI)	Transgender % (95% CI)	Not Sure % (95% CI)
Percentage of students who think their parents or guardians feel it is wrong or very wrong if they used marijuana	2181	86.1 ( 84.0 - 88.2 )	86.4 ( 84.1 - 88.6 )	76.2 ( 61.5 - 90.9 )	87.8 ( 84.2 - 91.4 )
Percentage of students who thought 5 or more out of every 10 students in their grade used marijuana in the past 30 days	2169	44.7 ( 40.8 - 48.7 )	45.3 ( 41.2 - 49.4 )	43.3 ( 30.4 - 56.2 )	36.4 ( 30.8 - 42.0 )
Among students who used marijuana in the past 30 days, the percentage who smoked it	328	72.0 ( 67.5 - 76.4 )	72.4 ( 68.0 - 76.8 )	. ( . - . )	. ( . - . )
Among students who used marijuana in the past 30 days, the percentage who ate it	328	37.8 ( 33.7 - 41.9 )	37.8 ( 34.5 - 41.2 )	. ( . - . )	. ( . - . )
Among students who used marijuana in the past 30 days, the percentage who vaporized it	328	45.5 ( 40.2 - 50.7 )	45.9 ( 41.8 - 50.0 )	. ( . - . )	. ( . - . )
Among students who used marijuana in the past 30 days, the percentage who dabbed it	328	29.7 ( 22.6 - 36.8 )	30.1 ( 23.2 - 37.1 )	. ( . - . )	. ( . - . )
Among students who used marijuana in the past 30 days, the percentage who usually smoked it	320	50.4 ( 45.6 - 55.3 )	50.4 ( 45.4 - 55.4 )	. ( . - . )	. ( . - . )
Among students who used marijuana in the past 30 days, the percentage who usually got it from an adult over the age of 21	307	20.4 ( 14.6 - 26.2 )	20.3 ( 15.4 - 25.2 )	. ( . - . )	. ( . - . )
Percentage of students who used THC concentrates, hash oil, or waxes one or more times during the past 30 days	2042	8.3 ( 6.7 - 9.9 )	8.3 ( 6.5 - 10.1 )	10.5 ( 8.2 - 12.9 )	8.7 ( 0.0 - 18.1 )
<b>Prescription Pain Medication</b>					
Percentage of students who have ever used prescription pain medicine not prescribed to them or differently than how a doctor told them to use it	2032	6.6 ( 6.1 - 7.1 )	6.3 ( 5.9 - 6.7 )	11.7 ( 9.5 - 13.9 )	7.7 ( 6.3 - 9.2 )
Percentage of students who used prescription pain medicine not prescribed to them or differently than how a doctor told them to use it for the first time before age 13	2032	2.6 ( 1.9 - 3.3 )	2.4 ( 1.6 - 3.2 )	8.9 ( 5.1 - 12.7 )	. ( . - . )
Percentage of students who took prescription pain medicine not prescribed to them or differently than how a doctor told them to use it one or more times in the past 30 days	2041	2.5 ( 2.0 - 3.0 )	2.3 ( 2.0 - 2.5 )	5.7 ( 1.7 - 9.7 )	5.5 ( 1.8 - 9.2 )
Percentage of students who feel it would be sort of easy or very easy to get prescription pain medicine not prescribed to them	2146	25.1 ( 23.4 - 26.9 )	24.4 ( 22.6 - 26.1 )	32.6 ( 24.3 - 40.8 )	42.1 ( 31.1 - 53.2 )
Percentage of students who think it is wrong or very wrong for someone of the same age to use prescription pain medicine without a doctor's prescription	2194	88.8 ( 87.6 - 89.9 )	89.3 ( 88.3 - 90.4 )	78.4 ( 71.2 - 85.6 )	84.9 ( 70.8 - 99.1 )
<b>Other Drugs</b>					
Percentage of students who have ever used stimulants not prescribed to them or differently than prescribed	1988	5.2 ( 3.7 - 6.6 )	5.0 ( 3.6 - 6.3 )	13.0 ( 3.0 - 22.9 )	. ( . - . )
Percentage of students who have ever used cocaine	1988	2.0 ( 1.2 - 2.9 )	2.0 ( 1.1 - 2.8 )	4.7 ( 0.7 - 8.8 )	. ( . - . )
Percentage of students who have ever sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high	1988	2.4 ( 1.6 - 3.3 )	2.4 ( 1.4 - 3.4 )	4.7 ( 0.7 - 8.8 )	. ( . - . )
Percentage of students who have ever used heroin	1988	0.9 ( 0.4 - 1.3 )	0.7 ( 0.2 - 1.3 )	3.7 ( 0.0 - 8.6 )	. ( . - . )
Percentage of students who have ever used methamphetamines	1988	0.7 ( 0.3 - 1.2 )	0.6 ( 0.1 - 1.2 )	3.7 ( 0.0 - 8.6 )	. ( . - . )

Health Measures*	Number of Responses	Total % (95% CI)	Cisgender % (95% CI)	Transgender % (95% CI)	Not Sure % (95% CI)
Percentage of students who have ever used ecstasy	1988	1.7 ( 1.3 - 2.1 )	1.7 ( 1.3 - 2.1 )	4.7 ( 0.7 - 8.8 )	. ( . - . )
Percentage of students who have ever used psychedelics	1988	6.4 ( 3.8 - 9.0 )	6.3 ( 3.7 - 9.0 )	6.4 ( 2.6 - 10.2 )	9.2 ( 2.0 - 16.4 )
Percentage of students who have ever used fentanyl	1988	0.8 ( 0.3 - 1.2 )	0.7 ( 0.1 - 1.2 )	3.7 ( 0.0 - 8.6 )	. ( . - . )
Percentage of students who have ever used kratom	1988	1.0 ( 0.4 - 1.6 )	0.9 ( 0.3 - 1.5 )	3.7 ( 0.0 - 8.6 )	. ( . - . )
Percentage of students who have ever used hemp-derived, intoxicating cannabinoid products like Delta-8 and Delta-10 THC	1988	5.1 ( 4.3 - 6.0 )	5.0 ( 4.2 - 5.7 )	11.6 ( 7.3 - 16.0 )	. ( . - . )
<b>Sexual Health</b>					
Percentage of students who have ever had consensual sex	1993	25.1 ( 21.4 - 28.9 )	25.5 ( 22.1 - 28.8 )	18.1 ( 9.1 - 27.0 )	27.7 ( 9.8 - 45.6 )
Percentage of students who had consensual sex in the last three months	1993	16.8 ( 14.3 - 19.3 )	16.9 ( 14.5 - 19.3 )	17.0 ( 7.4 - 26.5 )	14.7 ( 4.6 - 24.7 )
Among students who had consensual sex during the past three months, the percentage who used a condom or their partner used a condom the last time they had consensual sex	314	65.6 ( 60.7 - 70.5 )	67.1 ( 61.3 - 73.0 )	. ( . - . )	. ( . - . )
Among students who had consensual sex during the past three months, the percentage who used or their partner used any method of contraception the last time they had consensual sex	314	87.6 ( 84.8 - 90.4 )	88.9 ( 85.5 - 92.3 )	. ( . - . )	. ( . - . )
<b>Nutrition</b>					
Percentage of students who ate fruit one or more times per day in the past 7 days	2011	53.9 ( 50.5 - 57.3 )	54.5 ( 51.4 - 57.7 )	46.8 ( 39.0 - 54.5 )	49.5 ( 35.5 - 63.5 )
Percentage of students who ate vegetables such as green salad, potatoes, carrots, or other vegetables one or more times per day in the past 7 days	1988	57.9 ( 53.3 - 62.5 )	58.6 ( 54.3 - 62.9 )	48.1 ( 41.8 - 54.5 )	53.6 ( 42.9 - 64.3 )
Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day in the past 7 days	2002	14.0 ( 9.5 - 18.4 )	13.7 ( 9.7 - 17.7 )	14.9 ( 0.0 - 30.7 )	17.8 ( 10.0 - 25.5 )
Percentage of students who drank a sports drink, energy drink, or other sweetened beverage one or more times in the past 7 days	1955	63.0 ( 58.3 - 67.8 )	62.8 ( 57.9 - 67.6 )	69.1 ( 60.2 - 78.0 )	71.0 ( 55.7 - 86.3 )
Percentage of students who ate breakfast on all of the past 7 days	1985	39.4 ( 37.6 - 41.1 )	40.0 ( 38.1 - 41.9 )	30.4 ( 25.7 - 35.0 )	30.3 ( 20.8 - 39.8 )
Percentage of students who sometimes, most of the time, or always went hungry in the past 30 days because of a lack of food at home	1983	8.3 ( 6.2 - 10.3 )	7.9 ( 6.1 - 9.8 )	11.5 ( 3.2 - 19.7 )	12.1 ( 3.4 - 20.8 )
<b>Physical Activity</b>					
Percentage of students who were physically active for a total of at least 60 minutes per day on 5 or more of the past 7 days	1952	55.6 ( 52.1 - 59.1 )	57.2 ( 53.9 - 60.5 )	29.3 ( 17.3 - 41.3 )	39.6 ( 28.6 - 50.6 )
Percentage of students who spent 3+ hours in front of a TV, computer, smart phone, or other electronic device for something other than schoolwork	1934	68.6 ( 66.6 - 70.6 )	68.1 ( 66.5 - 69.7 )	78.0 ( 73.8 - 82.3 )	76.5 ( 68.4 - 84.7 )
Percentage of students who could walk or ride a bike, scooter, or skateboard to school if they wanted to	1959	56.0 ( 52.2 - 59.9 )	56.4 ( 51.6 - 61.1 )	48.7 ( 37.4 - 60.0 )	51.4 ( 38.2 - 64.6 )

Health Measures*	Number of Responses	Total % (95% CI)	Cisgender % (95% CI)	Transgender % (95% CI)	Not Sure % (95% CI)
Percentage of students who had a concussion in the past 12 months from playing sports or being physically active	1948	15.8 ( 13.6 - 17.9 )	15.7 ( 14.0 - 17.5 )	12.1 ( 6.8 - 17.4 )	18.6 ( 3.4 - 33.8 )
<b>Body Image &amp; Eating Disorders</b>					
Percentage of students who most of the time or always felt confident with their body image during the past 30 days	1905	47.8 ( 44.8 - 50.9 )	49.9 ( 47.8 - 51.9 )	17.7 ( 4.4 - 31.1 )	16.1 ( 0.0 - 33.1 )
Percentage of students who most of the time or always worried about their physical appearance more than they wanted to during the past 30 days	1891	38.4 ( 37.1 - 39.7 )	37.4 ( 35.9 - 38.9 )	58.3 ( 53.1 - 63.6 )	47.8 ( 36.0 - 59.6 )
Percentage of students who tried to lose weight or keep from gaining weight by going without eating for 24 hours or more; taking any diet pills, powders, or liquids; vomiting or taking laxatives; or skipping meals during the past 30 days	1893	19.2 ( 17.6 - 20.9 )	18.2 ( 16.2 - 20.2 )	31.6 ( 25.0 - 38.2 )	33.6 ( 26.7 - 40.6 )
<b>Home Life</b>					
Percentage of students who usually or definitely feel the rules in their family are clear	1884	92.5 ( 91.7 - 93.3 )	93.6 ( 92.9 - 94.2 )	74.2 ( 70.2 - 78.3 )	84.1 ( 69.8 - 98.4 )
Percentage of students who usually or definitely could ask their parents or guardians for help with a personal problem	1881	87.2 ( 85.7 - 88.7 )	88.8 ( 87.3 - 90.3 )	61.7 ( 48.6 - 74.9 )	68.0 ( 58.8 - 77.1 )
Percentage of students who usually or definitely have parents or guardians who ask if their homework is done	1850	77.0 ( 71.7 - 82.3 )	77.4 ( 71.5 - 83.4 )	61.4 ( 50.4 - 72.3 )	83.9 ( 76.9 - 91.0 )
Percentage of students who usually or definitely have chances to do fun things with their parents or guardians	1857	83.2 ( 80.4 - 86.0 )	84.3 ( 82.0 - 86.6 )	65.8 ( 56.6 - 75.0 )	65.5 ( 49.2 - 81.8 )
Percentage of students who usually or definitely have parents or guardians who ask them what they think before most family decisions	1853	74.4 ( 72.3 - 76.5 )	75.9 ( 73.8 - 78.1 )	51.7 ( 44.6 - 58.7 )	53.8 ( 31.1 - 76.5 )
Percentage of students who usually or definitely think they would be caught by their parents or guardians for skipping school	1867	89.8 ( 88.5 - 91.1 )	89.9 ( 88.5 - 91.4 )	83.0 ( 81.4 - 84.6 )	92.2 ( 86.1 - 98.4 )
Percentage of students who usually or definitely feel safe in their neighborhood	1875	97.2 ( 96.6 - 97.9 )	97.4 ( 96.8 - 98.0 )	93.4 ( 90.4 - 96.4 )	95.7 ( 91.1 - 100.0 )
Percentage of students who provide care for someone in their family or household who is chronically ill, elderly, or disabled with activities they would have difficulty doing on their own one or more days per week	1868	9.7 ( 8.0 - 11.3 )	9.6 ( 7.8 - 11.4 )	11.7 ( 6.2 - 17.1 )	5.1 ( 0.0 - 10.3 )
<b>School &amp; Community</b>					
Percentage of students who agree or strongly agree that they belong at their school	1869	75.2 ( 72.3 - 78.2 )	77.4 ( 74.8 - 80.0 )	42.2 ( 30.9 - 53.5 )	65.1 ( 56.4 - 73.8 )
Percentage of students who most of the time or always enjoyed being in school over the last year	1870	45.7 ( 44.7 - 46.6 )	46.8 ( 45.7 - 47.8 )	29.0 ( 15.4 - 42.6 )	39.7 ( 30.5 - 49.0 )
Percentage of students who skipped one or more whole days of school during the past four weeks	1863	31.6 ( 24.5 - 38.6 )	32.1 ( 25.2 - 39.0 )	26.6 ( 16.7 - 36.5 )	21.7 ( 3.9 - 39.4 )
Percentage of students who think most of their classes are fairly, quite, or very interesting	1863	73.2 ( 70.5 - 75.9 )	74.0 ( 70.5 - 77.5 )	64.8 ( 52.6 - 77.0 )	61.5 ( 48.4 - 74.5 )
Percentage of students who think the things they are learning in school are going to be important or very important for later in life	1830	59.6 ( 57.0 - 62.2 )	60.2 ( 57.3 - 63.1 )	46.5 ( 38.9 - 54.2 )	55.4 ( 40.3 - 70.5 )
Percentage of students who talked to a school counselor about their future plans after high school in the past 12 months	1803	48.5 ( 39.9 - 57.1 )	48.8 ( 40.0 - 57.6 )	55.4 ( 49.6 - 61.3 )	40.7 ( 16.3 - 65.2 )



Health Measures*	Number of Responses	Total % (95% CI)	Cisgender % (95% CI)	Transgender % (95% CI)	Not Sure % (95% CI)
Percentage of students who talked to a teacher about their future plans after high school in the past 12 months	1803	49.1 ( 46.8 - 51.4 )	49.6 ( 47.5 - 51.7 )	49.6 ( 40.1 - 59.0 )	41.2 ( 22.7 - 59.6 )
Percentage of students who talked to an administrator about their future plans after high school in the past 12 months	1803	10.2 ( 8.6 - 11.8 )	10.6 ( 8.9 - 12.3 )	. ( . - . )	. ( . - . )
Percentage of students who talked to a coach about their future plans after high school in the past 12 months	1803	17.4 ( 14.0 - 20.9 )	18.8 ( 15.3 - 22.3 )	. ( . - . )	. ( . - . )
Percentage of students who talked to another school staff member (who is not a school counselor, teacher, administrator, or coach) about their future plans after high school in the past 12 months	1803	13.1 ( 10.5 - 15.7 )	13.2 ( 10.1 - 16.3 )	16.2 ( 14.0 - 18.4 )	10.6 ( 0.5 - 20.7 )
Percentage of students who usually or definitely feel safe at school	1812	95.0 ( 93.7 - 96.3 )	95.7 ( 94.7 - 96.8 )	81.1 ( 68.6 - 93.6 )	92.7 ( 85.6 - 99.7 )
Percentage of students who usually or definitely think their teacher notices when they do a good job and lets them know about it	1810	68.8 ( 64.9 - 72.8 )	69.5 ( 65.1 - 73.8 )	53.9 ( 46.1 - 61.7 )	69.7 ( 62.5 - 76.9 )
Percentage of students who usually or definitely think their school lets their parents or guardians know when they have done something well	1796	42.4 ( 37.5 - 47.3 )	43.0 ( 38.1 - 47.9 )	26.6 ( 18.3 - 34.9 )	38.0 ( 20.1 - 55.8 )
Percentage of students who usually or definitely think their grades are better than most students in class	1797	75.7 ( 73.4 - 77.9 )	76.2 ( 73.9 - 78.4 )	70.0 ( 63.9 - 76.2 )	70.1 ( 57.5 - 82.6 )
Percentage of students who participated in sports (team or individual) during the past 12 months	1788	56.8 ( 51.6 - 62.0 )	59.2 ( 54.2 - 64.2 )	22.7 ( 16.4 - 29.1 )	38.1 ( 28.6 - 47.7 )
Percentage of students who participated in sports, band, drama, clubs, or student government at school during the past 12 months	1788	77.2 ( 72.9 - 81.6 )	77.3 ( 72.3 - 82.4 )	75.6 ( 66.7 - 84.5 )	84.3 ( 74.9 - 93.7 )
Percentage of students who had paid employment during the past 12 months	1788	19.7 ( 17.1 - 22.4 )	19.7 ( 17.3 - 22.1 )	21.6 ( 10.0 - 33.2 )	21.8 ( 16.8 - 26.8 )
Percentage of students who participated in another activity besides sports, band, drama, clubs, student government, or paid employment during the past 12 months***	1788	20.5 ( 16.2 - 24.9 )	20.2 ( 15.9 - 24.6 )	21.9 ( 17.4 - 26.4 )	32.5 ( 15.7 - 49.3 )
Percentage of students who participated in organized community service as a non-paid volunteer during the past 30 days	1789	35.3 ( 28.0 - 42.5 )	35.1 ( 27.4 - 42.8 )	39.8 ( 33.9 - 45.7 )	34.2 ( 20.7 - 47.6 )
<b>Other Health Topics</b>					
Percentage of students who usually slept somewhere other than their home during the past 30 days	1787	5.4 ( 3.2 - 7.5 )	5.4 ( 3.4 - 7.4 )	. ( . - . )	7.2 ( 0.0 - 16.8 )
Percentage of students who sleep 8 or more hours per night on average school nights	1790	36.1 ( 33.9 - 38.3 )	37.0 ( 34.9 - 39.2 )	23.5 ( 16.8 - 30.2 )	27.7 ( 18.2 - 37.1 )
Percentage of students who could fire a loaded gun without adult permission in less than one hour	1754	10.8 ( 6.9 - 14.7 )	10.9 ( 6.6 - 15.2 )	8.0 ( 5.9 - 10.1 )	13.1 ( 7.6 - 18.6 )
Percentage of students who would be able to get a loaded gun without adult permission in or around their home, from a friend or schoolmate, or from a family member	1721	16.0 ( 12.7 - 19.2 )	15.9 ( 12.6 - 19.1 )	19.9 ( 14.0 - 25.7 )	17.1 ( 1.0 - 33.3 )
Percentage of students who have experienced problems with their mouth or teeth in the past 12 months, not including braces or injuries	1668	24.4 ( 22.2 - 26.6 )	22.6 ( 20.3 - 24.9 )	52.5 ( 42.6 - 62.4 )	35.7 ( 25.1 - 46.4 )
Percentage of students who had ever been told by a doctor or nurse that they had asthma	1723	16.2 ( 14.7 - 17.6 )	15.6 ( 13.9 - 17.2 )	23.5 ( 16.1 - 30.8 )	23.6 ( 15.6 - 31.6 )
Percentage of students who went outdoors to spend time in nature at least once a week during the past 12 months	1732	5.2 ( 4.3 - 6.0 )	4.8 ( 3.3 - 6.3 )	14.6 ( 0.0 - 29.7 )	. ( . - . )

Health Measures*	Number of Responses	Total % (95% CI)	Cisgender % (95% CI)	Transgender % (95% CI)	Not Sure % (95% CI)
<b>Extra Questions</b>					
Percentage of students who think people who have five or more drinks of an alcoholic beverage once or twice a week have a moderate or great risk of harming themselves physically or in other ways	1630	75.2 ( 73.1 - 77.4 )	75.4 ( 73.1 - 77.7 )	76.7 ( 70.1 - 83.4 )	67.2 ( 59.0 - 75.4 )
Percentage of students who think people who smoke one or more packs of cigarettes per day have a moderate or great risk of harming themselves physically or in other ways	1623	85.3 ( 83.3 - 87.2 )	85.1 ( 83.3 - 86.9 )	91.2 ( 85.1 - 97.3 )	77.4 ( 66.1 - 88.7 )
Percentage of students who think people who smoke marijuana once or twice a week have a moderate or great risk of harming themselves physically or in other ways	1615	61.2 ( 58.9 - 63.5 )	62.1 ( 59.7 - 64.5 )	46.6 ( 33.0 - 60.2 )	46.3 ( 29.3 - 63.3 )
Percentage of students who think people who use prescription drugs that are not prescribed to them have a moderate or great risk of harming themselves physically or in other ways	1615	87.9 ( 84.9 - 90.8 )	87.9 ( 84.9 - 90.8 )	89.2 ( 84.7 - 93.7 )	84.8 ( 76.1 - 93.4 )
Percentage of students who think their parents would feel it is wrong or very wrong if they drank 1 or 2 drinks of an alcoholic beverage nearly every day	1614	94.4 ( 93.2 - 95.7 )	94.8 ( 93.7 - 96.0 )	94.3 ( 88.5 - 100.0 )	92.5 ( 83.9 - 100.0 )
Percentage of students who think their parents would feel it is wrong or very wrong for them to smoke tobacco	1604	95.5 ( 94.5 - 96.4 )	95.6 ( 94.6 - 96.6 )	97.6 ( 95.5 - 99.7 )	92.2 ( 88.8 - 95.6 )
Percentage of students who think their parents would feel it is wrong or very wrong for them to use prescription drugs not prescribed to them	1604	95.9 ( 94.6 - 97.2 )	95.9 ( 94.6 - 97.3 )	98.3 ( 95.4 - 100.0 )	97.0 ( 92.4 - 100.0 )
Percentage of students who think their friends would feel it is wrong or very wrong for them to have one or two alcoholic drinks nearly every day	1603	74.6 ( 71.8 - 77.4 )	75.0 ( 72.4 - 77.7 )	66.9 ( 57.4 - 76.3 )	74.5 ( 65.3 - 83.8 )
Percentage of students who think their friends would feel it is wrong or very wrong for them to smoke tobacco	1606	74.8 ( 71.8 - 77.7 )	75.1 ( 71.7 - 78.4 )	76.6 ( 62.0 - 91.2 )	66.7 ( 44.0 - 89.3 )
Percentage of students who think their friends would feel it is wrong or very wrong for them to smoke marijuana	1604	57.6 ( 52.7 - 62.5 )	58.4 ( 52.9 - 63.9 )	43.2 ( 35.0 - 51.4 )	51.3 ( 35.0 - 67.5 )
Percentage of students who think their friends would feel it is wrong or very wrong to use prescription drugs not prescribed to them	1609	86.7 ( 84.8 - 88.6 )	87.1 ( 85.4 - 88.8 )	79.9 ( 75.4 - 84.3 )	94.0 ( 84.5 - 100.0 )
Percentage of students who used prescription drugs not prescribed to them during the past 30 days	1637	2.8 ( 2.2 - 3.3 )	2.7 ( 1.9 - 3.5 )	. ( . - . )	. ( . - . )

\*Data are suppressed, shown by a period (.), if fewer than 3 students responded "yes" to a question or if results represent 0% or 100% of students.

In districts with enrollment over 35, results are suppressed if fewer than 30 students responded to a question. All percentages are rounded to the nearest tenth.

\*\*Items in this column are included in risk and protective factors known to influence multiple youth health outcomes.

\*\*\*Students included in "Another activity" selected this response on the survey and had the option to write in their answer.