

# 2025

## HIGH SCHOOL DISTRICT-LEVEL REPORT SURVEY RESULTS



## HEALTHY KIDS COLORADO SURVEY

### Background

The Healthy Kids Colorado Survey (HKCS) collects anonymous health information from middle and high school students throughout the state and is used to better understand youth health and the factors that help young people make healthy choices. This report includes your district's weighted results from the 2025 HKCS and represents students in your district. The HKCS is administered by the Colorado School of Public Health (CSPH) with support from the Colorado Departments of Public Health & Environment, Education, Public Safety, the Behavioral Health Administration, and the Attorney General's Office.

### Questionnaire and Survey Administration

The HKCS measures adolescent health topics including unintentional injuries and violence; mental health; school safety; substance use; physical activity and nutrition; sexual behavior (optional); and risk and protective factors. Many questions are drawn from national youth health surveys. Other questions have been added with community input to meet additional data needs in Colorado. The standard version of the high school survey has 100 questions.

The survey is administered online in English and Spanish and takes about 30 minutes to complete. Teachers provide instructions to students emphasizing the anonymous and voluntary nature of the survey. Each school district follows local procedures for parent/guardian consent, including advance notice of the survey administration. Parents may choose not to allow their child to participate and students may also decline participation. The HKCS is provided at no cost to public secondary schools in Colorado. Some of the schools that participate are included in a random sample selected to represent the state. Within some schools, a sample of classrooms is selected to participate. In most schools, all students are surveyed.

### Key Definitions and Considerations

**Response rate:** Response rate, shown on the next tab, is the total number of students who participated in the survey divided by the number of students eligible to participate in the district, for both sampled and opt-in schools. The higher the response rate, the more confidence that the results represent the entire student population in the district. **For response rates less than 60%, results should be interpreted with caution as they are likely less representative.**

**Confidentiality:** Responses are suppressed if they might allow students to be identified. A period (.) appears when results are suppressed, specifically if fewer than 3 students responded 'yes' to a question or if results represent 0% or 100% of students. In districts with enrollment over 35, results are suppressed if fewer than 30 students responded to a question.

**Significance:** When comparing results, for example between different demographic groups, examine the 95% confidence intervals. If the intervals overlap, there is no evidence to believe the compared results are different from each other. If they do not overlap, there is high confidence that the results are different (i.e., the difference is statistically significant). Judgement is needed to decide whether the size of the difference is meaningful and important.

**Risk and Protective Factors:** Certain results in this report are categorized as risk and protective factor items, which help us understand the upstream predictors of youth health outcomes. Risk factors are characteristics of community, family, and school environments, and of students and their peer groups, that predict increased likelihood of unwanted health outcomes. Protective factors are behavior patterns and social factors that appear to increase a young person's resistance to unwanted health outcomes. Risk and protective factors are often shared across multiple outcomes, which means they can predict more than one youth health outcome. Reducing risk and increasing protective factors can result in healthier youth across a variety of shared outcomes.

[www.healthykidscolo.org](http://www.healthykidscolo.org) | [CSPHSurveyTeam@CUAnschutz.edu](mailto:CSPHSurveyTeam@CUAnschutz.edu) | <https://cdphe.colorado.gov/accessibility>

# 2025 HKCS RESULTS: HIGH SCHOOL

## *Boulder Valley Re 2*

Results for all responses to demographic questions on the HKCS are shown below in Table 1. See more details in the footnotes.

Response Rate<sup>1</sup>: 72.4%

**Table 1. Student demographics by all response options**

Demographic	Number	Number/Total Sample
<b>Participants</b>		
Total	3202	100.0%
<b>Gender</b>		
Girl/Woman	1438	45.7%
Boy/Man	1575	50.0%
Nonbinary	43	1.4%
Another identity <sup>2</sup>	50	1.6%
Not sure	41	1.3%
<b>Grade</b>		
9th grade	898	28.8%
10th grade	826	26.5%
11th grade	805	25.8%
12th grade	593	19.0%
<b>Race/Ethnicity</b>		
White	1942	63.3%
Hispanic/Latino	367	12.0%
Black/African American	57	1.9%
Asian	193	6.3%

Demographic	Number	Number/Total Sample
American Indian/Alaska Native	18	0.6%
Native Hawaiian/Pacific Islander	4	0.1%
Middle Eastern/North African	16	0.5%
Multiracial <sup>3</sup>	470	15.3%
<b>Black, Indigenous, and People of Color (BIPOC)</b>		
BIPOC <sup>4</sup>	1125	36.7%
White	1942	63.3%
<b>Sexual Orientation</b>		
Straight	2442	79.9%
Bisexual	238	7.8%
Gay/Lesbian	113	3.7%
Pansexual	71	2.3%
Asexual	46	1.5%
Another identity <sup>2</sup>	41	1.3%
Not sure	105	3.4%
<b>Gender Identity</b>		
Cisgender	2905	93.7%
Transgender	117	3.8%
Not sure	78	2.5%
<b>Lesbian, Gay, Bisexual, Transgender, and Queer or Questioning (LGBTQ+)</b>		
LGBTQ+ <sup>5</sup>	644	21.3%
Straight/Cisgender <sup>6</sup>	2384	78.7%

Demographic	Number	Number/Total Sample
-------------	--------	---------------------

1. The higher the response rate, the more confidence that the results represent your student population. For response rates less than 60%, results should be interpreted with caution.
2. Students included in "Another identity" selected this response on the survey and had the option to write in their answer.
3. Students included in "Multiracial" selected two or more racial and ethnic identities and represent numerous unique combinations.
4. BIPOC is an aggregate of the students who chose the following responses to the race/ethnicity demographic question: "American Indian/Alaska Native", "Asian", "Black/African American", "Hispanic/Latino", "Middle Eastern/North African", "Native Hawaiian/Pacific Islander", and "Multiracial" (students selected two or more identities).
5. LGBTQ+ is an aggregate of the students who chose one or more of the following responses: Gender: "Nonbinary", "Another Identity", or "Not Sure"; Sexual Orientation: "Gay/Lesbian", "Bisexual", "Pansexual", "Asexual", "Another Identity", or "Not Sure"; Gender Identity: "Transgender" or "Not Sure".
6. Straight/Cisgender is an aggregate of the students who chose all of the following responses: Gender: "Girl/Woman" or "Boy/Man"; Sexual Orientation: "Straight"; Gender Identity: "Cisgender".

## 2025 HKCS RESULTS: HIGH SCHOOL

### Boulder Valley Re 2

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	Girl/Woman % (95% CI)	Boy/Man % (95% CI)	Nonbinary % (95% CI)	Another identity <sup>3</sup> % (95% CI)	Not sure % (95% CI)
<b>Safety</b>								
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else		2974	2.1 ( 1.8 - 2.4 )	1.4 ( 1.0 - 1.8 )	2.3 ( 1.8 - 2.7 )	4.8 ( 2.9 - 6.7 )	10.1 ( 5.4 - 14.8 )	13.5 ( 7.0 - 20.0 )
Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been drinking alcohol one or more times		1934	5.2 ( 4.5 - 5.8 )	4.1 ( 3.3 - 5.0 )	5.7 ( 4.9 - 6.6 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been using marijuana one or more times		1932	5.5 ( 4.5 - 6.5 )	4.7 ( 3.5 - 5.9 )	5.9 ( 4.3 - 7.4 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students who drove a car or other vehicle during the past 30 days, the percentage who texted, posted, or used their phone in some other way while driving on one or more of the days		1955	40.0 ( 37.0 - 43.0 )	38.8 ( 34.7 - 42.8 )	40.7 ( 37.7 - 43.7 )	. ( . - . )	. ( . - . )	. ( . - . )
<b>Bullying</b>								
Percentage of students who have ever been bullied on school property during the past 12 months		2868	12.5 ( 11.4 - 13.6 )	12.7 ( 10.6 - 14.8 )	11.0 ( 9.5 - 12.5 )	33.2 ( 28.0 - 38.3 )	43.7 ( 35.7 - 51.6 )	33.9 ( 27.5 - 40.4 )
Among students bullied on school property, the percentage who were bullied in a classroom in the past 12 months		389	62.0 ( 59.6 - 64.4 )	56.9 ( 53.6 - 60.2 )	65.4 ( 58.7 - 72.2 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students bullied on school property, the percentage who were bullied in a hallway or stairwell in the past 12 months		389	41.2 ( 37.2 - 45.3 )	42.8 ( 38.9 - 46.8 )	36.9 ( 31.2 - 42.7 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students bullied on school property, the percentage who were bullied in a locker room or bathroom in the past 12 months		389	22.0 ( 18.8 - 25.2 )	17.0 ( 13.0 - 21.0 )	25.4 ( 20.6 - 30.2 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students bullied on school property, the percentage who were bullied in a cafeteria or lunch room in the past 12 months		389	27.5 ( 23.7 - 31.3 )	19.5 ( 15.9 - 23.2 )	32.4 ( 25.0 - 39.9 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students bullied on school property, the percentage who were bullied on a bus or at a bus stop in the past 12 months		389	11.4 ( 8.3 - 14.4 )	5.4 ( 2.7 - 8.0 )	15.2 ( 10.8 - 19.5 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students bullied on school property, the percentage who were bullied outside before school in the past 12 months		389	18.5 ( 15.5 - 21.6 )	13.5 ( 8.7 - 18.3 )	21.1 ( 16.7 - 25.5 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students bullied on school property, the percentage who were bullied outside after school in the past 12 months		389	26.8 ( 24.5 - 29.1 )	23.0 ( 19.1 - 27.0 )	26.9 ( 23.5 - 30.3 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students bullied on school property, the percentage who were bullied outside during lunch or break in the past 12 months		389	23.7 ( 20.4 - 27.0 )	18.0 ( 12.5 - 23.6 )	27.4 ( 22.7 - 32.2 )	. ( . - . )	. ( . - . )	. ( . - . )
Percentage of students who had ever been electronically bullied during the past 12 months		2925	8.6 ( 7.6 - 9.7 )	10.7 ( 9.1 - 12.4 )	5.8 ( 4.9 - 6.7 )	12.4 ( 2.4 - 22.4 )	18.1 ( 11.0 - 25.1 )	38.8 ( 21.3 - 56.4 )
Among students who were bullied in the past 12 months, the percentage who were bullied because of sexual orientation	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	20.6 ( 16.9 - 24.2 )	17.5 ( 9.5 - 25.5 )	17.9 ( 14.4 - 21.3 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students who were bullied in the past 12 months, the percentage who were bullied because of gender identity	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	19.1 ( 15.7 - 22.6 )	15.0 ( 9.9 - 20.1 )	15.7 ( 11.7 - 19.6 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students who were bullied in the past 12 months, the percentage who were bullied because of religion	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	16.1 ( 14.8 - 17.4 )	13.8 ( 12.2 - 15.5 )	18.3 ( 14.7 - 21.8 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students who were bullied in the past 12 months, the percentage who were bullied because of disability	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	17.9 ( 14.6 - 21.2 )	10.9 ( 7.3 - 14.4 )	18.9 ( 12.2 - 25.5 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students who were bullied in the past 12 months, the percentage who were bullied because of physical appearance	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	56.2 ( 53.8 - 58.7 )	60.6 ( 56.4 - 64.8 )	52.6 ( 50.6 - 54.7 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students who were bullied in the past 12 months, the percentage who were bullied because of race or ethnicity	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	35.3 ( 32.8 - 37.8 )	31.6 ( 28.0 - 35.1 )	41.8 ( 34.8 - 48.9 )	. ( . - . )	. ( . - . )	. ( . - . )
<b>Violence</b>								
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school		2942	12.1 ( 10.4 - 13.8 )	16.8 ( 14.5 - 19.0 )	7.6 ( 6.3 - 8.9 )	19.6 ( 13.3 - 25.9 )	8.2 ( 3.3 - 13.0 )	26.7 ( 20.5 - 33.0 )
Percentage of students who were in a physical fight one or more times during the past 12 months		2878	9.1 ( 8.4 - 9.8 )	3.8 ( 3.0 - 4.6 )	13.7 ( 12.8 - 14.7 )	16.1 ( 6.4 - 25.8 )	10.1 ( 6.6 - 13.7 )	18.3 ( 8.1 - 28.6 )
Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose one or more times by someone they were dating or going out with		1568	7.2 ( 6.8 - 7.7 )	6.4 ( 5.1 - 7.6 )	7.6 ( 6.4 - 8.8 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students who dated or went out with someone during the past 12 months, the percentage who had been controlled or emotionally hurt by someone they were dating or going out with		1574	17.0 ( 14.9 - 19.0 )	18.0 ( 15.0 - 21.0 )	15.1 ( 12.3 - 18.0 )	. ( . - . )	. ( . - . )	. ( . - . )
Percentage of students who have been threatened with a gun electronically or in person, witnessed a shooting where they live, or know someone (family or friend) who has been shot by another person during the past 12 months		2855	11.3 ( 10.3 - 12.3 )	11.5 ( 10.1 - 13.0 )	10.0 ( 9.0 - 11.0 )	26.1 ( 21.9 - 30.3 )	28.6 ( 18.7 - 38.6 )	29.1 ( 20.1 - 38.1 )
<b>Sexual Violence</b>								

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	Girl/Woman % (95% CI)	Boy/Man % (95% CI)	Nonbinary % (95% CI)	Another identity <sup>3</sup> % (95% CI)	Not sure % (95% CI)
Percentage of students who have ever had a sexual experience where they were unsure if they gave their fully-granted consent to the other person		2877	9.3 ( 8.4 - 10.2 )	13.1 ( 11.7 - 14.5 )	4.9 ( 3.6 - 6.1 )	33.7 ( 28.4 - 39.0 )	20.6 ( 9.2 - 31.9 )	31.4 ( 21.4 - 41.4 )
Percentage of students who have ever had a sexual experience where they were unsure if they received fully-granted consent from the other person		2856	2.5 ( 2.0 - 3.0 )	1.3 ( 0.7 - 1.9 )	3.4 ( 2.7 - 4.0 )	2.7 ( 0.0 - 6.2 )	. ( . - . )	11.8 ( 2.8 - 20.8 )
Percentage of students who had a revealing or sexual photo or video of themselves texted, e-mailed, or posted electronically without their permission in the past 12 months		2877	3.6 ( 3.3 - 4.0 )	3.8 ( 3.4 - 4.3 )	3.3 ( 2.7 - 4.0 )	8.6 ( 0.8 - 16.5 )	2.0 ( 0.0 - 4.3 )	11.0 ( 2.7 - 19.4 )
Percentage of students who have ever made sexual comments, jokes, gestures, or looks at someone when unwanted		2865	5.0 ( 4.4 - 5.7 )	1.8 ( 1.4 - 2.2 )	7.5 ( 6.1 - 8.9 )	14.1 ( 8.0 - 20.2 )	11.8 ( 4.7 - 19.0 )	14.3 ( 5.0 - 23.6 )
Percentage of students who have ever touched, grabbed, or pinched someone in a sexual way when unwanted		2871	3.3 ( 3.0 - 3.5 )	2.6 ( 2.3 - 2.8 )	3.5 ( 3.0 - 4.0 )	13.5 ( 9.6 - 17.4 )	5.0 ( 0.9 - 9.1 )	15.7 ( 7.0 - 24.4 )
Percentage of students who have ever been physically forced to have sex when they did not want to		2876	3.3 ( 2.9 - 3.8 )	4.0 ( 2.8 - 5.2 )	2.0 ( 1.7 - 2.3 )	12.1 ( 7.7 - 16.4 )	13.3 ( 3.3 - 23.3 )	22.0 ( 11.2 - 32.8 )
<b>Mental Health</b>								
Percentage of students who agree or strongly agree their stress level is manageable most days		2905	58.1 ( 55.8 - 60.5 )	49.7 ( 46.7 - 52.7 )	67.4 ( 65.1 - 69.7 )	47.1 ( 35.1 - 59.0 )	33.6 ( 27.4 - 39.7 )	22.8 ( 7.4 - 38.2 )
Percentage of students who most of the time or always had poor mental health during the past 30 days		2880	24.1 ( 22.6 - 25.5 )	30.2 ( 28.3 - 32.1 )	16.6 ( 15.2 - 18.1 )	52.7 ( 42.4 - 63.1 )	51.2 ( 35.9 - 66.4 )	57.8 ( 49.6 - 66.1 )
Percentage of students who purposefully hurt themselves without wanting to die in the past 12 months		2847	12.8 ( 11.5 - 14.2 )	17.0 ( 14.7 - 19.2 )	6.8 ( 5.7 - 7.8 )	58.3 ( 46.9 - 69.6 )	42.5 ( 29.3 - 55.7 )	65.6 ( 54.1 - 77.2 )
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row during the past 12 months that they stopped doing some usual activities		2846	20.6 ( 18.8 - 22.5 )	25.9 ( 22.4 - 29.3 )	14.2 ( 12.5 - 15.8 )	42.7 ( 30.2 - 55.2 )	44.4 ( 33.4 - 55.4 )	61.5 ( 50.2 - 72.8 )
Percentage of students who seriously considered attempting suicide during the past 12 months		2840	9.6 ( 8.5 - 10.6 )	10.8 ( 8.3 - 13.3 )	6.8 ( 5.6 - 8.0 )	46.5 ( 32.4 - 60.5 )	30.9 ( 21.4 - 40.4 )	42.6 ( 35.4 - 49.8 )
Percentage of students who made a plan about how they would attempt suicide during the past 12 months		2828	6.8 ( 6.0 - 7.5 )	7.3 ( 6.0 - 8.6 )	4.7 ( 3.7 - 5.7 )	43.2 ( 33.1 - 53.3 )	22.0 ( 7.3 - 36.8 )	42.3 ( 35.4 - 49.2 )
Percentage of students who attempted suicide one or more times during the past 12 months		2837	3.7 ( 3.2 - 4.3 )	3.8 ( 2.7 - 4.9 )	3.0 ( 1.9 - 4.0 )	19.9 ( 7.4 - 32.5 )	9.3 ( 2.3 - 16.4 )	21.4 ( 13.0 - 29.9 )
Percentage of students who have an adult to go to for help with a serious problem	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2839	76.9 ( 74.9 - 79.0 )	76.1 ( 72.8 - 79.4 )	78.8 ( 77.5 - 80.1 )	72.7 ( 62.8 - 82.5 )	49.6 ( 31.1 - 68.0 )	58.3 ( 45.1 - 71.5 )
Percentage of students who most of the time or always could talk to a friend about feelings during their life	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2843	61.2 ( 58.8 - 63.6 )	63.7 ( 61.3 - 66.1 )	60.4 ( 57.7 - 63.1 )	42.1 ( 32.3 - 51.9 )	38.0 ( 25.4 - 50.6 )	33.1 ( 27.3 - 39.0 )
Percentage of students who had a friend tell them they had thoughts of suicide one or more times during the past 12 months		2820	28.2 ( 26.6 - 29.8 )	33.6 ( 31.3 - 36.0 )	21.6 ( 20.3 - 22.8 )	71.9 ( 63.6 - 80.1 )	45.9 ( 35.9 - 55.9 )	68.0 ( 55.0 - 81.0 )
Percentage of students who would tell a family member if they were concerned about their own or someone else's well-being or mental health		2739	61.6 ( 60.3 - 62.9 )	63.3 ( 61.5 - 65.0 )	62.1 ( 60.5 - 63.7 )	36.7 ( 27.8 - 45.6 )	26.2 ( 13.5 - 38.9 )	28.0 ( 17.2 - 38.7 )
Percentage of students who would tell an adult in school if they were concerned about their own or someone else's well-being or mental health		2739	37.9 ( 35.9 - 39.9 )	38.2 ( 35.9 - 40.4 )	37.8 ( 35.9 - 39.7 )	35.6 ( 26.5 - 44.7 )	32.0 ( 17.8 - 46.3 )	39.5 ( 25.2 - 53.7 )
Percentage of students who would tell a friend if they were concerned about their own or someone else's well-being or mental health		2739	41.6 ( 38.8 - 44.3 )	40.1 ( 36.1 - 44.1 )	43.2 ( 40.7 - 45.8 )	33.4 ( 26.1 - 40.7 )	36.2 ( 29.3 - 43.1 )	39.3 ( 30.8 - 47.7 )
Percentage of students who would submit an anonymous report through their school's safety reporting system if they were concerned about their own or someone else's well-being or mental health		2739	33.1 ( 30.4 - 35.8 )	37.5 ( 35.0 - 40.0 )	29.2 ( 26.3 - 32.1 )	31.3 ( 17.2 - 45.5 )	17.8 ( 13.1 - 22.5 )	44.7 ( 34.4 - 55.0 )
Percentage of students who would contact a crisis line if they were concerned about their own or someone else's well-being or mental health		2739	29.4 ( 27.4 - 31.4 )	30.3 ( 28.1 - 32.6 )	28.0 ( 25.7 - 30.4 )	41.0 ( 31.0 - 50.9 )	31.9 ( 20.6 - 43.1 )	42.7 ( 30.6 - 54.7 )
Percentage of students who have ever experienced the suicide death of a family member or close friend		2834	16.3 ( 14.1 - 18.4 )	18.3 ( 14.9 - 21.8 )	14.3 ( 12.7 - 15.9 )	17.8 ( 8.2 - 27.3 )	16.5 ( 9.8 - 23.3 )	18.8 ( 13.0 - 24.6 )
<b>Racism</b>								
Percentage of students who were treated badly or unfairly in school because of their race or ethnicity in the past 12 months	Risk Factor: Recent Experiences with Oppression: Racism	2733	3.4 ( 3.0 - 3.8 )	3.0 ( 2.1 - 3.9 )	3.5 ( 2.5 - 4.6 )	5.3 ( 3.5 - 7.1 )	6.3 ( 3.5 - 9.1 )	10.1 ( 1.2 - 19.0 )
Percentage of students who were watched closely or followed by security guards or store clerks at a store or mall because of their race or ethnicity in the past 12 months	Risk Factor: Recent Experiences with Oppression: Racism	2733	3.6 ( 3.1 - 4.1 )	3.7 ( 2.6 - 4.7 )	3.4 ( 2.9 - 3.8 )	9.5 ( 5.2 - 13.7 )	. ( . - . )	10.1 ( 1.2 - 19.0 )
Percentage of students who were assumed less intelligent because of their race or ethnicity in the past 12 months	Risk Factor: Recent Experiences with Oppression: Racism	2733	4.6 ( 3.8 - 5.4 )	4.7 ( 3.1 - 6.2 )	4.3 ( 3.8 - 4.7 )	5.3 ( 0.0 - 11.3 )	8.2 ( 1.6 - 14.7 )	10.1 ( 1.2 - 19.0 )
Percentage of students who saw family members treated unfairly because of the color of their skin, language, accent, or because they are from a different country or culture in the past 12 months	Risk Factor: Recent Experiences with Oppression: Racism	2733	6.6 ( 5.8 - 7.5 )	8.5 ( 6.1 - 10.8 )	4.5 ( 3.9 - 5.2 )	9.5 ( 5.2 - 13.7 )	12.1 ( 3.7 - 20.6 )	15.1 ( 6.7 - 23.5 )
<b>Alcohol</b>								
Percentage of students who have ever had a drink of alcohol other than a few sips		2716	48.9 ( 47.4 - 50.5 )	50.6 ( 49.2 - 52.1 )	47.5 ( 45.7 - 49.4 )	45.9 ( 30.8 - 61.0 )	42.0 ( 25.9 - 58.1 )	52.0 ( 44.2 - 59.8 )
Percentage of students who had their first drink of alcohol, other than a few sips, before age 13	Risk Factor: Early Initiation of Substance Use	2716	11.1 ( 10.2 - 12.1 )	9.9 ( 9.2 - 10.6 )	11.7 ( 10.0 - 13.4 )	22.9 ( 15.4 - 30.4 )	23.0 ( 13.5 - 32.6 )	15.7 ( 6.8 - 24.7 )
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days		2732	26.5 ( 24.8 - 28.2 )	27.6 ( 25.4 - 29.9 )	26.0 ( 24.0 - 27.9 )	20.1 ( 13.9 - 26.3 )	14.3 ( 7.4 - 21.2 )	19.2 ( 7.2 - 31.2 )

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	Girl/Woman % (95% CI)	Boy/Man % (95% CI)	Nonbinary % (95% CI)	Another identity <sup>3</sup> % (95% CI)	Not sure % (95% CI)
Percentage of students who binge drank (4+ drinks within a couple of hours) on one or more of the past 30 days		2735	15.8 ( 14.4 - 17.2 )	16.2 ( 14.0 - 18.5 )	15.6 ( 13.9 - 17.4 )	12.6 ( 6.7 - 18.5 )	10.0 ( 6.2 - 13.8 )	12.2 ( 1.9 - 22.5 )
Percentage of students who feel it would be sort of easy or very easy to get alcohol if they wanted	Risk Factor: Availability of Substances in Community	2680	60.4 ( 58.7 - 62.1 )	61.1 ( 59.6 - 62.7 )	59.1 ( 56.4 - 61.8 )	71.0 ( 62.0 - 80.0 )	70.2 ( 63.6 - 76.8 )	70.4 ( 59.4 - 81.4 )
Percentage of students who think it is wrong or very wrong for someone of the same age to drink alcohol regularly (at least once or twice per month)	Risk Factor: Youth Peer Attitudes Favorable Towards Substance Use	2761	62.6 ( 60.3 - 64.9 )	64.3 ( 61.8 - 66.7 )	61.1 ( 58.2 - 64.0 )	63.3 ( 58.0 - 68.7 )	64.3 ( 57.9 - 70.7 )	61.8 ( 40.5 - 83.2 )
Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they drank alcohol regularly (at least once or twice per month)	Risk Factor: Parental Attitudes Favorable Toward Substance Use	2762	80.8 ( 78.9 - 82.7 )	82.5 ( 80.2 - 84.8 )	79.0 ( 77.1 - 80.9 )	82.4 ( 71.1 - 93.7 )	84.4 ( 78.4 - 90.5 )	86.2 ( 77.1 - 95.3 )
Percentage of students who overestimated peer alcohol use in the past 30 days by selecting a percentage (30% or more) higher than actual peer use statewide		2756	77.0 ( 75.7 - 78.3 )	82.0 ( 80.7 - 83.3 )	72.8 ( 70.6 - 74.9 )	76.3 ( 63.4 - 89.1 )	71.4 ( 60.6 - 82.2 )	75.1 ( 65.7 - 84.4 )
Percentage of students who have ever lived with someone having a problem with alcohol use		2764	21.5 ( 18.8 - 24.3 )	24.3 ( 19.5 - 29.1 )	18.6 ( 17.1 - 20.1 )	22.0 ( 16.9 - 27.1 )	22.8 ( 8.5 - 37.2 )	40.4 ( 35.2 - 45.6 )
<b>Tobacco</b>								
Percentage of students who have ever smoked a cigarette, even one or two puffs		2753	18.5 ( 16.4 - 20.6 )	16.8 ( 14.4 - 19.3 )	19.8 ( 17.7 - 21.9 )	22.8 ( 15.9 - 29.8 )	15.0 ( 10.1 - 19.9 )	31.9 ( 24.4 - 39.4 )
Percentage of students who smoked a cigarette, even one or two puffs, for the first time before age 13	Risk Factor: Early Initiation of Substance Use	2753	4.3 ( 3.7 - 5.0 )	4.8 ( 3.8 - 5.8 )	3.8 ( 2.9 - 4.7 )	5.3 ( 0.0 - 11.3 )	4.6 ( 2.0 - 7.2 )	. ( . - . )
Percentage of students who smoked cigarettes on one or more of the past 30 days		2741	5.5 ( 4.3 - 6.7 )	4.7 ( 3.1 - 6.2 )	5.9 ( 4.6 - 7.1 )	9.0 ( 3.3 - 14.7 )	10.6 ( 5.7 - 15.4 )	17.6 ( 11.0 - 24.3 )
Among students who reported current cigarette use, the percentage who used flavored cigarettes in the past 30 days		125	24.6 ( 18.4 - 30.8 )	20.7 ( 15.9 - 25.4 )	24.2 ( 16.4 - 32.0 )	. ( . - . )	. ( . - . )	. ( . - . )
Percentage of students who think it would be sort of easy or very easy to get cigarettes if they wanted	Risk Factor: Availability of Substances in Community	2681	39.9 ( 38.1 - 41.7 )	37.6 ( 36.6 - 38.6 )	42.2 ( 39.2 - 45.3 )	57.6 ( 50.7 - 64.4 )	26.1 ( 18.0 - 34.2 )	41.1 ( 27.6 - 54.7 )
Percentage of students who have ever used an electronic vapor product		2736	25.7 ( 23.8 - 27.6 )	27.8 ( 25.2 - 30.4 )	24.0 ( 22.0 - 26.1 )	29.2 ( 22.0 - 36.4 )	14.8 ( 7.0 - 22.5 )	22.0 ( 14.9 - 29.0 )
Percentage of students who used an electronic vapor product before age 13	Risk Factor: Early Initiation of Substance Use	2736	6.4 ( 5.1 - 7.8 )	6.5 ( 4.7 - 8.3 )	6.3 ( 5.2 - 7.4 )	7.6 ( 0.4 - 14.8 )	6.6 ( 0.5 - 12.8 )	. ( . - . )
Percentage of students who used an electronic vapor product in the past 30 days		2672	11.0 ( 9.5 - 12.4 )	11.7 ( 9.1 - 14.3 )	10.1 ( 9.3 - 10.9 )	11.7 ( 6.0 - 17.4 )	6.4 ( 2.8 - 9.9 )	18.7 ( 12.5 - 25.0 )
Among students who have used electronic vapor products, the percentage who used them because a friend or family member used them		625	51.6 ( 47.0 - 56.2 )	58.1 ( 51.8 - 64.4 )	45.2 ( 42.1 - 48.3 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students who have used electronic vapor products, the percentage who used them because they were trying to quit other tobacco products		625	2.0 ( 1.5 - 2.5 )	0.6 ( 0.2 - 0.9 )	2.7 ( 1.9 - 3.4 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students who have used electronic vapor products, the percentage who used them because they cost less than other tobacco products		625	2.7 ( 1.8 - 3.6 )	0.4 ( 0.1 - 0.6 )	3.7 ( 2.5 - 4.9 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students who have used electronic vapor products, the percentage who used them to relieve stress		625	29.2 ( 27.1 - 31.4 )	30.5 ( 26.2 - 34.8 )	26.2 ( 22.3 - 30.1 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students who have used electronic vapor products, the percentage who used them because they are less harmful than other tobacco products		625	5.4 ( 4.4 - 6.4 )	3.9 ( 2.2 - 5.6 )	5.2 ( 2.7 - 7.7 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students who have used electronic vapor products, the percentage who used them because they can be used in areas where other tobacco products are not allowed		625	6.6 ( 5.4 - 7.8 )	2.3 ( 1.1 - 3.5 )	9.9 ( 8.3 - 11.6 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students who reported current electronic vapor use, the percentage who used flavored electronic vapor products in the past 30 days		242	94.2 ( 91.0 - 97.5 )	95.0 ( 91.9 - 98.0 )	92.9 ( 88.0 - 97.7 )	. ( . - . )	. ( . - . )	. ( . - . )
Percentage of students who feel it would be sort of easy or very easy to get electronic vapor products if they wanted	Risk Factor: Availability of Substances in Community	2682	55.8 ( 53.8 - 57.7 )	53.7 ( 51.4 - 55.9 )	58.0 ( 55.2 - 60.9 )	63.7 ( 58.6 - 68.9 )	34.2 ( 25.2 - 43.3 )	57.1 ( 52.3 - 61.8 )
Percentage of students who think it is wrong or very wrong for someone of the same age to use electronic vapor products	Risk Factor: Youth Peer Attitudes Favorable Towards Substance Use	2773	78.4 ( 77.2 - 79.5 )	78.3 ( 76.0 - 80.6 )	78.7 ( 76.9 - 80.5 )	65.8 ( 60.2 - 71.4 )	81.8 ( 73.9 - 89.7 )	63.3 ( 53.2 - 73.5 )
Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they used electronic vapor products	Risk Factor: Parental Attitudes Favorable Toward Substance Use	2766	96.5 ( 96.0 - 96.9 )	96.6 ( 96.2 - 97.1 )	96.5 ( 95.8 - 97.2 )	92.6 ( 87.2 - 97.9 )	96.8 ( 93.7 - 100.0 )	87.0 ( 79.8 - 94.2 )
Percentage of students who think people who use electronic vapor products every day have a moderate or great risk of harm		2674	87.8 ( 87.1 - 88.4 )	88.5 ( 87.0 - 90.1 )	87.2 ( 85.6 - 88.8 )	87.7 ( 83.6 - 91.9 )	83.7 ( 76.1 - 91.2 )	87.0 ( 79.0 - 95.0 )
Percentage of students who think people who breathe secondhand vapor have a moderate or great risk of harm		2656	58.3 ( 56.2 - 60.4 )	60.0 ( 57.6 - 62.3 )	57.1 ( 54.5 - 59.7 )	36.2 ( 25.3 - 47.2 )	52.3 ( 40.8 - 63.8 )	60.7 ( 49.5 - 71.9 )
Percentage of students who have used oral nicotine pouches in the past 30 days		2695	5.2 ( 4.4 - 5.9 )	3.4 ( 2.5 - 4.3 )	6.7 ( 5.1 - 8.2 )	2.9 ( 0.1 - 5.8 )	9.0 ( 3.1 - 14.8 )	. ( . - . )
Among students who reported current oral nicotine pouch use, the percentage who used flavored oral nicotine pouches in the past 30 days		135	85.9 ( 82.0 - 89.8 )	79.5 ( 73.0 - 86.0 )	88.2 ( 82.1 - 94.2 )	. ( . - . )	. ( . - . )	. ( . - . )
Percentage of students who feel it would be sort of easy or very easy to get oral nicotine pouches if they wanted	Risk Factor: Availability of Substances in Community	2670	43.6 ( 42.0 - 45.2 )	38.8 ( 36.9 - 40.7 )	48.4 ( 46.3 - 50.4 )	56.1 ( 45.8 - 66.5 )	25.4 ( 18.4 - 32.4 )	30.3 ( 22.5 - 38.0 )
Percentage of students who think it is wrong or very wrong for someone of the same age to use oral nicotine pouches	Risk Factor: Youth Peer Attitudes Favorable Towards Substance Use	2759	76.4 ( 74.6 - 78.2 )	81.5 ( 79.6 - 83.4 )	71.9 ( 69.5 - 74.4 )	77.2 ( 71.6 - 82.9 )	77.5 ( 69.8 - 85.2 )	64.3 ( 53.9 - 74.8 )
Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they used oral nicotine pouches	Risk Factor: Parental Attitudes Favorable Toward Substance Use	2763	95.4 ( 94.8 - 96.0 )	96.8 ( 96.2 - 97.5 )	94.1 ( 93.3 - 94.9 )	92.6 ( 87.2 - 97.9 )	96.8 ( 93.7 - 100.0 )	91.0 ( 82.5 - 99.5 )

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	Girl/Woman % (95% CI)	Boy/Man % (95% CI)	Nonbinary % (95% CI)	Another identity <sup>3</sup> % (95% CI)	Not sure % (95% CI)
Percentage of students who think people who use oral nicotine pouches every day have a moderate or great risk of harm		2658	80.3 ( 79.9 - 80.7 )	86.5 ( 84.8 - 88.1 )	74.4 ( 72.3 - 76.6 )	76.2 ( 64.5 - 88.0 )	82.9 ( 75.6 - 90.1 )	88.1 ( 79.9 - 96.2 )
Percentage of students who have used cigars, chewing tobacco, hookah, or oral nicotine pouches in the past 30 days		2695	6.6 ( 5.8 - 7.3 )	4.3 ( 3.2 - 5.3 )	8.4 ( 6.9 - 10.0 )	6.2 ( 3.9 - 8.4 )	10.6 ( 5.7 - 15.5 )	11.7 ( 2.0 - 21.4 )
Among underage students who used tobacco or nicotine products in the past 30 days, the percentage who bought them from a gas station, convenience store, grocery store, or drugstore		322	10.2 ( 7.5 - 12.8 )	7.6 ( 0.8 - 14.5 )	11.4 ( 8.2 - 14.6 )	. ( . - . )	. ( . - . )	. ( . - . )
Among underage students who used tobacco or nicotine products in the past 30 days, the percentage who bought them from a peer or friend		322	27.5 ( 23.2 - 31.7 )	26.2 ( 22.3 - 30.1 )	27.9 ( 21.7 - 34.2 )	. ( . - . )	. ( . - . )	. ( . - . )
Among underage students who used tobacco or nicotine products in the past 30 days, the percentage who bought them from a vending machine		322	3.5 ( 2.7 - 4.3 )	. ( . - . )	5.4 ( 3.8 - 6.9 )	. ( . - . )	. ( . - . )	. ( . - . )
Among underage students who used tobacco or nicotine products in the past 30 days, the percentage who bought them over the internet		322	4.4 ( 3.2 - 5.5 )	3.5 ( 1.2 - 5.9 )	4.1 ( 2.5 - 5.7 )	. ( . - . )	. ( . - . )	. ( . - . )
Among underage students who used tobacco or nicotine products in the past 30 days, the percentage who bought them through the mail		322	3.1 ( 2.2 - 4.1 )	. ( . - . )	4.6 ( 3.3 - 5.9 )	. ( . - . )	. ( . - . )	. ( . - . )
Among underage students who tried to buy tobacco or nicotine products in a store, the percentage who were not refused because of age		127	77.2 ( 72.3 - 82.2 )	91.1 ( 89.1 - 93.1 )	70.9 ( 61.8 - 80.0 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students who reported current tobacco or nicotine use, the percentage who tried to quit using all tobacco or nicotine products during the past 12 months		358	45.8 ( 41.8 - 49.8 )	52.2 ( 49.1 - 55.3 )	40.6 ( 35.6 - 45.6 )	. ( . - . )	. ( . - . )	. ( . - . )
Percentage of students who were inside their home while someone was smoking a cigarette, cigar, pipe, or using an electronic vapor product for one or more days in the past 7 days		2656	9.7 ( 8.4 - 11.1 )	10.9 ( 9.4 - 12.4 )	8.5 ( 7.2 - 9.7 )	11.2 ( 0.0 - 23.9 )	7.1 ( 2.5 - 11.7 )	21.9 ( 16.6 - 27.2 )
<b>Marijuana</b>								
Percentage of students who have ever tried marijuana		2682	24.4 ( 22.4 - 26.4 )	23.4 ( 20.1 - 26.7 )	25.6 ( 24.4 - 26.8 )	23.4 ( 16.3 - 30.6 )	11.0 ( 5.8 - 16.1 )	30.4 ( 22.5 - 38.3 )
Percentage of students who tried marijuana for the first time before age 13	Risk Factor: Early Initiation of Substance Use	2682	3.9 ( 3.3 - 4.5 )	3.9 ( 3.4 - 4.3 )	3.8 ( 2.7 - 4.9 )	7.1 ( 0.0 - 14.3 )	3.8 ( 0.8 - 6.8 )	. ( . - . )
Percentage of students who used marijuana one or more times during the past 30 days		2602	12.3 ( 11.1 - 13.5 )	11.0 ( 9.3 - 12.7 )	13.5 ( 12.1 - 14.9 )	12.8 ( 9.6 - 15.9 )	8.1 ( 4.6 - 11.6 )	16.5 ( 11.0 - 21.9 )
Percentage of students who feel it would be sort of easy or very easy to get marijuana if they wanted	Risk Factor: Availability of Substances in Community	2666	42.8 ( 41.3 - 44.3 )	39.9 ( 37.6 - 42.2 )	45.6 ( 43.5 - 47.8 )	61.6 ( 49.3 - 73.8 )	30.7 ( 23.5 - 37.8 )	45.3 ( 36.4 - 54.2 )
Percentage of students who think it is wrong or very wrong for someone of the same age to use marijuana	Risk Factor: Youth Peer Attitudes Favorable Towards Substance Use	2756	69.5 ( 67.6 - 71.4 )	73.2 ( 71.1 - 75.3 )	66.4 ( 63.8 - 69.0 )	68.6 ( 62.5 - 74.8 )	74.5 ( 60.9 - 88.1 )	48.8 ( 39.1 - 58.6 )
Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they used marijuana	Risk Factor: Parental Attitudes Favorable Toward Substance Use	2761	89.4 ( 88.4 - 90.5 )	91.7 ( 90.3 - 93.1 )	87.5 ( 86.3 - 88.8 )	84.8 ( 72.7 - 96.9 )	91.8 ( 87.2 - 96.5 )	79.7 ( 72.0 - 87.4 )
Percentage of students who overestimated peer marijuana use in the past 30 days by selecting a percentage (20% or more) higher than actual peer use statewide		2747	76.3 ( 74.1 - 78.4 )	79.2 ( 76.8 - 81.6 )	73.6 ( 70.9 - 76.3 )	87.1 ( 79.8 - 94.4 )	74.2 ( 65.2 - 83.3 )	77.0 ( 70.5 - 83.5 )
Among students who used marijuana in the past 30 days, the percentage who usually smoked it		299	56.0 ( 52.4 - 59.7 )	57.1 ( 52.4 - 61.8 )	55.0 ( 49.4 - 60.7 )	. ( . - . )	. ( . - . )	. ( . - . )
Among students who used marijuana in the past 30 days, the percentage who usually got it from an adult over the age of 21		284	16.5 ( 13.7 - 19.2 )	12.7 ( 9.5 - 16.0 )	18.6 ( 15.4 - 21.7 )	. ( . - . )	. ( . - . )	. ( . - . )
Percentage of students who used THC concentrates, hash oil, or waxes one or more times during the past 30 days		2658	5.1 ( 4.6 - 5.6 )	3.5 ( 2.8 - 4.3 )	6.4 ( 6.1 - 6.7 )	7.0 ( 4.5 - 9.5 )	5.8 ( 3.0 - 8.6 )	10.3 ( 7.1 - 13.5 )
<b>Prescription Pain Medicine</b>								
Percentage of students who have ever used prescription pain medicine not prescribed to them or differently than how a doctor told them to use it		2666	7.1 ( 5.9 - 8.3 )	8.0 ( 6.0 - 9.9 )	6.0 ( 5.1 - 6.9 )	28.3 ( 17.7 - 39.0 )	12.8 ( 4.5 - 21.2 )	. ( . - . )
Percentage of students who used prescription pain medicine not prescribed to them or differently than how a doctor told them to use it for the first time before age 13	Risk Factor: Early Initiation of Substance Use	2666	3.2 ( 2.4 - 4.0 )	4.2 ( 3.2 - 5.2 )	2.2 ( 1.3 - 3.2 )	10.6 ( 7.5 - 13.8 )	. ( . - . )	. ( . - . )
Percentage of students who took prescription pain medicine not prescribed to them or differently than how a doctor told them to use it one or more times in the past 30 days		2682	2.6 ( 1.8 - 3.5 )	3.4 ( 1.8 - 5.0 )	1.7 ( 1.3 - 2.1 )	14.4 ( 3.4 - 25.4 )	6.2 ( 3.5 - 8.9 )	. ( . - . )
Percentage of students who feel it would be sort of easy or very easy to get prescription pain medicine not prescribed to them if they wanted	Risk Factor: Availability of Substances in Community	2675	21.5 ( 20.2 - 22.8 )	23.3 ( 20.9 - 25.7 )	18.1 ( 16.7 - 19.5 )	51.8 ( 44.5 - 59.0 )	42.2 ( 31.2 - 53.2 )	47.0 ( 32.3 - 61.7 )
Percentage of students who think it is wrong or very wrong for someone of the same age to use prescription pain medicine without a doctor's prescription	Risk Factor: Youth Peer Attitudes Favorable Towards Substance Use	2760	90.8 ( 90.2 - 91.4 )	92.4 ( 91.5 - 93.3 )	90.3 ( 89.5 - 91.1 )	79.9 ( 68.3 - 91.6 )	74.3 ( 64.3 - 84.4 )	71.8 ( 62.7 - 80.8 )
<b>Other Drugs</b>								
Percentage of students who have ever used stimulants not prescribed to them or differently than prescribed		2625	4.2 ( 3.5 - 5.0 )	3.2 ( 2.4 - 4.0 )	5.0 ( 4.0 - 5.9 )	9.8 ( 0.0 - 20.7 )	3.4 ( 0.7 - 6.1 )	13.5 ( 1.9 - 25.1 )
Percentage of students who have ever used sedatives or tranquilizers not prescribed to them or differently than prescribed		2625	1.3 ( 1.1 - 1.6 )	1.2 ( 0.8 - 1.6 )	1.3 ( 0.9 - 1.7 )	5.4 ( 0.0 - 11.6 )	. ( . - . )	. ( . - . )
Percentage of students who have ever used cocaine		2625	1.6 ( 1.1 - 2.1 )	1.2 ( 0.7 - 1.7 )	2.0 ( 1.2 - 2.7 )	. ( . - . )	. ( . - . )	. ( . - . )
Percentage of students who have ever used inhalants like glue, aerosol spray cans, or any paints or sprays		2625	1.9 ( 1.5 - 2.3 )	1.2 ( 0.9 - 1.6 )	2.1 ( 1.2 - 3.1 )	8.7 ( 3.6 - 13.7 )	10.9 ( 5.7 - 16.2 )	. ( . - . )

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	Girl/Woman % (95% CI)	Boy/Man % (95% CI)	Nonbinary % (95% CI)	Another identity <sup>3</sup> % (95% CI)	Not sure % (95% CI)
Percentage of students who have ever used heroin		2625	0.5 (0.4 - 0.7)	. (. . .)	0.7 (0.3 - 1.0)	. (. . .)	. (. . .)	. (. . .)
Percentage of students who have ever used methamphetamines		2625	0.5 (0.4 - 0.6)	. (. . .)	0.8 (0.5 - 1.0)	. (. . .)	. (. . .)	. (. . .)
Percentage of students who have ever used ecstasy		2625	1.5 (1.1 - 1.9)	0.8 (0.4 - 1.2)	2.0 (1.3 - 2.7)	9.5 (6.4 - 12.6)	. (. . .)	. (. . .)
Percentage of students who have ever used psilocybin		2625	3.6 (3.0 - 4.2)	2.2 (1.8 - 2.6)	4.9 (4.0 - 5.9)	10.9 (6.1 - 15.7)	. (. . .)	. (. . .)
Percentage of students who have ever used fentanyl		2625	0.9 (0.6 - 1.2)	0.4 (0.1 - 0.7)	1.3 (0.9 - 1.8)	. (. . .)	. (. . .)	. (. . .)
Percentage of students who have ever used kratom		2625	0.6 (0.4 - 0.8)	. (. . .)	1.1 (0.7 - 1.4)	. (. . .)	. (. . .)	. (. . .)
Percentage of students who have ever used hemp-derived, intoxicating cannabinoid products like Delta-8 and Delta-10 THC		2625	4.4 (3.8 - 4.9)	3.3 (2.4 - 4.3)	5.4 (3.9 - 6.9)	9.0 (6.4 - 11.6)	. (. . .)	. (. . .)
<b>Sexual Health</b>								
Percentage of students who have ever had consensual sex		2645	20.7 (18.8 - 22.6)	20.1 (18.3 - 21.9)	21.4 (19.1 - 23.7)	22.6 (14.7 - 30.5)	13.9 (7.4 - 20.4)	24.5 (11.4 - 37.5)
Percentage of students who had consensual sex in the last three months		2648	13.1 (11.6 - 14.5)	13.5 (12.1 - 14.9)	12.7 (11.1 - 14.4)	12.8 (9.4 - 16.3)	4.9 (0.0 - 10.4)	19.3 (7.5 - 31.1)
Among students who had consensual sex during the past three months, the percentage who used a condom or their partner used a condom the last time they had consensual sex		311	69.5 (63.1 - 75.8)	65.2 (56.5 - 74.0)	76.2 (70.6 - 81.9)	. (. . .)	. (. . .)	. (. . .)
Among students who had consensual sex during the past three months, the percentage who used or their partner used any method of contraception the last time they had consensual sex		311	88.7 (86.4 - 91.0)	92.5 (88.9 - 96.1)	87.6 (85.4 - 89.9)	. (. . .)	. (. . .)	. (. . .)
<b>Nutrition</b>								
Percentage of students who ate fruit one or more times per day in the past 7 days		2668	57.6 (54.4 - 60.8)	58.5 (54.4 - 62.5)	57.7 (54.7 - 60.8)	66.6 (60.2 - 73.0)	29.3 (19.3 - 39.3)	47.9 (43.5 - 52.3)
Percentage of students who ate vegetables such as green salad, potatoes, carrots, or other vegetables one or more times per day in the past 7 days		2667	63.1 (59.5 - 66.7)	63.9 (59.1 - 68.7)	62.7 (60.0 - 65.5)	58.9 (52.0 - 65.9)	57.7 (34.9 - 80.6)	53.7 (37.4 - 70.0)
Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day in the past 7 days		2669	14.4 (12.4 - 16.4)	11.7 (9.1 - 14.3)	17.2 (15.6 - 18.7)	17.2 (11.9 - 22.5)	. (. . .)	4.8 (1.9 - 7.7)
Percentage of students who drank a sports drink, energy drink, or other sweetened beverage one or more times per day in the past 7 days		2621	58.9 (56.4 - 61.3)	59.7 (57.0 - 62.4)	58.4 (55.5 - 61.4)	70.6 (53.3 - 88.0)	51.0 (42.9 - 59.0)	50.4 (43.9 - 56.9)
Percentage of students who ate breakfast on all of the past 7 days		2651	39.3 (35.9 - 42.8)	32.6 (28.3 - 36.9)	46.5 (43.0 - 50.0)	28.6 (10.2 - 47.1)	33.6 (18.1 - 49.2)	18.1 (12.4 - 23.7)
Percentage of students who sometimes, most of the time, or always went hungry in the past 30 days because of a lack of food at home	Risk Factor: Economic Instability	2645	6.9 (5.8 - 8.0)	7.0 (5.7 - 8.2)	6.6 (5.4 - 7.9)	11.1 (6.8 - 15.3)	6.3 (2.8 - 9.8)	14.4 (6.9 - 21.8)
<b>Physical Activity</b>								
Percentage of students who were physically active for a total of at least 60 minutes per day on 5 or more of the past 7 days		2622	54.0 (52.0 - 56.0)	49.6 (47.9 - 51.3)	59.5 (56.2 - 62.8)	34.5 (21.8 - 47.3)	34.3 (26.1 - 42.5)	32.2 (18.0 - 46.3)
Percentage of students who spent 3+ hours per average school day in front of a TV, computer, smart phone, or other electronic device for something other than schoolwork		2607	63.5 (61.3 - 65.7)	62.2 (58.9 - 65.4)	64.2 (62.4 - 66.0)	49.5 (32.6 - 66.4)	73.1 (64.9 - 81.4)	82.9 (75.2 - 90.7)
Percentage of students who could walk or ride a bike, scooter, or skateboard to school if they wanted to		2635	56.4 (53.0 - 59.7)	53.8 (50.6 - 57.0)	59.5 (55.9 - 63.2)	46.7 (43.6 - 49.7)	30.4 (22.1 - 38.8)	60.2 (50.2 - 70.1)
Percentage of students who had a concussion in the past 12 months from playing sports or being physically active		2631	14.9 (13.6 - 16.1)	12.0 (10.6 - 13.4)	17.9 (15.4 - 20.5)	17.0 (12.5 - 21.5)	6.3 (1.8 - 10.9)	. (. . .)
<b>Body Image &amp; Eating Disorders</b>								
Percentage of students who most of the time or always felt confident with their body image during the past 30 days		2566	53.5 (51.5 - 55.5)	44.0 (42.1 - 45.9)	64.2 (61.7 - 66.6)	29.2 (19.6 - 38.8)	21.9 (19.0 - 24.8)	18.5 (6.7 - 30.3)
Percentage of students who most of the time or always worried about their physical appearance more than they wanted to during the past 30 days		2539	35.8 (33.6 - 38.1)	48.5 (45.1 - 51.8)	22.9 (21.1 - 24.7)	54.6 (39.2 - 70.0)	55.8 (46.6 - 65.0)	54.8 (40.8 - 68.8)
Percentage of students who tried to lose weight or keep from gaining weight by going without eating for 24 hours or more; taking any diet pills, powders, or liquids; vomiting or taking laxatives; or skipping meals during the past 30 days		2548	16.8 (15.1 - 18.4)	24.7 (22.1 - 27.2)	9.0 (7.5 - 10.5)	38.8 (31.6 - 45.9)	21.4 (14.4 - 28.3)	30.9 (23.9 - 38.0)
<b>Home Life</b>								
Percentage of students who usually or definitely feel the rules in their family are clear	Risk Factor: Limited Parent Time to Monitor Youth Behavior	2577	92.1 (90.9 - 93.3)	92.0 (90.3 - 93.7)	92.4 (91.2 - 93.6)	76.6 (70.4 - 82.8)	94.5 (89.9 - 99.1)	88.0 (82.2 - 93.8)
Percentage of students who usually or definitely could ask their parents or guardians for help with a personal problem	Protective Factor: Family Opportunities for Prosocial Involvement	2568	88.7 (87.9 - 89.6)	88.1 (86.7 - 89.5)	90.9 (89.9 - 92.0)	77.7 (71.0 - 84.5)	51.4 (37.7 - 65.2)	65.8 (56.5 - 75.0)
Percentage of students who usually or definitely have parents or guardians who ask if their homework is done	Risk Factor: Limited Parent Time to Monitor Youth Behavior	2573	78.6 (76.3 - 80.9)	76.8 (74.9 - 78.7)	81.3 (78.3 - 84.2)	66.2 (52.6 - 79.9)	51.7 (43.0 - 60.4)	72.2 (61.5 - 82.9)

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	Girl/Woman % (95% CI)	Boy/Man % (95% CI)	Nonbinary % (95% CI)	Another identity <sup>3</sup> % (95% CI)	Not sure % (95% CI)
Percentage of students who usually or definitely have chances to do fun things with their parents or guardians	Protective Factor: Family Opportunities for Prosocial Involvement	2561	85.7 ( 84.8 - 86.6 )	86.3 ( 85.0 - 87.6 )	86.3 ( 84.8 - 87.9 )	72.9 ( 65.0 - 80.8 )	62.8 ( 52.6 - 73.0 )	59.2 ( 45.9 - 72.6 )
Percentage of students who usually or definitely have parents or guardians who ask them what they think before making most family decisions	Protective Factor: Family Opportunities for Prosocial Involvement	2554	78.5 ( 77.4 - 79.5 )	79.0 ( 76.9 - 81.2 )	79.7 ( 77.8 - 81.5 )	56.2 ( 45.2 - 67.3 )	42.1 ( 31.9 - 52.2 )	50.4 ( 41.9 - 58.9 )
Percentage of students who usually or definitely think they would be caught by their parents or guardians for skipping school	Risk Factor: Limited Parent Time to Monitor Youth Behavior	2555	89.4 ( 88.5 - 90.4 )	89.2 ( 88.0 - 90.3 )	90.2 ( 88.4 - 91.9 )	87.6 ( 81.2 - 94.0 )	79.9 ( 62.2 - 97.7 )	80.4 ( 61.5 - 99.3 )
Percentage of students who usually or definitely feel safe in their neighborhood	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2574	97.8 ( 97.5 - 98.0 )	98.1 ( 97.8 - 98.4 )	97.6 ( 97.1 - 98.2 )	99.3 ( 98.3 - 100.0 )	90.0 ( 81.0 - 99.0 )	97.7 ( 94.5 - 100.0 )
Percentage of students who provide care one or more days per week for someone in their family or household who is chronically ill, elderly, or disabled with activities they would have difficulty doing on their own		2568	8.5 ( 7.3 - 9.7 )	7.6 ( 5.7 - 9.4 )	9.1 ( 8.3 - 10.0 )	20.0 ( 16.4 - 23.7 )	15.2 ( 7.1 - 23.2 )	. ( . . . )
<b>School &amp; Community</b>								
Percentage of students who agree or strongly agree that they belong at their school	Protective Factor: School Opportunities for Prosocial Involvement	2562	78.1 ( 76.8 - 79.5 )	75.8 ( 73.7 - 78.0 )	82.1 ( 80.8 - 83.5 )	63.4 ( 55.0 - 71.8 )	38.4 ( 25.2 - 51.7 )	52.9 ( 36.8 - 69.0 )
Percentage of students who most of the time or always enjoyed being in school over the last year	Risk Factor: Limited Commitment to the Value of School	2571	44.4 ( 43.1 - 45.8 )	40.0 ( 37.8 - 42.1 )	49.6 ( 48.1 - 51.1 )	25.7 ( 20.9 - 30.4 )	22.4 ( 13.2 - 31.6 )	41.9 ( 30.5 - 53.4 )
Percentage of students who skipped one or more whole days of school during the past four weeks	Risk Factor: Limited Commitment to the Value of School	2566	33.9 ( 31.2 - 36.5 )	38.9 ( 34.7 - 43.1 )	29.1 ( 27.6 - 30.7 )	33.7 ( 27.8 - 39.5 )	26.8 ( 19.3 - 34.4 )	37.0 ( 27.7 - 46.2 )
Percentage of students who think most of their classes are fairly, quite, or very interesting	Risk Factor: Limited Commitment to the Value of School	2560	71.6 ( 70.6 - 72.6 )	73.4 ( 69.9 - 76.8 )	70.5 ( 67.7 - 73.3 )	71.8 ( 61.7 - 81.8 )	61.6 ( 51.3 - 71.8 )	68.6 ( 56.5 - 80.6 )
Percentage of students who think the things they are learning in school are going to be important or very important for later in life	Risk Factor: Limited Commitment to the Value of School	2523	64.1 ( 62.9 - 65.3 )	67.5 ( 65.6 - 69.3 )	61.8 ( 60.0 - 63.6 )	72.8 ( 65.2 - 80.4 )	38.9 ( 27.4 - 50.3 )	53.6 ( 35.6 - 71.6 )
Percentage of students who have talked to a school counselor about future plans at least once a week during the past 12 months		2482	7.9 ( 6.8 - 8.9 )	7.0 ( 6.0 - 8.1 )	8.7 ( 7.5 - 9.9 )	20.2 ( 13.7 - 26.7 )	. ( . . . )	. ( . . . )
Percentage of students who have talked to a teacher about future plans at least once a week during the past 12 months		2480	23.3 ( 20.9 - 25.7 )	22.6 ( 19.4 - 25.8 )	24.4 ( 21.4 - 27.4 )	11.7 ( 6.4 - 16.9 )	26.8 ( 13.4 - 40.2 )	5.4 ( 2.1 - 8.6 )
Percentage of students who have talked to an administrator about future plans at least once a week during the past 12 months		2460	4.5 ( 3.9 - 5.0 )	3.9 ( 3.3 - 4.5 )	5.1 ( 4.1 - 6.1 )	. ( . . . )	. ( . . . )	. ( . . . )
Percentage of students who have talked to a coach about future plans at least once a week during the past 12 months		2466	15.0 ( 13.2 - 16.8 )	14.7 ( 12.9 - 16.4 )	15.7 ( 13.2 - 18.1 )	7.4 ( 4.2 - 10.6 )	16.9 ( 7.0 - 26.7 )	. ( . . . )
Percentage of students who have talked to a school staff member (who is not a school counselor, teacher, administrator, or coach) about future plans at least once a week during the past 12 months		2462	10.8 ( 9.1 - 12.4 )	9.7 ( 8.3 - 11.1 )	11.6 ( 10.0 - 13.2 )	14.7 ( 7.3 - 22.2 )	. ( . . . )	15.4 ( 0.0 - 31.2 )
Percentage of students who usually or definitely feel safe at school	Protective Factor: School Opportunities for Prosocial Involvement	2530	94.7 ( 94.2 - 95.2 )	94.7 ( 93.8 - 95.5 )	95.1 ( 94.4 - 95.9 )	88.2 ( 82.9 - 93.5 )	88.1 ( 81.2 - 94.9 )	84.9 ( 77.9 - 91.9 )
Percentage of students who usually or definitely think their teacher notices when they do a good job and lets them know about it	Protective Factor: School Rewards for Prosocial Involvement	2522	72.4 ( 69.0 - 75.8 )	72.6 ( 69.2 - 76.0 )	73.5 ( 69.9 - 77.0 )	64.4 ( 54.7 - 74.1 )	46.7 ( 38.2 - 55.2 )	59.3 ( 50.1 - 68.5 )
Percentage of students who usually or definitely think their school lets their parents or guardians know when they have done something well	Protective Factor: School Rewards for Prosocial Involvement	2508	45.9 ( 42.9 - 48.9 )	43.3 ( 39.7 - 46.9 )	48.6 ( 45.3 - 51.9 )	59.2 ( 51.0 - 67.5 )	43.0 ( 27.3 - 58.7 )	34.6 ( 18.8 - 50.5 )
Percentage of students who sometimes, most of the time, or always participated in sports when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2418	66.6 ( 63.7 - 69.5 )	66.5 ( 63.3 - 69.7 )	68.6 ( 65.4 - 71.9 )	42.9 ( 35.6 - 50.2 )	34.2 ( 25.9 - 42.5 )	33.1 ( 20.2 - 46.1 )
Percentage of students who sometimes, most of the time, or always participated in academic support programs when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2392	28.2 ( 26.6 - 29.7 )	31.3 ( 29.4 - 33.1 )	26.3 ( 24.9 - 27.8 )	14.6 ( 8.6 - 20.7 )	13.3 ( 8.5 - 18.1 )	8.5 ( 2.4 - 14.6 )
Percentage of students who sometimes, most of the time, or always participated in programs or clubs when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2388	46.7 ( 41.9 - 51.5 )	53.0 ( 45.9 - 60.0 )	40.0 ( 36.1 - 43.8 )	68.7 ( 49.5 - 87.9 )	57.0 ( 44.3 - 69.6 )	62.4 ( 54.9 - 70.0 )
Percentage of students who sometimes, most of the time, or always participated in community service or volunteering when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2392	43.4 ( 39.2 - 47.6 )	51.7 ( 47.0 - 56.4 )	36.3 ( 31.9 - 40.8 )	39.1 ( 31.2 - 47.0 )	27.9 ( 14.4 - 41.3 )	32.9 ( 23.0 - 42.7 )
Percentage of students who sometimes, most of the time, or always participated in paid work when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2382	46.3 ( 44.3 - 48.2 )	44.8 ( 42.7 - 46.9 )	49.1 ( 46.9 - 51.2 )	34.7 ( 27.8 - 41.7 )	23.9 ( 16.9 - 30.8 )	20.1 ( 11.5 - 28.7 )
Percentage of students who sometimes, most of the time, or always participated in unpaid work (e.g., internships, coaching) when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2365	22.1 ( 20.0 - 24.3 )	22.2 ( 19.8 - 24.5 )	22.6 ( 19.9 - 25.3 )	22.3 ( 17.5 - 27.1 )	13.8 ( 7.8 - 19.7 )	11.3 ( 5.5 - 17.0 )
<b>Other Health Topics</b>								
Percentage of students who usually slept somewhere other than their home during the past 30 days	Risk Factor: Economic Instability	2475	4.7 ( 3.8 - 5.5 )	4.2 ( 3.3 - 5.1 )	5.0 ( 3.7 - 6.3 )	5.7 ( 3.4 - 8.0 )	. ( . . . )	11.1 ( 6.6 - 15.6 )
Percentage of students who sleep 8 or more hours per night on average school nights		2483	42.4 ( 41.9 - 42.9 )	38.8 ( 36.7 - 40.8 )	47.3 ( 45.3 - 49.2 )	30.9 ( 19.2 - 42.7 )	17.3 ( 8.6 - 25.9 )	15.6 ( 6.7 - 24.6 )
Percentage of students who could fire a loaded gun without adult permission in less than one hour	Risk Factor: Access to Firearms	2428	10.4 ( 8.6 - 12.3 )	7.4 ( 4.5 - 10.3 )	13.6 ( 12.5 - 14.8 )	. ( . . . )	6.3 ( 2.8 - 9.9 )	7.2 ( 0.6 - 13.9 )
Percentage of students who would be able to get a loaded gun without adult permission in or around their home, from a friend or schoolmate, or from a family member		2381	14.3 ( 11.5 - 17.2 )	11.5 ( 8.3 - 14.7 )	16.8 ( 14.2 - 19.4 )	14.2 ( 7.7 - 20.7 )	10.4 ( 4.8 - 16.0 )	27.7 ( 16.5 - 39.0 )
Percentage of students who have experienced problems with their mouth or teeth in the past 12 months, not including braces or injuries		2348	22.1 ( 20.0 - 24.3 )	21.4 ( 17.4 - 25.5 )	20.5 ( 18.4 - 22.7 )	45.0 ( 32.1 - 58.0 )	67.8 ( 60.1 - 75.5 )	52.0 ( 38.6 - 65.4 )
Percentage of students who have ever been told by a doctor or nurse that they had asthma		2404	15.1 ( 14.1 - 16.2 )	15.2 ( 14.0 - 16.5 )	15.4 ( 14.0 - 16.7 )	13.3 ( 5.7 - 20.8 )	12.0 ( 0.1 - 23.8 )	6.9 ( 1.8 - 11.9 )

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	Girl/Woman % (95% CI)	Boy/Man % (95% CI)	Nonbinary % (95% CI)	Another identity <sup>3</sup> % (95% CI)	Not sure % (95% CI)
Percentage of students who went outdoors to spend time in nature at least once a week during the past 12 months <sup>4</sup>		2417	86.9 ( 85.8 - 88.0 )	87.8 ( 86.4 - 89.3 )	86.7 ( 85.4 - 88.0 )	71.7 ( 61.5 - 81.9 )	74.8 ( 59.9 - 89.7 )	78.5 ( 70.4 - 86.6 )
<b>Extra Questions</b>								
Percentage of students who think people who have five or more drinks of an alcoholic beverage once or twice a week have a moderate or great risk of harming themselves physically or in other ways		2313	77.7 ( 76.0 - 79.4 )	80.0 ( 78.4 - 81.6 )	75.2 ( 73.2 - 77.3 )	87.9 ( 82.9 - 92.9 )	75.3 ( 66.9 - 83.7 )	87.8 ( 82.5 - 93.1 )
Percentage of students who think people who smoke one or more packs of cigarettes per day have a moderate or great risk of harming themselves physically or in other ways		2310	84.9 ( 83.8 - 86.0 )	86.7 ( 85.6 - 87.7 )	83.0 ( 81.8 - 84.3 )	94.8 ( 91.9 - 97.7 )	78.7 ( 66.4 - 90.9 )	93.4 ( 88.6 - 98.3 )
Percentage of students who think people who use marijuana once or twice a week have a moderate or great risk of harming themselves physically or in other ways		2301	64.4 ( 62.1 - 66.7 )	71.4 ( 69.9 - 72.8 )	58.0 ( 54.7 - 61.2 )	66.1 ( 58.9 - 73.2 )	69.5 ( 60.2 - 78.8 )	48.5 ( 36.5 - 60.5 )
Percentage of students who think people who use prescription drugs that are not prescribed to them have a moderate or great risk of harming themselves physically or in other ways		2299	86.6 ( 85.0 - 88.2 )	87.3 ( 85.7 - 88.9 )	85.8 ( 83.9 - 87.8 )	89.3 ( 85.2 - 93.4 )	83.3 ( 75.8 - 90.9 )	92.1 ( 85.0 - 99.2 )
Percentage of students who think their parents would feel it is wrong or very wrong if they drank 1 or 2 drinks of an alcoholic beverage nearly every day		2299	94.5 ( 94.1 - 94.9 )	96.2 ( 95.7 - 96.7 )	93.0 ( 92.1 - 93.9 )	95.9 ( 90.7 - 100.0 )	91.6 ( 87.5 - 95.7 )	97.7 ( 94.5 - 100.0 )
Percentage of students who think their parents would feel it is wrong or very wrong for them to smoke tobacco		2298	95.7 ( 95.0 - 96.5 )	96.9 ( 96.4 - 97.4 )	94.8 ( 93.3 - 96.4 )	88.5 ( 77.3 - 99.7 )	94.7 ( 91.5 - 97.8 )	94.0 ( 88.2 - 99.9 )
Percentage of students who think their parents would feel it is wrong or very wrong for them to use prescription drugs not prescribed to them		2296	97.3 ( 97.1 - 97.6 )	97.9 ( 97.4 - 98.3 )	96.9 ( 96.3 - 97.5 )	95.9 ( 90.7 - 100.0 )	96.2 ( 92.6 - 99.8 )	97.7 ( 94.5 - 100.0 )
Percentage of students who think their friends would feel it is wrong or very wrong for them to have one or two alcoholic drinks nearly every day		2288	74.5 ( 73.0 - 75.9 )	77.4 ( 74.5 - 80.2 )	71.6 ( 69.7 - 73.6 )	71.2 ( 60.8 - 81.7 )	80.0 ( 68.1 - 91.8 )	72.3 ( 62.8 - 81.8 )
Percentage of students who think their friends would feel it is wrong or very wrong for them to smoke tobacco		2280	72.5 ( 70.1 - 75.0 )	75.9 ( 73.0 - 78.7 )	69.4 ( 66.3 - 72.4 )	68.1 ( 56.5 - 79.8 )	80.0 ( 68.1 - 91.8 )	66.4 ( 59.4 - 73.5 )
Percentage of students who think their friends would feel it is wrong or very wrong for them to use marijuana		2274	61.0 ( 58.1 - 63.9 )	64.7 ( 61.8 - 67.7 )	58.0 ( 54.4 - 61.6 )	41.0 ( 32.8 - 49.2 )	66.9 ( 49.7 - 84.0 )	41.2 ( 29.6 - 52.7 )
Percentage of students who think their friends would feel it is wrong or very wrong to use prescription drugs not prescribed to them		2273	87.4 ( 85.7 - 89.0 )	89.0 ( 87.1 - 90.8 )	86.3 ( 84.3 - 88.3 )	76.4 ( 65.2 - 87.6 )	85.1 ( 78.6 - 91.6 )	74.5 ( 65.2 - 83.7 )
Percentage of students who used prescription drugs not prescribed to them during the past 30 days		2339	1.8 ( 1.2 - 2.4 )	1.3 ( 0.7 - 1.9 )	2.2 ( 1.4 - 2.9 )	9.0 ( 0.0 - 18.5 )	. ( . . . )	. ( . . . )

1. Data are suppressed, shown by a period (.), if fewer than 3 students responded "yes" to a question or if results represent 0% or 100% of students. In districts with enrollment over 35, results are suppressed if fewer than 30 students responded to a question. All percentages are rounded to the nearest tenth.

2. Items in this column are included in risk and protective factors known to influence multiple youth health outcomes.

3. Students included in "Another Identity" selected this response on the survey and had the option to write in their answer.

4. The 2023 report incorrectly displayed data for this item in the inverse of the current report. Contact the CSPH Survey Team (CSPHSurveyTeam@CUAnschutz.edu) for a corrected comparison.

2025 HKCS RESULTS: HIGH SCHOOL

Boulder Valley Re 2

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	9th grade % (95% CI)	10th grade % (95% CI)	11th grade % (95% CI)	12th grade % (95% CI)
<b>Safety</b>							
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else		2974	2.1 ( 1.8 - 2.4 )	1.6 ( 1.1 - 2.1 )	2.2 ( 1.6 - 2.8 )	1.7 ( 1.2 - 2.2 )	2.2 ( 1.5 - 3.0 )
Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been drinking alcohol one or more times		1934	5.2 ( 4.5 - 5.8 )	3.1 ( 1.9 - 4.4 )	5.4 ( 4.6 - 6.3 )	2.7 ( 1.9 - 3.4 )	7.2 ( 5.4 - 9.0 )
Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been using marijuana one or more times		1932	5.5 ( 4.5 - 6.5 )	2.9 ( 1.4 - 4.3 )	3.8 ( 3.0 - 4.6 )	3.6 ( 1.8 - 5.5 )	8.9 ( 6.6 - 11.3 )
Among students who drove a car or other vehicle during the past 30 days, the percentage who texted, posted, or used their phone in some other way while driving on one or more of the days		1955	40.0 ( 37.0 - 43.0 )	12.8 ( 11.6 - 13.9 )	26.6 ( 23.2 - 30.0 )	46.6 ( 44.1 - 49.1 )	55.2 ( 50.8 - 59.6 )
<b>Bullying</b>							
Percentage of students who have ever been bullied on school property during the past 12 months		2868	12.5 ( 11.4 - 13.6 )	15.7 ( 13.0 - 18.3 )	12.4 ( 10.3 - 14.5 )	11.5 ( 10.1 - 12.9 )	9.1 ( 7.0 - 11.3 )
Among students bullied on school property, the percentage who were bullied in a classroom in the past 12 months		389	62.0 ( 59.6 - 64.4 )	68.5 ( 64.7 - 72.3 )	60.1 ( 52.1 - 68.1 )	49.1 ( 40.3 - 57.9 )	71.5 ( 66.7 - 76.3 )
Among students bullied on school property, the percentage who were bullied in a hallway or stairwell in the past 12 months		389	41.2 ( 37.2 - 45.3 )	39.7 ( 35.0 - 44.4 )	44.9 ( 40.6 - 49.3 )	35.6 ( 29.3 - 41.9 )	40.5 ( 26.0 - 55.1 )
Among students bullied on school property, the percentage who were bullied in a locker room or bathroom in the past 12 months		389	22.0 ( 18.8 - 25.2 )	18.6 ( 13.6 - 23.5 )	22.6 ( 12.6 - 32.6 )	19.0 ( 13.5 - 24.5 )	28.4 ( 17.7 - 39.0 )
Among students bullied on school property, the percentage who were bullied in a cafeteria or lunch room in the past 12 months		389	27.5 ( 23.7 - 31.3 )	35.3 ( 29.6 - 41.0 )	27.1 ( 21.4 - 32.8 )	20.2 ( 15.3 - 25.1 )	25.8 ( 15.6 - 36.0 )
Among students bullied on school property, the percentage who were bullied on a bus or at a bus stop in the past 12 months		389	11.4 ( 8.3 - 14.4 )	8.9 ( 4.2 - 13.6 )	9.7 ( 7.0 - 12.5 )	13.7 ( 9.1 - 18.4 )	11.2 ( 6.6 - 15.7 )
Among students bullied on school property, the percentage who were bullied outside before school in the past 12 months		389	18.5 ( 15.5 - 21.6 )	18.7 ( 15.7 - 21.7 )	17.6 ( 11.2 - 24.1 )	17.7 ( 13.3 - 22.0 )	20.1 ( 13.5 - 26.7 )
Among students bullied on school property, the percentage who were bullied outside after school in the past 12 months		389	26.8 ( 24.5 - 29.1 )	30.7 ( 26.6 - 34.9 )	23.8 ( 16.8 - 30.8 )	22.8 ( 17.9 - 27.8 )	25.9 ( 19.7 - 32.1 )
Among students bullied on school property, the percentage who were bullied outside during lunch or break in the past 12 months		389	23.7 ( 20.4 - 27.0 )	28.4 ( 20.8 - 36.0 )	18.2 ( 11.6 - 24.9 )	21.9 ( 15.2 - 28.6 )	22.3 ( 13.0 - 31.6 )
Percentage of students who had ever been electronically bullied during the past 12 months		2925	8.6 ( 7.6 - 9.7 )	10.4 ( 9.7 - 11.0 )	8.6 ( 5.2 - 12.0 )	8.1 ( 6.5 - 9.7 )	6.1 ( 4.9 - 7.3 )
Among students who were bullied in the past 12 months, the percentage who were bullied because of sexual orientation	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	20.6 ( 16.9 - 24.2 )	16.9 ( 12.6 - 21.1 )	15.5 ( 11.9 - 19.2 )	24.5 ( 18.5 - 30.4 )	27.6 ( 14.4 - 40.8 )
Among students who were bullied in the past 12 months, the percentage who were bullied because of gender identity	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	19.1 ( 15.7 - 22.6 )	15.6 ( 12.8 - 18.5 )	12.4 ( 7.9 - 16.9 )	20.6 ( 17.0 - 24.2 )	29.7 ( 15.0 - 44.5 )
Among students who were bullied in the past 12 months, the percentage who were bullied because of religion	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	16.1 ( 14.8 - 17.4 )	13.7 ( 12.0 - 15.4 )	19.3 ( 16.7 - 21.9 )	13.5 ( 10.0 - 17.0 )	18.0 ( 10.5 - 25.4 )
Among students who were bullied in the past 12 months, the percentage who were bullied because of disability	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	17.9 ( 14.6 - 21.2 )	15.6 ( 11.5 - 19.7 )	15.0 ( 9.5 - 20.4 )	18.0 ( 14.4 - 21.5 )	24.7 ( 19.3 - 30.1 )
Among students who were bullied in the past 12 months, the percentage who were bullied because of physical appearance	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	56.2 ( 53.8 - 58.7 )	61.1 ( 55.8 - 66.5 )	53.2 ( 44.2 - 62.3 )	48.1 ( 43.6 - 52.6 )	60.5 ( 54.7 - 66.3 )
Among students who were bullied in the past 12 months, the percentage who were bullied because of race or ethnicity	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	35.3 ( 32.8 - 37.8 )	34.2 ( 27.5 - 40.9 )	36.5 ( 30.6 - 42.4 )	28.6 ( 22.7 - 34.4 )	36.3 ( 30.1 - 42.6 )
<b>Violence</b>							
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school		2942	12.1 ( 10.4 - 13.8 )	11.3 ( 8.1 - 14.5 )	14.6 ( 12.4 - 16.8 )	12.5 ( 9.1 - 15.8 )	9.2 ( 8.3 - 10.2 )
Percentage of students who were in a physical fight one or more times during the past 12 months		2878	9.1 ( 8.4 - 9.8 )	11.3 ( 10.4 - 12.2 )	9.0 ( 7.6 - 10.4 )	7.5 ( 5.3 - 9.8 )	7.8 ( 7.0 - 8.7 )
Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose one or more times by someone they were dating or going out with		1568	7.2 ( 6.8 - 7.7 )	10.5 ( 8.7 - 12.3 )	5.5 ( 3.4 - 7.6 )	6.2 ( 5.1 - 7.4 )	6.5 ( 4.4 - 8.7 )
Among students who dated or went out with someone during the past 12 months, the percentage who had been controlled or emotionally hurt by someone they were dating or going out with		1574	17.0 ( 14.9 - 19.0 )	15.3 ( 14.1 - 16.4 )	15.9 ( 13.4 - 18.5 )	16.8 ( 13.3 - 20.3 )	17.0 ( 15.2 - 18.8 )
Percentage of students who have been threatened with a gun electronically or in person, witnessed a shooting where they live, or know someone (family or friend) who has been shot by another person during the past 12 months		2855	11.3 ( 10.3 - 12.3 )	12.4 ( 10.1 - 14.8 )	13.0 ( 11.3 - 14.7 )	9.5 ( 8.4 - 10.6 )	9.7 ( 8.3 - 11.1 )

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	9th grade % (95% CI)	10th grade % (95% CI)	11th grade % (95% CI)	12th grade % (95% CI)
<b>Sexual Violence</b>							
Percentage of students who have ever had a sexual experience where they were unsure if they gave their fully-granted consent to the other person		2877	9.3 ( 8.4 - 10.2 )	6.9 ( 5.4 - 8.4 )	9.1 ( 8.0 - 10.2 )	11.1 ( 10.1 - 12.2 )	9.7 ( 6.8 - 12.6 )
Percentage of students who have ever had a sexual experience where they were unsure if they received fully-granted consent from the other person		2856	2.5 ( 2.0 - 3.0 )	2.4 ( 1.6 - 3.2 )	1.8 ( 1.3 - 2.2 )	2.7 ( 1.9 - 3.6 )	2.3 ( 1.1 - 3.4 )
Percentage of students who had a revealing or sexual photo or video of themselves texted, e-mailed, or posted electronically without their permission in the past 12 months		2877	3.6 ( 3.3 - 4.0 )	2.8 ( 1.9 - 3.7 )	4.1 ( 3.2 - 4.9 )	3.4 ( 2.6 - 4.1 )	3.6 ( 2.1 - 5.1 )
Percentage of students who have ever made sexual comments, jokes, gestures, or looks at someone when unwanted		2865	5.0 ( 4.4 - 5.7 )	5.0 ( 3.8 - 6.2 )	4.0 ( 3.7 - 4.4 )	4.3 ( 2.6 - 5.9 )	5.7 ( 4.3 - 7.1 )
Percentage of students who have ever touched, grabbed, or pinched someone in a sexual way when unwanted		2871	3.3 ( 3.0 - 3.5 )	3.1 ( 1.7 - 4.5 )	2.9 ( 2.1 - 3.7 )	1.9 ( 1.2 - 2.5 )	4.1 ( 3.2 - 5.0 )
Percentage of students who have ever been physically forced to have sex when they did not want to		2876	3.3 ( 2.9 - 3.8 )	3.1 ( 2.6 - 3.6 )	2.2 ( 1.5 - 2.9 )	3.6 ( 2.6 - 4.6 )	3.8 ( 2.1 - 5.4 )
<b>Mental Health</b>							
Percentage of students who agree or strongly agree their stress level is manageable most days		2905	58.1 ( 55.8 - 60.5 )	61.2 ( 58.3 - 64.1 )	55.8 ( 51.2 - 60.5 )	55.9 ( 52.2 - 59.5 )	59.8 ( 54.9 - 64.7 )
Percentage of students who most of the time or always had poor mental health during the past 30 days		2880	24.1 ( 22.6 - 25.5 )	20.4 ( 19.2 - 21.6 )	25.1 ( 22.8 - 27.4 )	22.9 ( 20.3 - 25.4 )	27.6 ( 24.9 - 30.3 )
Percentage of students who purposefully hurt themselves without wanting to die in the past 12 months		2847	12.8 ( 11.5 - 14.2 )	14.4 ( 12.4 - 16.4 )	14.1 ( 12.4 - 15.7 )	11.5 ( 8.9 - 14.1 )	10.9 ( 8.9 - 12.8 )
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row during the past 12 months that they stopped doing some usual activities		2846	20.6 ( 18.8 - 22.5 )	18.4 ( 16.2 - 20.6 )	20.6 ( 17.9 - 23.4 )	22.6 ( 20.8 - 24.3 )	20.8 ( 18.2 - 23.5 )
Percentage of students who seriously considered attempting suicide during the past 12 months		2840	9.6 ( 8.5 - 10.6 )	10.4 ( 8.4 - 12.4 )	11.1 ( 9.1 - 13.0 )	9.6 ( 7.2 - 12.1 )	6.6 ( 5.6 - 7.6 )
Percentage of students who made a plan about how they would attempt suicide during the past 12 months		2828	6.8 ( 6.0 - 7.5 )	7.7 ( 5.9 - 9.5 )	8.0 ( 5.8 - 10.1 )	6.3 ( 5.1 - 7.4 )	4.8 ( 3.4 - 6.1 )
Percentage of students who attempted suicide one or more times during the past 12 months		2837	3.7 ( 3.2 - 4.3 )	4.1 ( 3.5 - 4.7 )	6.1 ( 3.7 - 8.6 )	2.4 ( 1.5 - 3.3 )	1.6 ( 0.5 - 2.6 )
Percentage of students who have an adult to go to for help with a serious problem	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2839	76.9 ( 74.9 - 79.0 )	76.6 ( 75.0 - 78.2 )	75.1 ( 73.6 - 76.5 )	77.4 ( 74.0 - 80.8 )	80.0 ( 77.0 - 83.0 )
Percentage of students who most of the time or always could talk to a friend about feelings during their life	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2843	61.2 ( 58.8 - 63.6 )	58.9 ( 56.4 - 61.4 )	63.0 ( 60.1 - 65.9 )	65.2 ( 62.7 - 67.7 )	59.2 ( 56.2 - 62.3 )
Percentage of students who had a friend tell them they had thoughts of suicide one or more times during the past 12 months		2820	28.2 ( 26.6 - 29.8 )	29.8 ( 28.1 - 31.6 )	29.5 ( 27.5 - 31.5 )	25.2 ( 21.8 - 28.6 )	27.7 ( 24.4 - 31.0 )
Percentage of students who would tell a family member if they were concerned about their own or someone else's well-being or mental health		2739	61.6 ( 60.3 - 62.9 )	59.6 ( 56.7 - 62.5 )	62.8 ( 60.3 - 65.3 )	63.2 ( 59.7 - 66.7 )	60.7 ( 57.7 - 63.7 )
Percentage of students who would tell an adult in school if they were concerned about their own or someone else's well-being or mental health		2739	37.9 ( 35.9 - 39.9 )	42.2 ( 38.7 - 45.7 )	36.1 ( 33.8 - 38.3 )	36.4 ( 32.8 - 40.0 )	37.4 ( 36.0 - 38.8 )
Percentage of students who would tell a friend if they were concerned about their own or someone else's well-being or mental health		2739	41.6 ( 38.8 - 44.3 )	35.9 ( 32.2 - 39.6 )	39.1 ( 37.0 - 41.1 )	42.8 ( 38.4 - 47.2 )	48.9 ( 45.0 - 52.9 )
Percentage of students who would submit an anonymous report through their school's safety reporting system if they were concerned about their own or someone else's well-being or mental health		2739	33.1 ( 30.4 - 35.8 )	35.2 ( 31.9 - 38.4 )	31.8 ( 27.6 - 36.0 )	32.9 ( 28.1 - 37.7 )	33.3 ( 31.6 - 35.0 )
Percentage of students who would contact a crisis line if they were concerned about their own or someone else's well-being or mental health		2739	29.4 ( 27.4 - 31.4 )	30.7 ( 27.7 - 33.7 )	28.1 ( 25.6 - 30.5 )	31.3 ( 28.9 - 33.8 )	28.0 ( 26.1 - 30.0 )
Percentage of students who have ever experienced the suicide death of a family member or close friend		2834	16.3 ( 14.1 - 18.4 )	15.6 ( 12.9 - 18.3 )	16.6 ( 14.0 - 19.2 )	17.6 ( 14.4 - 20.7 )	15.6 ( 12.4 - 18.7 )
<b>Racism</b>							
Percentage of students who were treated badly or unfairly in school because of their race or ethnicity in the past 12 months	Risk Factor: Recent Experiences with Oppression: Racism	2733	3.4 ( 3.0 - 3.8 )	4.3 ( 3.3 - 5.2 )	3.0 ( 2.5 - 3.6 )	2.8 ( 1.7 - 3.9 )	2.8 ( 1.9 - 3.7 )
Percentage of students who were watched closely or followed by security guards or store clerks at a store or mall because of their race or ethnicity in the past 12 months	Risk Factor: Recent Experiences with Oppression: Racism	2733	3.6 ( 3.1 - 4.1 )	3.4 ( 2.5 - 4.3 )	4.0 ( 3.3 - 4.7 )	2.8 ( 1.8 - 3.9 )	3.7 ( 1.8 - 5.7 )
Percentage of students who were assumed less intelligent because of their race or ethnicity in the past 12 months	Risk Factor: Recent Experiences with Oppression: Racism	2733	4.6 ( 3.8 - 5.4 )	4.0 ( 3.1 - 5.0 )	5.0 ( 4.0 - 6.0 )	3.9 ( 3.1 - 4.7 )	4.0 ( 2.8 - 5.3 )
Percentage of students who saw family members treated unfairly because of the color of their skin, language, accent, or because they are from a different country or culture in the past 12 months	Risk Factor: Recent Experiences with Oppression: Racism	2733	6.6 ( 5.8 - 7.5 )	4.6 ( 3.6 - 5.7 )	7.1 ( 5.3 - 8.9 )	6.8 ( 4.7 - 8.9 )	7.5 ( 5.6 - 9.4 )
<b>Alcohol</b>							
Percentage of students who have ever had a drink of alcohol other than a few sips		2716	48.9 ( 47.4 - 50.5 )	33.5 ( 30.6 - 36.4 )	44.6 ( 40.7 - 48.6 )	56.1 ( 52.5 - 59.8 )	60.9 ( 57.5 - 64.3 )

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	9th grade % (95% CI)	10th grade % (95% CI)	11th grade % (95% CI)	12th grade % (95% CI)
Percentage of students who had their first drink of alcohol, other than a few sips, before age 13	Risk Factor: Early Initiation of Substance Use	2716	11.1 ( 10.2 - 12.1 )	14.5 ( 12.9 - 16.1 )	11.4 ( 9.8 - 13.0 )	7.9 ( 7.0 - 8.9 )	10.1 ( 7.4 - 12.7 )
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days		2732	26.5 ( 24.8 - 28.2 )	15.5 ( 12.3 - 18.6 )	25.1 ( 22.4 - 27.8 )	29.0 ( 26.8 - 31.1 )	35.6 ( 33.2 - 37.9 )
Percentage of students who binge drank (4+ drinks within a couple of hours) on one or more of the past 30 days		2735	15.8 ( 14.4 - 17.2 )	7.0 ( 6.0 - 8.1 )	14.1 ( 11.1 - 17.0 )	17.7 ( 15.5 - 19.8 )	23.1 ( 20.8 - 25.4 )
Percentage of students who feel it would be sort of easy or very easy to get alcohol if they wanted	Risk Factor: Availability of Substances in Community	2680	60.4 ( 58.7 - 62.1 )	49.4 ( 47.0 - 51.8 )	56.7 ( 53.7 - 59.7 )	65.7 ( 61.7 - 69.6 )	70.5 ( 66.1 - 74.9 )
Percentage of students who think it is wrong or very wrong for someone of the same age to drink alcohol regularly (at least once or twice per month)	Risk Factor: Youth Peer Attitudes Favorable Towards Substance Use	2761	62.6 ( 60.3 - 64.9 )	76.2 ( 74.1 - 78.3 )	65.6 ( 63.3 - 67.9 )	59.4 ( 55.2 - 63.7 )	49.8 ( 43.4 - 56.1 )
Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they drank alcohol regularly (at least once or twice per month)	Risk Factor: Parental Attitudes Favorable Toward Substance Use	2762	80.8 ( 78.9 - 82.7 )	88.9 ( 86.7 - 91.1 )	85.2 ( 83.0 - 87.3 )	77.5 ( 73.0 - 82.1 )	72.4 ( 69.1 - 75.6 )
Percentage of students who overestimated peer alcohol use in the past 30 days by selecting a percentage (30% or more) higher than actual peer use statewide		2756	77.0 ( 75.7 - 78.3 )	65.6 ( 61.9 - 69.2 )	75.4 ( 71.1 - 79.7 )	82.5 ( 81.0 - 84.1 )	84.5 ( 82.9 - 86.2 )
Percentage of students who have ever lived with someone having a problem with alcohol use		2764	21.5 ( 18.8 - 24.3 )	19.7 ( 17.5 - 21.8 )	23.3 ( 18.9 - 27.6 )	18.1 ( 16.3 - 19.9 )	23.7 ( 18.9 - 28.5 )
<b>Tobacco</b>							
Percentage of students who have ever smoked a cigarette, even one or two puffs		2753	18.5 ( 16.4 - 20.6 )	9.0 ( 7.0 - 11.0 )	16.9 ( 13.3 - 20.6 )	22.1 ( 20.3 - 23.8 )	24.8 ( 22.2 - 27.5 )
Percentage of students who smoked a cigarette, even one or two puffs, for the first time before age 13	Risk Factor: Early Initiation of Substance Use	2753	4.3 ( 3.7 - 5.0 )	3.9 ( 2.9 - 4.9 )	4.8 ( 3.2 - 6.3 )	3.0 ( 2.1 - 3.9 )	4.6 ( 3.3 - 6.0 )
Percentage of students who smoked cigarettes on one or more of the past 30 days		2741	5.5 ( 4.3 - 6.7 )	2.5 ( 2.0 - 3.0 )	5.5 ( 3.9 - 7.1 )	5.5 ( 4.2 - 6.9 )	8.0 ( 6.0 - 10.1 )
Among students who reported current cigarette use, the percentage who used flavored cigarettes in the past 30 days		125	24.6 ( 18.4 - 30.8 )	. ( . - . )	11.0 ( 6.5 - 15.5 )	. ( . - . )	. ( . - . )
Percentage of students who think it would be sort of easy or very easy to get cigarettes if they wanted	Risk Factor: Availability of Substances in Community	2681	39.9 ( 38.1 - 41.7 )	27.8 ( 24.3 - 31.2 )	35.6 ( 32.0 - 39.2 )	42.7 ( 40.6 - 44.7 )	53.3 ( 50.6 - 56.1 )
Percentage of students who have ever used an electronic vapor product		2736	25.7 ( 23.8 - 27.6 )	15.3 ( 12.5 - 18.0 )	24.9 ( 22.2 - 27.6 )	29.1 ( 27.1 - 31.1 )	32.1 ( 30.1 - 34.1 )
Percentage of students who used an electronic vapor product before age 13	Risk Factor: Early Initiation of Substance Use	2736	6.4 ( 5.1 - 7.8 )	7.7 ( 5.5 - 9.9 )	6.7 ( 4.7 - 8.8 )	4.8 ( 3.8 - 5.8 )	5.5 ( 3.9 - 7.1 )
Percentage of students who used an electronic vapor product in the past 30 days		2672	11.0 ( 9.5 - 12.4 )	7.1 ( 5.2 - 8.9 )	10.6 ( 9.0 - 12.2 )	11.2 ( 8.6 - 13.8 )	14.1 ( 11.9 - 16.3 )
Among students who have used electronic vapor products, the percentage who used them because a friend or family member used them		625	51.6 ( 47.0 - 56.2 )	40.7 ( 32.4 - 49.0 )	51.8 ( 48.7 - 54.9 )	53.7 ( 45.3 - 62.2 )	54.2 ( 49.8 - 58.6 )
Among students who have used electronic vapor products, the percentage who used them because they were trying to quit other tobacco products		625	2.0 ( 1.5 - 2.5 )	2.1 ( 0.5 - 3.7 )	1.8 ( 1.1 - 2.6 )	1.5 ( 0.4 - 2.6 )	1.4 ( 0.2 - 2.6 )
Among students who have used electronic vapor products, the percentage who used them because they cost less than other tobacco products		625	2.7 ( 1.8 - 3.6 )	2.2 ( 0.0 - 4.3 )	3.6 ( 2.5 - 4.7 )	1.9 ( 0.5 - 3.4 )	2.0 ( 1.0 - 3.0 )
Among students who have used electronic vapor products, the percentage who used them to relieve stress		625	29.2 ( 27.1 - 31.4 )	38.4 ( 30.0 - 46.9 )	31.6 ( 25.8 - 37.3 )	27.5 ( 18.9 - 36.1 )	23.9 ( 19.6 - 28.3 )
Among students who have used electronic vapor products, the percentage who used them because they are less harmful than other tobacco products		625	5.4 ( 4.4 - 6.4 )	6.5 ( 1.8 - 11.2 )	4.7 ( 2.4 - 6.9 )	5.3 ( 1.2 - 9.4 )	4.6 ( 1.9 - 7.4 )
Among students who have used electronic vapor products, the percentage who used them because they can be used in areas where other tobacco products are not allowed		625	6.6 ( 5.4 - 7.8 )	7.7 ( 4.8 - 10.6 )	7.6 ( 5.5 - 9.7 )	3.5 ( 2.4 - 4.6 )	7.1 ( 5.3 - 9.0 )
Among students who reported current electronic vapor use, the percentage who used flavored electronic vapor products in the past 30 days		242	94.2 ( 91.0 - 97.5 )	94.7 ( 90.9 - 98.5 )	89.8 ( 82.1 - 97.4 )	95.8 ( 90.2 - 100.0 )	95.6 ( 92.0 - 99.2 )
Percentage of students who feel it would be sort of easy or very easy to get electronic vapor products if they wanted	Risk Factor: Availability of Substances in Community	2682	55.8 ( 53.8 - 57.7 )	47.6 ( 46.1 - 49.0 )	54.9 ( 53.1 - 56.8 )	57.5 ( 53.1 - 61.8 )	63.8 ( 59.9 - 67.7 )
Percentage of students who think it is wrong or very wrong for someone of the same age to use electronic vapor products	Risk Factor: Youth Peer Attitudes Favorable Towards Substance Use	2773	78.4 ( 77.2 - 79.5 )	84.2 ( 82.4 - 86.1 )	78.1 ( 75.4 - 80.8 )	79.1 ( 77.3 - 80.9 )	72.8 ( 70.0 - 75.5 )
Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they used electronic vapor products	Risk Factor: Parental Attitudes Favorable Toward Substance Use	2766	96.5 ( 96.0 - 96.9 )	97.1 ( 96.6 - 97.5 )	96.1 ( 95.0 - 97.2 )	97.2 ( 96.2 - 98.3 )	95.9 ( 94.8 - 97.1 )
Percentage of students who think people who use electronic vapor products every day have a moderate or great risk of harm		2674	87.8 ( 87.1 - 88.4 )	86.3 ( 84.5 - 88.1 )	88.7 ( 87.7 - 89.7 )	89.4 ( 88.0 - 90.9 )	87.3 ( 85.4 - 89.1 )
Percentage of students who think people who breathe secondhand vapor have a moderate or great risk of harm		2656	58.3 ( 56.2 - 60.4 )	67.8 ( 64.9 - 70.7 )	58.0 ( 55.0 - 60.9 )	55.5 ( 51.3 - 59.7 )	51.8 ( 48.0 - 55.6 )
Percentage of students who have used oral nicotine pouches in the past 30 days		2695	5.2 ( 4.4 - 5.9 )	2.1 ( 1.0 - 3.3 )	4.6 ( 3.6 - 5.7 )	6.3 ( 5.0 - 7.5 )	6.9 ( 5.3 - 8.5 )
Among students who reported current oral nicotine pouch use, the percentage who used flavored oral nicotine pouches in the past 30 days		135	85.9 ( 82.0 - 89.8 )	. ( . - . )	86.3 ( 78.6 - 94.1 )	85.1 ( 72.0 - 98.2 )	85.4 ( 72.4 - 98.5 )

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	9th grade % (95% CI)	10th grade % (95% CI)	11th grade % (95% CI)	12th grade % (95% CI)
Percentage of students who feel it would be sort of easy or very easy to get oral nicotine pouches if they wanted	Risk Factor: Availability of Substances in Community	2670	43.6 ( 42.0 - 45.2 )	33.8 ( 29.0 - 38.6 )	39.2 ( 34.2 - 44.2 )	47.6 ( 43.4 - 51.9 )	53.3 ( 51.4 - 55.3 )
Percentage of students who think it is wrong or very wrong for someone of the same age to use oral nicotine pouches	Risk Factor: Youth Peer Attitudes Favorable Towards Substance Use	2759	76.4 ( 74.6 - 78.2 )	86.5 ( 84.5 - 88.4 )	78.2 ( 74.7 - 81.6 )	75.2 ( 73.2 - 77.2 )	66.5 ( 62.6 - 70.4 )
Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they used oral nicotine pouches	Risk Factor: Parental Attitudes Favorable Toward Substance Use	2763	95.4 ( 94.8 - 96.0 )	97.0 ( 96.6 - 97.4 )	95.9 ( 94.7 - 97.1 )	96.2 ( 94.9 - 97.4 )	93.2 ( 92.1 - 94.2 )
Percentage of students who think people who use oral nicotine pouches every day have a moderate or great risk of harm		2658	80.3 ( 79.9 - 80.7 )	83.3 ( 81.5 - 85.0 )	82.0 ( 80.4 - 83.6 )	80.1 ( 79.2 - 81.1 )	76.4 ( 74.2 - 78.6 )
Percentage of students who have used cigars, chewing tobacco, hookah, or oral nicotine pouches in the past 30 days		2695	6.6 ( 5.8 - 7.3 )	3.5 ( 2.5 - 4.5 )	5.9 ( 5.1 - 6.6 )	7.6 ( 6.3 - 9.0 )	8.5 ( 6.9 - 10.1 )
Among underage students who used tobacco or nicotine products in the past 30 days, the percentage who bought them from a gas station, convenience store, grocery store, or drugstore		322	10.2 ( 7.5 - 12.8 )	6.3 ( 3.6 - 9.0 )	4.5 ( 1.1 - 8.0 )	8.4 ( 3.8 - 12.9 )	18.3 ( 9.9 - 26.6 )
Among underage students who used tobacco or nicotine products in the past 30 days, the percentage who bought them from a peer or friend		322	27.5 ( 23.2 - 31.7 )	17.7 ( 13.4 - 22.0 )	32.6 ( 24.8 - 40.5 )	26.2 ( 21.5 - 30.9 )	29.2 ( 15.9 - 42.5 )
Among underage students who used tobacco or nicotine products in the past 30 days, the percentage who bought them from a vending machine		322	3.5 ( 2.7 - 4.3 )	4.9 ( 2.8 - 7.0 )	. ( . - . )	2.7 ( 1.4 - 3.9 )	4.2 ( 0.5 - 7.9 )
Among underage students who used tobacco or nicotine products in the past 30 days, the percentage who bought them over the internet		322	4.4 ( 3.2 - 5.5 )	10.1 ( 3.1 - 17.1 )	5.1 ( 2.9 - 7.3 )	2.2 ( 0.8 - 3.5 )	2.2 ( 0.5 - 4.0 )
Among underage students who used tobacco or nicotine products in the past 30 days, the percentage who bought them through the mail		322	3.1 ( 2.2 - 4.1 )	. ( . - . )	. ( . - . )	2.7 ( 1.4 - 3.9 )	4.7 ( 2.8 - 6.7 )
Among underage students who tried to buy tobacco or nicotine products in a store, the percentage who were not refused because of age		127	77.2 ( 72.3 - 82.2 )	81.4 ( 69.9 - 92.9 )	66.3 ( 56.8 - 75.9 )	86.0 ( 79.5 - 92.4 )	. ( . - . )
Among students who reported current tobacco or nicotine use, the percentage who tried to quit using all tobacco or nicotine products during the past 12 months		358	45.8 ( 41.8 - 49.8 )	39.6 ( 31.0 - 48.1 )	49.2 ( 41.7 - 56.6 )	42.3 ( 34.5 - 50.0 )	49.0 ( 44.2 - 53.8 )
Percentage of students who were inside their home while someone was smoking a cigarette, cigar, pipe, or using an electronic vapor product for one or more days in the past 7 days		2656	9.7 ( 8.4 - 11.1 )	9.1 ( 7.5 - 10.7 )	10.5 ( 9.0 - 12.0 )	9.5 ( 8.1 - 11.0 )	9.4 ( 7.0 - 11.8 )
<b>Marijuana</b>							
Percentage of students who have ever tried marijuana		2682	24.4 ( 22.4 - 26.4 )	10.2 ( 7.2 - 13.2 )	21.8 ( 18.2 - 25.4 )	26.5 ( 23.5 - 29.4 )	37.9 ( 34.2 - 41.6 )
Percentage of students who tried marijuana for the first time before age 13	Risk Factor: Early Initiation of Substance Use	2682	3.9 ( 3.3 - 4.5 )	4.2 ( 3.0 - 5.3 )	3.9 ( 1.6 - 6.2 )	2.5 ( 2.0 - 3.1 )	4.1 ( 3.0 - 5.3 )
Percentage of students who used marijuana one or more times during the past 30 days		2602	12.3 ( 11.1 - 13.5 )	5.0 ( 3.6 - 6.4 )	11.6 ( 9.8 - 13.3 )	12.4 ( 9.2 - 15.6 )	19.7 ( 17.4 - 21.9 )
Percentage of students who feel it would be sort of easy or very easy to get marijuana if they wanted	Risk Factor: Availability of Substances in Community	2666	42.8 ( 41.3 - 44.3 )	26.0 ( 21.4 - 30.6 )	39.6 ( 37.1 - 42.1 )	47.6 ( 44.1 - 51.1 )	57.9 ( 54.3 - 61.4 )
Percentage of students who think it is wrong or very wrong for someone of the same age to use marijuana	Risk Factor: Youth Peer Attitudes Favorable Towards Substance Use	2756	69.5 ( 67.6 - 71.4 )	84.8 ( 82.9 - 86.7 )	73.4 ( 69.9 - 76.8 )	64.9 ( 61.4 - 68.5 )	55.6 ( 50.7 - 60.5 )
Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they used marijuana	Risk Factor: Parental Attitudes Favorable Toward Substance Use	2761	89.4 ( 88.4 - 90.5 )	93.8 ( 92.6 - 94.9 )	89.9 ( 87.4 - 92.4 )	88.5 ( 86.8 - 90.2 )	85.8 ( 83.7 - 88.0 )
Percentage of students who overestimated peer marijuana use in the past 30 days by selecting a percentage (20% or more) higher than actual peer use statewide		2747	76.3 ( 74.1 - 78.4 )	63.3 ( 59.3 - 67.3 )	75.5 ( 72.8 - 78.3 )	80.4 ( 78.8 - 81.9 )	85.6 ( 82.5 - 88.7 )
Among students who used marijuana in the past 30 days, the percentage who usually smoked it		299	56.0 ( 52.4 - 59.7 )	49.6 ( 42.8 - 56.3 )	53.1 ( 44.0 - 62.1 )	62.1 ( 53.7 - 70.5 )	54.3 ( 47.9 - 60.8 )
Among students who used marijuana in the past 30 days, the percentage who usually got it from an adult over the age of 21		284	16.5 ( 13.7 - 19.2 )	11.2 ( 3.2 - 19.1 )	17.6 ( 12.2 - 23.0 )	14.6 ( 10.7 - 18.5 )	17.0 ( 9.5 - 24.6 )
Percentage of students who used THC concentrates, hash oil, or waxes one or more times during the past 30 days		2658	5.1 ( 4.6 - 5.6 )	3.1 ( 2.0 - 4.1 )	6.0 ( 5.1 - 6.9 )	4.5 ( 3.8 - 5.1 )	6.5 ( 4.7 - 8.4 )
<b>Prescription Pain Medicine</b>							
Percentage of students who have ever used prescription pain medicine not prescribed to them or differently than how a doctor told them to use it		2666	7.1 ( 5.9 - 8.3 )	6.2 ( 4.5 - 7.9 )	7.0 ( 5.2 - 8.7 )	7.6 ( 5.9 - 9.4 )	7.6 ( 4.9 - 10.2 )
Percentage of students who used prescription pain medicine not prescribed to them or differently than how a doctor told them to use it for the first time before age 13	Risk Factor: Early Initiation of Substance Use	2666	3.2 ( 2.4 - 4.0 )	3.8 ( 2.6 - 5.1 )	3.7 ( 3.1 - 4.2 )	2.9 ( 2.3 - 3.5 )	2.2 ( 0.7 - 3.7 )
Percentage of students who took prescription pain medicine not prescribed to them or differently than how a doctor told them to use it one or more times in the past 30 days		2682	2.6 ( 1.8 - 3.5 )	2.2 ( 1.1 - 3.2 )	3.2 ( 2.5 - 3.9 )	3.0 ( 1.1 - 4.8 )	2.2 ( 1.0 - 3.3 )
Percentage of students who feel it would be sort of easy or very easy to get prescription pain medicine not prescribed to them if they wanted	Risk Factor: Availability of Substances in Community	2675	21.5 ( 20.2 - 22.8 )	23.0 ( 20.8 - 25.3 )	20.9 ( 19.9 - 21.9 )	22.9 ( 20.7 - 25.2 )	17.7 ( 14.7 - 20.6 )
Percentage of students who think it is wrong or very wrong for someone of the same age to use prescription pain medicine without a doctor's prescription	Risk Factor: Youth Peer Attitudes Favorable Towards Substance Use	2760	90.8 ( 90.2 - 91.4 )	92.3 ( 91.4 - 93.3 )	91.6 ( 90.6 - 92.7 )	89.1 ( 87.6 - 90.7 )	90.7 ( 88.5 - 93.0 )
<b>Other Drugs</b>							

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	9th grade % (95% CI)	10th grade % (95% CI)	11th grade % (95% CI)	12th grade % (95% CI)
Percentage of students who have ever used stimulants not prescribed to them or differently than prescribed		2625	4.2 ( 3.5 - 5.0 )	2.9 ( 2.2 - 3.5 )	4.6 ( 2.8 - 6.4 )	5.0 ( 4.3 - 5.7 )	4.5 ( 2.6 - 6.4 )
Percentage of students who have ever used sedatives or tranquilizers not prescribed to them or differently than prescribed		2625	1.3 ( 1.1 - 1.6 )	0.7 ( 0.2 - 1.2 )	1.6 ( 0.4 - 2.8 )	1.5 ( 0.7 - 2.2 )	1.5 ( 0.4 - 2.5 )
Percentage of students who have ever used cocaine		2625	1.6 ( 1.1 - 2.1 )	0.4 ( 0.1 - 0.7 )	1.5 ( 0.6 - 2.4 )	1.1 ( 0.8 - 1.4 )	3.1 ( 1.5 - 4.7 )
Percentage of students who have ever used inhalants like glue, aerosol spray cans, or any paints or sprays		2625	1.9 ( 1.5 - 2.3 )	1.4 ( 1.0 - 1.9 )	1.9 ( 1.5 - 2.4 )	1.9 ( 1.5 - 2.4 )	2.3 ( 1.1 - 3.5 )
Percentage of students who have ever used heroin		2625	0.5 ( 0.4 - 0.7 )	0.2 ( 0.0 - 0.4 )	0.6 ( 0.1 - 1.1 )	0.6 ( 0.2 - 1.0 )	0.6 ( 0.2 - 1.1 )
Percentage of students who have ever used methamphetamines		2625	0.5 ( 0.4 - 0.6 )	. ( . - . )	0.4 ( 0.1 - 0.7 )	0.6 ( 0.2 - 0.9 )	0.7 ( 0.3 - 1.1 )
Percentage of students who have ever used ecstasy		2625	1.5 ( 1.1 - 1.9 )	0.4 ( 0.2 - 0.6 )	1.0 ( 0.2 - 1.8 )	1.4 ( 0.4 - 2.4 )	2.8 ( 1.7 - 3.8 )
Percentage of students who have ever used psilocybin		2625	3.6 ( 3.0 - 4.2 )	1.2 ( 0.6 - 1.8 )	2.8 ( 1.6 - 4.0 )	4.4 ( 3.5 - 5.4 )	5.7 ( 4.0 - 7.3 )
Percentage of students who have ever used fentanyl		2625	0.9 ( 0.6 - 1.2 )	0.5 ( 0.3 - 0.8 )	1.4 ( 0.6 - 2.2 )	0.4 ( 0.1 - 0.7 )	1.3 ( 0.8 - 1.8 )
Percentage of students who have ever used kratom		2625	0.6 ( 0.4 - 0.8 )	. ( . - . )	0.7 ( 0.3 - 1.0 )	0.4 ( 0.0 - 0.8 )	1.0 ( 0.4 - 1.6 )
Percentage of students who have ever used hemp-derived, intoxicating cannabinoid products like Delta-8 and Delta-10 THC		2625	4.4 ( 3.8 - 4.9 )	1.6 ( 1.0 - 2.1 )	3.5 ( 2.1 - 4.9 )	5.5 ( 4.3 - 6.7 )	6.5 ( 5.4 - 7.7 )
<b>Sexual Health</b>							
Percentage of students who have ever had consensual sex		2645	20.7 ( 18.8 - 22.6 )	6.5 ( 4.5 - 8.4 )	14.5 ( 11.6 - 17.4 )	25.7 ( 23.6 - 27.7 )	36.0 ( 33.7 - 38.3 )
Percentage of students who had consensual sex in the last three months		2648	13.1 ( 11.6 - 14.5 )	4.0 ( 2.6 - 5.4 )	8.9 ( 6.2 - 11.6 )	16.1 ( 14.5 - 17.7 )	23.4 ( 21.2 - 25.5 )
Among students who had consensual sex during the past three months, the percentage who used a condom or their partner used a condom the last time they had consensual sex		311	69.5 ( 63.1 - 75.8 )	76.9 ( 68.0 - 85.8 )	77.4 ( 67.1 - 87.7 )	72.2 ( 63.0 - 81.4 )	63.5 ( 57.5 - 69.6 )
Among students who had consensual sex during the past three months, the percentage who used or their partner used any method of contraception the last time they had consensual sex		311	88.7 ( 86.4 - 91.0 )	84.5 ( 72.0 - 97.0 )	85.7 ( 78.7 - 92.8 )	90.8 ( 88.3 - 93.2 )	88.8 ( 83.3 - 94.3 )
<b>Nutrition</b>							
Percentage of students who ate fruit one or more times per day in the past 7 days		2668	57.6 ( 54.4 - 60.8 )	59.2 ( 56.5 - 61.8 )	61.2 ( 58.4 - 64.1 )	56.8 ( 51.3 - 62.3 )	54.0 ( 49.7 - 58.4 )
Percentage of students who ate vegetables such as green salad, potatoes, carrots, or other vegetables one or more times per day in the past 7 days		2667	63.1 ( 59.5 - 66.7 )	65.1 ( 62.5 - 67.7 )	65.8 ( 61.7 - 69.8 )	61.1 ( 58.6 - 63.7 )	61.7 ( 55.2 - 68.3 )
Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day in the past 7 days		2669	14.4 ( 12.4 - 16.4 )	15.8 ( 12.5 - 19.1 )	14.8 ( 12.7 - 17.0 )	13.3 ( 10.8 - 15.9 )	12.7 ( 10.2 - 15.2 )
Percentage of students who drank a sports drink, energy drink, or other sweetened beverage one or more times per day in the past 7 days		2621	58.9 ( 56.4 - 61.3 )	59.4 ( 57.8 - 61.0 )	61.3 ( 57.1 - 65.6 )	59.9 ( 57.7 - 62.1 )	54.8 ( 51.2 - 58.4 )
Percentage of students who ate breakfast on all of the past 7 days		2651	39.3 ( 35.9 - 42.8 )	45.5 ( 42.9 - 48.2 )	40.8 ( 37.6 - 44.0 )	38.4 ( 32.2 - 44.6 )	33.4 ( 30.8 - 36.0 )
Percentage of students who sometimes, most of the time, or always went hungry in the past 30 days because of a lack of food at home	Risk Factor: Economic Instability	2645	6.9 ( 5.8 - 8.0 )	6.2 ( 4.5 - 7.9 )	7.8 ( 5.3 - 10.3 )	6.5 ( 5.5 - 7.5 )	6.3 ( 4.7 - 8.0 )
<b>Physical Activity</b>							
Percentage of students who were physically active for a total of at least 60 minutes per day on 5 or more of the past 7 days		2622	54.0 ( 52.0 - 56.0 )	61.5 ( 60.0 - 63.1 )	52.4 ( 48.5 - 56.3 )	54.9 ( 52.6 - 57.2 )	46.9 ( 45.2 - 48.7 )
Percentage of students who spent 3+ hours per average school day in front of a TV, computer, smart phone, or other electronic device for something other than schoolwork		2607	63.5 ( 61.3 - 65.7 )	52.6 ( 48.9 - 56.2 )	64.5 ( 62.0 - 67.1 )	63.3 ( 59.8 - 66.9 )	73.6 ( 69.5 - 77.7 )
Percentage of students who could walk or ride a bike, scooter, or skateboard to school if they wanted to		2635	56.4 ( 53.0 - 59.7 )	58.6 ( 54.6 - 62.6 )	54.8 ( 51.3 - 58.3 )	58.1 ( 53.3 - 63.0 )	54.9 ( 51.2 - 58.6 )
Percentage of students who had a concussion in the past 12 months from playing sports or being physically active		2631	14.9 ( 13.6 - 16.1 )	16.1 ( 12.9 - 19.4 )	16.3 ( 13.5 - 19.1 )	14.5 ( 13.7 - 15.4 )	12.6 ( 10.6 - 14.5 )
<b>Body Image &amp; Eating Disorders</b>							
Percentage of students who most of the time or always felt confident with their body image during the past 30 days		2566	53.5 ( 51.5 - 55.5 )	55.7 ( 53.8 - 57.6 )	51.1 ( 48.5 - 53.7 )	51.9 ( 49.1 - 54.8 )	55.5 ( 51.2 - 59.8 )
Percentage of students who most of the time or always worried about their physical appearance more than they wanted to during the past 30 days		2539	35.8 ( 33.6 - 38.1 )	35.4 ( 32.7 - 38.2 )	38.4 ( 36.3 - 40.6 )	35.4 ( 33.7 - 37.2 )	33.6 ( 29.5 - 37.7 )

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	9th grade % (95% CI)	10th grade % (95% CI)	11th grade % (95% CI)	12th grade % (95% CI)
Percentage of students who tried to lose weight or keep from gaining weight by going without eating for 24 hours or more; taking any diet pills, powders, or liquids; vomiting or taking laxatives; or skipping meals during the past 30 days		2548	16.8 ( 15.1 - 18.4 )	15.8 ( 14.1 - 17.5 )	18.1 ( 16.2 - 19.9 )	15.7 ( 13.7 - 17.7 )	17.5 ( 14.7 - 20.3 )
<b>Home Life</b>							
Percentage of students who usually or definitely feel the rules in their family are clear	Risk Factor: Limited Parent Time to Monitor Youth Behavior	2577	92.1 ( 90.9 - 93.3 )	92.3 ( 91.4 - 93.1 )	92.8 ( 91.8 - 93.9 )	90.8 ( 87.2 - 94.3 )	92.7 ( 91.5 - 93.9 )
Percentage of students who usually or definitely could ask their parents or guardians for help with a personal problem	Protective Factor: Family Opportunities for Prosocial Involvement	2568	88.7 ( 87.9 - 89.6 )	87.4 ( 85.3 - 89.6 )	88.1 ( 86.6 - 89.6 )	88.8 ( 87.0 - 90.7 )	90.7 ( 89.7 - 91.7 )
Percentage of students who usually or definitely have parents or guardians who ask if their homework is done	Risk Factor: Limited Parent Time to Monitor Youth Behavior	2573	78.6 ( 76.3 - 80.9 )	86.9 ( 83.8 - 90.0 )	79.9 ( 76.6 - 83.2 )	75.2 ( 71.1 - 79.2 )	72.1 ( 69.2 - 75.0 )
Percentage of students who usually or definitely have chances to do fun things with their parents or guardians	Protective Factor: Family Opportunities for Prosocial Involvement	2561	85.7 ( 84.8 - 86.6 )	87.3 ( 86.3 - 88.3 )	86.2 ( 84.5 - 87.9 )	86.5 ( 84.4 - 88.6 )	83.3 ( 80.8 - 85.8 )
Percentage of students who usually or definitely have parents or guardians who ask them what they think before making most family decisions	Protective Factor: Family Opportunities for Prosocial Involvement	2554	78.5 ( 77.4 - 79.5 )	78.7 ( 77.1 - 80.3 )	80.1 ( 78.6 - 81.6 )	79.1 ( 76.5 - 81.7 )	77.3 ( 74.6 - 80.1 )
Percentage of students who usually or definitely think they would be caught by their parents or guardians for skipping school	Risk Factor: Limited Parent Time to Monitor Youth Behavior	2555	89.4 ( 88.5 - 90.4 )	90.6 ( 88.1 - 93.1 )	87.9 ( 86.5 - 89.3 )	89.9 ( 87.0 - 92.8 )	89.9 ( 86.7 - 93.0 )
Percentage of students who usually or definitely feel safe in their neighborhood	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2574	97.8 ( 97.5 - 98.0 )	97.5 ( 96.8 - 98.3 )	97.1 ( 96.6 - 97.6 )	98.0 ( 97.5 - 98.5 )	98.5 ( 98.0 - 98.9 )
Percentage of students who provide care one or more days per week for someone in their family or household who is chronically ill, elderly, or disabled with activities they would have difficulty doing on their own		2568	8.5 ( 7.3 - 9.7 )	9.0 ( 7.4 - 10.6 )	8.8 ( 7.1 - 10.5 )	8.2 ( 7.0 - 9.3 )	7.2 ( 4.8 - 9.6 )
<b>School &amp; Community</b>							
Percentage of students who agree or strongly agree that they belong at their school	Protective Factor: School Opportunities for Prosocial Involvement	2562	78.1 ( 76.8 - 79.5 )	80.2 ( 78.8 - 81.6 )	76.4 ( 74.8 - 78.0 )	80.2 ( 78.4 - 82.0 )	76.4 ( 73.4 - 79.4 )
Percentage of students who most of the time or always enjoyed being in school over the last year	Risk Factor: Limited Commitment to the Value of School	2571	44.4 ( 43.1 - 45.8 )	50.0 ( 46.6 - 53.4 )	41.3 ( 37.5 - 45.1 )	41.6 ( 37.5 - 45.7 )	44.8 ( 41.9 - 47.6 )
Percentage of students who skipped one or more whole days of school during the past four weeks	Risk Factor: Limited Commitment to the Value of School	2566	33.9 ( 31.2 - 36.5 )	21.5 ( 18.9 - 24.1 )	29.2 ( 27.5 - 31.0 )	28.5 ( 26.2 - 30.9 )	54.7 ( 49.4 - 60.0 )
Percentage of students who think most of their classes are fairly, quite, or very interesting	Risk Factor: Limited Commitment to the Value of School	2560	71.6 ( 70.6 - 72.6 )	68.0 ( 64.9 - 71.1 )	67.3 ( 65.8 - 68.7 )	74.8 ( 71.6 - 78.1 )	76.5 ( 73.8 - 79.3 )
Percentage of students who think the things they are learning in school are going to be important or very important for later in life	Risk Factor: Limited Commitment to the Value of School	2523	64.1 ( 62.9 - 65.3 )	63.1 ( 59.6 - 66.5 )	57.0 ( 55.6 - 58.4 )	66.5 ( 62.7 - 70.2 )	70.2 ( 67.1 - 73.3 )
Percentage of students who have talked to a school counselor about future plans at least once a week during the past 12 months		2482	7.9 ( 6.8 - 8.9 )	6.6 ( 5.0 - 8.3 )	3.7 ( 3.0 - 4.3 )	7.2 ( 5.9 - 8.6 )	13.3 ( 9.4 - 17.2 )
Percentage of students who have talked to a teacher about future plans at least once a week during the past 12 months		2480	23.3 ( 20.9 - 25.7 )	14.4 ( 13.2 - 15.6 )	17.5 ( 15.8 - 19.2 )	25.9 ( 22.5 - 29.4 )	34.9 ( 29.6 - 40.1 )
Percentage of students who have talked to an administrator about future plans at least once a week during the past 12 months		2460	4.5 ( 3.9 - 5.0 )	4.1 ( 3.1 - 5.2 )	4.0 ( 3.2 - 4.9 )	4.2 ( 2.7 - 5.6 )	5.0 ( 3.9 - 6.0 )
Percentage of students who have talked to a coach about future plans at least once a week during the past 12 months		2466	15.0 ( 13.2 - 16.8 )	14.4 ( 12.3 - 16.6 )	12.0 ( 10.3 - 13.6 )	16.1 ( 13.4 - 18.9 )	16.5 ( 13.9 - 19.2 )
Percentage of students who have talked to a school staff member (who is not a school counselor, teacher, administrator, or coach) about future plans at least once a week during the past 12 months		2462	10.8 ( 9.1 - 12.4 )	7.7 ( 6.7 - 8.8 )	8.8 ( 7.8 - 9.7 )	12.8 ( 10.6 - 15.0 )	13.3 ( 9.4 - 17.2 )
Percentage of students who usually or definitely feel safe at school	Protective Factor: School Opportunities for Prosocial Involvement	2530	94.7 ( 94.2 - 95.2 )	94.3 ( 93.4 - 95.2 )	93.1 ( 92.4 - 93.8 )	95.5 ( 94.5 - 96.4 )	96.4 ( 95.2 - 97.5 )
Percentage of students who usually or definitely think their teacher notices when they do a good job and lets them know about it	Protective Factor: School Rewards for Prosocial Involvement	2522	72.4 ( 69.0 - 75.8 )	72.0 ( 67.5 - 76.5 )	69.3 ( 65.0 - 73.5 )	74.3 ( 70.3 - 78.3 )	74.2 ( 70.2 - 78.2 )
Percentage of students who usually or definitely think their school lets their parents or guardians know when they have done something well	Protective Factor: School Rewards for Prosocial Involvement	2508	45.9 ( 42.9 - 48.9 )	47.9 ( 45.5 - 50.2 )	45.9 ( 42.9 - 48.9 )	45.2 ( 42.1 - 48.3 )	44.7 ( 40.6 - 48.8 )
Percentage of students who sometimes, most of the time, or always participated in sports when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2418	66.6 ( 63.7 - 69.5 )	72.5 ( 70.4 - 74.7 )	67.7 ( 64.6 - 70.8 )	66.2 ( 62.4 - 70.0 )	60.7 ( 56.7 - 64.8 )
Percentage of students who sometimes, most of the time, or always participated in academic support programs when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2392	28.2 ( 26.6 - 29.7 )	30.3 ( 28.6 - 32.0 )	25.2 ( 22.1 - 28.3 )	31.2 ( 29.4 - 33.1 )	25.3 ( 22.0 - 28.6 )
Percentage of students who sometimes, most of the time, or always participated in programs or clubs when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2388	46.7 ( 41.9 - 51.5 )	45.3 ( 40.7 - 49.9 )	43.6 ( 37.3 - 49.9 )	48.7 ( 42.8 - 54.6 )	49.3 ( 44.9 - 53.7 )
Percentage of students who sometimes, most of the time, or always participated in community service or volunteering when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2392	43.4 ( 39.2 - 47.6 )	35.9 ( 31.1 - 40.7 )	40.1 ( 33.1 - 47.0 )	49.1 ( 44.8 - 53.3 )	48.3 ( 45.0 - 51.6 )
Percentage of students who sometimes, most of the time, or always participated in paid work when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2382	46.3 ( 44.3 - 48.2 )	37.2 ( 33.7 - 40.8 )	38.2 ( 34.0 - 42.4 )	51.3 ( 48.6 - 54.0 )	58.0 ( 51.5 - 64.5 )
Percentage of students who sometimes, most of the time, or always participated in unpaid work (e.g., internships, coaching) when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2365	22.1 ( 20.0 - 24.3 )	21.7 ( 19.2 - 24.1 )	20.3 ( 17.2 - 23.5 )	21.3 ( 19.1 - 23.4 )	24.8 ( 20.3 - 29.2 )
<b>Other Health Topics</b>							

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	9th grade % (95% CI)	10th grade % (95% CI)	11th grade % (95% CI)	12th grade % (95% CI)
Percentage of students who usually slept somewhere other than their home during the past 30 days	Risk Factor: Economic Instability	2475	4.7 ( 3.8 - 5.5 )	5.6 ( 4.8 - 6.4 )	3.7 ( 2.1 - 5.3 )	4.7 ( 3.3 - 6.2 )	4.4 ( 2.9 - 5.9 )
Percentage of students who sleep 8 or more hours per night on average school nights		2483	42.4 ( 41.9 - 42.9 )	51.0 ( 48.6 - 53.3 )	41.8 ( 37.4 - 46.2 )	39.6 ( 36.7 - 42.4 )	36.9 ( 35.3 - 38.6 )
Percentage of students who could fire a loaded gun without adult permission in less than one hour	Risk Factor: Access to Firearms	2428	10.4 ( 8.6 - 12.3 )	11.6 ( 8.7 - 14.5 )	9.8 ( 8.3 - 11.2 )	9.3 ( 7.3 - 11.2 )	11.2 ( 8.6 - 13.8 )
Percentage of students who would be able to get a loaded gun without adult permission in or around their home, from a friend or schoolmate, or from a family member		2381	14.3 ( 11.5 - 17.2 )	11.4 ( 8.9 - 13.9 )	13.3 ( 11.1 - 15.6 )	13.3 ( 9.8 - 16.9 )	18.7 ( 14.6 - 22.9 )
Percentage of students who have experienced problems with their mouth or teeth in the past 12 months, not including braces or injuries		2348	22.1 ( 20.0 - 24.3 )	22.4 ( 20.5 - 24.4 )	18.5 ( 17.3 - 19.8 )	21.3 ( 18.5 - 24.1 )	25.6 ( 21.7 - 29.6 )
Percentage of students who have ever been told by a doctor or nurse that they had asthma		2404	15.1 ( 14.1 - 16.2 )	13.0 ( 10.5 - 15.4 )	14.4 ( 11.9 - 16.8 )	17.1 ( 15.0 - 19.1 )	16.6 ( 14.5 - 18.8 )
Percentage of students who went outdoors to spend time in nature at least once a week during the past 12 months <sup>3</sup>		2417	86.9 ( 85.8 - 88.0 )	91.5 ( 90.3 - 92.7 )	86.3 ( 83.7 - 88.9 )	85.0 ( 82.7 - 87.4 )	84.7 ( 82.3 - 87.0 )
<b>Extra Questions</b>							
Percentage of students who think people who have five or more drinks of an alcoholic beverage once or twice a week have a moderate or great risk of harming themselves physically or in other ways		2313	77.7 ( 76.0 - 79.4 )	76.9 ( 74.4 - 79.4 )	79.1 ( 78.0 - 80.1 )	76.8 ( 73.8 - 79.7 )	78.8 ( 77.2 - 80.3 )
Percentage of students who think people who smoke one or more packs of cigarettes per day have a moderate or great risk of harming themselves physically or in other ways		2310	84.9 ( 83.8 - 86.0 )	82.8 ( 81.9 - 83.8 )	85.1 ( 83.4 - 86.9 )	85.7 ( 83.9 - 87.4 )	86.7 ( 83.8 - 89.5 )
Percentage of students who think people who use marijuana once or twice a week have a moderate or great risk of harming themselves physically or in other ways		2301	64.4 ( 62.1 - 66.7 )	70.3 ( 68.0 - 72.5 )	70.0 ( 67.7 - 72.3 )	61.7 ( 58.6 - 64.8 )	57.3 ( 53.0 - 61.7 )
Percentage of students who think people who use prescription drugs that are not prescribed to them have a moderate or great risk of harming themselves physically or in other ways		2299	86.6 ( 85.0 - 88.2 )	86.3 ( 85.1 - 87.5 )	87.5 ( 86.5 - 88.6 )	86.4 ( 84.3 - 88.5 )	86.7 ( 83.5 - 89.8 )
Percentage of students who think their parents would feel it is wrong or very wrong if they drank 1 or 2 drinks of an alcoholic beverage nearly every day		2299	94.5 ( 94.1 - 94.9 )	94.6 ( 93.6 - 95.7 )	94.8 ( 94.1 - 95.5 )	95.6 ( 94.7 - 96.5 )	93.1 ( 92.1 - 94.1 )
Percentage of students who think their parents would feel it is wrong or very wrong for them to smoke tobacco		2298	95.7 ( 95.0 - 96.5 )	96.6 ( 95.4 - 97.7 )	94.2 ( 93.2 - 95.1 )	97.1 ( 96.2 - 98.1 )	94.9 ( 93.2 - 96.5 )
Percentage of students who think their parents would feel it is wrong or very wrong for them to use prescription drugs not prescribed to them		2296	97.3 ( 97.1 - 97.6 )	97.7 ( 96.9 - 98.4 )	97.4 ( 97.0 - 97.9 )	96.7 ( 95.7 - 97.7 )	97.6 ( 96.7 - 98.4 )
Percentage of students who think their friends would feel it is wrong or very wrong for them to have one or two alcoholic drinks nearly every day		2288	74.5 ( 73.0 - 75.9 )	77.1 ( 75.6 - 78.5 )	76.0 ( 74.0 - 78.1 )	76.8 ( 73.4 - 80.1 )	68.9 ( 66.5 - 71.2 )
Percentage of students who think their friends would feel it is wrong or very wrong for them to smoke tobacco		2280	72.5 ( 70.1 - 75.0 )	83.1 ( 80.8 - 85.4 )	73.0 ( 70.1 - 75.9 )	74.7 ( 71.8 - 77.5 )	60.4 ( 54.6 - 66.3 )
Percentage of students who think their friends would feel it is wrong or very wrong for them to use marijuana		2274	61.0 ( 58.1 - 63.9 )	77.6 ( 75.0 - 80.2 )	61.7 ( 58.7 - 64.6 )	59.5 ( 56.6 - 62.5 )	45.9 ( 40.3 - 51.5 )
Percentage of students who think their friends would feel it is wrong or very wrong to use prescription drugs not prescribed to them		2273	87.4 ( 85.7 - 89.0 )	88.1 ( 87.3 - 88.8 )	86.7 ( 85.4 - 88.0 )	89.1 ( 86.9 - 91.4 )	85.7 ( 81.1 - 90.3 )
Percentage of students who used prescription drugs not prescribed to them during the past 30 days		2339	1.8 ( 1.2 - 2.4 )	1.0 ( 0.4 - 1.6 )	2.0 ( 1.2 - 2.8 )	1.1 ( 0.5 - 1.7 )	2.4 ( 1.6 - 3.3 )

1. Data are suppressed, shown by a period (.), if fewer than 3 students responded "yes" to a question or if results represent 0% or 100% of students. In districts with enrollment over 35, results are suppressed if fewer than 30 students responded to a question. All percentages are rounded to the nearest tenth.

2. Items in this column are included in risk and protective factors known to influence multiple youth health outcomes.

3. The 2023 report incorrectly displayed data for this item in the inverse of the current report. Contact the CSPH Survey Team (CSPHSurveyTeam@CUAnschutz.edu) for a corrected comparison.

2025 HKCS RESULTS: HIGH SCHOOL

Boulder Valley Re 2

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	White % (95% CI)	Hispanic/Latino % (95% CI)	Black/African American % (95% CI)	Asian % (95% CI)	American Indian/Alaska Native % (95% CI)	Native Hawaiian/Pacific Islander % (95% CI)	Middle Eastern/North African % (95% CI)	Multiracial <sup>3</sup> % (95% CI)
<b>Safety</b>											
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else		2974	2.1 (1.8 - 2.4)	1.1 (0.6 - 1.5)	3.2 (2.6 - 3.9)	13.3 (6.3 - 20.2)	2.2 (1.1 - 3.3)	(. . .)	(. . .)	(. . .)	5.4 (4.3 - 6.5)
Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been drinking alcohol one or more times		1934	5.2 (4.5 - 5.8)	4.5 (3.7 - 5.3)	4.8 (3.0 - 6.7)	19.3 (16.0 - 22.5)	3.1 (0.6 - 5.6)	(. . .)	(. . .)	(. . .)	8.8 (6.6 - 10.9)
Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been using marijuana one or more times		1932	5.5 (4.5 - 6.5)	4.8 (3.8 - 5.9)	5.9 (5.0 - 6.8)	11.0 (3.1 - 18.9)	(. . .)	(. . .)	(. . .)	(. . .)	9.5 (7.1 - 11.8)
Among students who drove a car or other vehicle during the past 30 days, the percentage who texted, posted, or used their phone in some other way while driving on one or more of the days		1955	40.0 (37.0 - 43.0)	43.2 (40.2 - 46.2)	26.5 (20.3 - 32.8)	35.7 (23.9 - 47.5)	36.0 (29.6 - 42.4)	(. . .)	(. . .)	(. . .)	46.0 (41.8 - 50.1)
<b>Bullying</b>											
Percentage of students who have ever been bullied on school property during the past 12 months		2868	12.5 (11.4 - 13.6)	12.4 (11.0 - 13.9)	10.3 (9.2 - 11.4)	28.9 (24.6 - 33.2)	10.1 (7.9 - 12.4)	(. . .)	(. . .)	(. . .)	15.1 (13.1 - 17.1)
Among students bullied on school property, the percentage who were bullied in a classroom in the past 12 months		389	62.0 (59.6 - 64.4)	59.6 (56.0 - 63.2)	60.5 (58.4 - 62.7)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	78.4 (72.0 - 84.8)
Among students bullied on school property, the percentage who were bullied in a hallway or stairwell in the past 12 months		389	41.2 (37.2 - 45.3)	41.9 (36.8 - 46.9)	34.8 (33.3 - 36.3)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	50.3 (42.3 - 58.2)
Among students bullied on school property, the percentage who were bullied in a locker room or bathroom in the past 12 months		389	22.0 (18.8 - 25.2)	19.3 (15.7 - 22.8)	19.4 (14.2 - 24.5)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	32.9 (26.3 - 39.4)
Among students bullied on school property, the percentage who were bullied in a cafeteria or lunch room in the past 12 months		389	27.5 (23.7 - 31.3)	27.2 (23.7 - 30.7)	15.7 (11.9 - 19.4)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	35.7 (29.7 - 41.7)
Among students bullied on school property, the percentage who were bullied on a bus or at a bus stop in the past 12 months		389	11.4 (8.3 - 14.4)	8.5 (6.0 - 10.9)	7.0 (0.0 - 14.1)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	30.3 (20.4 - 40.2)
Among students bullied on school property, the percentage who were bullied outside before school in the past 12 months		389	18.5 (15.5 - 21.6)	18.4 (14.6 - 22.3)	8.2 (4.3 - 12.2)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	34.6 (27.4 - 41.8)
Among students bullied on school property, the percentage who were bullied outside after school in the past 12 months		389	26.8 (24.5 - 29.1)	26.8 (23.5 - 30.1)	18.0 (11.3 - 24.7)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	36.8 (26.8 - 46.8)
Among students bullied on school property, the percentage who were bullied outside during lunch or break in the past 12 months		389	23.7 (20.4 - 27.0)	24.0 (21.7 - 26.2)	13.9 (1.9 - 25.8)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	31.8 (25.0 - 38.5)
Percentage of students who had ever been electronically bullied during the past 12 months		2925	8.6 (7.6 - 9.7)	8.7 (7.4 - 10.0)	6.0 (5.5 - 6.6)	21.4 (17.5 - 25.3)	9.5 (7.0 - 12.0)	(. . .)	(. . .)	(. . .)	11.4 (8.9 - 13.9)
Among students who were bullied in the past 12 months, the percentage who were bullied because of sexual orientation	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	20.6 (16.9 - 24.2)	23.2 (16.0 - 30.3)	7.6 (4.8 - 10.5)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	28.9 (25.6 - 32.2)
Among students who were bullied in the past 12 months, the percentage who were bullied because of gender identity	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	19.1 (15.7 - 22.6)	21.7 (15.5 - 27.9)	7.9 (5.1 - 10.7)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	22.0 (18.3 - 25.6)
Among students who were bullied in the past 12 months, the percentage who were bullied because of religion	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	16.1 (14.8 - 17.4)	16.6 (13.9 - 19.3)	10.2 (4.0 - 16.5)	(. . .)	8.3 (2.0 - 14.6)	(. . .)	(. . .)	(. . .)	21.7 (17.7 - 25.6)
Among students who were bullied in the past 12 months, the percentage who were bullied because of disability	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	17.9 (14.6 - 21.2)	23.6 (18.0 - 29.2)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	22.9 (19.7 - 26.1)
Among students who were bullied in the past 12 months, the percentage who were bullied because of physical appearance	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	56.2 (53.8 - 58.7)	62.8 (58.7 - 66.9)	45.4 (36.3 - 54.5)	(. . .)	34.1 (23.3 - 44.9)	(. . .)	(. . .)	(. . .)	51.9 (46.2 - 57.6)
Among students who were bullied in the past 12 months, the percentage who were bullied because of race or ethnicity	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	35.3 (32.8 - 37.8)	10.5 (7.2 - 13.9)	63.3 (56.2 - 70.3)	(. . .)	90.0 (83.8 - 96.2)	(. . .)	(. . .)	(. . .)	63.9 (54.6 - 73.1)
<b>Violence</b>											
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school		2942	12.1 (10.4 - 13.8)	9.9 (7.8 - 11.9)	17.8 (13.8 - 21.7)	12.4 (5.2 - 19.5)	9.4 (5.4 - 13.3)	(. . .)	(. . .)	(. . .)	14.4 (11.8 - 17.0)
Percentage of students who were in a physical fight one or more times during the past 12 months		2878	9.1 (8.4 - 9.8)	7.9 (7.4 - 8.4)	11.6 (10.4 - 12.8)	21.1 (17.8 - 24.4)	3.7 (0.5 - 6.9)	(. . .)	(. . .)	(. . .)	12.6 (11.0 - 14.1)
Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose one or more times by someone they were dating or going out with		1568	7.2 (6.8 - 7.7)	5.5 (4.9 - 6.1)	8.9 (5.6 - 12.1)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	12.6 (9.7 - 15.4)
Among students who dated or went out with someone during the past 12 months, the percentage who had been controlled or emotionally hurt by someone they were dating or going out with		1574	17.0 (14.9 - 19.0)	14.8 (13.0 - 16.6)	20.6 (14.6 - 26.6)	(. . .)	13.6 (8.7 - 18.5)	(. . .)	(. . .)	(. . .)	23.8 (17.4 - 30.1)
Percentage of students who have been threatened with a gun electronically or in person, witnessed a shooting where they live, or know someone (family or friend) who has been shot by another person during the past 12 months		2855	11.3 (10.3 - 12.3)	9.4 (8.1 - 10.7)	13.9 (11.0 - 16.9)	35.5 (30.7 - 40.3)	8.3 (6.4 - 10.2)	(. . .)	(. . .)	(. . .)	14.2 (12.3 - 16.1)
<b>Sexual Violence</b>											
Percentage of students who have ever had a sexual experience where they were unsure if they gave their fully-granted consent to the other person		2877	9.3 (8.4 - 10.2)	9.4 (8.3 - 10.6)	7.6 (6.9 - 8.4)	13.1 (7.6 - 18.7)	4.1 (0.2 - 7.9)	(. . .)	(. . .)	(. . .)	12.2 (8.6 - 15.9)
Percentage of students who have ever had a sexual experience where they were unsure if they received fully-granted consent from the other person		2856	2.5 (2.0 - 3.0)	1.9 (1.5 - 2.3)	3.5 (2.3 - 4.7)	11.3 (7.3 - 15.4)	2.9 (1.9 - 3.9)	(. . .)	(. . .)	(. . .)	2.7 (1.6 - 3.8)
Percentage of students who had a revealing or sexual photo or video of themselves texted, e-mailed, or posted electronically without their permission in the past 12 months		2877	3.6 (3.3 - 4.0)	3.1 (2.6 - 3.6)	3.8 (3.2 - 4.3)	9.5 (5.2 - 13.8)	1.7 (0.1 - 3.3)	(. . .)	(. . .)	(. . .)	6.9 (4.7 - 9.1)
Percentage of students who have ever made sexual comments, jokes, gestures, or looks at someone when unwanted		2865	5.0 (4.4 - 5.7)	5.3 (4.0 - 6.6)	2.3 (1.5 - 3.1)	17.9 (14.6 - 21.3)	5.6 (4.4 - 6.8)	(. . .)	(. . .)	(. . .)	7.5 (4.9 - 10.0)
Percentage of students who have ever touched, grabbed, or pinched someone in a sexual way when unwanted		2871	3.3 (3.0 - 3.5)	2.9 (2.5 - 3.3)	2.7 (1.6 - 3.7)	16.1 (11.2 - 21.0)	4.5 (3.1 - 5.9)	(. . .)	(. . .)	(. . .)	5.7 (3.6 - 7.9)
Percentage of students who have ever been physically forced to have sex when they did not want to		2876	3.3 (2.9 - 3.8)	2.5 (2.0 - 3.0)	4.3 (2.5 - 6.1)	9.1 (5.4 - 12.9)	(. . .)	(. . .)	(. . .)	(. . .)	5.5 (3.5 - 7.5)
<b>Mental Health</b>											
Percentage of students who agree or strongly agree their stress level is manageable most days		2905	58.1 (55.8 - 60.5)	59.1 (56.9 - 61.3)	58.4 (54.1 - 62.7)	65.0 (56.8 - 73.3)	54.2 (48.8 - 59.6)	(. . .)	(. . .)	(. . .)	54.3 (46.7 - 61.9)
Percentage of students who most of the time or always had poor mental health during the past 30 days		2880	24.1 (22.6 - 25.5)	24.0 (22.9 - 25.2)	22.7 (18.9 - 26.5)	12.5 (8.8 - 16.2)	19.2 (13.6 - 24.7)	(. . .)	(. . .)	(. . .)	28.1 (25.9 - 30.4)
Percentage of students who purposefully hurt themselves without wanting to die in the past 12 months		2847	12.8 (11.5 - 14.2)	13.8 (11.7 - 15.8)	8.5 (5.7 - 11.2)	16.5 (6.6 - 26.5)	5.5 (3.0 - 8.0)	(. . .)	(. . .)	(. . .)	16.0 (13.0 - 19.0)
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row during the past 12 months that they stopped doing some usual activities		2846	20.6 (18.8 - 22.5)	18.6 (16.9 - 20.3)	25.5 (21.3 - 29.6)	22.2 (15.6 - 28.7)	17.6 (14.4 - 20.8)	(. . .)	(. . .)	(. . .)	26.0 (22.2 - 29.7)

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	White % (95% CI)	Hispanic/Latino % (95% CI)	Black/African American % (95% CI)	Asian % (95% CI)	American Indian/Alaska Native % (95% CI)	Native Hawaiian/Pacific Islander % (95% CI)	Middle Eastern/North African % (95% CI)	Multiracial <sup>3</sup> % (95% CI)
Percentage of students who seriously considered attempting suicide during the past 12 months		2840	9.6 (8.5 - 10.6)	9.6 (8.4 - 10.9)	7.9 (5.5 - 10.3)	4.5 (1.7 - 7.3)	7.7 (5.9 - 9.5)	(. . .)	(. . .)	(. . .)	14.0 (12.4 - 15.6)
Percentage of students who made a plan about how they would attempt suicide during the past 12 months		2828	6.8 (6.0 - 7.5)	6.8 (6.1 - 7.5)	4.7 (3.9 - 5.5)	7.1 (2.0 - 12.3)	5.5 (2.6 - 8.4)	(. . .)	(. . .)	(. . .)	10.8 (9.5 - 12.0)
Percentage of students who attempted suicide one or more times during the past 12 months		2837	3.7 (3.2 - 4.3)	3.4 (2.8 - 4.0)	3.8 (2.5 - 5.0)	(. . .)	1.2 (0.1 - 2.2)	(. . .)	(. . .)	(. . .)	5.4 (3.7 - 7.1)
Percentage of students who have an adult to go to for help with a serious problem	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2839	76.9 (74.9 - 79.0)	78.4 (75.9 - 80.9)	73.5 (71.4 - 75.5)	72.6 (68.0 - 77.2)	75.6 (72.3 - 78.8)	(. . .)	(. . .)	(. . .)	76.5 (74.4 - 78.6)
Percentage of students who most of the time or always could talk to a friend about feelings during their life	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2843	61.2 (58.8 - 63.6)	63.1 (60.0 - 66.3)	58.2 (54.5 - 61.9)	52.9 (44.6 - 61.3)	58.4 (52.5 - 64.3)	(. . .)	(. . .)	(. . .)	63.5 (61.9 - 65.0)
Percentage of students who had a friend tell them they had thoughts of suicide one or more times during the past 12 months		2820	28.2 (26.6 - 29.8)	30.8 (28.3 - 33.2)	20.2 (17.5 - 22.9)	29.8 (23.9 - 35.8)	20.8 (14.0 - 27.6)	(. . .)	(. . .)	(. . .)	29.9 (26.5 - 33.3)
Percentage of students who would tell a family member if they were concerned about their own or someone else's well-being or mental health		2739	61.6 (60.3 - 62.9)	63.5 (61.2 - 65.8)	58.5 (56.2 - 60.7)	51.6 (43.2 - 60.0)	52.9 (50.7 - 55.0)	(. . .)	(. . .)	(. . .)	66.2 (64.0 - 68.4)
Percentage of students who would tell an adult in school if they were concerned about their own or someone else's well-being or mental health		2739	37.9 (35.9 - 39.9)	38.3 (36.7 - 39.8)	35.1 (31.7 - 38.4)	46.6 (36.8 - 56.4)	49.8 (46.6 - 53.0)	(. . .)	(. . .)	(. . .)	35.9 (31.5 - 40.2)
Percentage of students who would tell a friend if they were concerned about their own or someone else's well-being or mental health		2739	41.6 (38.8 - 44.3)	45.0 (41.8 - 48.1)	28.8 (25.5 - 32.0)	48.6 (40.4 - 56.8)	50.2 (46.1 - 54.4)	(. . .)	(. . .)	(. . .)	45.2 (39.4 - 51.1)
Percentage of students who would submit an anonymous report through their school's safety reporting system if they were concerned about their own or someone else's well-being or mental health		2739	33.1 (30.4 - 35.8)	36.5 (33.8 - 39.2)	25.2 (23.1 - 27.4)	13.0 (6.5 - 19.4)	35.6 (30.0 - 41.2)	(. . .)	(. . .)	(. . .)	29.1 (23.6 - 34.6)
Percentage of students who would contact a crisis line if they were concerned about their own or someone else's well-being or mental health		2739	29.4 (27.4 - 31.4)	32.3 (30.7 - 33.9)	20.7 (19.0 - 22.5)	21.2 (14.1 - 28.4)	34.5 (30.3 - 38.7)	(. . .)	(. . .)	(. . .)	29.4 (26.2 - 32.7)
Percentage of students who have ever experienced the suicide death of a family member or close friend		2834	16.3 (14.1 - 18.4)	14.4 (12.0 - 16.8)	23.2 (20.4 - 26.0)	24.5 (15.5 - 33.6)	8.2 (5.5 - 11.0)	(. . .)	(. . .)	(. . .)	16.5 (11.5 - 21.5)
<b>Racism</b>											
Percentage of students who were treated badly or unfairly in school because of their race or ethnicity in the past 12 months	Risk Factor: Recent Experiences with Oppression: Racism	2733	3.4 (3.0 - 3.8)	1.0 (0.8 - 1.2)	5.6 (4.2 - 7.0)	22.9 (18.0 - 27.9)	16.3 (12.7 - 19.9)	(. . .)	(. . .)	(. . .)	8.9 (6.5 - 11.3)
Percentage of students who were watched closely or followed by security guards or store clerks at a store or mall because of their race or ethnicity in the past 12 months	Risk Factor: Recent Experiences with Oppression: Racism	2733	3.6 (3.1 - 4.1)	0.5 (0.3 - 0.7)	10.0 (7.6 - 12.5)	25.5 (20.7 - 30.4)	5.7 (3.3 - 8.1)	(. . .)	(. . .)	(. . .)	8.3 (5.4 - 11.3)
Percentage of students who were assumed less intelligent because of their race or ethnicity in the past 12 months	Risk Factor: Recent Experiences with Oppression: Racism	2733	4.6 (3.8 - 5.4)	1.3 (0.8 - 1.8)	11.5 (7.7 - 15.4)	38.3 (35.2 - 41.5)	3.8 (2.2 - 5.4)	(. . .)	(. . .)	(. . .)	7.2 (5.0 - 9.4)
Percentage of students who saw family members treated unfairly because of the color of their skin, language, accent, or because they are from a different country or culture in the past 12 months	Risk Factor: Recent Experiences with Oppression: Racism	2733	6.6 (5.8 - 7.5)	1.3 (1.0 - 1.7)	16.9 (13.7 - 20.2)	32.5 (16.6 - 48.5)	20.3 (15.9 - 24.7)	(. . .)	(. . .)	(. . .)	14.7 (12.3 - 17.1)
<b>Alcohol</b>											
Percentage of students who have ever had a drink of alcohol other than a few sips		2716	48.9 (47.4 - 50.5)	50.8 (48.3 - 53.2)	47.2 (43.4 - 51.0)	53.5 (45.9 - 61.1)	23.2 (21.7 - 24.7)	(. . .)	(. . .)	(. . .)	50.9 (46.9 - 55.0)
Percentage of students who had their first drink of alcohol, other than a few sips, before age 13	Risk Factor: Early Initiation of Substance Use	2716	11.1 (10.2 - 12.1)	10.3 (9.5 - 11.2)	12.5 (9.6 - 15.4)	17.5 (10.8 - 24.1)	5.3 (4.1 - 6.6)	(. . .)	(. . .)	(. . .)	15.9 (13.7 - 18.1)
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days		2732	26.5 (24.8 - 28.2)	29.4 (26.4 - 32.5)	19.0 (17.8 - 20.2)	30.4 (23.0 - 37.8)	13.2 (10.6 - 15.8)	(. . .)	(. . .)	(. . .)	28.2 (25.9 - 30.5)
Percentage of students who binge drank (4+ drinks within a couple of hours) on one or more of the past 30 days		2735	15.8 (14.4 - 17.2)	17.9 (15.6 - 20.2)	9.2 (8.5 - 9.9)	15.3 (7.2 - 23.4)	11.3 (10.0 - 12.6)	(. . .)	(. . .)	(. . .)	17.9 (15.8 - 19.9)
Percentage of students who feel it would be sort of easy or very easy to get alcohol if they wanted	Risk Factor: Availability of Substances in Community	2680	60.4 (58.7 - 62.1)	65.7 (64.4 - 67.0)	44.2 (39.0 - 49.4)	50.6 (45.9 - 55.3)	49.1 (45.9 - 52.3)	(. . .)	(. . .)	(. . .)	66.3 (64.3 - 68.2)
Percentage of students who think it is wrong or very wrong for someone of the same age to drink alcohol regularly (at least once or twice per month)	Risk Factor: Youth Peer Attitudes Favorable Towards Substance Use	2761	62.6 (60.3 - 64.9)	56.8 (53.4 - 60.2)	76.9 (75.1 - 78.8)	58.9 (52.1 - 65.6)	76.3 (74.7 - 77.9)	(. . .)	(. . .)	(. . .)	64.3 (60.6 - 68.1)
Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they drink alcohol regularly (at least once or twice per month)	Risk Factor: Parental Attitudes Favorable Toward Substance Use	2762	80.8 (78.9 - 82.7)	76.3 (73.9 - 78.7)	94.1 (92.0 - 96.3)	78.8 (69.1 - 88.5)	87.3 (83.4 - 91.2)	(. . .)	(. . .)	(. . .)	78.7 (75.7 - 81.8)
Percentage of students who overestimated peer alcohol use in the past 30 days by selecting a percentage (30% or more) higher than actual peer use statewide		2756	77.0 (75.7 - 78.3)	80.0 (77.8 - 82.2)	68.4 (65.8 - 71.0)	73.5 (63.2 - 83.7)	64.1 (61.1 - 67.2)	(. . .)	(. . .)	(. . .)	81.6 (78.9 - 84.3)
Percentage of students who have ever lived with someone having a problem with alcohol use		2764	21.5 (18.8 - 24.3)	20.5 (17.8 - 23.1)	24.7 (20.1 - 29.4)	20.8 (12.6 - 28.9)	12.5 (9.0 - 15.9)	(. . .)	(. . .)	(. . .)	24.9 (21.7 - 28.1)
<b>Tobacco</b>											
Percentage of students who have ever smoked a cigarette, even one or two puffs		2753	18.5 (16.4 - 20.6)	18.9 (16.1 - 21.7)	17.8 (15.9 - 19.7)	10.3 (6.7 - 14.0)	6.8 (4.7 - 8.8)	(. . .)	(. . .)	(. . .)	20.9 (18.2 - 23.5)
Percentage of students who smoked a cigarette, even one or two puffs, for the first time before age 13	Risk Factor: Early Initiation of Substance Use	2753	4.3 (3.7 - 5.0)	2.8 (2.0 - 3.5)	7.6 (6.2 - 9.0)	6.7 (4.4 - 9.1)	0.9 (0.1 - 1.7)	(. . .)	(. . .)	(. . .)	7.4 (5.7 - 9.1)
Percentage of students who smoked cigarettes on one or more of the past 30 days		2741	5.5 (4.3 - 6.7)	6.7 (4.8 - 8.6)	0.9 (0.1 - 1.7)	(. . .)	1.1 (0.1 - 2.1)	(. . .)	(. . .)	(. . .)	8.5 (6.2 - 10.8)
Among students who reported current cigarette use, the percentage who used flavored cigarettes in the past 30 days		125	24.6 (18.4 - 30.8)	16.5 (12.3 - 20.7)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)
Percentage of students who think it would be sort of easy or very easy to get cigarettes if they wanted	Risk Factor: Availability of Substances in Community	2681	39.9 (38.1 - 41.7)	43.3 (40.1 - 46.6)	27.6 (25.7 - 29.5)	40.4 (33.7 - 47.1)	28.0 (18.3 - 37.6)	(. . .)	(. . .)	(. . .)	46.3 (44.4 - 48.3)
Percentage of students who have ever used an electronic vapor product		2736	25.7 (23.8 - 27.6)	24.1 (21.9 - 26.3)	33.5 (30.4 - 36.6)	26.0 (15.4 - 36.6)	8.0 (6.2 - 9.7)	(. . .)	(. . .)	(. . .)	28.2 (26.0 - 30.4)
Percentage of students who used an electronic vapor product before age 13	Risk Factor: Early Initiation of Substance Use	2736	6.4 (5.1 - 7.8)	4.8 (3.8 - 5.8)	11.1 (8.8 - 13.4)	10.9 (6.5 - 15.2)	1.6 (0.3 - 2.8)	(. . .)	(. . .)	(. . .)	9.5 (7.6 - 11.4)
Percentage of students who used an electronic vapor product in the past 30 days		2672	11.0 (9.5 - 12.4)	10.1 (8.3 - 11.8)	13.1 (10.3 - 15.8)	7.8 (4.1 - 11.5)	3.8 (1.1 - 6.5)	(. . .)	(. . .)	(. . .)	17.3 (15.8 - 18.9)
Among students who have used electronic vapor products, the percentage who used them because a friend or family member used them		625	51.6 (47.0 - 56.2)	56.2 (52.5 - 59.9)	40.7 (32.7 - 48.6)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	49.4 (43.3 - 55.5)
Among students who have used electronic vapor products, the percentage who used them because they were trying to quit other tobacco products		625	2.0 (1.5 - 2.5)	1.3 (0.5 - 2.2)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	5.8 (1.0 - 10.7)
Among students who have used electronic vapor products, the percentage who used them because they cost less than other tobacco products		625	2.7 (1.8 - 3.6)	1.8 (0.9 - 2.7)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	10.4 (4.6 - 16.1)
Among students who have used electronic vapor products, the percentage who used them to relieve stress		625	29.2 (27.1 - 31.4)	23.8 (21.4 - 26.1)	37.4 (34.6 - 40.1)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	37.9 (32.4 - 43.3)
Among students who have used electronic vapor products, the percentage who used them because they are less harmful than other tobacco products		625	5.4 (4.4 - 6.4)	3.3 (1.5 - 5.2)	5.5 (3.8 - 7.2)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	15.4 (10.0 - 20.7)
Among students who have used electronic vapor products, the percentage who used them because they can be used in areas where other tobacco products are not allowed		625	6.6 (5.4 - 7.8)	5.3 (3.3 - 7.3)	4.7 (3.3 - 6.0)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	20.0 (11.7 - 28.2)
Among students who reported current electronic vapor use, the percentage who used flavored electronic vapor products in the past 30 days		242	94.2 (91.0 - 97.5)	93.5 (90.5 - 96.5)	94.8 (88.7 - 100.0)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	96.9 (93.8 - 100.0)

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	White % (95% CI)	Hispanic/Latino % (95% CI)	Black/African American % (95% CI)	Asian % (95% CI)	American Indian/Alaska Native % (95% CI)	Native Hawaiian/Pacific Islander % (95% CI)	Middle Eastern/North African % (95% CI)	Multiracial <sup>3</sup> % (95% CI)
Percentage of students who feel it would be sort of easy or very easy to get electronic vapor products if they wanted	Risk Factor: Availability of Substances in Community	2682	55.8 (53.8 - 57.7)	60.1 (57.8 - 62.4)	42.9 (38.4 - 47.4)	44.3 (38.8 - 49.8)	40.8 (35.3 - 46.2)	(. . .)	(. . .)	(. . .)	61.8 (58.7 - 64.9)
Percentage of students who think it is wrong or very wrong for someone of the same age to use electronic vapor products	Risk Factor: Youth Peer Attitudes Favorable Towards Substance Use	2773	78.4 (77.2 - 79.5)	76.4 (74.7 - 78.1)	84.3 (80.8 - 87.9)	80.8 (75.0 - 86.6)	86.3 (81.6 - 91.0)	(. . .)	(. . .)	(. . .)	75.0 (73.0 - 77.0)
Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they used electronic vapor products	Risk Factor: Parental Attitudes Favorable Toward Substance Use	2766	96.5 (96.0 - 96.9)	96.2 (95.7 - 96.8)	98.1 (97.2 - 99.1)	89.6 (84.5 - 94.7)	99.2 (98.3 - 100.0)	(. . .)	(. . .)	(. . .)	94.2 (93.3 - 95.1)
Percentage of students who think people who use electronic vapor products every day have a moderate or great risk of harm		2674	87.8 (87.1 - 88.4)	89.0 (88.2 - 89.8)	83.8 (81.7 - 85.9)	83.4 (72.4 - 94.3)	94.3 (92.2 - 96.4)	(. . .)	(. . .)	(. . .)	86.0 (83.4 - 88.6)
Percentage of students who think people who breathe secondhand vapor have a moderate or great risk of harm		2656	58.3 (56.2 - 60.4)	52.5 (49.7 - 55.4)	73.6 (69.6 - 77.6)	62.1 (55.4 - 68.9)	78.4 (72.3 - 84.6)	(. . .)	(. . .)	(. . .)	53.6 (50.5 - 56.7)
Percentage of students who have used oral nicotine pouches in the past 30 days		2695	5.2 (4.4 - 5.9)	6.0 (5.1 - 7.0)	1.2 (0.0 - 2.5)	11.6 (5.2 - 18.0)	2.2 (1.3 - 3.1)	(. . .)	(. . .)	(. . .)	7.7 (6.3 - 9.1)
Among students who reported current oral nicotine pouch use, the percentage who used flavored oral nicotine pouches in the past 30 days		135	85.9 (82.0 - 89.8)	84.9 (78.9 - 90.9)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)
Percentage of students who feel it would be sort of easy or very easy to get oral nicotine pouches if they wanted	Risk Factor: Availability of Substances in Community	2670	43.6 (42.0 - 45.2)	48.3 (45.2 - 51.4)	27.4 (23.8 - 31.0)	36.5 (24.2 - 48.8)	29.9 (24.0 - 35.8)	(. . .)	(. . .)	(. . .)	51.7 (49.2 - 54.2)
Percentage of students who think it is wrong or very wrong for someone of the same age to use oral nicotine pouches	Risk Factor: Youth Peer Attitudes Favorable Towards Substance Use	2759	76.4 (74.6 - 78.2)	72.4 (70.2 - 74.6)	88.5 (86.3 - 90.8)	75.9 (71.1 - 80.8)	84.9 (81.1 - 88.7)	(. . .)	(. . .)	(. . .)	75.7 (72.8 - 78.7)
Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they used oral nicotine pouches	Risk Factor: Parental Attitudes Favorable Toward Substance Use	2763	95.4 (94.8 - 96.0)	94.5 (93.8 - 95.2)	99.2 (98.6 - 99.8)	84.1 (77.4 - 90.8)	98.0 (97.0 - 99.0)	(. . .)	(. . .)	(. . .)	93.2 (92.3 - 94.1)
Percentage of students who think people who use oral nicotine pouches every day have a moderate or great risk of harm		2658	80.3 (79.9 - 80.7)	78.7 (77.7 - 79.8)	85.8 (83.0 - 88.6)	86.0 (81.0 - 91.0)	89.7 (86.4 - 93.0)	(. . .)	(. . .)	(. . .)	74.6 (70.5 - 78.7)
Percentage of students who have used cigars, chewing tobacco, hookah, or oral nicotine pouches in the past 30 days		2695	6.6 (5.8 - 7.3)	7.6 (6.7 - 8.5)	1.6 (0.5 - 2.8)	14.5 (5.6 - 23.3)	2.2 (1.3 - 3.1)	(. . .)	(. . .)	(. . .)	9.6 (8.0 - 11.1)
Among underage students who used tobacco or nicotine products in the past 30 days, the percentage who bought them from a gas station, convenience store, grocery store, or drugstore		322	10.2 (7.5 - 12.8)	11.4 (7.3 - 15.5)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	17.0 (9.7 - 24.3)
Among underage students who used tobacco or nicotine products in the past 30 days, the percentage who bought them from a peer or friend		322	27.5 (23.2 - 31.7)	24.6 (18.8 - 30.4)	35.5 (30.5 - 40.6)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	27.8 (20.5 - 35.2)
Among underage students who used tobacco or nicotine products in the past 30 days, the percentage who bought them from a vending machine		322	3.5 (2.7 - 4.3)	2.6 (1.6 - 3.6)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	7.7 (0.9 - 14.6)
Among underage students who used tobacco or nicotine products in the past 30 days, the percentage who bought them over the internet		322	4.4 (3.2 - 5.5)	3.2 (2.0 - 4.4)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	8.6 (1.7 - 15.4)
Among underage students who used tobacco or nicotine products in the past 30 days, the percentage who bought them through the mail		322	3.1 (2.2 - 4.1)	1.7 (0.8 - 2.6)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	7.7 (0.9 - 14.6)
Among underage students who tried to buy tobacco or nicotine products in a store, the percentage who were not refused because of age		127	77.2 (72.3 - 82.2)	73.9 (65.3 - 82.5)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)
Among students who reported current tobacco or nicotine use, the percentage who tried to quit using all tobacco or nicotine products during the past 12 months		358	45.8 (41.8 - 49.8)	41.4 (38.2 - 44.7)	67.6 (56.1 - 79.1)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	41.5 (34.6 - 48.4)
Percentage of students who were inside their home while someone was smoking a cigarette, cigar, pipe, or using an electronic vapor product for one or more days in the past 7 days		2656	9.7 (8.4 - 11.1)	8.9 (7.7 - 10.1)	10.5 (8.7 - 12.3)	26.6 (18.9 - 34.2)	7.8 (4.4 - 11.2)	(. . .)	(. . .)	(. . .)	13.1 (10.0 - 16.2)
<b>Marijuana</b>											
Percentage of students who have ever tried marijuana		2682	24.4 (22.4 - 26.4)	25.8 (23.0 - 28.6)	20.5 (16.9 - 24.1)	33.0 (26.0 - 40.1)	7.1 (5.9 - 8.3)	(. . .)	(. . .)	(. . .)	30.0 (27.2 - 32.8)
Percentage of students who tried marijuana for the first time before age 13	Risk Factor: Early Initiation of Substance Use	2682	3.9 (3.3 - 4.5)	3.3 (2.5 - 4.2)	4.7 (4.0 - 5.3)	11.0 (5.5 - 16.5)	1.7 (0.9 - 2.5)	(. . .)	(. . .)	(. . .)	6.3 (4.5 - 8.1)
Percentage of students who used marijuana one or more times during the past 30 days		2602	12.3 (11.1 - 13.5)	13.5 (12.1 - 15.0)	8.1 (6.2 - 10.0)	18.8 (13.0 - 24.7)	1.2 (0.0 - 2.4)	(. . .)	(. . .)	(. . .)	16.4 (14.7 - 18.2)
Percentage of students who feel it would be sort of easy or very easy to get marijuana if they wanted	Risk Factor: Availability of Substances in Community	2666	42.8 (41.3 - 44.3)	45.7 (42.7 - 48.7)	33.6 (29.3 - 37.9)	39.4 (31.9 - 46.9)	23.9 (22.5 - 25.4)	(. . .)	(. . .)	(. . .)	51.6 (50.2 - 53.1)
Percentage of students who think it is wrong or very wrong for someone of the same age to use marijuana	Risk Factor: Youth Peer Attitudes Favorable Towards Substance Use	2756	69.5 (67.6 - 71.4)	64.1 (60.7 - 67.5)	85.3 (83.7 - 86.9)	67.1 (55.3 - 79.0)	85.2 (84.0 - 86.4)	(. . .)	(. . .)	(. . .)	66.0 (62.0 - 69.9)
Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they used marijuana	Risk Factor: Parental Attitudes Favorable Toward Substance Use	2761	89.4 (88.4 - 90.5)	87.4 (85.5 - 89.4)	96.9 (96.0 - 97.8)	77.0 (71.6 - 82.4)	98.2 (96.7 - 99.7)	(. . .)	(. . .)	(. . .)	84.7 (82.3 - 87.1)
Percentage of students who overestimated peer marijuana use in the past 30 days by selecting a percentage (20% or more) higher than actual peer use statewide		2747	76.3 (74.1 - 78.4)	79.3 (77.0 - 81.6)	69.5 (67.1 - 71.9)	68.4 (62.3 - 74.4)	57.3 (55.3 - 59.2)	(. . .)	(. . .)	(. . .)	78.9 (74.8 - 82.9)
Among students who used marijuana in the past 30 days, the percentage who usually smoked it		299	56.0 (52.4 - 59.7)	51.8 (44.0 - 59.6)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	57.6 (40.7 - 74.5)
Among students who used marijuana in the past 30 days, the percentage who usually got it from an adult over the age of 21		284	16.5 (13.7 - 19.2)	14.8 (12.4 - 17.2)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	(. . .)	16.6 (8.6 - 24.7)
Percentage of students who used THC concentrates, hash oil, or waxes one or more times during the past 30 days		2658	5.1 (4.6 - 5.6)	4.4 (4.0 - 4.8)	5.4 (4.6 - 6.3)	17.3 (13.5 - 21.2)	3.0 (2.0 - 3.9)	(. . .)	(. . .)	(. . .)	9.3 (7.5 - 11.1)
<b>Prescription Pain Medicine</b>											
Percentage of students who have ever used prescription pain medicine not prescribed to them or differently than how a doctor told them to use it		2666	7.1 (5.9 - 8.3)	5.8 (4.4 - 7.1)	10.9 (9.5 - 12.3)	11.6 (6.0 - 17.3)	5.1 (3.2 - 6.9)	(. . .)	(. . .)	(. . .)	8.1 (5.9 - 10.2)
Percentage of students who used prescription pain medicine not prescribed to them or differently than how a doctor told them to use it for the first time before age 13	Risk Factor: Early Initiation of Substance Use	2666	3.2 (2.4 - 4.0)	2.7 (1.6 - 3.8)	4.5 (3.9 - 5.2)	8.7 (5.0 - 12.3)	(. . .)	(. . .)	(. . .)	(. . .)	4.5 (3.4 - 5.7)
Percentage of students who took prescription pain medicine not prescribed to them or differently than how a doctor told them to use it one or more times in the past 30 days		2682	2.6 (1.8 - 3.5)	1.4 (1.0 - 1.7)	5.2 (2.1 - 8.3)	12.6 (6.9 - 18.3)	1.6 (0.3 - 2.9)	(. . .)	(. . .)	(. . .)	5.1 (3.9 - 6.2)
Percentage of students who feel it would be sort of easy or very easy to get prescription pain medicine not prescribed to them if they wanted	Risk Factor: Availability of Substances in Community	2675	21.5 (20.2 - 22.8)	22.0 (20.8 - 23.2)	17.8 (14.8 - 20.7)	22.0 (13.7 - 30.3)	22.4 (16.8 - 28.0)	(. . .)	(. . .)	(. . .)	24.2 (22.4 - 25.9)
Percentage of students who think it is wrong or very wrong for someone of the same age to use prescription pain medicine without a doctor's prescription	Risk Factor: Youth Peer Attitudes Favorable Towards Substance Use	2760	90.8 (90.2 - 91.4)	91.3 (89.5 - 93.1)	93.0 (90.1 - 95.9)	78.2 (71.9 - 84.5)	85.7 (81.7 - 89.7)	(. . .)	(. . .)	(. . .)	86.9 (84.3 - 89.5)
<b>Other Drugs</b>											
Percentage of students who have ever used stimulants not prescribed to them or differently than prescribed		2625	4.2 (3.5 - 5.0)	4.6 (3.6 - 5.6)	2.3 (1.5 - 3.0)	10.0 (6.2 - 13.9)	1.2 (0.0 - 2.5)	(. . .)	(. . .)	(. . .)	4.1 (3.1 - 5.2)
Percentage of students who have ever used sedatives or tranquilizers not prescribed to them or differently than prescribed		2625	1.3 (1.1 - 1.6)	1.2 (0.7 - 1.6)	(. . .)	8.6 (4.2 - 12.9)	(. . .)	(. . .)	(. . .)	(. . .)	3.1 (1.5 - 4.7)
Percentage of students who have ever used cocaine		2625	1.6 (1.1 - 2.1)	1.5 (0.9 - 2.1)	1.1 (0.5 - 1.6)	10.6 (3.6 - 17.6)	(. . .)	(. . .)	(. . .)	(. . .)	3.0 (1.3 - 4.8)
Percentage of students who have ever used inhalants like glue, aerosol spray cans, or any paints or sprays		2625	1.9 (1.5 - 2.3)	2.0 (1.4 - 2.6)	1.0 (0.7 - 1.3)	8.6 (4.2 - 12.9)	(. . .)	(. . .)	(. . .)	(. . .)	3.6 (2.2 - 4.9)
Percentage of students who have ever used heroin		2625	0.5 (0.4 - 0.7)	0.3 (0.1 - 0.5)	(. . .)	14.3 (8.7 - 19.9)	(. . .)	(. . .)	(. . .)	(. . .)	2.4 (1.5 - 3.2)

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	White % (95% CI)	Hispanic/Latino % (95% CI)	Black/African American % (95% CI)	Asian % (95% CI)	American Indian/Alaska Native % (95% CI)	Native Hawaiian/Pacific Islander % (95% CI)	Middle Eastern/North African % (95% CI)	Multiracial <sup>3</sup> % (95% CI)
Percentage of students who have ever used methamphetamines		2625	0.5 (0.4 - 0.6)	0.3 (0.1 - 0.4)	. (. . .)	10.6 (3.6 - 17.6)	. (. . .)	. (. . .)	. (. . .)	. (. . .)	2.6 (1.8 - 3.4)
Percentage of students who have ever used ecstasy		2625	1.5 (1.1 - 1.9)	1.5 (1.0 - 2.1)	. (. . .)	8.6 (4.2 - 12.9)	. (. . .)	. (. . .)	. (. . .)	. (. . .)	3.2 (1.5 - 4.9)
Percentage of students who have ever used psilocybin		2625	3.6 (3.0 - 4.2)	3.9 (3.0 - 4.8)	2.3 (1.1 - 3.5)	8.6 (4.2 - 12.9)	. (. . .)	. (. . .)	. (. . .)	. (. . .)	5.5 (3.0 - 8.1)
Percentage of students who have ever used fentanyl		2625	0.9 (0.6 - 1.2)	0.6 (0.3 - 1.0)	. (. . .)	17.0 (13.3 - 20.7)	. (. . .)	. (. . .)	. (. . .)	. (. . .)	3.0 (1.9 - 4.1)
Percentage of students who have ever used kratom		2625	0.6 (0.4 - 0.8)	0.6 (0.3 - 0.9)	. (. . .)	. (. . .)	. (. . .)	. (. . .)	. (. . .)	. (. . .)	2.1 (1.0 - 3.2)
Percentage of students who have ever used hemp-derived, intoxicating cannabinoid products like Delta-8 and Delta-10 THC		2625	4.4 (3.8 - 4.9)	4.6 (4.0 - 5.3)	3.2 (2.5 - 3.9)	6.3 (3.7 - 8.9)	. (. . .)	. (. . .)	. (. . .)	. (. . .)	6.3 (5.0 - 7.6)
<b>Sexual Health</b>											
Percentage of students who have ever had consensual sex		2645	20.7 (18.8 - 22.6)	20.5 (18.4 - 22.7)	21.4 (18.8 - 24.1)	25.1 (21.2 - 29.0)	7.3 (6.0 - 8.5)	. (. . .)	. (. . .)	. (. . .)	25.1 (20.1 - 30.2)
Percentage of students who had consensual sex in the last three months		2648	13.1 (11.6 - 14.5)	13.3 (11.7 - 14.9)	12.0 (9.6 - 14.4)	19.9 (16.4 - 23.4)	3.6 (2.3 - 4.8)	. (. . .)	. (. . .)	. (. . .)	17.5 (13.5 - 21.5)
Among students who had consensual sex during the past three months, the percentage who used a condom or their partner used a condom the last time they had consensual sex		311	69.5 (63.1 - 75.8)	68.0 (58.8 - 77.3)	75.4 (64.8 - 86.0)	. (. . .)	. (. . .)	. (. . .)	. (. . .)	. (. . .)	66.7 (60.5 - 72.9)
Among students who had consensual sex during the past three months, the percentage who used or their partner used any method of contraception the last time they had consensual sex		311	88.7 (86.4 - 91.0)	88.6 (85.4 - 91.7)	87.1 (80.7 - 93.6)	. (. . .)	. (. . .)	. (. . .)	. (. . .)	. (. . .)	92.2 (88.0 - 96.3)
<b>Nutrition</b>											
Percentage of students who ate fruit one or more times per day in the past 7 days		2668	57.6 (54.4 - 60.8)	61.2 (59.0 - 63.3)	44.8 (35.8 - 53.8)	47.0 (37.2 - 56.9)	65.3 (55.8 - 74.8)	. (. . .)	. (. . .)	. (. . .)	58.0 (53.5 - 62.6)
Percentage of students who ate vegetables such as green salad, potatoes, carrots, or other vegetables one or more times per day in the past 7 days		2667	63.1 (59.5 - 66.7)	67.5 (65.0 - 70.1)	47.8 (40.2 - 55.3)	50.9 (43.7 - 58.0)	70.7 (64.3 - 77.1)	. (. . .)	. (. . .)	. (. . .)	65.0 (58.6 - 71.4)
Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day in the past 7 days		2669	14.4 (12.4 - 16.4)	9.9 (8.9 - 10.9)	28.3 (23.2 - 33.3)	21.3 (15.1 - 27.6)	9.7 (7.3 - 12.2)	. (. . .)	. (. . .)	. (. . .)	17.9 (15.0 - 20.9)
Percentage of students who drank a sports drink, energy drink, or other sweetened beverage one or more times per day in the past 7 days		2621	58.9 (56.4 - 61.3)	57.5 (54.6 - 60.4)	62.4 (56.9 - 68.0)	64.9 (59.9 - 69.8)	60.1 (55.0 - 65.1)	. (. . .)	. (. . .)	. (. . .)	63.1 (60.6 - 65.6)
Percentage of students who ate breakfast on all of the past 7 days		2651	39.3 (35.9 - 42.8)	42.3 (39.1 - 45.6)	29.7 (25.4 - 34.0)	21.5 (11.0 - 32.0)	42.7 (39.7 - 45.8)	. (. . .)	. (. . .)	. (. . .)	36.7 (33.7 - 39.7)
Percentage of students who sometimes, most of the time, or always went hungry in the past 30 days because of a lack of food at home	Risk Factor: Economic Instability	2645	6.9 (5.8 - 8.0)	4.8 (4.3 - 5.3)	13.0 (9.9 - 16.0)	18.5 (10.0 - 27.0)	7.6 (5.8 - 9.4)	. (. . .)	. (. . .)	. (. . .)	7.5 (5.6 - 9.5)
<b>Physical Activity</b>											
Percentage of students who were physically active for a total of at least 60 minutes per day on 5 or more of the past 7 days		2622	54.0 (52.0 - 56.0)	57.8 (55.0 - 60.6)	42.6 (37.9 - 47.3)	42.1 (27.7 - 56.4)	47.5 (45.0 - 50.0)	. (. . .)	. (. . .)	. (. . .)	56.6 (53.3 - 59.9)
Percentage of students who spent 3+ hours per average school day in front of a TV, computer, smart phone, or other electronic device for something other than schoolwork		2607	63.5 (61.3 - 65.7)	62.6 (60.7 - 64.5)	65.8 (61.8 - 69.9)	70.0 (65.0 - 75.1)	59.3 (56.6 - 62.0)	. (. . .)	. (. . .)	. (. . .)	66.3 (64.7 - 67.9)
Percentage of students who could walk or ride a bike, scooter, or skateboard to school if they wanted to		2635	56.4 (53.0 - 59.7)	56.4 (53.1 - 59.6)	57.8 (51.8 - 63.8)	49.4 (39.6 - 59.2)	43.4 (37.4 - 49.3)	. (. . .)	. (. . .)	. (. . .)	57.2 (52.0 - 62.5)
Percentage of students who had a concussion in the past 12 months from playing sports or being physically active		2631	14.9 (13.6 - 16.1)	14.5 (13.1 - 15.9)	14.4 (11.1 - 17.8)	26.3 (19.9 - 32.7)	13.7 (11.2 - 16.2)	. (. . .)	. (. . .)	. (. . .)	19.0 (17.4 - 20.5)
<b>Body Image &amp; Eating Disorders</b>											
Percentage of students who most of the time or always felt confident with their body image during the past 30 days		2566	53.5 (51.5 - 55.5)	53.9 (51.2 - 56.5)	52.2 (47.4 - 57.0)	70.9 (66.2 - 75.6)	56.9 (51.5 - 62.2)	. (. . .)	. (. . .)	. (. . .)	51.9 (49.8 - 54.1)
Percentage of students who most of the time or always worried about their physical appearance more than they wanted to during the past 30 days		2539	35.8 (33.6 - 38.1)	34.2 (32.7 - 35.7)	41.1 (37.1 - 45.0)	37.1 (27.0 - 47.1)	32.4 (25.9 - 38.8)	. (. . .)	. (. . .)	. (. . .)	38.2 (33.7 - 42.7)
Percentage of students who tried to lose weight or keep from gaining weight by going without eating for 24 hours or more; taking any diet pills, powders, or liquids; vomiting or taking laxatives; or skipping meals during the past 30 days		2548	16.8 (15.1 - 18.4)	14.5 (13.5 - 15.5)	23.2 (19.7 - 26.7)	11.7 (6.0 - 17.4)	16.0 (6.7 - 25.4)	. (. . .)	. (. . .)	. (. . .)	21.0 (19.0 - 23.1)
<b>Home Life</b>											
Percentage of students who usually or definitely feel the rules in their family are clear	Risk Factor: Limited Parent Time to Monitor Youth Behavior	2577	92.1 (90.9 - 93.3)	92.8 (91.5 - 94.2)	92.2 (89.0 - 95.5)	95.6 (93.7 - 97.5)	92.2 (89.9 - 94.5)	. (. . .)	. (. . .)	. (. . .)	86.6 (83.8 - 89.3)
Percentage of students who usually or definitely could ask their parents or guardians for help with a personal problem	Protective Factor: Family Opportunities for Prosocial Involvement	2568	88.7 (87.9 - 89.6)	90.0 (88.8 - 91.1)	86.3 (84.7 - 87.9)	71.7 (58.1 - 85.3)	83.9 (77.7 - 90.1)	. (. . .)	. (. . .)	. (. . .)	88.6 (87.4 - 89.7)
Percentage of students who usually or definitely have parents or guardians who ask if their homework is done	Risk Factor: Limited Parent Time to Monitor Youth Behavior	2573	78.6 (76.3 - 80.9)	79.5 (76.6 - 82.4)	76.0 (71.9 - 80.1)	84.8 (77.6 - 92.0)	77.0 (73.0 - 81.0)	. (. . .)	. (. . .)	. (. . .)	76.7 (74.0 - 79.4)
Percentage of students who usually or definitely have chances to do fun things with their parents or guardians	Protective Factor: Family Opportunities for Prosocial Involvement	2561	85.7 (84.8 - 86.6)	86.6 (85.6 - 87.6)	86.5 (83.7 - 89.4)	72.6 (66.0 - 79.1)	81.0 (77.6 - 84.5)	. (. . .)	. (. . .)	. (. . .)	84.6 (82.1 - 87.0)
Percentage of students who usually or definitely have parents or guardians who ask them what they think before making most family decisions	Protective Factor: Family Opportunities for Prosocial Involvement	2554	78.5 (77.4 - 79.5)	78.6 (77.3 - 80.0)	79.0 (76.6 - 81.3)	76.7 (67.8 - 85.5)	80.3 (76.9 - 83.8)	. (. . .)	. (. . .)	. (. . .)	73.5 (69.9 - 77.1)
Percentage of students who usually or definitely think they would be caught by their parents or guardians for skipping school	Risk Factor: Limited Parent Time to Monitor Youth Behavior	2555	89.4 (88.5 - 90.4)	91.0 (89.2 - 92.9)	85.2 (80.6 - 89.7)	87.0 (81.8 - 92.1)	93.0 (88.6 - 97.4)	. (. . .)	. (. . .)	. (. . .)	84.7 (80.5 - 89.0)
Percentage of students who usually or definitely feel safe in their neighborhood	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2574	97.8 (97.5 - 98.0)	98.7 (98.2 - 99.3)	95.7 (94.6 - 96.7)	92.7 (89.2 - 96.1)	96.4 (95.3 - 97.5)	. (. . .)	. (. . .)	. (. . .)	96.9 (95.6 - 98.1)
Percentage of students who provide care one or more days per week for someone in their family or household who is chronically ill, elderly, or disabled with activities they would have difficulty doing on their own		2568	8.5 (7.3 - 9.7)	6.3 (5.6 - 6.9)	14.8 (12.7 - 16.8)	24.5 (16.4 - 32.7)	7.3 (5.8 - 8.9)	. (. . .)	. (. . .)	. (. . .)	9.1 (6.3 - 11.8)
<b>School &amp; Community</b>											
Percentage of students who agree or strongly agree that they belong at their school	Protective Factor: School Opportunities for Prosocial Involvement	2562	78.1 (76.8 - 79.5)	80.9 (79.7 - 82.1)	70.5 (68.1 - 72.8)	63.5 (52.6 - 74.5)	84.8 (82.1 - 87.6)	. (. . .)	. (. . .)	. (. . .)	75.8 (73.3 - 78.3)
Percentage of students who most of the time or always enjoyed being in school over the last year	Risk Factor: Limited Commitment to the Value of School	2571	44.4 (43.1 - 45.8)	43.9 (42.6 - 45.1)	45.1 (40.7 - 49.5)	50.6 (39.6 - 61.5)	55.6 (51.6 - 59.5)	. (. . .)	. (. . .)	. (. . .)	42.5 (36.1 - 49.0)
Percentage of students who skipped one or more whole days of school during the past four weeks	Risk Factor: Limited Commitment to the Value of School	2566	33.9 (31.2 - 36.5)	29.7 (27.2 - 32.2)	47.8 (45.1 - 50.6)	29.0 (20.3 - 37.6)	19.0 (15.4 - 22.6)	. (. . .)	. (. . .)	. (. . .)	42.3 (38.6 - 46.1)
Percentage of students who think most of their classes are fairly, quite, or very interesting	Risk Factor: Limited Commitment to the Value of School	2560	71.6 (70.6 - 72.6)	70.4 (69.2 - 71.7)	74.7 (71.9 - 77.5)	80.3 (77.8 - 82.7)	77.9 (75.0 - 80.8)	. (. . .)	. (. . .)	. (. . .)	71.1 (67.6 - 74.6)
Percentage of students who think the things they are learning in school are going to be important or very important for later in life	Risk Factor: Limited Commitment to the Value of School	2523	64.1 (62.9 - 65.3)	62.3 (60.2 - 64.4)	69.0 (66.6 - 71.3)	73.5 (66.8 - 80.3)	71.4 (67.8 - 75.0)	. (. . .)	. (. . .)	. (. . .)	61.9 (57.9 - 65.9)
Percentage of students who have talked to a school counselor about future plans at least once a week during the past 12 months		2482	7.9 (6.8 - 8.9)	6.0 (4.8 - 7.2)	14.9 (11.4 - 18.4)	11.8 (6.6 - 16.9)	10.1 (7.3 - 12.9)	. (. . .)	. (. . .)	. (. . .)	6.8 (5.5 - 8.0)

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	White % (95% CI)	Hispanic/Latino % (95% CI)	Black/African American % (95% CI)	Asian % (95% CI)	American Indian/Alaska Native % (95% CI)	Native Hawaiian/Pacific Islander % (95% CI)	Middle Eastern/North African % (95% CI)	Multiracial <sup>3</sup> % (95% CI)
Percentage of students who have talked to a teacher about future plans at least once a week during the past 12 months		2480	23.3 (20.9 - 25.7)	20.8 (18.0 - 23.5)	31.5 (24.7 - 38.3)	32.1 (18.4 - 45.7)	28.2 (25.1 - 31.3)	(. . .)	(. . .)	(. . .)	21.6 (18.1 - 25.0)
Percentage of students who have talked to an administrator about future plans at least once a week during the past 12 months		2460	4.5 (3.9 - 5.0)	3.2 (2.4 - 4.1)	8.3 (6.3 - 10.2)	6.1 (2.6 - 9.6)	4.4 (2.8 - 6.0)	(. . .)	(. . .)	(. . .)	6.3 (5.0 - 7.6)
Percentage of students who have talked to a coach about future plans at least once a week during the past 12 months		2466	15.0 (13.2 - 16.8)	14.8 (13.0 - 16.7)	15.7 (11.7 - 19.6)	20.2 (13.2 - 27.2)	12.9 (12.0 - 13.8)	(. . .)	(. . .)	(. . .)	15.2 (9.4 - 20.9)
Percentage of students who have talked to a school staff member (who is not a school counselor, teacher, administrator, or coach) about future plans at least once a week during the past 12 months		2462	10.8 (9.1 - 12.4)	8.7 (7.8 - 9.7)	17.5 (14.9 - 20.1)	7.9 (2.9 - 12.8)	11.7 (7.6 - 15.9)	(. . .)	(. . .)	(. . .)	11.7 (7.9 - 15.6)
Percentage of students who usually or definitely feel safe at school	Protective Factor: School Opportunities for Prosocial Involvement	2530	94.7 (94.2 - 95.2)	95.2 (93.8 - 96.6)	92.4 (88.9 - 95.8)	94.4 (92.1 - 96.7)	98.9 (98.0 - 99.8)	(. . .)	(. . .)	(. . .)	94.6 (93.4 - 95.8)
Percentage of students who usually or definitely think their teacher notices when they do a good job and lets them know about it	Protective Factor: School Rewards for Prosocial Involvement	2522	72.4 (69.0 - 75.8)	70.0 (66.3 - 73.6)	80.8 (76.1 - 85.5)	81.9 (76.7 - 87.1)	79.2 (73.2 - 85.2)	(. . .)	(. . .)	(. . .)	68.4 (65.0 - 71.7)
Percentage of students who usually or definitely think their school lets their parents or guardians know when they have done something well	Protective Factor: School Rewards for Prosocial Involvement	2508	45.9 (42.9 - 48.9)	41.3 (37.8 - 44.8)	57.5 (53.7 - 61.2)	58.9 (48.9 - 68.9)	59.3 (52.3 - 66.4)	(. . .)	(. . .)	(. . .)	47.3 (43.7 - 50.9)
Percentage of students who sometimes, most of the time, or always participated in sports when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2418	66.6 (63.7 - 69.5)	70.8 (67.7 - 73.9)	51.2 (47.9 - 54.4)	59.6 (50.5 - 68.8)	60.0 (54.8 - 65.2)	(. . .)	(. . .)	(. . .)	74.0 (67.0 - 81.0)
Percentage of students who sometimes, most of the time, or always participated in academic support programs when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2392	28.2 (26.6 - 29.7)	26.3 (24.3 - 28.3)	32.9 (28.8 - 37.1)	39.9 (33.7 - 46.1)	44.5 (41.7 - 47.3)	(. . .)	(. . .)	(. . .)	25.0 (22.3 - 27.6)
Percentage of students who sometimes, most of the time, or always participated in programs or clubs when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2388	46.7 (41.9 - 51.5)	49.1 (44.8 - 53.3)	34.8 (31.3 - 38.3)	45.8 (37.8 - 53.8)	65.3 (63.7 - 66.9)	(. . .)	(. . .)	(. . .)	46.0 (39.4 - 52.6)
Percentage of students who sometimes, most of the time, or always participated in community service or volunteering when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2392	43.4 (39.2 - 47.6)	44.4 (41.1 - 47.7)	37.1 (31.4 - 42.7)	45.9 (39.9 - 51.9)	58.5 (50.0 - 67.1)	(. . .)	(. . .)	(. . .)	43.0 (38.8 - 47.1)
Percentage of students who sometimes, most of the time, or always participated in paid work when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2382	46.3 (44.3 - 48.2)	47.5 (44.8 - 50.1)	44.0 (39.6 - 48.4)	50.5 (46.3 - 54.6)	36.0 (32.1 - 39.8)	(. . .)	(. . .)	(. . .)	46.1 (43.7 - 48.5)
Percentage of students who sometimes, most of the time, or always participated in unpaid work (e.g., internships, coaching) when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2365	22.1 (20.0 - 24.3)	21.6 (19.7 - 23.4)	23.5 (17.4 - 29.6)	21.6 (14.4 - 28.8)	23.5 (16.6 - 30.3)	(. . .)	(. . .)	(. . .)	23.6 (22.3 - 25.0)
<b>Other Health Topics</b>											
Percentage of students who usually slept somewhere other than their home during the past 30 days	Risk Factor: Economic Instability	2475	4.7 (3.8 - 5.5)	4.0 (3.2 - 4.8)	5.6 (3.8 - 7.3)	25.5 (16.9 - 34.1)	2.8 (0.6 - 5.0)	(. . .)	(. . .)	(. . .)	6.6 (4.0 - 9.3)
Percentage of students who sleep 8 or more hours per night on average school nights		2483	42.4 (41.9 - 42.9)	43.4 (42.6 - 44.2)	44.9 (42.5 - 47.4)	43.3 (33.4 - 53.2)	32.6 (30.4 - 34.8)	(. . .)	(. . .)	(. . .)	34.2 (32.3 - 36.1)
Percentage of students who could fire a loaded gun without adult permission in less than one hour	Risk Factor: Access to Firearms	2428	10.4 (8.6 - 12.3)	10.5 (8.5 - 12.5)	10.4 (8.2 - 12.6)	13.5 (8.4 - 18.6)	7.4 (5.0 - 9.8)	(. . .)	(. . .)	(. . .)	11.6 (9.0 - 14.3)
Percentage of students who would be able to get a loaded gun without adult permission in or around their home, from a friend or schoolmate, or from a family member		2381	14.3 (11.5 - 17.2)	17.1 (13.8 - 20.4)	6.6 (4.3 - 8.9)	17.2 (7.9 - 26.5)	6.5 (4.9 - 8.1)	(. . .)	(. . .)	(. . .)	15.1 (9.6 - 20.6)
Percentage of students who have experienced problems with their mouth or teeth in the past 12 months, not including braces or injuries		2348	22.1 (20.0 - 24.3)	22.4 (20.0 - 24.7)	18.6 (14.1 - 23.1)	32.1 (21.6 - 42.5)	27.6 (23.9 - 31.3)	(. . .)	(. . .)	(. . .)	23.6 (19.6 - 27.5)
Percentage of students who have ever been told by a doctor or nurse that they had asthma		2404	15.1 (14.1 - 16.2)	16.2 (14.5 - 17.8)	9.5 (7.1 - 12.0)	23.1 (7.6 - 38.5)	13.9 (9.7 - 18.1)	(. . .)	(. . .)	(. . .)	18.8 (15.0 - 22.6)
Percentage of students who went outdoors to spend time in nature at least once a week during the past 12 months <sup>4</sup>		2417	86.9 (85.8 - 88.0)	89.4 (88.0 - 90.8)	80.1 (77.2 - 82.9)	70.7 (63.6 - 77.8)	75.9 (70.6 - 81.2)	(. . .)	(. . .)	(. . .)	88.8 (86.6 - 90.9)
<b>Extra Questions</b>											
Percentage of students who think people who have five or more drinks of an alcoholic beverage once or twice a week have a moderate or great risk of harming themselves physically or in other ways		2313	77.7 (76.0 - 79.4)	79.4 (77.6 - 81.2)	72.5 (67.6 - 77.4)	59.0 (51.3 - 66.8)	80.4 (74.4 - 86.4)	(. . .)	(. . .)	(. . .)	75.7 (72.5 - 78.8)
Percentage of students who think people who smoke one or more packs of cigarettes per day have a moderate or great risk of harming themselves physically or in other ways		2310	84.9 (83.8 - 86.0)	87.0 (86.2 - 87.9)	78.7 (74.7 - 82.7)	74.1 (62.7 - 85.5)	84.0 (77.5 - 90.5)	(. . .)	(. . .)	(. . .)	81.0 (77.0 - 85.0)
Percentage of students who think people who use marijuana once or twice a week have a moderate or great risk of harming themselves physically or in other ways		2301	64.4 (62.1 - 66.7)	62.8 (59.2 - 66.3)	68.1 (64.7 - 71.5)	48.7 (42.4 - 55.0)	76.8 (71.6 - 82.0)	(. . .)	(. . .)	(. . .)	66.8 (63.5 - 70.1)
Percentage of students who think people who use prescription drugs that are not prescribed to them have a moderate or great risk of harming themselves physically or in other ways		2299	86.6 (85.0 - 88.2)	88.9 (87.7 - 90.1)	80.0 (76.4 - 83.5)	72.3 (62.1 - 82.6)	85.3 (82.5 - 88.1)	(. . .)	(. . .)	(. . .)	85.8 (83.6 - 87.9)
Percentage of students who think their parents would feel it is wrong or very wrong if they drank 1 or 2 drinks of an alcoholic beverage nearly every day		2299	94.5 (94.1 - 94.9)	94.7 (94.1 - 95.3)	95.7 (94.5 - 96.8)	86.4 (79.4 - 93.5)	92.0 (90.9 - 93.1)	(. . .)	(. . .)	(. . .)	91.9 (90.0 - 93.8)
Percentage of students who think their parents would feel it is wrong or very wrong for them to smoke tobacco		2298	95.7 (95.0 - 96.5)	96.2 (95.1 - 97.4)	96.5 (95.8 - 97.3)	85.0 (77.7 - 92.2)	94.2 (93.3 - 95.0)	(. . .)	(. . .)	(. . .)	92.2 (90.0 - 94.5)
Percentage of students who think their parents would feel it is wrong or very wrong for them to use prescription drugs not prescribed to them		2296	97.3 (97.1 - 97.6)	98.0 (97.6 - 98.4)	97.0 (95.9 - 98.0)	88.5 (80.2 - 96.8)	94.2 (92.8 - 95.6)	(. . .)	(. . .)	(. . .)	95.1 (94.2 - 96.1)
Percentage of students who think their friends would feel it is wrong or very wrong for them to have one or two alcoholic drinks nearly every day		2288	74.5 (73.0 - 75.9)	74.8 (73.4 - 76.2)	74.5 (70.8 - 78.2)	67.0 (56.8 - 77.3)	79.0 (76.5 - 81.4)	(. . .)	(. . .)	(. . .)	70.3 (65.5 - 75.0)
Percentage of students who think their friends would feel it is wrong or very wrong for them to smoke tobacco		2280	72.5 (70.1 - 75.0)	71.5 (68.8 - 74.1)	77.0 (72.1 - 81.8)	72.2 (62.1 - 82.2)	83.7 (82.5 - 84.8)	(. . .)	(. . .)	(. . .)	66.0 (62.1 - 69.9)
Percentage of students who think their friends would feel it is wrong or very wrong for them to use marijuana		2274	61.0 (58.1 - 63.9)	58.6 (55.5 - 61.7)	69.5 (63.6 - 75.4)	51.2 (42.2 - 60.1)	82.8 (77.7 - 88.0)	(. . .)	(. . .)	(. . .)	54.0 (49.7 - 58.3)
Percentage of students who think their friends would feel it is wrong or very wrong to use prescription drugs not prescribed to them		2273	87.4 (85.7 - 89.0)	88.0 (86.0 - 90.1)	88.6 (87.2 - 90.1)	67.2 (57.0 - 77.3)	83.9 (80.8 - 86.9)	(. . .)	(. . .)	(. . .)	84.0 (81.7 - 86.3)
Percentage of students who used prescription drugs not prescribed to them during the past 30 days		2339	1.8 (1.2 - 2.4)	1.2 (0.7 - 1.7)	2.0 (1.0 - 3.1)	9.9 (5.6 - 14.2)	2.8 (1.5 - 4.1)	(. . .)	(. . .)	(. . .)	3.4 (2.3 - 4.5)

1. Data are suppressed, shown by a period (.), if fewer than 3 students responded "yes" to a question or if results represent 0% or 100% of students. In districts with enrollment over 35, results are suppressed if fewer than 30 students responded to a question. All percentages are rounded to the nearest tenth.  
2. Items in this column are included in risk and protective factors known to influence multiple youth health outcomes.  
3. Students included in "Multiracial" selected two or more racial and ethnic identities and represent numerous unique combinations.  
4. The 2023 report incorrectly displayed data for this item in the inverse of the current report. Contact the CSPH Survey Team (CSPHSurveyTeam@CUkmschutz.edu) for a corrected comparison.

## 2025 HKCS RESULTS: HIGH SCHOOL

### *Boulder Valley Re 2*

New for 2025: this tab shows results for Black, Indigenous, and People of Color (BIPOC) and white students. See more details in the footnotes.

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	BIPOC <sup>3</sup> % (95% CI)	White % (95% CI)
<b>Safety</b>					
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else		2974	2.1 ( 1.8 - 2.4 )	4.1 ( 3.5 - 4.7 )	1.1 ( 0.6 - 1.5 )
Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been drinking alcohol one or more times		1934	5.2 ( 4.5 - 5.8 )	6.6 ( 5.8 - 7.4 )	4.5 ( 3.7 - 5.3 )
Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been using marijuana one or more times		1932	5.5 ( 4.5 - 6.5 )	6.7 ( 5.3 - 8.0 )	4.8 ( 3.8 - 5.9 )
Among students who drove a car or other vehicle during the past 30 days, the percentage who texted, posted, or used their phone in some other way while driving on one or more of the days		1955	40.0 ( 37.0 - 43.0 )	33.0 ( 29.0 - 37.1 )	43.2 ( 40.2 - 46.2 )
<b>Bullying</b>					
Percentage of students who have ever been bullied on school property during the past 12 months		2868	12.5 ( 11.4 - 13.6 )	12.4 ( 11.2 - 13.5 )	12.4 ( 11.0 - 13.9 )
Among students bullied on school property, the percentage who were bullied in a classroom in the past 12 months		389	62.0 ( 59.6 - 64.4 )	66.0 ( 62.4 - 69.6 )	59.6 ( 56.0 - 63.2 )
Among students bullied on school property, the percentage who were bullied in a hallway or stairwell in the past 12 months		389	41.2 ( 37.2 - 45.3 )	39.2 ( 36.9 - 41.5 )	41.9 ( 36.8 - 46.9 )
Among students bullied on school property, the percentage who were bullied in a locker room or bathroom in the past 12 months		389	22.0 ( 18.8 - 25.2 )	25.1 ( 22.0 - 28.3 )	19.3 ( 15.7 - 22.8 )
Among students bullied on school property, the percentage who were bullied in a cafeteria or lunch room in the past 12 months		389	27.5 ( 23.7 - 31.3 )	26.4 ( 22.1 - 30.6 )	27.2 ( 23.7 - 30.7 )
Among students bullied on school property, the percentage who were bullied on a bus or at a bus stop in the past 12 months		389	11.4 ( 8.3 - 14.4 )	16.4 ( 12.2 - 20.5 )	8.5 ( 6.0 - 10.9 )
Among students bullied on school property, the percentage who were bullied outside before school in the past 12 months		389	18.5 ( 15.5 - 21.6 )	18.4 ( 16.2 - 20.7 )	18.4 ( 14.6 - 22.3 )
Among students bullied on school property, the percentage who were bullied outside after school in the past 12 months		389	26.8 ( 24.5 - 29.1 )	27.3 ( 22.8 - 31.8 )	26.8 ( 23.5 - 30.1 )
Among students bullied on school property, the percentage who were bullied outside during lunch or break in the past 12 months		389	23.7 ( 20.4 - 27.0 )	23.2 ( 16.3 - 30.1 )	24.0 ( 21.7 - 26.2 )
Percentage of students who had ever been electronically bullied during the past 12 months		2925	8.6 ( 7.6 - 9.7 )	8.4 ( 7.2 - 9.6 )	8.7 ( 7.4 - 10.0 )
Among students who were bullied in the past 12 months, the percentage who were bullied because of sexual orientation	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	20.6 ( 16.9 - 24.2 )	14.9 ( 12.1 - 17.6 )	23.2 ( 16.0 - 30.3 )
Among students who were bullied in the past 12 months, the percentage who were bullied because of gender identity	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	19.1 ( 15.7 - 22.6 )	13.1 ( 11.7 - 14.5 )	21.7 ( 15.5 - 27.9 )
Among students who were bullied in the past 12 months, the percentage who were bullied because of religion	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	16.1 ( 14.8 - 17.4 )	14.3 ( 11.1 - 17.5 )	16.6 ( 13.9 - 19.3 )

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	BIPOC <sup>3</sup> % (95% CI)	White % (95% CI)
Among students who were bullied in the past 12 months, the percentage who were bullied because of disability	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	17.9 ( 14.6 - 21.2 )	9.8 ( 7.5 - 12.0 )	23.6 ( 18.0 - 29.2 )
Among students who were bullied in the past 12 months, the percentage who were bullied because of physical appearance	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	56.2 ( 53.8 - 58.7 )	46.3 ( 40.6 - 51.9 )	62.8 ( 58.7 - 66.9 )
Among students who were bullied in the past 12 months, the percentage who were bullied because of race or ethnicity	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	35.3 ( 32.8 - 37.8 )	67.7 ( 62.0 - 73.4 )	10.5 ( 7.2 - 13.9 )
<b>Violence</b>					
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school		2942	12.1 ( 10.4 - 13.8 )	16.3 ( 13.7 - 18.8 )	9.9 ( 7.8 - 11.9 )
Percentage of students who were in a physical fight one or more times during the past 12 months		2878	9.1 ( 8.4 - 9.8 )	11.5 ( 10.6 - 12.4 )	7.9 ( 7.4 - 8.4 )
Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose one or more times by someone they were dating or going out with		1568	7.2 ( 6.8 - 7.7 )	10.1 ( 7.6 - 12.6 )	5.5 ( 4.9 - 6.1 )
Among students who dated or went out with someone during the past 12 months, the percentage who had been controlled or emotionally hurt by someone they were dating or going out with		1574	17.0 ( 14.9 - 19.0 )	21.3 ( 18.7 - 24.0 )	14.8 ( 13.0 - 16.6 )
Percentage of students who have been threatened with a gun electronically or in person, witnessed a shooting where they live, or know someone (family or friend) who has been shot by another person during the past 12 months		2855	11.3 ( 10.3 - 12.3 )	14.3 ( 12.3 - 16.3 )	9.4 ( 8.1 - 10.7 )
<b>Sexual Violence</b>					
Percentage of students who have ever had a sexual experience where they were unsure if they gave their fully-granted consent to the other person		2877	9.3 ( 8.4 - 10.2 )	8.7 ( 7.3 - 10.1 )	9.4 ( 8.3 - 10.6 )
Percentage of students who have ever had a sexual experience where they were unsure if they received fully-granted consent from the other person		2856	2.5 ( 2.0 - 3.0 )	3.5 ( 2.6 - 4.5 )	1.9 ( 1.5 - 2.3 )
Percentage of students who had a revealing or sexual photo or video of themselves texted, e-mailed, or posted electronically without their permission in the past 12 months		2877	3.6 ( 3.3 - 4.0 )	4.6 ( 3.9 - 5.3 )	3.1 ( 2.6 - 3.6 )
Percentage of students who have ever made sexual comments, jokes, gestures, or looks at someone when unwanted		2865	5.0 ( 4.4 - 5.7 )	4.5 ( 3.3 - 5.7 )	5.3 ( 4.0 - 6.6 )
Percentage of students who have ever touched, grabbed, or pinched someone in a sexual way when unwanted		2871	3.3 ( 3.0 - 3.5 )	4.0 ( 3.1 - 4.9 )	2.9 ( 2.5 - 3.3 )
Percentage of students who have ever been physically forced to have sex when they did not want to		2876	3.3 ( 2.9 - 3.8 )	4.6 ( 3.4 - 5.7 )	2.5 ( 2.0 - 3.0 )
<b>Mental Health</b>					
Percentage of students who agree or strongly agree their stress level is manageable most days		2905	58.1 ( 55.8 - 60.5 )	57.3 ( 54.0 - 60.5 )	59.1 ( 56.9 - 61.3 )
Percentage of students who most of the time or always had poor mental health during the past 30 days		2880	24.1 ( 22.6 - 25.5 )	23.5 ( 21.0 - 26.1 )	24.0 ( 22.9 - 25.2 )
Percentage of students who purposefully hurt themselves without wanting to die in the past 12 months		2847	12.8 ( 11.5 - 14.2 )	10.6 ( 9.0 - 12.2 )	13.8 ( 11.7 - 15.8 )
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row during the past 12 months that they stopped doing some usual activities		2846	20.6 ( 18.8 - 22.5 )	24.7 ( 22.0 - 27.3 )	18.6 ( 16.9 - 20.3 )
Percentage of students who seriously considered attempting suicide during the past 12 months		2840	9.6 ( 8.5 - 10.6 )	9.4 ( 7.5 - 11.2 )	9.6 ( 8.4 - 10.9 )
Percentage of students who made a plan about how they would attempt suicide during the past 12 months		2828	6.8 ( 6.0 - 7.5 )	6.5 ( 5.4 - 7.5 )	6.8 ( 6.1 - 7.5 )

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	BIPOC <sup>3</sup> % (95% CI)	White % (95% CI)
Percentage of students who attempted suicide one or more times during the past 12 months		2837	3.7 ( 3.2 - 4.3 )	4.1 ( 3.2 - 4.9 )	3.4 ( 2.8 - 4.0 )
Percentage of students who have an adult to go to for help with a serious problem	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2839	76.9 ( 74.9 - 79.0 )	74.3 ( 72.9 - 75.6 )	78.4 ( 75.9 - 80.9 )
Percentage of students who most of the time or always could talk to a friend about feelings during their life	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2843	61.2 ( 58.8 - 63.6 )	59.2 ( 56.9 - 61.5 )	63.1 ( 60.0 - 66.3 )
Percentage of students who had a friend tell them they had thoughts of suicide one or more times during the past 12 months		2820	28.2 ( 26.6 - 29.8 )	23.1 ( 20.8 - 25.3 )	30.8 ( 28.3 - 33.2 )
Percentage of students who would tell a family member if they were concerned about their own or someone else's well-being or mental health		2739	61.6 ( 60.3 - 62.9 )	59.3 ( 57.8 - 60.7 )	63.5 ( 61.2 - 65.8 )
Percentage of students who would tell an adult in school if they were concerned about their own or someone else's well-being or mental health		2739	37.9 ( 35.9 - 39.9 )	36.9 ( 32.9 - 40.9 )	38.3 ( 36.7 - 39.8 )
Percentage of students who would tell a friend if they were concerned about their own or someone else's well-being or mental health		2739	41.6 ( 38.8 - 44.3 )	35.4 ( 32.7 - 38.0 )	45.0 ( 41.8 - 48.1 )
Percentage of students who would submit an anonymous report through their school's safety reporting system if they were concerned about their own or someone else's well-being or mental health		2739	33.1 ( 30.4 - 35.8 )	26.5 ( 23.6 - 29.4 )	36.5 ( 33.8 - 39.2 )
Percentage of students who would contact a crisis line if they were concerned about their own or someone else's well-being or mental health		2739	29.4 ( 27.4 - 31.4 )	24.1 ( 21.5 - 26.6 )	32.3 ( 30.7 - 33.9 )
Percentage of students who have ever experienced the suicide death of a family member or close friend		2834	16.3 ( 14.1 - 18.4 )	20.1 ( 16.7 - 23.6 )	14.4 ( 12.0 - 16.8 )
<b>Racism</b>					
Percentage of students who were treated badly or unfairly in school because of their race or ethnicity in the past 12 months	Risk Factor: Recent Experiences with Oppression: Racism	2733	3.4 ( 3.0 - 3.8 )	8.0 ( 6.4 - 9.7 )	1.0 ( 0.8 - 1.2 )
Percentage of students who were watched closely or followed by security guards or store clerks at a store or mall because of their race or ethnicity in the past 12 months	Risk Factor: Recent Experiences with Oppression: Racism	2733	3.6 ( 3.1 - 4.1 )	9.7 ( 7.9 - 11.5 )	0.5 ( 0.3 - 0.7 )
Percentage of students who were assumed less intelligent because of their race or ethnicity in the past 12 months	Risk Factor: Recent Experiences with Oppression: Racism	2733	4.6 ( 3.8 - 5.4 )	10.7 ( 8.0 - 13.4 )	1.3 ( 0.8 - 1.8 )
Percentage of students who saw family members treated unfairly because of the color of their skin, language, accent, or because they are from a different country or culture in the past 12 months	Risk Factor: Recent Experiences with Oppression: Racism	2733	6.6 ( 5.8 - 7.5 )	17.1 ( 14.6 - 19.7 )	1.3 ( 1.0 - 1.7 )
<b>Alcohol</b>					
Percentage of students who have ever had a drink of alcohol other than a few sips		2716	48.9 ( 47.4 - 50.5 )	46.1 ( 42.6 - 49.5 )	50.8 ( 48.3 - 53.2 )
Percentage of students who had their first drink of alcohol, other than a few sips, before age 13	Risk Factor: Early Initiation of Substance Use	2716	11.1 ( 10.2 - 12.1 )	12.8 ( 10.9 - 14.7 )	10.3 ( 9.5 - 11.2 )
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days		2732	26.5 ( 24.8 - 28.2 )	21.3 ( 20.3 - 22.3 )	29.4 ( 26.4 - 32.5 )
Percentage of students who binge drank (4+ drinks within a couple of hours) on one or more of the past 30 days		2735	15.8 ( 14.4 - 17.2 )	11.9 ( 11.2 - 12.7 )	17.9 ( 15.6 - 20.2 )
Percentage of students who feel it would be sort of easy or very easy to get alcohol if they wanted	Risk Factor: Availability of Substances in Community	2680	60.4 ( 58.7 - 62.1 )	50.2 ( 46.1 - 54.3 )	65.7 ( 64.4 - 67.0 )
Percentage of students who think it is wrong or very wrong for someone of the same age to drink alcohol regularly (at least once or twice per month)	Risk Factor: Youth Peer Attitudes Favorable Towards Substance Use	2761	62.6 ( 60.3 - 64.9 )	73.5 ( 72.0 - 75.0 )	56.8 ( 53.4 - 60.2 )
Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they drank alcohol regularly (at least once or twice per month)	Risk Factor: Parental Attitudes Favorable Toward Substance Use	2762	80.8 ( 78.9 - 82.7 )	89.4 ( 87.9 - 90.9 )	76.3 ( 73.9 - 78.7 )

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	BIPOC <sup>3</sup> % (95% CI)	White % (95% CI)
Percentage of students who overestimated peer alcohol use in the past 30 days by selecting a percentage (30% or more) higher than actual peer use statewide		2756	77.0 ( 75.7 - 78.3 )	71.1 ( 69.8 - 72.5 )	80.0 ( 77.8 - 82.2 )
Percentage of students who have ever lived with someone having a problem with alcohol use		2764	21.5 ( 18.8 - 24.3 )	23.6 ( 20.4 - 26.8 )	20.5 ( 17.8 - 23.1 )
<b>Tobacco</b>					
Percentage of students who have ever smoked a cigarette, even one or two puffs		2753	18.5 ( 16.4 - 20.6 )	17.4 ( 15.9 - 18.9 )	18.9 ( 16.1 - 21.7 )
Percentage of students who smoked a cigarette, even one or two puffs, for the first time before age 13	Risk Factor: Early Initiation of Substance Use	2753	4.3 ( 3.7 - 5.0 )	7.1 ( 6.3 - 7.8 )	2.8 ( 2.0 - 3.5 )
Percentage of students who smoked cigarettes on one or more of the past 30 days		2741	5.5 ( 4.3 - 6.7 )	3.1 ( 2.7 - 3.5 )	6.7 ( 4.8 - 8.6 )
Among students who reported current cigarette use, the percentage who used flavored cigarettes in the past 30 days		125	24.6 ( 18.4 - 30.8 )	60.9 ( 47.7 - 74.2 )	16.5 ( 12.3 - 20.7 )
Percentage of students who think it would be sort of easy or very easy to get cigarettes if they wanted	Risk Factor: Availability of Substances in Community	2681	39.9 ( 38.1 - 41.7 )	32.7 ( 31.2 - 34.3 )	43.3 ( 40.1 - 46.6 )
Percentage of students who have ever used an electronic vapor product		2736	25.7 ( 23.8 - 27.6 )	29.3 ( 25.8 - 32.8 )	24.1 ( 21.9 - 26.3 )
Percentage of students who used an electronic vapor product before age 13	Risk Factor: Early Initiation of Substance Use	2736	6.4 ( 5.1 - 7.8 )	9.7 ( 7.7 - 11.8 )	4.8 ( 3.8 - 5.8 )
Percentage of students who used an electronic vapor product in the past 30 days		2672	11.0 ( 9.5 - 12.4 )	13.0 ( 10.9 - 15.1 )	10.1 ( 8.3 - 11.8 )
Among students who have used electronic vapor products, the percentage who used them because a friend or family member used them		625	51.6 ( 47.0 - 56.2 )	43.5 ( 38.1 - 48.9 )	56.2 ( 52.5 - 59.9 )
Among students who have used electronic vapor products, the percentage who used them because they were trying to quit other tobacco products		625	2.0 ( 1.5 - 2.5 )	2.4 ( 1.1 - 3.7 )	1.3 ( 0.5 - 2.2 )
Among students who have used electronic vapor products, the percentage who used them because they cost less than other tobacco products		625	2.7 ( 1.8 - 3.6 )	3.4 ( 1.7 - 5.1 )	1.8 ( 0.9 - 2.7 )
Among students who have used electronic vapor products, the percentage who used them to relieve stress		625	29.2 ( 27.1 - 31.4 )	37.4 ( 35.7 - 39.0 )	23.8 ( 21.4 - 26.1 )
Among students who have used electronic vapor products, the percentage who used them because they are less harmful than other tobacco products		625	5.4 ( 4.4 - 6.4 )	8.0 ( 5.4 - 10.6 )	3.3 ( 1.5 - 5.2 )
Among students who have used electronic vapor products, the percentage who used them because they can be used in areas where other tobacco products are not allowed		625	6.6 ( 5.4 - 7.8 )	8.2 ( 6.1 - 10.3 )	5.3 ( 3.3 - 7.3 )
Among students who reported current electronic vapor use, the percentage who used flavored electronic vapor products in the past 30 days		242	94.2 ( 91.0 - 97.5 )	95.4 ( 91.4 - 99.3 )	93.5 ( 90.5 - 96.5 )
Percentage of students who feel it would be sort of easy or very easy to get electronic vapor products if they wanted	Risk Factor: Availability of Substances in Community	2682	55.8 ( 53.8 - 57.7 )	47.6 ( 43.9 - 51.2 )	60.1 ( 57.8 - 62.4 )
Percentage of students who think it is wrong or very wrong for someone of the same age to use electronic vapor products	Risk Factor: Youth Peer Attitudes Favorable Towards Substance Use	2773	78.4 ( 77.2 - 79.5 )	82.3 ( 80.2 - 84.4 )	76.4 ( 74.7 - 78.1 )
Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they used electronic vapor products	Risk Factor: Parental Attitudes Favorable Toward Substance Use	2766	96.5 ( 96.0 - 96.9 )	97.0 ( 96.2 - 97.8 )	96.2 ( 95.7 - 96.8 )
Percentage of students who think people who use electronic vapor products every day have a moderate or great risk of harm		2674	87.8 ( 87.1 - 88.4 )	85.3 ( 84.1 - 86.4 )	89.0 ( 88.2 - 89.8 )
Percentage of students who think people who breathe secondhand vapor have a moderate or great risk of harm		2656	58.3 ( 56.2 - 60.4 )	68.8 ( 66.5 - 71.1 )	52.5 ( 49.7 - 55.4 )

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	BIPOC <sup>3</sup> % (95% CI)	White % (95% CI)
Percentage of students who have used oral nicotine pouches in the past 30 days		2695	5.2 ( 4.4 - 5.9 )	3.4 ( 2.9 - 3.8 )	6.0 ( 5.1 - 7.0 )
Among students who reported current oral nicotine pouch use, the percentage who used flavored oral nicotine pouches in the past 30 days		135	85.9 ( 82.0 - 89.8 )	88.6 ( 78.8 - 98.3 )	84.9 ( 78.9 - 90.9 )
Percentage of students who feel it would be sort of easy or very easy to get oral nicotine pouches if they wanted	Risk Factor: Availability of Substances in Community	2670	43.6 ( 42.0 - 45.2 )	34.2 ( 31.7 - 36.7 )	48.3 ( 45.2 - 51.4 )
Percentage of students who think it is wrong or very wrong for someone of the same age to use oral nicotine pouches	Risk Factor: Youth Peer Attitudes Favorable Towards Substance Use	2759	76.4 ( 74.6 - 78.2 )	84.7 ( 82.9 - 86.5 )	72.4 ( 70.2 - 74.6 )
Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they used oral nicotine pouches	Risk Factor: Parental Attitudes Favorable Toward Substance Use	2763	95.4 ( 94.8 - 96.0 )	97.2 ( 96.7 - 97.7 )	94.5 ( 93.8 - 95.2 )
Percentage of students who think people who use oral nicotine pouches every day have a moderate or great risk of harm		2658	80.3 ( 79.9 - 80.7 )	83.4 ( 81.6 - 85.2 )	78.7 ( 77.7 - 79.8 )
Percentage of students who have used cigars, chewing tobacco, hookah, or oral nicotine pouches in the past 30 days		2695	6.6 ( 5.8 - 7.3 )	4.4 ( 3.9 - 4.9 )	7.6 ( 6.7 - 8.5 )
Among underage students who used tobacco or nicotine products in the past 30 days, the percentage who bought them from a gas station, convenience store, grocery store, or drugstore		322	10.2 ( 7.5 - 12.8 )	7.7 ( 5.7 - 9.8 )	11.4 ( 7.3 - 15.5 )
Among underage students who used tobacco or nicotine products in the past 30 days, the percentage who bought them from a peer or friend		322	27.5 ( 23.2 - 31.7 )	33.1 ( 29.5 - 36.8 )	24.6 ( 18.8 - 30.4 )
Among underage students who used tobacco or nicotine products in the past 30 days, the percentage who bought them from a vending machine		322	3.5 ( 2.7 - 4.3 )	5.4 ( 1.9 - 8.9 )	2.6 ( 1.6 - 3.6 )
Among underage students who used tobacco or nicotine products in the past 30 days, the percentage who bought them over the internet		322	4.4 ( 3.2 - 5.5 )	6.6 ( 2.5 - 10.8 )	3.2 ( 2.0 - 4.4 )
Among underage students who used tobacco or nicotine products in the past 30 days, the percentage who bought them through the mail		322	3.1 ( 2.2 - 4.1 )	5.8 ( 2.6 - 9.1 )	1.7 ( 0.8 - 2.6 )
Among underage students who tried to buy tobacco or nicotine products in a store, the percentage who were not refused because of age		127	77.2 ( 72.3 - 82.2 )	80.9 ( 77.3 - 84.5 )	73.9 ( 65.3 - 82.5 )
Among students who reported current tobacco or nicotine use, the percentage who tried to quit using all tobacco or nicotine products during the past 12 months		358	45.8 ( 41.8 - 49.8 )	55.8 ( 48.5 - 63.1 )	41.4 ( 38.2 - 44.7 )
Percentage of students who were inside their home while someone was smoking a cigarette, cigar, pipe, or using an electronic vapor product for one or more days in the past 7 days		2656	9.7 ( 8.4 - 11.1 )	11.5 ( 9.7 - 13.4 )	8.9 ( 7.7 - 10.1 )
<b>Marijuana</b>					
Percentage of students who have ever tried marijuana		2682	24.4 ( 22.4 - 26.4 )	21.9 ( 19.2 - 24.7 )	25.8 ( 23.0 - 28.6 )
Percentage of students who tried marijuana for the first time before age 13	Risk Factor: Early Initiation of Substance Use	2682	3.9 ( 3.3 - 4.5 )	5.0 ( 4.5 - 5.5 )	3.3 ( 2.5 - 4.2 )
Percentage of students who used marijuana one or more times during the past 30 days		2602	12.3 ( 11.1 - 13.5 )	9.9 ( 8.5 - 11.4 )	13.5 ( 12.1 - 15.0 )
Percentage of students who feel it would be sort of easy or very easy to get marijuana if they wanted	Risk Factor: Availability of Substances in Community	2666	42.8 ( 41.3 - 44.3 )	37.3 ( 34.3 - 40.3 )	45.7 ( 42.7 - 48.7 )
Percentage of students who think it is wrong or very wrong for someone of the same age to use marijuana	Risk Factor: Youth Peer Attitudes Favorable Towards Substance Use	2756	69.5 ( 67.6 - 71.4 )	80.3 ( 78.7 - 81.8 )	64.1 ( 60.7 - 67.5 )
Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they used marijuana	Risk Factor: Parental Attitudes Favorable Toward Substance Use	2761	89.4 ( 88.4 - 90.5 )	93.5 ( 92.4 - 94.7 )	87.4 ( 85.5 - 89.4 )
Percentage of students who overestimated peer marijuana use in the past 30 days by selecting a percentage (20% or more) higher than actual peer use statewide		2747	76.3 ( 74.1 - 78.4 )	70.5 ( 68.2 - 72.8 )	79.3 ( 77.0 - 81.6 )

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	BIPOC <sup>3</sup> % (95% CI)	White % (95% CI)
Among students who used marijuana in the past 30 days, the percentage who usually smoked it		299	56.0 ( 52.4 - 59.7 )	66.2 ( 58.5 - 73.9 )	51.8 ( 44.0 - 59.6 )
Among students who used marijuana in the past 30 days, the percentage who usually got it from an adult over the age of 21		284	16.5 ( 13.7 - 19.2 )	20.7 ( 14.8 - 26.6 )	14.8 ( 12.4 - 17.2 )
Percentage of students who used THC concentrates, hash oil, or waxes one or more times during the past 30 days		2658	5.1 ( 4.6 - 5.6 )	6.6 ( 5.8 - 7.3 )	4.4 ( 4.0 - 4.8 )
<b>Prescription Pain Medicine</b>					
Percentage of students who have ever used prescription pain medicine not prescribed to them or differently than how a doctor told them to use it		2666	7.1 ( 5.9 - 8.3 )	9.6 ( 8.2 - 11.0 )	5.8 ( 4.4 - 7.1 )
Percentage of students who used prescription pain medicine not prescribed to them or differently than how a doctor told them to use it for the first time before age 13	Risk Factor: Early Initiation of Substance Use	2666	3.2 ( 2.4 - 4.0 )	4.4 ( 4.0 - 4.8 )	2.7 ( 1.6 - 3.8 )
Percentage of students who took prescription pain medicine not prescribed to them or differently than how a doctor told them to use it one or more times in the past 30 days		2682	2.6 ( 1.8 - 3.5 )	5.1 ( 3.1 - 7.0 )	1.4 ( 1.0 - 1.7 )
Percentage of students who feel it would be sort of easy or very easy to get prescription pain medicine not prescribed to them if they wanted	Risk Factor: Availability of Substances in Community	2675	21.5 ( 20.2 - 22.8 )	20.0 ( 17.6 - 22.4 )	22.0 ( 20.8 - 23.2 )
Percentage of students who think it is wrong or very wrong for someone of the same age to use prescription pain medicine without a doctor's prescription	Risk Factor: Youth Peer Attitudes Favorable Towards Substance Use	2760	90.8 ( 90.2 - 91.4 )	90.4 ( 88.1 - 92.7 )	91.3 ( 89.5 - 93.1 )
<b>Other Drugs</b>					
Percentage of students who have ever used stimulants not prescribed to them or differently than prescribed		2625	4.2 ( 3.5 - 5.0 )	3.3 ( 2.4 - 4.1 )	4.6 ( 3.6 - 5.6 )
Percentage of students who have ever used sedatives or tranquilizers not prescribed to them or differently than prescribed		2625	1.3 ( 1.1 - 1.6 )	1.7 ( 1.0 - 2.4 )	1.2 ( 0.7 - 1.6 )
Percentage of students who have ever used cocaine		2625	1.6 ( 1.1 - 2.1 )	1.8 ( 1.3 - 2.3 )	1.5 ( 0.9 - 2.1 )
Percentage of students who have ever used inhalants like glue, aerosol spray cans, or any paints or sprays		2625	1.9 ( 1.5 - 2.3 )	1.9 ( 1.5 - 2.2 )	2.0 ( 1.4 - 2.6 )
Percentage of students who have ever used heroin		2625	0.5 ( 0.4 - 0.7 )	1.1 ( 0.6 - 1.5 )	0.3 ( 0.1 - 0.5 )
Percentage of students who have ever used methamphetamines		2625	0.5 ( 0.4 - 0.6 )	1.0 ( 0.6 - 1.4 )	0.3 ( 0.1 - 0.4 )
Percentage of students who have ever used ecstasy		2625	1.5 ( 1.1 - 1.9 )	1.4 ( 0.9 - 1.9 )	1.5 ( 1.0 - 2.1 )
Percentage of students who have ever used psilocybin		2625	3.6 ( 3.0 - 4.2 )	3.1 ( 2.4 - 3.8 )	3.9 ( 3.0 - 4.8 )
Percentage of students who have ever used fentanyl		2625	0.9 ( 0.6 - 1.2 )	1.6 ( 1.0 - 2.2 )	0.6 ( 0.3 - 1.0 )
Percentage of students who have ever used kratom		2625	0.6 ( 0.4 - 0.8 )	0.7 ( 0.4 - 1.0 )	0.6 ( 0.3 - 0.9 )
Percentage of students who have ever used hemp-derived, intoxicating cannabinoid products like Delta-8 and Delta-10 THC		2625	4.4 ( 3.8 - 4.9 )	4.0 ( 3.2 - 4.8 )	4.6 ( 4.0 - 5.3 )
<b>Sexual Health</b>					
Percentage of students who have ever had consensual sex		2645	20.7 ( 18.8 - 22.6 )	21.1 ( 18.0 - 24.3 )	20.5 ( 18.4 - 22.7 )

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	BIPOC <sup>3</sup> % (95% CI)	White % (95% CI)
Percentage of students who had consensual sex in the last three months		2648	13.1 ( 11.6 - 14.5 )	12.8 ( 10.6 - 14.9 )	13.3 ( 11.7 - 14.9 )
Among students who had consensual sex during the past three months, the percentage who used a condom or their partner used a condom the last time they had consensual sex		311	69.5 ( 63.1 - 75.8 )	73.2 ( 67.4 - 79.0 )	68.0 ( 58.8 - 77.3 )
Among students who had consensual sex during the past three months, the percentage who used or their partner used any method of contraception the last time they had consensual sex		311	88.7 ( 86.4 - 91.0 )	89.5 ( 85.9 - 93.1 )	88.6 ( 85.4 - 91.7 )
<b>Nutrition</b>					
Percentage of students who ate fruit one or more times per day in the past 7 days		2668	57.6 ( 54.4 - 60.8 )	50.0 ( 42.9 - 57.1 )	61.2 ( 59.0 - 63.3 )
Percentage of students who ate vegetables such as green salad, potatoes, carrots, or other vegetables one or more times per day in the past 7 days		2667	63.1 ( 59.5 - 66.7 )	54.2 ( 47.7 - 60.8 )	67.5 ( 65.0 - 70.1 )
Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day in the past 7 days		2669	14.4 ( 12.4 - 16.4 )	23.4 ( 19.5 - 27.4 )	9.9 ( 8.9 - 10.9 )
Percentage of students who drank a sports drink, energy drink, or other sweetened beverage one or more times per day in the past 7 days		2621	58.9 ( 56.4 - 61.3 )	62.3 ( 58.4 - 66.2 )	57.5 ( 54.6 - 60.4 )
Percentage of students who ate breakfast on all of the past 7 days		2651	39.3 ( 35.9 - 42.8 )	32.7 ( 28.8 - 36.6 )	42.3 ( 39.1 - 45.6 )
Percentage of students who sometimes, most of the time, or always went hungry in the past 30 days because of a lack of food at home	Risk Factor: Economic Instability	2645	6.9 ( 5.8 - 8.0 )	11.5 ( 9.1 - 14.0 )	4.8 ( 4.3 - 5.3 )
<b>Physical Activity</b>					
Percentage of students who were physically active for a total of at least 60 minutes per day on 5 or more of the past 7 days		2622	54.0 ( 52.0 - 56.0 )	46.7 ( 43.5 - 49.9 )	57.8 ( 55.0 - 60.6 )
Percentage of students who spent 3+ hours per average school day in front of a TV, computer, smart phone, or other electronic device for something other than schoolwork		2607	63.5 ( 61.3 - 65.7 )	65.3 ( 62.3 - 68.3 )	62.6 ( 60.7 - 64.5 )
Percentage of students who could walk or ride a bike, scooter, or skateboard to school if they wanted to		2635	56.4 ( 53.0 - 59.7 )	55.9 ( 50.2 - 61.7 )	56.4 ( 53.1 - 59.6 )
Percentage of students who had a concussion in the past 12 months from playing sports or being physically active		2631	14.9 ( 13.6 - 16.1 )	15.9 ( 13.6 - 18.1 )	14.5 ( 13.1 - 15.9 )
<b>Body Image &amp; Eating Disorders</b>					
Percentage of students who most of the time or always felt confident with their body image during the past 30 days		2566	53.5 ( 51.5 - 55.5 )	53.2 ( 49.5 - 56.9 )	53.9 ( 51.2 - 56.5 )
Percentage of students who most of the time or always worried about their physical appearance more than they wanted to during the past 30 days		2539	35.8 ( 33.6 - 38.1 )	39.6 ( 35.4 - 43.7 )	34.2 ( 32.7 - 35.7 )
Percentage of students who tried to lose weight or keep from gaining weight by going without eating for 24 hours or more; taking any diet pills, powders, or liquids; vomiting or taking laxatives; or skipping meals during the past 30 days		2548	16.8 ( 15.1 - 18.4 )	21.5 ( 18.6 - 24.5 )	14.5 ( 13.5 - 15.5 )
<b>Home Life</b>					
Percentage of students who usually or definitely feel the rules in their family are clear	Risk Factor: Limited Parent Time to Monitor Youth Behavior	2577	92.1 ( 90.9 - 93.3 )	90.9 ( 88.4 - 93.5 )	92.8 ( 91.5 - 94.2 )
Percentage of students who usually or definitely could ask their parents or guardians for help with a personal problem	Protective Factor: Family Opportunities for Prosocial Involvement	2568	88.7 ( 87.9 - 89.6 )	86.2 ( 85.1 - 87.3 )	90.0 ( 88.8 - 91.1 )
Percentage of students who usually or definitely have parents or guardians who ask if their homework is done	Risk Factor: Limited Parent Time to Monitor Youth Behavior	2573	78.6 ( 76.3 - 80.9 )	76.5 ( 73.7 - 79.3 )	79.5 ( 76.6 - 82.4 )

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	BIPOC <sup>3</sup> % (95% CI)	White % (95% CI)
Percentage of students who usually or definitely have chances to do fun things with their parents or guardians	Protective Factor: Family Opportunities for Prosocial Involvement	2561	85.7 ( 84.8 - 86.6 )	85.0 ( 83.2 - 86.8 )	86.6 ( 85.6 - 87.6 )
Percentage of students who usually or definitely have parents or guardians who ask them what they think before making most family decisions	Protective Factor: Family Opportunities for Prosocial Involvement	2554	78.5 ( 77.4 - 79.5 )	77.8 ( 76.2 - 79.3 )	78.6 ( 77.3 - 80.0 )
Percentage of students who usually or definitely think they would be caught by their parents or guardians for skipping school	Risk Factor: Limited Parent Time to Monitor Youth Behavior	2555	89.4 ( 88.5 - 90.4 )	85.8 ( 83.5 - 88.2 )	91.0 ( 89.2 - 92.9 )
Percentage of students who usually or definitely feel safe in their neighborhood	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2574	97.8 ( 97.5 - 98.0 )	96.0 ( 95.3 - 96.8 )	98.7 ( 98.2 - 99.3 )
Percentage of students who provide care one or more days per week for someone in their family or household who is chronically ill, elderly, or disabled with activities they would have difficulty doing on their own		2568	8.5 ( 7.3 - 9.7 )	13.1 ( 11.2 - 15.0 )	6.3 ( 5.6 - 6.9 )
<b>School &amp; Community</b>					
Percentage of students who agree or strongly agree that they belong at their school	Protective Factor: School Opportunities for Prosocial Involvement	2562	78.1 ( 76.8 - 79.5 )	72.9 ( 71.2 - 74.7 )	80.9 ( 79.7 - 82.1 )
Percentage of students who most of the time or always enjoyed being in school over the last year	Risk Factor: Limited Commitment to the Value of School	2571	44.4 ( 43.1 - 45.8 )	45.6 ( 43.4 - 47.8 )	43.9 ( 42.6 - 45.1 )
Percentage of students who skipped one or more whole days of school during the past four weeks	Risk Factor: Limited Commitment to the Value of School	2566	33.9 ( 31.2 - 36.5 )	43.0 ( 39.5 - 46.5 )	29.7 ( 27.2 - 32.2 )
Percentage of students who think most of their classes are fairly, quite, or very interesting	Risk Factor: Limited Commitment to the Value of School	2560	71.6 ( 70.6 - 72.6 )	74.2 ( 71.9 - 76.5 )	70.4 ( 69.2 - 71.7 )
Percentage of students who think the things they are learning in school are going to be important or very important for later in life	Risk Factor: Limited Commitment to the Value of School	2523	64.1 ( 62.9 - 65.3 )	67.5 ( 65.3 - 69.7 )	62.3 ( 60.2 - 64.4 )
Percentage of students who have talked to a school counselor about future plans at least once a week during the past 12 months		2482	7.9 ( 6.8 - 8.9 )	12.3 ( 9.8 - 14.7 )	6.0 ( 4.8 - 7.2 )
Percentage of students who have talked to a teacher about future plans at least once a week during the past 12 months		2480	23.3 ( 20.9 - 25.7 )	28.7 ( 24.3 - 33.2 )	20.8 ( 18.0 - 23.5 )
Percentage of students who have talked to an administrator about future plans at least once a week during the past 12 months		2460	4.5 ( 3.9 - 5.0 )	7.4 ( 6.5 - 8.2 )	3.2 ( 2.4 - 4.1 )
Percentage of students who have talked to a coach about future plans at least once a week during the past 12 months		2466	15.0 ( 13.2 - 16.8 )	15.5 ( 13.0 - 18.1 )	14.8 ( 13.0 - 16.7 )
Percentage of students who have talked to a school staff member (who is not a school counselor, teacher, administrator, or coach) about future plans at least once a week during the past 12 months		2462	10.8 ( 9.1 - 12.4 )	15.1 ( 12.6 - 17.7 )	8.7 ( 7.8 - 9.7 )
Percentage of students who usually or definitely feel safe at school	Protective Factor: School Opportunities for Prosocial Involvement	2530	94.7 ( 94.2 - 95.2 )	93.7 ( 91.4 - 96.0 )	95.2 ( 93.8 - 96.6 )
Percentage of students who usually or definitely think their teacher notices when they do a good job and lets them know about it	Protective Factor: School Rewards for Prosocial Involvement	2522	72.4 ( 69.0 - 75.8 )	77.3 ( 73.7 - 81.0 )	70.0 ( 66.3 - 73.6 )
Percentage of students who usually or definitely think their school lets their parents or guardians know when they have done something well	Protective Factor: School Rewards for Prosocial Involvement	2508	45.9 ( 42.9 - 48.9 )	55.2 ( 52.7 - 57.7 )	41.3 ( 37.8 - 44.8 )
Percentage of students who sometimes, most of the time, or always participated in sports when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2418	66.6 ( 63.7 - 69.5 )	58.3 ( 53.6 - 63.0 )	70.8 ( 67.7 - 73.9 )
Percentage of students who sometimes, most of the time, or always participated in academic support programs when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2392	28.2 ( 26.6 - 29.7 )	32.1 ( 30.0 - 34.2 )	26.3 ( 24.3 - 28.3 )
Percentage of students who sometimes, most of the time, or always participated in programs or clubs when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2388	46.7 ( 41.9 - 51.5 )	41.5 ( 35.8 - 47.2 )	49.1 ( 44.8 - 53.3 )
Percentage of students who sometimes, most of the time, or always participated in community service or volunteering when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2392	43.4 ( 39.2 - 47.6 )	41.3 ( 35.0 - 47.6 )	44.4 ( 41.1 - 47.7 )

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	BIPOC <sup>3</sup> % (95% CI)	White % (95% CI)
Percentage of students who sometimes, most of the time, or always participated in paid work when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2382	46.3 ( 44.3 - 48.2 )	43.9 ( 42.0 - 45.8 )	47.5 ( 44.8 - 50.1 )
Percentage of students who sometimes, most of the time, or always participated in unpaid work (e.g., internships, coaching) when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2365	22.1 ( 20.0 - 24.3 )	23.6 ( 20.1 - 27.2 )	21.6 ( 19.7 - 23.4 )
<b>Other Health Topics</b>					
Percentage of students who usually slept somewhere other than their home during the past 30 days	Risk Factor: Economic Instability	2475	4.7 ( 3.8 - 5.5 )	6.1 ( 5.0 - 7.2 )	4.0 ( 3.2 - 4.8 )
Percentage of students who sleep 8 or more hours per night on average school nights		2483	42.4 ( 41.9 - 42.9 )	40.9 ( 38.8 - 43.1 )	43.4 ( 42.6 - 44.2 )
Percentage of students who could fire a loaded gun without adult permission in less than one hour	Risk Factor: Access to Firearms	2428	10.4 ( 8.6 - 12.3 )	10.4 ( 8.9 - 11.9 )	10.5 ( 8.5 - 12.5 )
Percentage of students who would be able to get a loaded gun without adult permission in or around their home, from a friend or schoolmate, or from a family member		2381	14.3 ( 11.5 - 17.2 )	9.0 ( 6.1 - 11.8 )	17.1 ( 13.8 - 20.4 )
Percentage of students who have experienced problems with their mouth or teeth in the past 12 months, not including braces or injuries		2348	22.1 ( 20.0 - 24.3 )	21.1 ( 18.6 - 23.7 )	22.4 ( 20.0 - 24.7 )
Percentage of students who have ever been told by a doctor or nurse that they had asthma		2404	15.1 ( 14.1 - 16.2 )	12.7 ( 10.7 - 14.8 )	16.2 ( 14.5 - 17.8 )
Percentage of students who went outdoors to spend time in nature at least once a week during the past 12 months <sup>4</sup>		2417	86.9 ( 85.8 - 88.0 )	81.4 ( 79.1 - 83.7 )	89.4 ( 88.0 - 90.8 )
<b>Extra Questions</b>					
Percentage of students who think people who have five or more drinks of an alcoholic beverage once or twice a week have a moderate or great risk of harming themselves physically or in other ways		2313	77.7 ( 76.0 - 79.4 )	73.5 ( 70.2 - 76.8 )	79.4 ( 77.6 - 81.2 )
Percentage of students who think people who smoke one or more packs of cigarettes per day have a moderate or great risk of harming themselves physically or in other ways		2310	84.9 ( 83.8 - 86.0 )	79.6 ( 76.3 - 83.0 )	87.0 ( 86.2 - 87.9 )
Percentage of students who think people who use marijuana once or twice a week have a moderate or great risk of harming themselves physically or in other ways		2301	64.4 ( 62.1 - 66.7 )	67.8 ( 65.4 - 70.1 )	62.8 ( 59.2 - 66.3 )
Percentage of students who think people who use prescription drugs that are not prescribed to them have a moderate or great risk of harming themselves physically or in other ways		2299	86.6 ( 85.0 - 88.2 )	81.6 ( 79.1 - 84.1 )	88.9 ( 87.7 - 90.1 )
Percentage of students who think their parents would feel it is wrong or very wrong if they drank 1 or 2 drinks of an alcoholic beverage nearly every day		2299	94.5 ( 94.1 - 94.9 )	94.0 ( 93.3 - 94.7 )	94.7 ( 94.1 - 95.3 )
Percentage of students who think their parents would feel it is wrong or very wrong for them to smoke tobacco		2298	95.7 ( 95.0 - 96.5 )	94.6 ( 93.6 - 95.6 )	96.2 ( 95.1 - 97.4 )
Percentage of students who think their parents would feel it is wrong or very wrong for them to use prescription drugs not prescribed to them		2296	97.3 ( 97.1 - 97.6 )	95.8 ( 95.1 - 96.6 )	98.0 ( 97.6 - 98.4 )
Percentage of students who think their friends would feel it is wrong or very wrong for them to have one or two alcoholic drinks nearly every day		2288	74.5 ( 73.0 - 75.9 )	74.0 ( 71.3 - 76.6 )	74.8 ( 73.4 - 76.2 )
Percentage of students who think their friends would feel it is wrong or very wrong for them to smoke tobacco		2280	72.5 ( 70.1 - 75.0 )	74.5 ( 71.4 - 77.7 )	71.5 ( 68.8 - 74.1 )
Percentage of students who think their friends would feel it is wrong or very wrong for them to use marijuana		2274	61.0 ( 58.1 - 63.9 )	66.4 ( 62.9 - 69.9 )	58.6 ( 55.5 - 61.7 )
Percentage of students who think their friends would feel it is wrong or very wrong to use prescription drugs not prescribed to them		2273	87.4 ( 85.7 - 89.0 )	86.4 ( 85.2 - 87.6 )	88.0 ( 86.0 - 90.1 )
Percentage of students who used prescription drugs not prescribed to them during the past 30 days		2339	1.8 ( 1.2 - 2.4 )	2.7 ( 2.0 - 3.4 )	1.2 ( 0.7 - 1.7 )

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	BIPOC <sup>3</sup> % (95% CI)	White % (95% CI)
------------------------------	--	---------------------	------------------	-------------------------------	------------------

1. Data are suppressed, shown by a period (.), if fewer than 3 students responded "yes" to a question or if results represent 0% or 100% of students. In districts with enrollment over 35, results are suppressed if fewer than 30 students responded to a question. All percentages are rounded to the nearest tenth.
2. Items in this column are included in risk and protective factors known to influence multiple youth health outcomes.
3. BIPOC is an aggregate of the students who chose the following responses to the race/ethnicity demographic question: "American Indian/Alaska Native", "Asian", "Black/African American", "Hispanic/Latino", "Middle Eastern/North African", "Native Hawaiian/Pacific Islander", and "Multiracial" (students selected two or more identities).
4. The 2023 report incorrectly displayed data for this item in the inverse of the current report. Contact the CSPH Survey Team (CSPHSurveyTeam@CUAnschutz.edu) for a corrected comparison.

2025 HKCS RESULTS: HIGH SCHOOL

Boulder Valley Re 2

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	Straight % (95% CI)	Bisexual % (95% CI)	Gay/Lesbian % (95% CI)	Pansexual % (95% CI)	Asexual % (95% CI)	Another identity <sup>3</sup> % (95% CI)	Not sure % (95% CI)
<b>Safety</b>										
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else		2974	2.1 ( 1.8 - 2.4 )	1.6 ( 1.1 - 2.1 )	2.3 ( 0.4 - 4.3 )	5.1 ( 2.3 - 8.0 )	3.7 ( 1.5 - 6.0 )	7.8 ( 0.4 - 15.2 )	11.0 ( 5.6 - 16.3 )	5.0 ( 3.8 - 6.2 )
Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been drinking alcohol one or more times		1934	5.2 ( 4.5 - 5.8 )	5.3 ( 4.4 - 6.3 )	3.3 ( 1.4 - 5.2 )	1.6 ( 0.0 - 3.2 )	7.1 ( 3.7 - 10.6 )	. ( . - . )	. ( . - . )	11.6 ( 10.1 - 13.1 )
Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been using marijuana one or more times		1932	5.5 ( 4.5 - 6.5 )	5.3 ( 3.9 - 6.6 )	4.7 ( 2.2 - 7.1 )	6.5 ( 1.9 - 11.1 )	10.8 ( 1.9 - 19.7 )	. ( . - . )	. ( . - . )	7.3 ( 4.9 - 9.6 )
Among students who drove a car or other vehicle during the past 30 days, the percentage who texted, posted, or used their phone in some other way while driving on one or more of the days		1955	40.0 ( 37.0 - 43.0 )	40.2 ( 37.2 - 43.3 )	37.2 ( 30.7 - 43.6 )	51.9 ( 41.6 - 62.3 )	48.1 ( 38.9 - 57.3 )	. ( . - . )	. ( . - . )	50.1 ( 39.7 - 60.5 )
<b>Bullying</b>										
Percentage of students who have ever been bullied on school property during the past 12 months		2868	12.5 ( 11.4 - 13.6 )	10.7 ( 9.9 - 11.6 )	15.8 ( 11.2 - 20.5 )	21.6 ( 15.9 - 27.2 )	26.0 ( 14.5 - 37.5 )	21.0 ( 10.2 - 31.8 )	21.2 ( 10.3 - 32.1 )	24.3 ( 16.8 - 31.7 )
Among students bullied on school property, the percentage who were bullied in a classroom in the past 12 months		389	62.0 ( 59.6 - 64.4 )	59.6 ( 55.6 - 63.6 )	50.4 ( 36.7 - 64.0 )	75.4 ( 65.7 - 85.1 )	. ( . - . )	. ( . - . )	. ( . - . )	. ( . - . )
Among students bullied on school property, the percentage who were bullied in a hallway or stairwell in the past 12 months		389	41.2 ( 37.2 - 45.3 )	40.1 ( 35.1 - 45.1 )	40.8 ( 29.6 - 52.0 )	66.6 ( 53.4 - 79.7 )	. ( . - . )	. ( . - . )	. ( . - . )	. ( . - . )
Among students bullied on school property, the percentage who were bullied in a locker room or bathroom in the past 12 months		389	22.0 ( 18.8 - 25.2 )	22.7 ( 19.3 - 26.2 )	12.1 ( 6.3 - 18.0 )	32.4 ( 25.3 - 39.4 )	. ( . - . )	. ( . - . )	. ( . - . )	. ( . - . )
Among students bullied on school property, the percentage who were bullied in a cafeteria or lunch room in the past 12 months		389	27.5 ( 23.7 - 31.3 )	28.8 ( 23.2 - 34.4 )	9.1 ( 1.6 - 16.6 )	38.7 ( 16.2 - 61.2 )	. ( . - . )	. ( . - . )	. ( . - . )	. ( . - . )
Among students bullied on school property, the percentage who were bullied on a bus or at a bus stop in the past 12 months		389	11.4 ( 8.3 - 14.4 )	11.1 ( 6.8 - 15.5 )	. ( . - . )	12.1 ( 6.3 - 18.0 )	. ( . - . )	. ( . - . )	. ( . - . )	. ( . - . )
Among students bullied on school property, the percentage who were bullied outside before school in the past 12 months		389	18.5 ( 15.5 - 21.6 )	18.4 ( 15.3 - 21.4 )	20.5 ( 9.8 - 31.2 )	24.0 ( 7.5 - 40.5 )	. ( . - . )	. ( . - . )	. ( . - . )	. ( . - . )
Among students bullied on school property, the percentage who were bullied outside after school in the past 12 months		389	26.8 ( 24.5 - 29.1 )	28.6 ( 25.9 - 31.3 )	23.1 ( 11.4 - 34.9 )	25.8 ( 5.7 - 45.9 )	. ( . - . )	. ( . - . )	. ( . - . )	. ( . - . )
Among students bullied on school property, the percentage who were bullied outside during lunch or break in the past 12 months		389	23.7 ( 20.4 - 27.0 )	23.6 ( 20.2 - 27.0 )	10.5 ( 0.0 - 21.9 )	42.8 ( 21.0 - 64.6 )	. ( . - . )	. ( . - . )	. ( . - . )	. ( . - . )
Percentage of students who had ever been electronically bullied during the past 12 months		2925	8.6 ( 7.6 - 9.7 )	7.7 ( 6.5 - 8.9 )	14.3 ( 10.9 - 17.7 )	12.6 ( 9.8 - 15.5 )	12.5 ( 8.0 - 17.0 )	9.0 ( 4.8 - 13.3 )	22.9 ( 7.5 - 38.2 )	12.6 ( 7.8 - 17.4 )
Among students who were bullied in the past 12 months, the percentage who were bullied because of sexual orientation	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	20.6 ( 16.9 - 24.2 )	5.8 ( 4.5 - 7.2 )	51.4 ( 45.4 - 57.5 )	60.7 ( 52.1 - 69.3 )	. ( . - . )	. ( . - . )	. ( . - . )	. ( . - . )
Among students who were bullied in the past 12 months, the percentage who were bullied because of gender identity	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	19.1 ( 15.7 - 22.6 )	8.6 ( 6.2 - 11.0 )	33.6 ( 21.3 - 45.9 )	41.1 ( 32.2 - 50.0 )	. ( . - . )	. ( . - . )	. ( . - . )	. ( . - . )
Among students who were bullied in the past 12 months, the percentage who were bullied because of religion	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	16.1 ( 14.8 - 17.4 )	18.5 ( 17.2 - 19.7 )	3.5 ( 0.0 - 7.2 )	6.5 ( 2.9 - 10.0 )	. ( . - . )	. ( . - . )	. ( . - . )	. ( . - . )
Among students who were bullied in the past 12 months, the percentage who were bullied because of disability	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	17.9 ( 14.6 - 21.2 )	13.0 ( 9.7 - 16.4 )	11.4 ( 7.4 - 15.5 )	38.3 ( 27.7 - 49.0 )	. ( . - . )	. ( . - . )	. ( . - . )	. ( . - . )
Among students who were bullied in the past 12 months, the percentage who were bullied because of physical appearance	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	56.2 ( 53.8 - 58.7 )	59.0 ( 56.5 - 61.4 )	61.5 ( 51.0 - 72.1 )	41.3 ( 25.3 - 57.2 )	. ( . - . )	. ( . - . )	. ( . - . )	. ( . - . )
Among students who were bullied in the past 12 months, the percentage who were bullied because of race or ethnicity	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	35.3 ( 32.8 - 37.8 )	39.3 ( 34.7 - 43.9 )	27.3 ( 22.7 - 31.9 )	9.2 ( 4.3 - 14.1 )	. ( . - . )	. ( . - . )	. ( . - . )	. ( . - . )
<b>Violence</b>										
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school		2942	12.1 ( 10.4 - 13.8 )	11.1 ( 9.1 - 13.0 )	16.1 ( 12.2 - 20.0 )	13.0 ( 5.8 - 20.2 )	15.4 ( 8.4 - 22.4 )	7.6 ( 2.4 - 12.8 )	25.4 ( 14.1 - 36.7 )	16.1 ( 12.0 - 20.1 )
Percentage of students who were in a physical fight one or more times during the past 12 months		2878	9.1 ( 8.4 - 9.8 )	9.6 ( 8.4 - 10.8 )	5.4 ( 3.7 - 7.2 )	12.8 ( 6.0 - 19.6 )	6.6 ( 3.6 - 9.5 )	. ( . - . )	8.6 ( 3.1 - 14.1 )	10.4 ( 7.9 - 12.9 )
Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose one or more times by someone they were dating or going out with		1568	7.2 ( 6.8 - 7.7 )	6.6 ( 6.1 - 7.1 )	10.9 ( 6.7 - 15.1 )	8.3 ( 1.8 - 14.8 )	12.7 ( 6.1 - 19.3 )	. ( . - . )	. ( . - . )	13.8 ( 3.1 - 24.6 )
Among students who dated or went out with someone during the past 12 months, the percentage who had been controlled or emotionally hurt by someone they were dating or going out with		1574	17.0 ( 14.9 - 19.0 )	15.5 ( 13.8 - 17.2 )	25.7 ( 20.2 - 31.3 )	18.7 ( 13.1 - 24.4 )	11.8 ( 6.8 - 16.8 )	. ( . - . )	. ( . - . )	30.4 ( 22.3 - 38.5 )
Percentage of students who have been threatened with a gun electronically or in person, witnessed a shooting where they live, or know someone (family or friend) who has been shot by another person during the past 12 months		2855	11.3 ( 10.3 - 12.3 )	9.6 ( 8.3 - 10.8 )	15.4 ( 11.5 - 19.2 )	22.4 ( 15.7 - 29.2 )	16.9 ( 10.4 - 23.4 )	12.6 ( 6.5 - 18.7 )	31.7 ( 14.4 - 49.1 )	17.5 ( 8.6 - 26.4 )
<b>Sexual Violence</b>										
Percentage of students who have ever had a sexual experience where they were unsure if they gave their fully-granted consent to the other person		2877	9.3 ( 8.4 - 10.2 )	6.6 ( 6.0 - 7.1 )	22.8 ( 18.6 - 27.1 )	19.2 ( 10.8 - 27.5 )	22.7 ( 15.6 - 29.8 )	9.6 ( 2.4 - 16.8 )	42.7 ( 27.6 - 57.8 )	13.6 ( 9.2 - 18.0 )
Percentage of students who have ever had a sexual experience where they were unsure if they received fully-granted consent from the other person		2856	2.5 ( 2.0 - 3.0 )	2.2 ( 1.8 - 2.5 )	1.6 ( 0.0 - 3.4 )	3.1 ( 0.1 - 6.0 )	6.8 ( 2.6 - 11.0 )	. ( . - . )	. ( . - . )	4.4 ( 2.2 - 6.5 )

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	Straight % (95% CI)	Bisexual % (95% CI)	Gay/Lesbian % (95% CI)	Pansexual % (95% CI)	Asexual % (95% CI)	Another identity <sup>3</sup> % (95% CI)	Not sure % (95% CI)
Percentage of students who had a revealing or sexual photo or video of themselves texted, e-mailed, or posted electronically without their permission in the past 12 months		2877	3.6 ( 3.3 - 4.0 )	3.6 ( 3.0 - 4.1 )	4.4 ( 2.0 - 6.8 )	2.0 ( 0.1 - 3.9 )	3.7 ( 0.0 - 7.9 )	. ( . . . )	4.5 ( 0.7 - 8.4 )	6.6 ( 1.8 - 11.3 )
Percentage of students who have ever made sexual comments, jokes, gestures, or looks at someone when unwanted		2865	5.0 ( 4.4 - 5.7 )	5.1 ( 4.2 - 5.9 )	4.5 ( 3.3 - 5.8 )	7.7 ( 5.2 - 10.1 )	7.8 ( 5.5 - 10.1 )	. ( . . . )	2.5 ( 0.1 - 4.9 )	6.4 ( 3.4 - 9.5 )
Percentage of students who have ever touched, grabbed, or pinched someone in a sexual way when unwanted		2871	3.3 ( 3.0 - 3.5 )	3.0 ( 2.6 - 3.3 )	2.5 ( 1.7 - 3.4 )	6.7 ( 4.9 - 8.5 )	7.1 ( 2.7 - 11.4 )	. ( . . . )	4.8 ( 2.1 - 7.6 )	9.3 ( 5.6 - 13.0 )
Percentage of students who have ever been physically forced to have sex when they did not want to		2876	3.3 ( 2.9 - 3.8 )	2.2 ( 1.9 - 2.5 )	8.5 ( 4.3 - 12.6 )	6.1 ( 3.2 - 9.1 )	6.8 ( 2.9 - 10.7 )	. ( . . . )	27.5 ( 13.7 - 41.4 )	6.9 ( 3.4 - 10.5 )
<b>Mental Health</b>										
Percentage of students who agree or strongly agree their stress level is manageable most days		2905	58.1 ( 55.8 - 60.5 )	62.3 ( 59.8 - 64.8 )	45.8 ( 40.4 - 51.1 )	34.7 ( 30.2 - 39.2 )	45.1 ( 39.7 - 50.5 )	41.1 ( 32.9 - 49.4 )	37.2 ( 19.9 - 54.5 )	41.6 ( 36.0 - 47.1 )
Percentage of students who most of the time or always had poor mental health during the past 30 days		2880	24.1 ( 22.6 - 25.5 )	19.1 ( 17.8 - 20.4 )	42.2 ( 34.5 - 49.9 )	51.5 ( 47.5 - 55.6 )	45.0 ( 41.0 - 49.1 )	37.1 ( 27.0 - 47.2 )	46.7 ( 33.4 - 60.1 )	32.4 ( 22.2 - 42.5 )
Percentage of students who purposefully hurt themselves without wanting to die in the past 12 months		2847	12.8 ( 11.5 - 14.2 )	7.7 ( 7.0 - 8.4 )	32.2 ( 27.3 - 37.0 )	36.4 ( 29.9 - 42.8 )	37.3 ( 30.8 - 43.8 )	22.7 ( 17.7 - 27.8 )	48.6 ( 33.7 - 63.6 )	29.4 ( 24.5 - 34.2 )
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row during the past 12 months that they stopped doing some usual activities		2846	20.6 ( 18.8 - 22.5 )	16.7 ( 15.5 - 17.8 )	36.8 ( 32.2 - 41.4 )	41.1 ( 35.3 - 46.9 )	41.8 ( 36.7 - 46.9 )	21.6 ( 14.1 - 29.1 )	54.0 ( 41.5 - 66.5 )	25.0 ( 15.0 - 35.0 )
Percentage of students who seriously considered attempting suicide during the past 12 months		2840	9.6 ( 8.5 - 10.6 )	6.5 ( 5.6 - 7.3 )	22.2 ( 15.8 - 28.5 )	24.3 ( 19.6 - 28.9 )	25.8 ( 21.8 - 29.7 )	15.2 ( 10.1 - 20.2 )	33.5 ( 20.0 - 46.9 )	17.8 ( 12.6 - 23.0 )
Percentage of students who made a plan about how they would attempt suicide during the past 12 months		2828	6.8 ( 6.0 - 7.5 )	4.4 ( 3.6 - 5.3 )	15.6 ( 8.5 - 22.8 )	12.1 ( 7.8 - 16.4 )	24.8 ( 17.4 - 32.3 )	18.8 ( 11.7 - 26.0 )	33.2 ( 23.8 - 42.5 )	12.0 ( 8.4 - 15.6 )
Percentage of students who attempted suicide one or more times during the past 12 months		2837	3.7 ( 3.2 - 4.3 )	2.6 ( 2.2 - 3.1 )	7.1 ( 5.7 - 8.6 )	5.5 ( 2.8 - 8.2 )	12.9 ( 8.6 - 17.2 )	9.0 ( 3.2 - 14.8 )	15.8 ( 6.6 - 24.9 )	9.4 ( 4.9 - 14.0 )
Percentage of students who have an adult to go to for help with a serious problem	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2839	76.9 ( 74.9 - 79.0 )	78.9 ( 77.3 - 80.4 )	75.9 ( 70.8 - 81.0 )	65.5 ( 56.2 - 74.8 )	64.1 ( 55.8 - 72.3 )	58.4 ( 46.4 - 70.3 )	55.9 ( 42.7 - 69.1 )	70.9 ( 65.2 - 76.6 )
Percentage of students who most of the time or always could talk to a friend about feelings during their life	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2843	61.2 ( 58.8 - 63.6 )	64.1 ( 61.5 - 66.6 )	56.6 ( 53.8 - 59.4 )	44.2 ( 37.5 - 50.9 )	48.6 ( 35.3 - 62.0 )	55.7 ( 41.0 - 70.4 )	39.1 ( 20.7 - 57.5 )	47.7 ( 40.2 - 55.1 )
Percentage of students who had a friend tell them they had thoughts of suicide one or more times during the past 12 months		2820	28.2 ( 26.6 - 29.8 )	23.1 ( 21.5 - 24.6 )	51.7 ( 48.9 - 54.6 )	54.4 ( 47.9 - 60.8 )	47.3 ( 42.3 - 52.3 )	33.3 ( 28.5 - 38.1 )	56.7 ( 41.4 - 72.0 )	42.7 ( 38.9 - 46.4 )
Percentage of students who would tell a family member if they were concerned about their own or someone else's well-being or mental health		2739	61.6 ( 60.3 - 62.9 )	66.1 ( 65.3 - 66.8 )	50.1 ( 46.2 - 54.0 )	43.6 ( 36.6 - 50.6 )	33.9 ( 26.1 - 41.7 )	38.3 ( 27.5 - 49.1 )	22.8 ( 9.0 - 36.5 )	49.9 ( 38.4 - 61.4 )
Percentage of students who would tell an adult in school if they were concerned about their own or someone else's well-being or mental health		2739	37.9 ( 35.9 - 39.9 )	38.6 ( 36.9 - 40.3 )	34.8 ( 32.6 - 37.0 )	40.6 ( 32.9 - 48.2 )	24.0 ( 15.4 - 32.6 )	38.8 ( 22.0 - 55.6 )	24.0 ( 9.1 - 38.8 )	41.9 ( 36.7 - 47.1 )
Percentage of students who would tell a friend if they were concerned about their own or someone else's well-being or mental health		2739	41.6 ( 38.8 - 44.3 )	42.1 ( 38.8 - 45.3 )	43.9 ( 37.4 - 50.4 )	35.4 ( 26.4 - 44.4 )	40.5 ( 25.2 - 55.7 )	35.7 ( 30.4 - 41.0 )	40.0 ( 30.9 - 49.0 )	37.3 ( 31.6 - 42.9 )
Percentage of students who would submit an anonymous report through their school's safety reporting system if they were concerned about their own or someone else's well-being or mental health		2739	33.1 ( 30.4 - 35.8 )	33.0 ( 29.5 - 36.4 )	37.9 ( 31.9 - 43.8 )	41.3 ( 38.8 - 43.9 )	19.1 ( 9.4 - 28.8 )	18.7 ( 12.0 - 25.3 )	28.3 ( 19.9 - 36.8 )	32.2 ( 24.8 - 39.5 )
Percentage of students who would contact a crisis line if they were concerned about their own or someone else's well-being or mental health		2739	29.4 ( 27.4 - 31.4 )	28.7 ( 26.4 - 31.0 )	36.7 ( 32.3 - 41.0 )	34.9 ( 26.9 - 42.9 )	27.2 ( 23.2 - 31.2 )	37.1 ( 25.0 - 49.3 )	10.2 ( 4.3 - 16.2 )	28.5 ( 21.2 - 35.7 )
Percentage of students who have ever experienced the suicide death of a family member or close friend		2834	16.3 ( 14.1 - 18.4 )	15.8 ( 13.3 - 18.3 )	16.7 ( 11.8 - 21.6 )	20.6 ( 13.9 - 27.3 )	12.8 ( 8.0 - 17.6 )	4.2 ( 0.0 - 10.3 )	37.7 ( 23.3 - 52.0 )	18.1 ( 12.5 - 23.8 )
<b>Racism</b>										
Percentage of students who were treated badly or unfairly in school because of their race or ethnicity in the past 12 months	Risk Factor: Recent Experiences with Oppression: Racism	2733	3.4 ( 3.0 - 3.8 )	3.4 ( 3.0 - 3.8 )	2.7 ( 1.5 - 4.0 )	1.8 ( 0.8 - 2.8 )	3.2 ( 1.8 - 4.6 )	. ( . . . )	4.9 ( 0.9 - 9.0 )	5.5 ( 2.5 - 8.4 )
Percentage of students who were watched closely or followed by security guards or store clerks at a store or mall because of their race or ethnicity in the past 12 months	Risk Factor: Recent Experiences with Oppression: Racism	2733	3.6 ( 3.1 - 4.1 )	3.3 ( 2.6 - 4.0 )	5.7 ( 3.1 - 8.3 )	2.6 ( 1.0 - 4.3 )	6.5 ( 1.4 - 11.6 )	. ( . . . )	4.9 ( 0.7 - 9.1 )	5.6 ( 1.9 - 9.4 )
Percentage of students who were assumed less intelligent because of their race or ethnicity in the past 12 months	Risk Factor: Recent Experiences with Oppression: Racism	2733	4.6 ( 3.8 - 5.4 )	4.5 ( 3.2 - 5.9 )	4.4 ( 1.6 - 7.1 )	3.4 ( 0.6 - 6.2 )	2.8 ( 1.3 - 4.3 )	. ( . . . )	20.4 ( 2.9 - 37.9 )	6.3 ( 1.9 - 10.8 )
Percentage of students who saw family members treated unfairly because of the color of their skin, language, accent, or because they are from a different country or culture in the past 12 months	Risk Factor: Recent Experiences with Oppression: Racism	2733	6.6 ( 5.8 - 7.5 )	5.9 ( 5.2 - 6.6 )	12.0 ( 9.9 - 14.1 )	6.5 ( 2.5 - 10.4 )	6.4 ( 4.4 - 8.3 )	6.3 ( 0.0 - 13.3 )	9.8 ( 3.2 - 16.4 )	9.6 ( 6.7 - 12.5 )
<b>Alcohol</b>										
Percentage of students who have ever had a drink of alcohol other than a few sips		2716	48.9 ( 47.4 - 50.5 )	49.7 ( 48.4 - 51.1 )	52.7 ( 47.4 - 58.1 )	48.2 ( 41.4 - 55.1 )	56.8 ( 45.7 - 67.8 )	21.9 ( 13.1 - 30.6 )	57.9 ( 45.6 - 70.1 )	33.3 ( 27.7 - 38.9 )
Percentage of students who had their first drink of alcohol, other than a few sips, before age 13	Risk Factor: Early Initiation of Substance Use	2716	11.1 ( 10.2 - 12.1 )	10.6 ( 9.3 - 11.8 )	15.0 ( 11.1 - 18.9 )	12.7 ( 9.8 - 15.6 )	17.5 ( 13.6 - 21.4 )	. ( . . . )	29.3 ( 18.5 - 40.1 )	8.5 ( 4.8 - 12.2 )
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days		2732	26.5 ( 24.8 - 28.2 )	28.0 ( 26.5 - 29.4 )	25.3 ( 19.9 - 30.7 )	22.9 ( 18.2 - 27.6 )	18.0 ( 11.3 - 24.8 )	. ( . . . )	21.2 ( 11.2 - 31.2 )	22.7 ( 18.5 - 26.9 )
Percentage of students who binge drank (4+ drinks within a couple of hours) on one or more of the past 30 days		2735	15.8 ( 14.4 - 17.2 )	16.8 ( 15.4 - 18.3 )	14.6 ( 11.9 - 17.4 )	14.0 ( 10.5 - 17.5 )	7.7 ( 3.0 - 12.5 )	. ( . . . )	14.1 ( 4.7 - 23.5 )	16.2 ( 12.1 - 20.2 )
Percentage of students who feel it would be sort of easy or very easy to get alcohol if they wanted	Risk Factor: Availability of Substances in Community	2680	60.4 ( 58.7 - 62.1 )	59.2 ( 56.9 - 61.4 )	70.0 ( 62.9 - 77.2 )	66.3 ( 58.2 - 74.4 )	63.3 ( 50.3 - 76.3 )	56.4 ( 46.7 - 66.1 )	68.1 ( 57.0 - 79.2 )	58.1 ( 48.8 - 67.3 )
Percentage of students who think it is wrong or very wrong for someone of the same age to drink alcohol regularly (at least once or twice per month)	Risk Factor: Youth Peer Attitudes Favorable Towards Substance Use	2761	62.6 ( 60.3 - 64.9 )	62.2 ( 60.0 - 64.4 )	58.3 ( 52.4 - 64.1 )	61.6 ( 57.8 - 65.4 )	58.9 ( 55.3 - 62.6 )	78.3 ( 69.4 - 87.2 )	60.2 ( 41.9 - 78.4 )	70.8 ( 64.4 - 77.3 )
Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they drank alcohol regularly (at least once or twice per month)	Risk Factor: Parental Attitudes Favorable Toward Substance Use	2762	80.8 ( 78.9 - 82.7 )	80.4 ( 78.9 - 82.0 )	82.0 ( 77.7 - 86.4 )	85.6 ( 82.6 - 88.6 )	78.7 ( 64.9 - 92.5 )	86.8 ( 82.1 - 91.4 )	84.6 ( 75.4 - 93.9 )	74.9 ( 70.1 - 79.8 )



Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	Straight % (95% CI)	Bisexual % (95% CI)	Gay/Lesbian % (95% CI)	Pansexual % (95% CI)	Asexual % (95% CI)	Another identity <sup>3</sup> % (95% CI)	Not sure % (95% CI)
Among underage students who used tobacco or nicotine products in the past 30 days, the percentage who bought them through the mail		322	3.1 (2.2 - 4.1)	2.4 (1.6 - 3.1)	. (. - .)	. (. - .)	. (. - .)	. (. - .)	. (. - .)	. (. - .)
Among underage students who tried to buy tobacco or nicotine products in a store, the percentage who were not refused because of age		127	77.2 (72.3 - 82.2)	78.3 (72.8 - 83.8)	. (. - .)	. (. - .)	. (. - .)	. (. - .)	. (. - .)	. (. - .)
Among students who reported current tobacco or nicotine use, the percentage who tried to quit using all tobacco or nicotine products during the past 12 months		358	45.8 (41.8 - 49.8)	44.9 (40.7 - 49.0)	48.1 (34.0 - 62.3)	. (. - .)	. (. - .)	. (. - .)	. (. - .)	. (. - .)
Percentage of students who were inside their home while someone was smoking a cigarette, cigar, pipe, or using an electronic vapor product for one or more days in the past 7 days		2656	9.7 (8.4 - 11.1)	9.3 (7.9 - 10.6)	11.5 (9.3 - 13.7)	9.7 (5.3 - 14.2)	18.4 (13.5 - 23.4)	6.9 (0.0 - 14.6)	20.3 (14.2 - 26.4)	14.2 (11.4 - 17.1)
<b>Marijuana</b>										
Percentage of students who have ever tried marijuana		2682	24.4 (22.4 - 26.4)	24.5 (22.6 - 26.3)	29.7 (25.4 - 33.9)	28.2 (22.5 - 33.8)	21.4 (13.7 - 29.1)	12.9 (6.0 - 19.9)	34.7 (28.3 - 41.1)	17.6 (9.8 - 25.4)
Percentage of students who tried marijuana for the first time before age 13	Risk Factor: Early Initiation of Substance Use	2682	3.9 (3.3 - 4.5)	3.6 (2.8 - 4.5)	5.4 (3.5 - 7.3)	4.3 (1.5 - 7.2)	4.1 (1.8 - 6.4)	. (. - .)	16.5 (7.1 - 25.8)	5.2 (2.8 - 7.6)
Percentage of students who used marijuana one or more times during the past 30 days		2602	12.3 (11.1 - 13.5)	12.4 (11.1 - 13.8)	12.7 (9.4 - 16.0)	16.6 (11.8 - 21.4)	14.8 (6.9 - 22.6)	. (. - .)	27.6 (18.2 - 37.0)	10.6 (4.4 - 16.7)
Percentage of students who feel it would be sort of easy or very easy to get marijuana if they wanted	Risk Factor: Availability of Substances in Community	2666	42.8 (41.3 - 44.3)	41.5 (39.9 - 43.1)	50.2 (44.3 - 56.1)	57.4 (51.1 - 63.8)	38.6 (29.6 - 47.6)	41.2 (31.0 - 51.4)	66.6 (62.2 - 71.1)	37.7 (31.5 - 43.8)
Percentage of students who think it is wrong or very wrong for someone of the same age to use marijuana	Risk Factor: Youth Peer Attitudes Favorable Towards Substance Use	2756	69.5 (67.6 - 71.4)	71.2 (69.4 - 73.1)	55.9 (51.8 - 60.0)	56.1 (50.7 - 61.5)	70.3 (64.1 - 76.5)	75.6 (65.9 - 85.2)	49.4 (32.1 - 66.6)	72.8 (68.0 - 77.5)
Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they used marijuana	Risk Factor: Parental Attitudes Favorable Toward Substance Use	2761	89.4 (88.4 - 90.5)	89.8 (88.7 - 90.8)	84.5 (79.9 - 89.1)	88.3 (83.5 - 93.2)	93.5 (88.9 - 98.2)	97.6 (96.4 - 98.8)	88.4 (85.0 - 91.8)	86.3 (82.8 - 89.8)
Percentage of students who overestimated peer marijuana use in the past 30 days by selecting a percentage (20% or more) higher than actual peer use statewide		2747	76.3 (74.1 - 78.4)	75.8 (73.3 - 78.3)	82.6 (77.5 - 87.8)	82.5 (76.5 - 88.5)	76.4 (67.1 - 85.8)	81.4 (75.4 - 87.4)	77.2 (65.8 - 88.5)	71.5 (65.6 - 77.3)
Among students who used marijuana in the past 30 days, the percentage who usually smoked it		299	56.0 (52.4 - 59.7)	56.2 (52.5 - 60.0)	. (. - .)	. (. - .)	. (. - .)	. (. - .)	. (. - .)	. (. - .)
Among students who used marijuana in the past 30 days, the percentage who usually got it from an adult over the age of 21		284	16.5 (13.7 - 19.2)	16.4 (13.5 - 19.3)	. (. - .)	. (. - .)	. (. - .)	. (. - .)	. (. - .)	. (. - .)
Percentage of students who used THC concentrates, hash oil, or waxes one or more times during the past 30 days		2658	5.1 (4.6 - 5.6)	5.3 (4.7 - 5.9)	4.0 (2.0 - 5.9)	4.8 (1.3 - 8.2)	5.8 (2.0 - 9.6)	. (. - .)	13.3 (7.2 - 19.3)	5.1 (1.3 - 8.9)
<b>Prescription Pain Medicine</b>										
Percentage of students who have ever used prescription pain medicine not prescribed to them or differently than how a doctor told them to use it		2666	7.1 (5.9 - 8.3)	6.5 (5.5 - 7.5)	9.8 (6.1 - 13.5)	6.2 (2.5 - 10.0)	10.0 (4.6 - 15.4)	3.9 (2.0 - 5.7)	19.8 (9.9 - 29.7)	9.8 (4.0 - 15.5)
Percentage of students who used prescription pain medicine not prescribed to them or differently than how a doctor told them to use it for the first time before age 13	Risk Factor: Early Initiation of Substance Use	2666	3.2 (2.4 - 4.0)	3.0 (2.3 - 3.8)	2.1 (0.9 - 3.2)	5.6 (2.1 - 9.0)	5.6 (0.6 - 10.6)	. (. - .)	8.9 (1.5 - 16.3)	6.1 (0.7 - 11.6)
Percentage of students who took prescription pain medicine not prescribed to them or differently than how a doctor told them to use it one or more times in the past 30 days		2682	2.6 (1.8 - 3.5)	2.2 (1.7 - 2.7)	5.0 (1.3 - 8.6)	2.8 (1.5 - 4.1)	2.8 (0.4 - 5.1)	. (. - .)	7.3 (2.0 - 12.6)	1.7 (0.7 - 2.7)
Percentage of students who feel it would be sort of easy or very easy to get prescription pain medicine not prescribed to them if they wanted	Risk Factor: Availability of Substances in Community	2675	21.5 (20.2 - 22.8)	18.9 (17.5 - 20.3)	28.9 (25.3 - 32.5)	28.0 (23.1 - 33.0)	28.1 (23.1 - 33.1)	31.2 (25.3 - 37.2)	37.6 (24.3 - 51.0)	33.8 (29.1 - 38.4)
Percentage of students who think it is wrong or very wrong for someone of the same age to use prescription pain medicine without a doctor's prescription	Risk Factor: Youth Peer Attitudes Favorable Towards Substance Use	2760	90.8 (90.2 - 91.4)	92.0 (91.7 - 92.3)	85.4 (81.9 - 88.9)	84.4 (78.6 - 90.3)	92.1 (86.5 - 97.6)	96.0 (94.2 - 97.9)	69.2 (53.8 - 84.6)	85.8 (82.8 - 88.9)
<b>Other Drugs</b>										
Percentage of students who have ever used stimulants not prescribed to them or differently than prescribed		2625	4.2 (3.5 - 5.0)	4.0 (3.0 - 5.1)	3.5 (2.2 - 4.9)	9.2 (3.9 - 14.4)	4.6 (1.4 - 7.9)	. (. - .)	5.9 (1.0 - 10.9)	5.7 (1.4 - 10.0)
Percentage of students who have ever used sedatives or tranquilizers not prescribed to them or differently than prescribed		2625	1.3 (1.1 - 1.6)	1.0 (0.6 - 1.4)	2.7 (1.1 - 4.3)	2.4 (1.1 - 3.6)	3.9 (1.4 - 6.4)	. (. - .)	5.2 (0.7 - 9.8)	3.0 (0.0 - 5.9)
Percentage of students who have ever used cocaine		2625	1.6 (1.1 - 2.1)	1.5 (0.9 - 2.2)	2.0 (1.0 - 3.1)	1.2 (0.5 - 1.9)	. (. - .)	. (. - .)	. (. - .)	2.1 (0.3 - 3.9)
Percentage of students who have ever used inhalants like glue, aerosol spray cans, or any paints or sprays		2625	1.9 (1.5 - 2.3)	1.8 (1.2 - 2.5)	. (. - .)	2.5 (1.8 - 3.3)	3.2 (1.1 - 5.3)	. (. - .)	12.3 (9.1 - 15.5)	2.5 (0.1 - 4.9)
Percentage of students who have ever used heroin		2625	0.5 (0.4 - 0.7)	0.5 (0.3 - 0.7)	. (. - .)	1.2 (0.5 - 1.9)	. (. - .)	. (. - .)	. (. - .)	. (. - .)
Percentage of students who have ever used methamphetamines		2625	0.5 (0.4 - 0.6)	0.5 (0.3 - 0.7)	. (. - .)	1.2 (0.5 - 1.9)	. (. - .)	. (. - .)	. (. - .)	. (. - .)
Percentage of students who have ever used ecstasy		2625	1.5 (1.1 - 1.9)	1.4 (0.9 - 1.9)	1.5 (0.7 - 2.3)	1.7 (0.8 - 2.7)	5.0 (3.4 - 6.7)	. (. - .)	. (. - .)	. (. - .)
Percentage of students who have ever used psilocybin		2625	3.6 (3.0 - 4.2)	3.5 (2.7 - 4.3)	4.3 (1.6 - 6.9)	3.5 (1.8 - 5.2)	5.8 (0.9 - 10.7)	. (. - .)	15.8 (5.8 - 25.7)	. (. - .)
Percentage of students who have ever used fentanyl		2625	0.9 (0.6 - 1.2)	0.9 (0.6 - 1.2)	. (. - .)	1.2 (0.5 - 1.9)	. (. - .)	. (. - .)	. (. - .)	. (. - .)
Percentage of students who have ever used kratom		2625	0.6 (0.4 - 0.8)	0.6 (0.4 - 0.9)	. (. - .)	1.2 (0.5 - 1.9)	. (. - .)	. (. - .)	. (. - .)	. (. - .)
Percentage of students who have ever used hemp-derived, intoxicating cannabinoid products like Delta-8 and Delta-10 THC		2625	4.4 (3.8 - 4.9)	4.2 (3.4 - 5.1)	5.9 (3.2 - 8.6)	7.7 (4.9 - 10.5)	6.5 (1.5 - 11.5)	. (. - .)	8.5 (0.0 - 18.4)	. (. - .)
<b>Sexual Health</b>										

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	Straight % (95% CI)	Bisexual % (95% CI)	Gay/Lesbian % (95% CI)	Pansexual % (95% CI)	Asexual % (95% CI)	Another identity <sup>3</sup> % (95% CI)	Not sure % (95% CI)
Percentage of students who have ever had consensual sex		2645	20.7 ( 18.8 - 22.6 )	20.8 ( 19.3 - 22.3 )	31.1 ( 25.7 - 36.5 )	13.1 ( 8.3 - 17.9 )	29.5 ( 25.0 - 34.0 )	. ( . - . )	17.4 ( 3.7 - 31.1 )	13.4 ( 5.8 - 21.0 )
Percentage of students who had consensual sex in the last three months		2648	13.1 ( 11.6 - 14.5 )	13.6 ( 12.1 - 15.1 )	15.8 ( 12.6 - 19.0 )	9.2 ( 6.4 - 12.1 )	16.8 ( 11.8 - 21.8 )	. ( . - . )	8.1 ( 0.0 - 17.9 )	9.7 ( 3.2 - 16.2 )
Among students who had consensual sex during the past three months, the percentage who used a condom or their partner used a condom the last time they had consensual sex		311	69.5 ( 63.1 - 75.8 )	73.4 ( 67.2 - 79.6 )	65.3 ( 51.5 - 79.1 )	. ( . - . )	. ( . - . )	. ( . - . )	. ( . - . )	. ( . - . )
Among students who had consensual sex during the past three months, the percentage who used or their partner used any method of contraception the last time they had consensual sex		311	88.7 ( 86.4 - 91.0 )	93.3 ( 91.6 - 94.9 )	73.4 ( 60.0 - 86.7 )	. ( . - . )	. ( . - . )	. ( . - . )	. ( . - . )	. ( . - . )
<b>Nutrition</b>										
Percentage of students who ate fruit one or more times per day in the past 7 days		2668	57.6 ( 54.4 - 60.8 )	59.9 ( 57.5 - 62.4 )	49.1 ( 38.0 - 60.3 )	51.2 ( 45.5 - 56.9 )	39.6 ( 31.5 - 47.7 )	45.6 ( 39.3 - 51.9 )	30.1 ( 15.2 - 45.0 )	60.3 ( 49.8 - 70.7 )
Percentage of students who ate vegetables such as green salad, potatoes, carrots, or other vegetables one or more times per day in the past 7 days		2667	63.1 ( 59.5 - 66.7 )	64.6 ( 61.3 - 68.0 )	59.9 ( 52.4 - 67.4 )	63.3 ( 57.7 - 68.9 )	48.9 ( 39.1 - 58.8 )	47.9 ( 39.9 - 55.8 )	44.7 ( 34.6 - 54.7 )	65.8 ( 56.9 - 74.7 )
Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day in the past 7 days		2669	14.4 ( 12.4 - 16.4 )	16.2 ( 13.6 - 18.8 )	10.0 ( 5.2 - 14.8 )	5.1 ( 2.3 - 7.8 )	4.3 ( 2.1 - 6.5 )	. ( . - . )	17.2 ( 3.2 - 31.2 )	5.3 ( 1.8 - 8.8 )
Percentage of students who drank a sports drink, energy drink, or other sweetened beverage one or more times per day in the past 7 days		2621	58.9 ( 56.4 - 61.3 )	61.2 ( 58.7 - 63.7 )	53.2 ( 45.3 - 61.2 )	48.6 ( 41.6 - 55.7 )	44.6 ( 34.9 - 54.3 )	40.4 ( 31.4 - 49.3 )	64.0 ( 52.0 - 76.1 )	60.6 ( 54.5 - 66.6 )
Percentage of students who ate breakfast on all of the past 7 days		2651	39.3 ( 35.9 - 42.8 )	41.2 ( 37.4 - 45.1 )	36.1 ( 30.5 - 41.8 )	27.5 ( 24.7 - 30.3 )	30.1 ( 20.2 - 40.1 )	25.8 ( 17.4 - 34.2 )	14.3 ( 3.5 - 25.1 )	38.9 ( 35.4 - 42.5 )
Percentage of students who sometimes, most of the time, or always went hungry in the past 30 days because of a lack of food at home	Risk Factor: Economic Instability	2645	6.9 ( 5.8 - 8.0 )	6.9 ( 5.7 - 8.1 )	8.3 ( 5.5 - 11.1 )	1.9 ( 0.9 - 2.9 )	5.9 ( 0.8 - 11.1 )	3.8 ( 1.7 - 6.0 )	10.9 ( 4.0 - 17.8 )	13.1 ( 7.7 - 18.4 )
<b>Physical Activity</b>										
Percentage of students who were physically active for a total of at least 60 minutes per day on 5 or more of the past 7 days		2622	54.0 ( 52.0 - 56.0 )	58.8 ( 56.9 - 60.7 )	38.3 ( 34.5 - 42.0 )	35.6 ( 33.3 - 37.9 )	27.5 ( 14.7 - 40.3 )	30.0 ( 23.5 - 36.6 )	45.9 ( 32.5 - 59.4 )	35.2 ( 32.1 - 38.4 )
Percentage of students who spent 3+ hours per average school day in front of a TV, computer, smart phone, or other electronic device for something other than schoolwork		2607	63.5 ( 61.3 - 65.7 )	60.4 ( 58.2 - 62.6 )	80.6 ( 75.5 - 85.6 )	76.2 ( 71.1 - 81.4 )	79.9 ( 70.4 - 89.4 )	74.5 ( 67.1 - 82.0 )	80.2 ( 66.3 - 94.0 )	72.2 ( 63.5 - 80.8 )
Percentage of students who could walk or ride a bike, scooter, or skateboard to school if they wanted to		2635	56.4 ( 53.0 - 59.7 )	58.8 ( 54.9 - 62.7 )	45.5 ( 38.9 - 52.1 )	54.9 ( 46.2 - 63.5 )	64.5 ( 57.8 - 71.3 )	29.5 ( 19.6 - 39.4 )	29.4 ( 13.8 - 44.9 )	49.9 ( 42.8 - 57.1 )
Percentage of students who had a concussion in the past 12 months from playing sports or being physically active		2631	14.9 ( 13.6 - 16.1 )	16.9 ( 15.8 - 18.0 )	6.2 ( 4.2 - 8.3 )	9.5 ( 4.2 - 14.9 )	4.6 ( 0.1 - 9.1 )	. ( . - . )	16.1 ( 11.0 - 21.2 )	11.6 ( 6.1 - 17.2 )
<b>Body Image &amp; Eating Disorders</b>										
Percentage of students who most of the time or always felt confident with their body image during the past 30 days		2566	53.5 ( 51.5 - 55.5 )	58.0 ( 56.4 - 59.7 )	33.0 ( 26.7 - 39.3 )	31.0 ( 28.0 - 33.9 )	33.3 ( 22.8 - 43.7 )	45.8 ( 36.8 - 54.8 )	34.7 ( 23.8 - 45.5 )	42.7 ( 37.8 - 47.6 )
Percentage of students who most of the time or always worried about their physical appearance more than they wanted to during the past 30 days		2539	35.8 ( 33.6 - 38.1 )	31.7 ( 30.1 - 33.3 )	58.2 ( 51.2 - 65.2 )	53.3 ( 47.7 - 58.8 )	49.2 ( 38.3 - 60.2 )	27.0 ( 20.2 - 33.8 )	55.8 ( 42.7 - 68.9 )	41.3 ( 33.0 - 49.6 )
Percentage of students who tried to lose weight or keep from gaining weight by going without eating for 24 hours or more; taking any diet pills, powders, or liquids; vomiting or taking laxatives; or skipping meals during the past 30 days		2548	16.8 ( 15.1 - 18.4 )	14.6 ( 12.9 - 16.3 )	26.6 ( 24.3 - 29.0 )	32.4 ( 29.0 - 35.8 )	25.7 ( 14.8 - 36.5 )	15.3 ( 10.6 - 19.9 )	23.3 ( 12.2 - 34.5 )	17.0 ( 13.2 - 20.8 )
<b>Home Life</b>										
Percentage of students who usually or definitely feel the rules in their family are clear	Risk Factor: Limited Parent Time to Monitor Youth Behavior	2577	92.1 ( 90.9 - 93.3 )	93.3 ( 91.8 - 94.8 )	86.6 ( 84.2 - 89.1 )	86.8 ( 83.6 - 90.1 )	91.4 ( 87.4 - 95.5 )	96.9 ( 94.3 - 99.6 )	78.1 ( 68.3 - 87.9 )	88.1 ( 80.9 - 95.2 )
Percentage of students who usually or definitely could ask their parents or guardians for help with a personal problem	Protective Factor: Family Opportunities for Prosocial Involvement	2568	88.7 ( 87.9 - 89.6 )	91.4 ( 91.0 - 91.8 )	81.8 ( 76.4 - 87.2 )	80.3 ( 76.2 - 84.4 )	62.6 ( 56.4 - 68.8 )	76.7 ( 61.3 - 92.1 )	65.4 ( 48.2 - 82.5 )	82.2 ( 74.4 - 90.1 )
Percentage of students who usually or definitely have parents or guardians who ask if their homework is done	Risk Factor: Limited Parent Time to Monitor Youth Behavior	2573	78.6 ( 76.3 - 80.9 )	81.3 ( 78.7 - 83.9 )	70.7 ( 65.3 - 76.0 )	72.0 ( 67.6 - 76.3 )	66.9 ( 58.3 - 75.6 )	72.3 ( 62.7 - 81.9 )	. ( . - . )	64.7 ( 55.2 - 74.3 )
Percentage of students who usually or definitely have chances to do fun things with their parents or guardians	Protective Factor: Family Opportunities for Prosocial Involvement	2561	85.7 ( 84.8 - 86.6 )	88.2 ( 87.1 - 89.4 )	78.8 ( 73.2 - 84.3 )	74.9 ( 66.1 - 83.7 )	69.6 ( 55.9 - 83.2 )	86.3 ( 75.4 - 97.2 )	. ( . - . )	76.6 ( 69.4 - 83.8 )
Percentage of students who usually or definitely have parents or guardians who ask them what they think before making most family decisions	Protective Factor: Family Opportunities for Prosocial Involvement	2554	78.5 ( 77.4 - 79.5 )	82.4 ( 81.3 - 83.5 )	72.0 ( 66.9 - 77.0 )	53.2 ( 48.0 - 58.4 )	55.0 ( 49.6 - 60.3 )	51.7 ( 44.6 - 58.8 )	. ( . - . )	64.3 ( 55.7 - 73.0 )
Percentage of students who usually or definitely think they would be caught by their parents or guardians for skipping school	Risk Factor: Limited Parent Time to Monitor Youth Behavior	2555	89.4 ( 88.5 - 90.4 )	90.6 ( 89.4 - 91.8 )	84.2 ( 81.3 - 87.1 )	81.8 ( 78.5 - 85.0 )	89.0 ( 82.6 - 95.3 )	96.0 ( 92.3 - 99.8 )	. ( . - . )	85.1 ( 81.3 - 89.0 )
Percentage of students who usually or definitely feel safe in their neighborhood	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2574	97.8 ( 97.5 - 98.0 )	98.1 ( 97.8 - 98.4 )	96.5 ( 95.8 - 97.3 )	97.7 ( 96.0 - 99.3 )	95.3 ( 90.1 - 100.0 )	99.3 ( 98.3 - 100.0 )	89.4 ( 76.3 - 100.0 )	95.8 ( 90.9 - 100.0 )
Percentage of students who provide care one or more days per week for someone in their family or household who is chronically ill, elderly, or disabled with activities they would have difficulty doing on their own		2568	8.5 ( 7.3 - 9.7 )	8.5 ( 7.1 - 9.9 )	8.0 ( 6.3 - 9.6 )	11.7 ( 6.2 - 17.2 )	9.9 ( 5.0 - 14.7 )	2.9 ( 0.1 - 5.6 )	15.5 ( 11.5 - 19.5 )	6.6 ( 2.5 - 10.6 )
<b>School &amp; Community</b>										
Percentage of students who agree or strongly agree that they belong at their school	Protective Factor: School Opportunities for Prosocial Involvement	2562	78.1 ( 76.8 - 79.5 )	80.6 ( 80.0 - 81.2 )	71.8 ( 67.3 - 76.2 )	79.7 ( 71.1 - 88.2 )	68.3 ( 54.5 - 82.2 )	56.3 ( 43.4 - 69.2 )	46.7 ( 31.0 - 62.3 )	60.5 ( 55.6 - 65.5 )
Percentage of students who most of the time or always enjoyed being in school over the last year	Risk Factor: Limited Commitment to the Value of School	2571	44.4 ( 43.1 - 45.8 )	46.1 ( 44.7 - 47.6 )	36.0 ( 31.2 - 40.8 )	37.3 ( 29.0 - 45.6 )	44.8 ( 38.5 - 51.2 )	41.7 ( 34.9 - 48.5 )	44.6 ( 32.3 - 56.9 )	35.5 ( 23.0 - 48.0 )
Percentage of students who skipped one or more whole days of school during the past four weeks	Risk Factor: Limited Commitment to the Value of School	2566	33.9 ( 31.2 - 36.5 )	33.9 ( 31.1 - 36.7 )	35.6 ( 30.9 - 40.4 )	34.7 ( 23.9 - 45.5 )	20.6 ( 10.7 - 30.5 )	30.1 ( 22.9 - 37.4 )	48.8 ( 38.0 - 59.6 )	30.5 ( 25.3 - 35.8 )
Percentage of students who think most of their classes are fairly, quite, or very interesting	Risk Factor: Limited Commitment to the Value of School	2560	71.6 ( 70.6 - 72.6 )	71.9 ( 70.6 - 73.1 )	70.8 ( 66.9 - 74.6 )	66.1 ( 60.6 - 71.6 )	62.6 ( 54.4 - 70.8 )	77.7 ( 65.4 - 90.1 )	72.5 ( 63.0 - 82.1 )	76.4 ( 65.7 - 87.1 )

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	Straight % (95% CI)	Bisexual % (95% CI)	Gay/Lesbian % (95% CI)	Pansexual % (95% CI)	Asexual % (95% CI)	Another identity <sup>3</sup> % (95% CI)	Not sure % (95% CI)
Percentage of students who think the things they are learning in school are going to be important or very important for later in life	Risk Factor: Limited Commitment to the Value of School	2523	64.1 ( 62.9 - 65.3 )	64.7 ( 63.7 - 65.8 )	62.0 ( 58.8 - 65.2 )	55.1 ( 46.0 - 64.2 )	57.5 ( 49.6 - 65.3 )	72.6 ( 67.7 - 77.5 )	61.6 ( 47.6 - 75.6 )	64.1 ( 55.5 - 72.7 )
Percentage of students who have talked to a school counselor about future plans at least once a week during the past 12 months		2482	7.9 ( 6.8 - 8.9 )	8.3 ( 7.2 - 9.4 )	5.1 ( 3.2 - 7.0 )	5.0 ( 2.4 - 7.5 )	. ( . - . )	13.5 ( 5.5 - 21.4 )	17.7 ( 2.6 - 32.8 )	7.3 ( 0.0 - 14.9 )
Percentage of students who have talked to a teacher about future plans at least once a week during the past 12 months		2480	23.3 ( 20.9 - 25.7 )	23.5 ( 21.2 - 25.8 )	21.5 ( 17.1 - 25.9 )	22.1 ( 14.6 - 29.5 )	17.4 ( 11.4 - 23.3 )	31.9 ( 23.1 - 40.7 )	32.0 ( 13.6 - 50.4 )	26.3 ( 16.9 - 35.7 )
Percentage of students who have talked to an administrator about future plans at least once a week during the past 12 months		2460	4.5 ( 3.9 - 5.0 )	4.7 ( 4.2 - 5.2 )	2.6 ( 1.0 - 4.2 )	. ( . - . )	. ( . - . )	. ( . - . )	. ( . - . )	5.7 ( 1.6 - 9.8 )
Percentage of students who have talked to a coach about future plans at least once a week during the past 12 months		2466	15.0 ( 13.2 - 16.8 )	16.9 ( 14.9 - 18.9 )	6.9 ( 4.7 - 9.2 )	10.2 ( 2.8 - 17.6 )	. ( . - . )	. ( . - . )	. ( . - . )	10.0 ( 5.6 - 14.3 )
Percentage of students who have talked to a school staff member (who is not a school counselor, teacher, administrator, or coach) about future plans at least once a week during the past 12 months		2462	10.8 ( 9.1 - 12.4 )	11.4 ( 10.1 - 12.7 )	5.4 ( 3.7 - 7.1 )	8.3 ( 2.3 - 14.3 )	5.8 ( 3.0 - 8.6 )	11.3 ( 4.7 - 18.0 )	19.1 ( 6.9 - 31.3 )	7.8 ( 1.7 - 13.9 )
Percentage of students who usually or definitely feel safe at school	Protective Factor: School Opportunities for Prosocial Involvement	2530	94.7 ( 94.2 - 95.2 )	95.2 ( 94.6 - 95.9 )	95.4 ( 93.7 - 97.0 )	92.7 ( 89.2 - 96.2 )	86.0 ( 76.8 - 95.3 )	96.6 ( 94.6 - 98.5 )	88.4 ( 81.1 - 95.6 )	92.0 ( 87.0 - 97.1 )
Percentage of students who usually or definitely think their teacher notices when they do a good job and lets them know about it	Protective Factor: School Rewards for Prosocial Involvement	2522	72.4 ( 69.0 - 75.8 )	73.4 ( 70.1 - 76.7 )	70.9 ( 66.4 - 75.5 )	74.2 ( 67.9 - 80.6 )	63.6 ( 57.5 - 69.7 )	54.1 ( 42.6 - 65.7 )	55.1 ( 36.5 - 73.7 )	74.0 ( 63.9 - 84.2 )
Percentage of students who usually or definitely think their school lets their parents or guardians know when they have done something well	Protective Factor: School Rewards for Prosocial Involvement	2508	45.9 ( 42.9 - 48.9 )	48.2 ( 45.2 - 51.3 )	38.3 ( 33.8 - 42.8 )	36.4 ( 31.2 - 41.7 )	28.1 ( 22.1 - 34.1 )	33.7 ( 16.0 - 51.4 )	37.9 ( 22.4 - 53.4 )	40.8 ( 32.3 - 49.4 )
Percentage of students who sometimes, most of the time, or always participated in sports when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2418	66.6 ( 63.7 - 69.5 )	73.0 ( 71.0 - 75.0 )	51.3 ( 47.9 - 54.6 )	44.7 ( 32.1 - 57.3 )	19.9 ( 13.0 - 26.9 )	8.9 ( 3.4 - 14.4 )	. ( . - . )	56.0 ( 47.7 - 64.4 )
Percentage of students who sometimes, most of the time, or always participated in academic support programs when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2392	28.2 ( 26.6 - 29.7 )	31.2 ( 29.8 - 32.7 )	14.3 ( 11.8 - 16.7 )	14.2 ( 10.6 - 17.8 )	15.2 ( 9.5 - 20.8 )	12.3 ( 6.8 - 17.8 )	. ( . - . )	30.5 ( 25.4 - 35.6 )
Percentage of students who sometimes, most of the time, or always participated in programs or clubs when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2388	46.7 ( 41.9 - 51.5 )	44.1 ( 38.9 - 49.3 )	56.7 ( 46.9 - 66.5 )	57.1 ( 52.4 - 61.7 )	55.7 ( 46.9 - 64.4 )	47.7 ( 27.9 - 67.6 )	. ( . - . )	55.4 ( 43.6 - 67.2 )
Percentage of students who sometimes, most of the time, or always participated in community service or volunteering when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2392	43.4 ( 39.2 - 47.6 )	43.3 ( 39.0 - 47.6 )	49.6 ( 46.4 - 52.8 )	34.1 ( 25.2 - 43.0 )	34.7 ( 24.6 - 44.8 )	31.0 ( 21.2 - 40.8 )	. ( . - . )	42.9 ( 29.6 - 56.2 )
Percentage of students who sometimes, most of the time, or always participated in paid work when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2382	46.3 ( 44.3 - 48.2 )	49.8 ( 48.9 - 50.7 )	36.4 ( 29.9 - 42.9 )	29.4 ( 19.7 - 39.1 )	32.5 ( 25.4 - 39.7 )	11.6 ( 6.4 - 16.7 )	34.6 ( 19.1 - 50.1 )	32.7 ( 25.9 - 39.5 )
Percentage of students who sometimes, most of the time, or always participated in unpaid work (e.g., internships, coaching) when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2365	22.1 ( 20.0 - 24.3 )	23.7 ( 21.9 - 25.5 )	21.0 ( 18.2 - 23.8 )	8.8 ( 4.1 - 13.4 )	15.3 ( 9.4 - 21.2 )	. ( . - . )	. ( . - . )	18.3 ( 12.6 - 23.9 )
<b>Other Health Topics</b>										
Percentage of students who usually slept somewhere other than their home during the past 30 days	Risk Factor: Economic Instability	2475	4.7 ( 3.8 - 5.5 )	4.9 ( 3.9 - 5.9 )	2.7 ( 0.6 - 4.8 )	5.7 ( 3.2 - 8.3 )	3.7 ( 0.5 - 6.9 )	. ( . - . )	10.4 ( 5.1 - 15.6 )	5.5 ( 2.5 - 8.6 )
Percentage of students who sleep 8 or more hours per night on average school nights		2483	42.4 ( 41.9 - 42.9 )	46.7 ( 46.1 - 47.4 )	29.6 ( 25.0 - 34.2 )	24.2 ( 16.1 - 32.4 )	32.4 ( 28.7 - 36.1 )	20.2 ( 7.7 - 32.8 )	20.3 ( 7.6 - 33.0 )	26.7 ( 19.1 - 34.2 )
Percentage of students who could fire a loaded gun without adult permission in less than one hour	Risk Factor: Access to Firearms	2428	10.4 ( 8.6 - 12.3 )	11.2 ( 9.0 - 13.4 )	8.1 ( 6.4 - 9.9 )	8.8 ( 4.4 - 13.1 )	11.2 ( 4.5 - 17.8 )	5.7 ( 2.0 - 9.3 )	6.4 ( 0.5 - 12.4 )	6.1 ( 0.7 - 11.5 )
Percentage of students who would be able to get a loaded gun without adult permission in or around their home, from a friend or schoolmate, or from a family member		2381	14.3 ( 11.5 - 17.2 )	14.4 ( 11.0 - 17.7 )	11.9 ( 8.1 - 15.8 )	17.5 ( 14.4 - 20.5 )	21.3 ( 13.9 - 28.7 )	12.4 ( 7.7 - 17.1 )	. ( . - . )	17.4 ( 12.8 - 22.0 )
Percentage of students who have experienced problems with their mouth or teeth in the past 12 months, not including braces or injuries		2348	22.1 ( 20.0 - 24.3 )	18.9 ( 16.7 - 21.0 )	30.9 ( 25.5 - 36.4 )	40.4 ( 34.0 - 46.7 )	45.6 ( 33.8 - 57.4 )	18.9 ( 12.4 - 25.4 )	. ( . - . )	26.1 ( 17.7 - 34.6 )
Percentage of students who have ever been told by a doctor or nurse that they had asthma		2404	15.1 ( 14.1 - 16.2 )	14.8 ( 13.9 - 15.6 )	17.7 ( 14.2 - 21.2 )	11.7 ( 5.5 - 17.8 )	21.6 ( 16.6 - 26.6 )	20.5 ( 3.2 - 37.8 )	. ( . - . )	13.0 ( 10.3 - 15.7 )
Percentage of students who went outdoors to spend time in nature at least once a week during the past 12 months <sup>4</sup>		2417	86.9 ( 85.8 - 88.0 )	88.9 ( 87.8 - 90.0 )	82.9 ( 77.8 - 87.9 )	77.6 ( 72.6 - 82.5 )	64.4 ( 54.6 - 74.3 )	79.5 ( 71.3 - 87.7 )	. ( . - . )	80.4 ( 76.2 - 84.5 )
<b>Extra Questions</b>										
Percentage of students who think people who have five or more drinks of an alcoholic beverage once or twice a week have a moderate or great risk of harming themselves physically or in other ways		2313	77.7 ( 76.0 - 79.4 )	75.4 ( 73.7 - 77.1 )	85.5 ( 82.9 - 88.1 )	89.7 ( 85.4 - 93.9 )	80.9 ( 73.3 - 88.4 )	95.2 ( 89.4 - 100.0 )	. ( . - . )	78.5 ( 68.3 - 88.7 )
Percentage of students who think people who smoke one or more packs of cigarettes per day have a moderate or great risk of harming themselves physically or in other ways		2310	84.9 ( 83.8 - 86.0 )	83.0 ( 81.3 - 84.6 )	92.9 ( 90.8 - 95.1 )	91.7 ( 88.2 - 95.3 )	92.3 ( 85.5 - 99.0 )	94.3 ( 88.0 - 100.0 )	. ( . - . )	89.4 ( 84.5 - 94.3 )
Percentage of students who think people who use marijuana once or twice a week have a moderate or great risk of harming themselves physically or in other ways		2301	64.4 ( 62.1 - 66.7 )	65.0 ( 62.4 - 67.6 )	62.7 ( 58.9 - 66.6 )	50.5 ( 41.2 - 59.9 )	67.3 ( 52.9 - 81.7 )	61.0 ( 49.3 - 72.8 )	. ( . - . )	74.9 ( 65.4 - 84.5 )
Percentage of students who think people who use prescription drugs that are not prescribed to them have a moderate or great risk of harming themselves physically or in other ways		2299	86.6 ( 85.0 - 88.2 )	86.0 ( 84.0 - 88.0 )	90.7 ( 86.3 - 95.2 )	93.6 ( 90.8 - 96.4 )	86.4 ( 81.0 - 91.8 )	83.0 ( 71.5 - 94.5 )	. ( . - . )	86.3 ( 83.5 - 89.1 )
Percentage of students who think their parents would feel it is wrong or very wrong if they drank 1 or 2 drinks of an alcoholic beverage nearly every day		2299	94.5 ( 94.1 - 94.9 )	94.3 ( 93.9 - 94.6 )	93.3 ( 90.6 - 95.9 )	97.3 ( 96.1 - 98.6 )	94.6 ( 89.5 - 99.8 )	96.5 ( 92.8 - 100.0 )	. ( . - . )	94.6 ( 91.6 - 97.6 )
Percentage of students who think their parents would feel it is wrong or very wrong for them to smoke tobacco		2298	95.7 ( 95.0 - 96.5 )	95.4 ( 94.6 - 96.2 )	96.3 ( 94.9 - 97.7 )	95.7 ( 93.3 - 98.2 )	. ( . - . )	98.1 ( 97.0 - 99.2 )	. ( . - . )	95.4 ( 91.2 - 99.5 )
Percentage of students who think their parents would feel it is wrong or very wrong for them to use prescription drugs not prescribed to them		2296	97.3 ( 97.1 - 97.6 )	97.5 ( 97.2 - 97.8 )	95.6 ( 93.7 - 97.5 )	97.5 ( 96.1 - 98.9 )	. ( . - . )	92.3 ( 87.2 - 97.3 )	. ( . - . )	96.8 ( 94.5 - 99.1 )
Percentage of students who think their friends would feel it is wrong or very wrong for them to have one or two alcoholic drinks nearly every day		2288	74.5 ( 73.0 - 75.9 )	73.8 ( 72.4 - 75.2 )	74.9 ( 71.4 - 78.4 )	71.8 ( 67.1 - 76.4 )	86.2 ( 83.2 - 89.2 )	81.9 ( 73.9 - 89.9 )	. ( . - . )	80.1 ( 72.9 - 87.3 )
Percentage of students who think their friends would feel it is wrong or very wrong for them to smoke tobacco		2280	72.5 ( 70.1 - 75.0 )	72.4 ( 69.9 - 74.9 )	71.2 ( 67.3 - 75.1 )	66.2 ( 59.4 - 73.1 )	84.6 ( 80.7 - 88.5 )	70.6 ( 62.1 - 79.1 )	. ( . - . )	74.1 ( 67.7 - 80.6 )
Percentage of students who think their friends would feel it is wrong or very wrong for them to use marijuana		2274	61.0 ( 58.1 - 63.9 )	62.7 ( 60.4 - 64.9 )	52.9 ( 47.3 - 58.4 )	41.9 ( 32.0 - 51.7 )	70.3 ( 59.6 - 81.0 )	51.0 ( 38.4 - 63.7 )	. ( . - . )	64.7 ( 54.1 - 75.2 )

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	Straight % (95% CI)	Bisexual % (95% CI)	Gay/Lesbian % (95% CI)	Pansexual % (95% CI)	Asexual % (95% CI)	Another identity <sup>3</sup> % (95% CI)	Not sure % (95% CI)
Percentage of students who think their friends would feel it is wrong or very wrong to use prescription drugs not prescribed to them		2273	87.4 ( 85.7 - 89.0 )	89.0 ( 88.0 - 90.0 )	83.0 ( 79.1 - 86.9 )	83.5 ( 77.4 - 89.7 )	87.7 ( 84.7 - 90.7 )	75.6 ( 64.7 - 86.5 )	. ( . - . )	69.3 ( 60.1 - 78.4 )
Percentage of students who used prescription drugs not prescribed to them during the past 30 days		2339	1.8 ( 1.2 - 2.4 )	1.7 ( 1.1 - 2.4 )	2.6 ( 1.0 - 4.2 )	2.2 ( 0.9 - 3.5 )	. ( . - . )	. ( . - . )	. ( . - . )	2.0 ( 0.8 - 3.2 )

1. Data are suppressed, shown by a period (.), if fewer than 3 students responded "yes" to a question or if results represent 0% or 100% of students. In districts with enrollment over 35, results are suppressed if fewer than 30 students responded to a question. All percentages are rounded to the nearest tenth.

2. Items in this column are included in risk and protective factors known to influence multiple youth health outcomes.

3. Students included in "Another identity" selected this response on the survey and had the option to write in their answer.

4. The 2023 report incorrectly displayed data for this item in the inverse of the current report. Contact the CSPH Survey Team (CSPHSurveyTeam@CUAnschutz.edu) for a corrected comparison.

## 2025 HKCS RESULTS: HIGH SCHOOL

### Boulder Valley Re 2

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	Cisgender % (95% CI)	Transgender % (95% CI)	Not sure % (95% CI)
<b>Safety</b>						
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else		2974	2.1 ( 1.8 - 2.4 )	1.8 ( 1.4 - 2.2 )	2.8 ( 1.3 - 4.3 )	14.4 ( 8.5 - 20.4 )
Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been drinking alcohol one or more times		1934	5.2 ( 4.5 - 5.8 )	4.7 ( 3.9 - 5.5 )	5.5 ( 0.9 - 10.1 )	32.1 ( 20.4 - 43.7 )
Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been using marijuana one or more times		1932	5.5 ( 4.5 - 6.5 )	5.1 ( 3.9 - 6.3 )	8.9 ( 2.5 - 15.4 )	24.4 ( 14.7 - 34.1 )
Among students who drove a car or other vehicle during the past 30 days, the percentage who texted, posted, or used their phone in some other way while driving on one or more of the days		1955	40.0 ( 37.0 - 43.0 )	39.9 ( 36.6 - 43.2 )	39.8 ( 34.4 - 45.2 )	59.8 ( 43.9 - 75.7 )
<b>Bullying</b>						
Percentage of students who have ever been bullied on school property during the past 12 months		2868	12.5 ( 11.4 - 13.6 )	11.2 ( 10.3 - 12.2 )	32.3 ( 26.6 - 37.9 )	37.1 ( 30.5 - 43.7 )
Among students bullied on school property, the percentage who were bullied in a classroom in the past 12 months		389	62.0 ( 59.6 - 64.4 )	60.1 ( 56.8 - 63.5 )	72.3 ( 67.6 - 77.1 )	70.5 ( 62.2 - 78.9 )
Among students bullied on school property, the percentage who were bullied in a hallway or stairwell in the past 12 months		389	41.2 ( 37.2 - 45.3 )	40.5 ( 36.8 - 44.2 )	38.5 ( 19.9 - 57.2 )	57.9 ( 47.7 - 68.1 )
Among students bullied on school property, the percentage who were bullied in a locker room or bathroom in the past 12 months		389	22.0 ( 18.8 - 25.2 )	21.6 ( 18.7 - 24.4 )	12.1 ( 4.9 - 19.3 )	39.7 ( 31.3 - 48.1 )
Among students bullied on school property, the percentage who were bullied in a cafeteria or lunch room in the past 12 months		389	27.5 ( 23.7 - 31.3 )	27.4 ( 23.5 - 31.3 )	12.4 ( 4.8 - 19.9 )	57.8 ( 48.2 - 67.4 )
Among students bullied on school property, the percentage who were bullied on a bus or at a bus stop in the past 12 months		389	11.4 ( 8.3 - 14.4 )	9.9 ( 5.9 - 13.8 )	11.2 ( 3.1 - 19.4 )	38.2 ( 26.8 - 49.6 )
Among students bullied on school property, the percentage who were bullied outside before school in the past 12 months		389	18.5 ( 15.5 - 21.6 )	17.7 ( 13.8 - 21.6 )	18.2 ( 11.8 - 24.5 )	37.3 ( 27.2 - 47.5 )
Among students bullied on school property, the percentage who were bullied outside after school in the past 12 months		389	26.8 ( 24.5 - 29.1 )	26.5 ( 24.2 - 28.7 )	24.3 ( 16.3 - 32.3 )	45.0 ( 32.0 - 57.9 )
Among students bullied on school property, the percentage who were bullied outside during lunch or break in the past 12 months		389	23.7 ( 20.4 - 27.0 )	23.0 ( 20.3 - 25.6 )	21.1 ( 5.8 - 36.3 )	46.2 ( 36.0 - 56.5 )
Percentage of students who had ever been electronically bullied during the past 12 months		2925	8.6 ( 7.6 - 9.7 )	7.9 ( 7.0 - 8.9 )	19.0 ( 15.2 - 22.9 )	27.3 ( 18.6 - 36.1 )
Among students who were bullied in the past 12 months, the percentage who were bullied because of sexual orientation	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	20.6 ( 16.9 - 24.2 )	14.1 ( 11.7 - 16.5 )	57.9 ( 44.3 - 71.5 )	57.0 ( 44.8 - 69.3 )
Among students who were bullied in the past 12 months, the percentage who were bullied because of gender identity	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	19.1 ( 15.7 - 22.6 )	9.5 ( 7.2 - 11.8 )	81.7 ( 71.0 - 92.4 )	61.5 ( 43.9 - 79.1 )
Among students who were bullied in the past 12 months, the percentage who were bullied because of religion	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	16.1 ( 14.8 - 17.4 )	15.4 ( 14.1 - 16.7 )	11.2 ( 6.3 - 16.0 )	29.8 ( 21.8 - 37.9 )
Among students who were bullied in the past 12 months, the percentage who were bullied because of disability	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	17.9 ( 14.6 - 21.2 )	15.5 ( 12.8 - 18.3 )	33.9 ( 15.4 - 52.4 )	29.1 ( 25.0 - 33.2 )
Among students who were bullied in the past 12 months, the percentage who were bullied because of physical appearance	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	56.2 ( 53.8 - 58.7 )	58.8 ( 56.9 - 60.7 )	36.6 ( 25.0 - 48.1 )	53.2 ( 42.2 - 64.1 )
Among students who were bullied in the past 12 months, the percentage who were bullied because of race or ethnicity	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	35.3 ( 32.8 - 37.8 )	34.6 ( 32.5 - 36.7 )	29.1 ( 16.4 - 41.8 )	48.1 ( 41.2 - 55.1 )
<b>Violence</b>						
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school		2942	12.1 ( 10.4 - 13.8 )	11.6 ( 9.6 - 13.7 )	10.1 ( 4.6 - 15.6 )	30.7 ( 27.5 - 33.8 )

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	Cisgender % (95% CI)	Transgender % (95% CI)	Not sure % (95% CI)
Percentage of students who were in a physical fight one or more times during the past 12 months		2878	9.1 ( 8.4 - 9.8 )	9.0 ( 8.1 - 9.9 )	6.0 ( 2.0 - 10.0 )	17.6 ( 8.3 - 26.8 )
Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose one or more times by someone they were dating or going out with		1568	7.2 ( 6.8 - 7.7 )	7.0 ( 6.7 - 7.4 )	8.5 ( 2.4 - 14.5 )	25.4 ( 14.1 - 36.7 )
Among students who dated or went out with someone during the past 12 months, the percentage who had been controlled or emotionally hurt by someone they were dating or going out with		1574	17.0 ( 14.9 - 19.0 )	16.7 ( 14.6 - 18.8 )	17.0 ( 6.2 - 27.9 )	32.5 ( 26.7 - 38.3 )
Percentage of students who have been threatened with a gun electronically or in person, witnessed a shooting where they live, or know someone (family or friend) who has been shot by another person during the past 12 months		2855	11.3 ( 10.3 - 12.3 )	10.5 ( 9.4 - 11.7 )	19.7 ( 13.1 - 26.3 )	29.4 ( 23.6 - 35.1 )
<b>Sexual Violence</b>						
Percentage of students who have ever had a sexual experience where they were unsure if they gave their fully-granted consent to the other person		2877	9.3 ( 8.4 - 10.2 )	8.3 ( 7.6 - 9.0 )	26.0 ( 16.5 - 35.4 )	30.4 ( 24.0 - 36.8 )
Percentage of students who have ever had a sexual experience where they were unsure if they received fully-granted consent from the other person		2856	2.5 ( 2.0 - 3.0 )	2.2 ( 1.7 - 2.7 )	6.0 ( 2.3 - 9.7 )	8.9 ( 3.1 - 14.8 )
Percentage of students who had a revealing or sexual photo or video of themselves texted, e-mailed, or posted electronically without their permission in the past 12 months		2877	3.6 ( 3.3 - 4.0 )	3.6 ( 3.1 - 4.1 )	3.0 ( 1.0 - 5.0 )	9.3 ( 3.9 - 14.7 )
Percentage of students who have ever made sexual comments, jokes, gestures, or looks at someone when unwanted		2865	5.0 ( 4.4 - 5.7 )	4.9 ( 4.0 - 5.7 )	4.8 ( 3.1 - 6.5 )	16.2 ( 8.3 - 24.2 )
Percentage of students who have ever touched, grabbed, or pinched someone in a sexual way when unwanted		2871	3.3 ( 3.0 - 3.5 )	3.0 ( 2.7 - 3.3 )	3.6 ( 1.5 - 5.7 )	15.8 ( 10.2 - 21.5 )
Percentage of students who have ever been physically forced to have sex when they did not want to		2876	3.3 ( 2.9 - 3.8 )	2.7 ( 2.3 - 3.2 )	9.8 ( 5.4 - 14.2 )	18.9 ( 14.2 - 23.6 )
<b>Mental Health</b>						
Percentage of students who agree or strongly agree their stress level is manageable most days		2905	58.1 ( 55.8 - 60.5 )	59.7 ( 57.2 - 62.1 )	31.0 ( 27.5 - 34.5 )	41.3 ( 33.4 - 49.3 )
Percentage of students who most of the time or always had poor mental health during the past 30 days		2880	24.1 ( 22.6 - 25.5 )	22.7 ( 21.3 - 24.0 )	51.6 ( 48.5 - 54.7 )	36.7 ( 28.6 - 44.7 )
Percentage of students who purposefully hurt themselves without wanting to die in the past 12 months		2847	12.8 ( 11.5 - 14.2 )	10.4 ( 9.7 - 11.2 )	47.8 ( 40.4 - 55.2 )	51.1 ( 44.0 - 58.2 )
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row during the past 12 months that they stopped doing some usual activities		2846	20.6 ( 18.8 - 22.5 )	19.1 ( 17.9 - 20.3 )	49.9 ( 42.5 - 57.2 )	34.4 ( 24.3 - 44.4 )
Percentage of students who seriously considered attempting suicide during the past 12 months		2840	9.6 ( 8.5 - 10.6 )	8.2 ( 7.4 - 9.1 )	30.1 ( 26.6 - 33.6 )	31.4 ( 26.5 - 36.3 )
Percentage of students who made a plan about how they would attempt suicide during the past 12 months		2828	6.8 ( 6.0 - 7.5 )	5.6 ( 4.9 - 6.3 )	22.6 ( 17.2 - 28.1 )	36.0 ( 28.6 - 43.4 )
Percentage of students who attempted suicide one or more times during the past 12 months		2837	3.7 ( 3.2 - 4.3 )	3.1 ( 2.6 - 3.6 )	13.0 ( 9.3 - 16.8 )	18.5 ( 12.8 - 24.3 )
Percentage of students who have an adult to go to for help with a serious problem	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2839	76.9 ( 74.9 - 79.0 )	77.8 ( 75.9 - 79.8 )	59.9 ( 52.5 - 67.3 )	65.7 ( 57.1 - 74.2 )
Percentage of students who most of the time or always could talk to a friend about feelings during their life	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2843	61.2 ( 58.8 - 63.6 )	62.4 ( 60.2 - 64.5 )	34.1 ( 28.3 - 39.9 )	57.7 ( 47.3 - 68.1 )
Percentage of students who had a friend tell them they had thoughts of suicide one or more times during the past 12 months		2820	28.2 ( 26.6 - 29.8 )	26.8 ( 25.2 - 28.4 )	52.6 ( 48.4 - 56.8 )	54.1 ( 50.6 - 57.6 )
Percentage of students who would tell a family member if they were concerned about their own or someone else's well-being or mental health		2739	61.6 ( 60.3 - 62.9 )	63.6 ( 62.5 - 64.6 )	26.8 ( 23.7 - 29.9 )	32.7 ( 21.2 - 44.2 )
Percentage of students who would tell an adult in school if they were concerned about their own or someone else's well-being or mental health		2739	37.9 ( 35.9 - 39.9 )	38.1 ( 36.0 - 40.1 )	34.0 ( 27.6 - 40.3 )	39.1 ( 29.7 - 48.5 )
Percentage of students who would tell a friend if they were concerned about their own or someone else's well-being or mental health		2739	41.6 ( 38.8 - 44.3 )	41.8 ( 39.0 - 44.6 )	44.4 ( 37.3 - 51.5 )	40.4 ( 30.8 - 50.0 )
Percentage of students who would submit an anonymous report through their school's safety reporting system if they were concerned about their own or someone else's well-being or mental health		2739	33.1 ( 30.4 - 35.8 )	33.4 ( 30.4 - 36.5 )	25.0 ( 17.4 - 32.7 )	34.2 ( 28.8 - 39.6 )
Percentage of students who would contact a crisis line if they were concerned about their own or someone else's well-being or mental health		2739	29.4 ( 27.4 - 31.4 )	29.1 ( 27.0 - 31.2 )	30.0 ( 24.9 - 35.1 )	41.1 ( 34.6 - 47.6 )

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	Cisgender % (95% CI)	Transgender % (95% CI)	Not sure % (95% CI)
Percentage of students who have ever experienced the suicide death of a family member or close friend		2834	16.3 ( 14.1 - 18.4 )	15.9 ( 13.3 - 18.5 )	14.4 ( 6.8 - 21.9 )	29.3 ( 19.8 - 38.8 )
<b>Racism</b>						
Percentage of students who were treated badly or unfairly in school because of their race or ethnicity in the past 12 months	Risk Factor: Recent Experiences with Oppression: Racism	2733	3.4 ( 3.0 - 3.8 )	3.3 ( 2.9 - 3.6 )	2.9 ( 1.4 - 4.4 )	14.7 ( 8.0 - 21.3 )
Percentage of students who were watched closely or followed by security guards or store clerks at a store or mall because of their race or ethnicity in the past 12 months	Risk Factor: Recent Experiences with Oppression: Racism	2733	3.6 ( 3.1 - 4.1 )	3.4 ( 2.8 - 4.0 )	5.8 ( 1.9 - 9.7 )	14.7 ( 8.5 - 21.0 )
Percentage of students who were assumed less intelligent because of their race or ethnicity in the past 12 months	Risk Factor: Recent Experiences with Oppression: Racism	2733	4.6 ( 3.8 - 5.4 )	4.4 ( 3.4 - 5.4 )	5.9 ( 0.4 - 11.4 )	16.1 ( 6.9 - 25.4 )
Percentage of students who saw family members treated unfairly because of the color of their skin, language, accent, or because they are from a different country or culture in the past 12 months	Risk Factor: Recent Experiences with Oppression: Racism	2733	6.6 ( 5.8 - 7.5 )	6.4 ( 5.6 - 7.3 )	5.9 ( 2.9 - 9.0 )	23.1 ( 19.6 - 26.7 )
<b>Alcohol</b>						
Percentage of students who have ever had a drink of alcohol other than a few sips		2716	48.9 ( 47.4 - 50.5 )	49.0 ( 47.3 - 50.7 )	47.0 ( 41.1 - 52.9 )	55.4 ( 49.9 - 60.8 )
Percentage of students who had their first drink of alcohol, other than a few sips, before age 13	Risk Factor: Early Initiation of Substance Use	2716	11.1 ( 10.2 - 12.1 )	10.7 ( 9.8 - 11.5 )	13.7 ( 8.7 - 18.8 )	28.8 ( 24.5 - 33.1 )
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days		2732	26.5 ( 24.8 - 28.2 )	26.9 ( 25.3 - 28.5 )	18.7 ( 13.8 - 23.5 )	25.2 ( 13.3 - 37.1 )
Percentage of students who binge drank (4+ drinks within a couple of hours) on one or more of the past 30 days		2735	15.8 ( 14.4 - 17.2 )	16.1 ( 14.8 - 17.4 )	11.5 ( 7.0 - 16.0 )	15.0 ( 10.6 - 19.5 )
Percentage of students who feel it would be sort of easy or very easy to get alcohol if they wanted	Risk Factor: Availability of Substances in Community	2680	60.4 ( 58.7 - 62.1 )	60.3 ( 58.6 - 61.9 )	63.7 ( 53.6 - 73.7 )	62.4 ( 53.1 - 71.7 )
Percentage of students who think it is wrong or very wrong for someone of the same age to drink alcohol regularly (at least once or twice per month)	Risk Factor: Youth Peer Attitudes Favorable Towards Substance Use	2761	62.6 ( 60.3 - 64.9 )	62.5 ( 60.2 - 64.9 )	58.0 ( 52.6 - 63.4 )	64.6 ( 54.5 - 74.6 )
Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they drank alcohol regularly (at least once or twice per month)	Risk Factor: Parental Attitudes Favorable Toward Substance Use	2762	80.8 ( 78.9 - 82.7 )	80.6 ( 78.8 - 82.4 )	82.7 ( 77.1 - 88.2 )	82.0 ( 73.3 - 90.8 )
Percentage of students who overestimated peer alcohol use in the past 30 days by selecting a percentage (30% or more) higher than actual peer use statewide		2756	77.0 ( 75.7 - 78.3 )	77.8 ( 76.7 - 79.0 )	67.9 ( 57.9 - 77.9 )	60.6 ( 50.4 - 70.7 )
Percentage of students who have ever lived with someone having a problem with alcohol use		2764	21.5 ( 18.8 - 24.3 )	20.7 ( 18.3 - 23.0 )	32.6 ( 27.3 - 37.8 )	35.6 ( 23.3 - 47.8 )
<b>Tobacco</b>						
Percentage of students who have ever smoked a cigarette, even one or two puffs		2753	18.5 ( 16.4 - 20.6 )	18.5 ( 16.2 - 20.8 )	20.6 ( 15.8 - 25.3 )	18.1 ( 14.6 - 21.6 )
Percentage of students who smoked a cigarette, even one or two puffs, for the first time before age 13	Risk Factor: Early Initiation of Substance Use	2753	4.3 ( 3.7 - 5.0 )	4.2 ( 3.5 - 4.9 )	5.0 ( 2.3 - 7.6 )	9.5 ( 5.0 - 13.9 )
Percentage of students who smoked cigarettes on one or more of the past 30 days		2741	5.5 ( 4.3 - 6.7 )	5.3 ( 4.0 - 6.6 )	9.1 ( 4.9 - 13.3 )	11.4 ( 8.7 - 14.1 )
Among students who reported current cigarette use, the percentage who used flavored cigarettes in the past 30 days		125	24.6 ( 18.4 - 30.8 )	20.7 ( 15.5 - 25.8 )	. ( . - . )	. ( . - . )
Percentage of students who think it would be sort of easy or very easy to get cigarettes if they wanted	Risk Factor: Availability of Substances in Community	2681	39.9 ( 38.1 - 41.7 )	39.9 ( 38.0 - 41.8 )	44.6 ( 42.3 - 47.0 )	35.2 ( 27.9 - 42.4 )
Percentage of students who have ever used an electronic vapor product		2736	25.7 ( 23.8 - 27.6 )	25.8 ( 23.7 - 28.0 )	18.7 ( 14.2 - 23.1 )	31.2 ( 17.9 - 44.5 )
Percentage of students who used an electronic vapor product before age 13	Risk Factor: Early Initiation of Substance Use	2736	6.4 ( 5.1 - 7.8 )	6.3 ( 4.9 - 7.6 )	3.7 ( 0.8 - 6.6 )	11.2 ( 6.7 - 15.7 )
Percentage of students who used an electronic vapor product in the past 30 days		2672	11.0 ( 9.5 - 12.4 )	11.0 ( 9.4 - 12.5 )	12.1 ( 9.3 - 14.9 )	12.6 ( 9.7 - 15.5 )
Among students who have used electronic vapor products, the percentage who used them because a friend or family member used them		625	51.6 ( 47.0 - 56.2 )	50.7 ( 45.9 - 55.5 )	. ( . - . )	. ( . - . )
Among students who have used electronic vapor products, the percentage who used them because they were trying to quit other tobacco products		625	2.0 ( 1.5 - 2.5 )	1.5 ( 1.0 - 2.1 )	. ( . - . )	. ( . - . )

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	Cisgender % (95% CI)	Transgender % (95% CI)	Not sure % (95% CI)
Among students who have used electronic vapor products, the percentage who used them because they cost less than other tobacco products		625	2.7 ( 1.8 - 3.6 )	2.2 ( 1.4 - 3.0 )	. ( . - . )	. ( . - . )
Among students who have used electronic vapor products, the percentage who used them to relieve stress		625	29.2 ( 27.1 - 31.4 )	28.8 ( 26.6 - 31.0 )	. ( . - . )	. ( . - . )
Among students who have used electronic vapor products, the percentage who used them because they are less harmful than other tobacco products		625	5.4 ( 4.4 - 6.4 )	4.7 ( 3.6 - 5.9 )	. ( . - . )	. ( . - . )
Among students who have used electronic vapor products, the percentage who used them because they can be used in areas where other tobacco products are not allowed		625	6.6 ( 5.4 - 7.8 )	6.3 ( 4.9 - 7.6 )	. ( . - . )	. ( . - . )
Among students who reported current electronic vapor use, the percentage who used flavored electronic vapor products in the past 30 days		242	94.2 ( 91.0 - 97.5 )	93.9 ( 90.6 - 97.3 )	. ( . - . )	. ( . - . )
Percentage of students who feel it would be sort of easy or very easy to get electronic vapor products if they wanted	Risk Factor: Availability of Substances in Community	2682	55.8 ( 53.8 - 57.7 )	55.9 ( 54.2 - 57.5 )	55.0 ( 45.2 - 64.9 )	44.8 ( 32.7 - 56.9 )
Percentage of students who think it is wrong or very wrong for someone of the same age to use electronic vapor products	Risk Factor: Youth Peer Attitudes Favorable Towards Substance Use	2773	78.4 ( 77.2 - 79.5 )	78.4 ( 77.2 - 79.5 )	75.3 ( 67.6 - 83.1 )	76.5 ( 68.1 - 84.9 )
Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they used electronic vapor products	Risk Factor: Parental Attitudes Favorable Toward Substance Use	2766	96.5 ( 96.0 - 96.9 )	96.7 ( 96.1 - 97.2 )	97.7 ( 96.0 - 99.3 )	84.0 ( 77.9 - 90.0 )
Percentage of students who think people who use electronic vapor products every day have a moderate or great risk of harm		2674	87.8 ( 87.1 - 88.4 )	87.6 ( 86.8 - 88.3 )	97.8 ( 96.3 - 99.4 )	80.3 ( 75.5 - 85.1 )
Percentage of students who think people who breathe secondhand vapor have a moderate or great risk of harm		2656	58.3 ( 56.2 - 60.4 )	58.1 ( 55.9 - 60.3 )	57.8 ( 45.5 - 70.0 )	57.6 ( 51.3 - 63.9 )
Percentage of students who have used oral nicotine pouches in the past 30 days		2695	5.2 ( 4.4 - 5.9 )	5.2 ( 4.5 - 6.0 )	2.3 ( 0.8 - 3.7 )	9.0 ( 5.2 - 12.9 )
Among students who reported current oral nicotine pouch use, the percentage who used flavored oral nicotine pouches in the past 30 days		135	85.9 ( 82.0 - 89.8 )	85.2 ( 81.0 - 89.5 )	. ( . - . )	. ( . - . )
Percentage of students who feel it would be sort of easy or very easy to get oral nicotine pouches if they wanted	Risk Factor: Availability of Substances in Community	2670	43.6 ( 42.0 - 45.2 )	44.0 ( 42.5 - 45.6 )	39.1 ( 31.2 - 47.1 )	34.4 ( 25.5 - 43.2 )
Percentage of students who think it is wrong or very wrong for someone of the same age to use oral nicotine pouches	Risk Factor: Youth Peer Attitudes Favorable Towards Substance Use	2759	76.4 ( 74.6 - 78.2 )	76.4 ( 74.6 - 78.2 )	76.0 ( 71.5 - 80.5 )	69.8 ( 62.9 - 76.6 )
Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they used oral nicotine pouches	Risk Factor: Parental Attitudes Favorable Toward Substance Use	2763	95.4 ( 94.8 - 96.0 )	95.4 ( 94.8 - 96.1 )	97.3 ( 95.7 - 99.0 )	86.4 ( 82.2 - 90.6 )
Percentage of students who think people who use oral nicotine pouches every day have a moderate or great risk of harm		2658	80.3 ( 79.9 - 80.7 )	79.8 ( 79.4 - 80.2 )	93.5 ( 90.0 - 97.1 )	72.7 ( 64.4 - 81.0 )
Percentage of students who have used cigars, chewing tobacco, hookah, or oral nicotine pouches in the past 30 days		2695	6.6 ( 5.8 - 7.3 )	6.5 ( 5.8 - 7.3 )	7.0 ( 3.6 - 10.4 )	9.3 ( 5.5 - 13.1 )
Among underage students who used tobacco or nicotine products in the past 30 days, the percentage who bought them from a gas station, convenience store, grocery store, or drugstore		322	10.2 ( 7.5 - 12.8 )	9.5 ( 6.3 - 12.7 )	. ( . - . )	. ( . - . )
Among underage students who used tobacco or nicotine products in the past 30 days, the percentage who bought them from a peer or friend		322	27.5 ( 23.2 - 31.7 )	27.2 ( 23.4 - 31.0 )	. ( . - . )	. ( . - . )
Among underage students who used tobacco or nicotine products in the past 30 days, the percentage who bought them from a vending machine		322	3.5 ( 2.7 - 4.3 )	2.5 ( 1.6 - 3.4 )	. ( . - . )	. ( . - . )
Among underage students who used tobacco or nicotine products in the past 30 days, the percentage who bought them over the internet		322	4.4 ( 3.2 - 5.5 )	3.4 ( 2.0 - 4.7 )	. ( . - . )	. ( . - . )
Among underage students who used tobacco or nicotine products in the past 30 days, the percentage who bought them through the mail		322	3.1 ( 2.2 - 4.1 )	2.1 ( 1.3 - 2.9 )	. ( . - . )	. ( . - . )
Among underage students who tried to buy tobacco or nicotine products in a store, the percentage who were not refused because of age		127	77.2 ( 72.3 - 82.2 )	76.3 ( 72.0 - 80.7 )	. ( . - . )	. ( . - . )
Among students who reported current tobacco or nicotine use, the percentage who tried to quit using all tobacco or nicotine products during the past 12 months		358	45.8 ( 41.8 - 49.8 )	46.9 ( 43.1 - 50.6 )	. ( . - . )	. ( . - . )
Percentage of students who were inside their home while someone was smoking a cigarette, cigar, pipe, or using an electronic vapor product for one or more days in the past 7 days		2656	9.7 ( 8.4 - 11.1 )	9.5 ( 8.1 - 10.9 )	11.4 ( 6.5 - 16.2 )	22.4 ( 17.9 - 26.8 )
<b>Marijuana</b>						
Percentage of students who have ever tried marijuana		2682	24.4 ( 22.4 - 26.4 )	24.4 ( 22.4 - 26.4 )	26.1 ( 21.4 - 30.7 )	26.0 ( 19.3 - 32.7 )

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	Cisgender % (95% CI)	Transgender % (95% CI)	Not sure % (95% CI)
Percentage of students who tried marijuana for the first time before age 13	Risk Factor: Early Initiation of Substance Use	2682	3.9 ( 3.3 - 4.5 )	3.8 ( 3.2 - 4.4 )	2.7 ( 0.9 - 4.4 )	12.5 ( 6.9 - 18.2 )
Percentage of students who used marijuana one or more times during the past 30 days		2602	12.3 ( 11.1 - 13.5 )	12.3 ( 11.0 - 13.6 )	12.4 ( 9.6 - 15.3 )	14.7 ( 11.5 - 17.9 )
Percentage of students who feel it would be sort of easy or very easy to get marijuana if they wanted	Risk Factor: Availability of Substances in Community	2666	42.8 ( 41.3 - 44.3 )	42.7 ( 41.3 - 44.1 )	52.9 ( 47.2 - 58.6 )	37.9 ( 22.0 - 53.9 )
Percentage of students who think it is wrong or very wrong for someone of the same age to use marijuana	Risk Factor: Youth Peer Attitudes Favorable Towards Substance Use	2756	69.5 ( 67.6 - 71.4 )	69.7 ( 67.7 - 71.7 )	57.8 ( 55.7 - 59.9 )	69.5 ( 55.5 - 83.6 )
Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they used marijuana	Risk Factor: Parental Attitudes Favorable Toward Substance Use	2761	89.4 ( 88.4 - 90.5 )	89.5 ( 88.5 - 90.6 )	90.8 ( 87.3 - 94.4 )	78.8 ( 69.9 - 87.7 )
Percentage of students who overestimated peer marijuana use in the past 30 days by selecting a percentage (20% or more) higher than actual peer use statewide		2747	76.3 ( 74.1 - 78.4 )	76.6 ( 74.5 - 78.7 )	83.1 ( 77.6 - 88.6 )	53.8 ( 42.3 - 65.4 )
Among students who used marijuana in the past 30 days, the percentage who usually smoked it		299	56.0 ( 52.4 - 59.7 )	56.5 ( 53.1 - 59.9 )	. ( . - . )	. ( . - . )
Among students who used marijuana in the past 30 days, the percentage who usually got it from an adult over the age of 21		284	16.5 ( 13.7 - 19.2 )	16.1 ( 13.4 - 18.7 )	. ( . - . )	. ( . - . )
Percentage of students who used THC concentrates, hash oil, or waxes one or more times during the past 30 days		2658	5.1 ( 4.6 - 5.6 )	5.1 ( 4.6 - 5.6 )	3.5 ( 0.5 - 6.6 )	10.9 ( 8.4 - 13.3 )
<b>Prescription Pain Medicine</b>						
Percentage of students who have ever used prescription pain medicine not prescribed to them or differently than how a doctor told them to use it		2666	7.1 ( 5.9 - 8.3 )	7.0 ( 5.8 - 8.2 )	5.2 ( 3.1 - 7.4 )	19.1 ( 13.6 - 24.6 )
Percentage of students who used prescription pain medicine not prescribed to them or differently than how a doctor told them to use it for the first time before age 13	Risk Factor: Early Initiation of Substance Use	2666	3.2 ( 2.4 - 4.0 )	3.2 ( 2.4 - 3.9 )	2.2 ( 1.1 - 3.2 )	8.2 ( 5.3 - 11.2 )
Percentage of students who took prescription pain medicine not prescribed to them or differently than how a doctor told them to use it one or more times in the past 30 days		2682	2.6 ( 1.8 - 3.5 )	2.3 ( 1.5 - 3.0 )	3.8 ( 2.4 - 5.1 )	14.4 ( 10.2 - 18.5 )
Percentage of students who feel it would be sort of easy or very easy to get prescription pain medicine not prescribed to them if they wanted	Risk Factor: Availability of Substances in Community	2675	21.5 ( 20.2 - 22.8 )	20.3 ( 19.1 - 21.5 )	38.6 ( 33.4 - 43.8 )	37.8 ( 30.7 - 44.9 )
Percentage of students who think it is wrong or very wrong for someone of the same age to use prescription pain medicine without a doctor's prescription	Risk Factor: Youth Peer Attitudes Favorable Towards Substance Use	2760	90.8 ( 90.2 - 91.4 )	91.4 ( 91.0 - 91.8 )	78.2 ( 71.8 - 84.6 )	82.8 ( 76.1 - 89.5 )
<b>Other Drugs</b>						
Percentage of students who have ever used stimulants not prescribed to them or differently than prescribed		2625	4.2 ( 3.5 - 5.0 )	4.0 ( 3.2 - 4.7 )	5.5 ( 0.7 - 10.4 )	14.9 ( 6.8 - 23.0 )
Percentage of students who have ever used sedatives or tranquilizers not prescribed to them or differently than prescribed		2625	1.3 ( 1.1 - 1.6 )	1.1 ( 0.9 - 1.4 )	3.0 ( 0.4 - 5.6 )	8.3 ( 5.2 - 11.4 )
Percentage of students who have ever used cocaine		2625	1.6 ( 1.1 - 2.1 )	1.5 ( 1.0 - 2.1 )	1.7 ( 0.0 - 3.4 )	5.6 ( 2.4 - 8.8 )
Percentage of students who have ever used inhalants like glue, aerosol spray cans, or any paints or sprays		2625	1.9 ( 1.5 - 2.3 )	1.6 ( 1.1 - 2.1 )	4.8 ( 2.2 - 7.4 )	13.1 ( 10.9 - 15.3 )
Percentage of students who have ever used heroin		2625	0.5 ( 0.4 - 0.7 )	0.4 ( 0.3 - 0.6 )	0.9 ( 0.0 - 1.9 )	7.1 ( 4.3 - 9.9 )
Percentage of students who have ever used methamphetamines		2625	0.5 ( 0.4 - 0.6 )	0.4 ( 0.3 - 0.5 )	0.9 ( 0.0 - 1.9 )	4.9 ( 2.2 - 7.6 )
Percentage of students who have ever used ecstasy		2625	1.5 ( 1.1 - 1.9 )	1.3 ( 0.9 - 1.8 )	2.1 ( 0.4 - 3.8 )	8.7 ( 6.5 - 10.9 )
Percentage of students who have ever used psilocybin		2625	3.6 ( 3.0 - 4.2 )	3.6 ( 2.9 - 4.3 )	2.1 ( 0.4 - 3.8 )	9.1 ( 7.1 - 11.2 )
Percentage of students who have ever used fentanyl		2625	0.9 ( 0.6 - 1.2 )	0.8 ( 0.5 - 1.1 )	0.9 ( 0.0 - 1.9 )	7.1 ( 4.3 - 9.9 )
Percentage of students who have ever used kratom		2625	0.6 ( 0.4 - 0.8 )	0.5 ( 0.3 - 0.7 )	1.2 ( 0.0 - 2.4 )	4.9 ( 2.2 - 7.6 )
Percentage of students who have ever used hemp-derived, intoxicating cannabinoid products like Delta-8 and Delta-10 THC		2625	4.4 ( 3.8 - 4.9 )	4.5 ( 3.8 - 5.1 )	1.2 ( 0.0 - 2.4 )	8.1 ( 5.3 - 10.8 )

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	Cisgender % (95% CI)	Transgender % (95% CI)	Not sure % (95% CI)
<b>Sexual Health</b>						
Percentage of students who have ever had consensual sex		2645	20.7 ( 18.8 - 22.6 )	20.6 ( 18.7 - 22.4 )	22.7 ( 15.0 - 30.4 )	28.6 ( 23.5 - 33.8 )
Percentage of students who had consensual sex in the last three months		2648	13.1 ( 11.6 - 14.5 )	13.3 ( 11.8 - 14.7 )	8.7 ( 4.6 - 12.8 )	12.4 ( 8.3 - 16.4 )
Among students who had consensual sex during the past three months, the percentage who used a condom or their partner used a condom the last time they had consensual sex		311	69.5 ( 63.1 - 75.8 )	71.4 ( 64.6 - 78.2 )	. ( . - . )	. ( . - . )
Among students who had consensual sex during the past three months, the percentage who used or their partner used any method of contraception the last time they had consensual sex		311	88.7 ( 86.4 - 91.0 )	91.1 ( 88.7 - 93.6 )	. ( . - . )	. ( . - . )
<b>Nutrition</b>						
Percentage of students who ate fruit one or more times per day in the past 7 days		2668	57.6 ( 54.4 - 60.8 )	58.5 ( 55.7 - 61.4 )	43.7 ( 35.9 - 51.5 )	50.2 ( 34.8 - 65.5 )
Percentage of students who ate vegetables such as green salad, potatoes, carrots, or other vegetables one or more times per day in the past 7 days		2667	63.1 ( 59.5 - 66.7 )	63.8 ( 60.4 - 67.3 )	54.1 ( 45.3 - 62.9 )	50.7 ( 41.0 - 60.3 )
Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day in the past 7 days		2669	14.4 ( 12.4 - 16.4 )	14.4 ( 12.2 - 16.7 )	9.9 ( 5.9 - 14.0 )	17.4 ( 11.7 - 23.1 )
Percentage of students who drank a sports drink, energy drink, or other sweetened beverage one or more times per day in the past 7 days		2621	58.9 ( 56.4 - 61.3 )	59.3 ( 56.9 - 61.7 )	55.8 ( 49.7 - 61.8 )	54.4 ( 45.8 - 63.1 )
Percentage of students who ate breakfast on all of the past 7 days		2651	39.3 ( 35.9 - 42.8 )	40.0 ( 36.7 - 43.3 )	29.4 ( 24.8 - 33.9 )	38.0 ( 26.3 - 49.7 )
Percentage of students who sometimes, most of the time, or always went hungry in the past 30 days because of a lack of food at home	Risk Factor: Economic Instability	2645	6.9 ( 5.8 - 8.0 )	6.7 ( 5.7 - 7.8 )	4.3 ( 2.4 - 6.1 )	22.3 ( 17.8 - 26.9 )
<b>Physical Activity</b>						
Percentage of students who were physically active for a total of at least 60 minutes per day on 5 or more of the past 7 days		2622	54.0 ( 52.0 - 56.0 )	55.6 ( 53.7 - 57.5 )	25.6 ( 20.3 - 30.9 )	47.5 ( 37.9 - 57.2 )
Percentage of students who spent 3+ hours per average school day in front of a TV, computer, smart phone, or other electronic device for something other than schoolwork		2607	63.5 ( 61.3 - 65.7 )	63.1 ( 60.9 - 65.2 )	80.0 ( 75.9 - 84.0 )	65.0 ( 51.8 - 78.2 )
Percentage of students who could walk or ride a bike, scooter, or skateboard to school if they wanted to		2635	56.4 ( 53.0 - 59.7 )	57.3 ( 53.8 - 60.8 )	43.4 ( 31.4 - 55.3 )	46.0 ( 41.4 - 50.5 )
Percentage of students who had a concussion in the past 12 months from playing sports or being physically active		2631	14.9 ( 13.6 - 16.1 )	15.2 ( 13.9 - 16.5 )	6.4 ( 5.4 - 7.3 )	17.9 ( 9.6 - 26.2 )
<b>Body Image &amp; Eating Disorders</b>						
Percentage of students who most of the time or always felt confident with their body image during the past 30 days		2566	53.5 ( 51.5 - 55.5 )	55.3 ( 53.8 - 56.8 )	19.9 ( 14.9 - 24.9 )	40.3 ( 18.3 - 62.3 )
Percentage of students who most of the time or always worried about their physical appearance more than they wanted to during the past 30 days		2539	35.8 ( 33.6 - 38.1 )	34.4 ( 32.5 - 36.2 )	62.0 ( 58.4 - 65.5 )	47.5 ( 30.7 - 64.3 )
Percentage of students who tried to lose weight or keep from gaining weight by going without eating for 24 hours or more; taking any diet pills, powders, or liquids; vomiting or taking laxatives; or skipping meals during the past 30 days		2548	16.8 ( 15.1 - 18.4 )	16.4 ( 15.0 - 17.8 )	17.9 ( 13.6 - 22.3 )	32.5 ( 18.5 - 46.5 )
<b>Home Life</b>						
Percentage of students who usually or definitely feel the rules in their family are clear	Risk Factor: Limited Parent Time to Monitor Youth Behavior	2577	92.1 ( 90.9 - 93.3 )	92.5 ( 91.2 - 93.8 )	86.9 ( 84.6 - 89.1 )	84.8 ( 76.8 - 92.7 )
Percentage of students who usually or definitely could ask their parents or guardians for help with a personal problem	Protective Factor: Family Opportunities for Prosocial Involvement	2568	88.7 ( 87.9 - 89.6 )	89.8 ( 89.1 - 90.5 )	71.6 ( 66.5 - 76.7 )	72.4 ( 63.5 - 81.2 )
Percentage of students who usually or definitely have parents or guardians who ask if their homework is done	Risk Factor: Limited Parent Time to Monitor Youth Behavior	2573	78.6 ( 76.3 - 80.9 )	79.3 ( 76.9 - 81.7 )	66.1 ( 57.8 - 74.3 )	68.5 ( 64.1 - 72.8 )
Percentage of students who usually or definitely have chances to do fun things with their parents or guardians	Protective Factor: Family Opportunities for Prosocial Involvement	2561	85.7 ( 84.8 - 86.6 )	86.6 ( 85.6 - 87.6 )	65.3 ( 59.1 - 71.5 )	79.5 ( 73.9 - 85.0 )
Percentage of students who usually or definitely have parents or guardians who ask them what they think before making most family decisions	Protective Factor: Family Opportunities for Prosocial Involvement	2554	78.5 ( 77.4 - 79.5 )	79.8 ( 78.7 - 81.0 )	47.5 ( 40.3 - 54.7 )	73.4 ( 64.4 - 82.5 )

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	Cisgender % (95% CI)	Transgender % (95% CI)	Not sure % (95% CI)
Percentage of students who usually or definitely think they would be caught by their parents or guardians for skipping school	Risk Factor: Limited Parent Time to Monitor Youth Behavior	2555	89.4 ( 88.5 - 90.4 )	89.6 ( 88.6 - 90.6 )	87.0 ( 82.5 - 91.6 )	80.7 ( 67.4 - 93.9 )
Percentage of students who usually or definitely feel safe in their neighborhood	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2574	97.8 ( 97.5 - 98.0 )	98.0 ( 97.7 - 98.2 )	95.4 ( 91.9 - 99.0 )	95.4 ( 92.7 - 98.0 )
Percentage of students who provide care one or more days per week for someone in their family or household who is chronically ill, elderly, or disabled with activities they would have difficulty doing on their own		2568	8.5 ( 7.3 - 9.7 )	8.3 ( 7.2 - 9.5 )	9.4 ( 5.9 - 12.9 )	12.3 ( 9.1 - 15.5 )
<b>School &amp; Community</b>						
Percentage of students who agree or strongly agree that they belong at their school	Protective Factor: School Opportunities for Prosocial Involvement	2562	78.1 ( 76.8 - 79.5 )	79.2 ( 78.4 - 80.1 )	57.2 ( 41.9 - 72.5 )	68.7 ( 58.0 - 79.4 )
Percentage of students who most of the time or always enjoyed being in school over the last year	Risk Factor: Limited Commitment to the Value of School	2571	44.4 ( 43.1 - 45.8 )	45.0 ( 43.9 - 46.1 )	35.2 ( 25.5 - 44.9 )	41.1 ( 26.0 - 56.1 )
Percentage of students who skipped one or more whole days of school during the past four weeks	Risk Factor: Limited Commitment to the Value of School	2566	33.9 ( 31.2 - 36.5 )	33.7 ( 30.7 - 36.6 )	34.7 ( 32.9 - 36.5 )	37.8 ( 27.4 - 48.3 )
Percentage of students who think most of their classes are fairly, quite, or very interesting	Risk Factor: Limited Commitment to the Value of School	2560	71.6 ( 70.6 - 72.6 )	71.9 ( 70.7 - 73.1 )	65.5 ( 60.0 - 70.9 )	69.2 ( 62.2 - 76.2 )
Percentage of students who think the things they are learning in school are going to be important or very important for later in life	Risk Factor: Limited Commitment to the Value of School	2523	64.1 ( 62.9 - 65.3 )	64.3 ( 63.1 - 65.5 )	60.6 ( 55.5 - 65.7 )	56.1 ( 43.6 - 68.6 )
Percentage of students who have talked to a school counselor about future plans at least once a week during the past 12 months		2482	7.9 ( 6.8 - 8.9 )	7.9 ( 7.0 - 8.8 )	6.3 ( 2.2 - 10.3 )	13.1 ( 7.5 - 18.7 )
Percentage of students who have talked to a teacher about future plans at least once a week during the past 12 months		2480	23.3 ( 20.9 - 25.7 )	23.3 ( 21.2 - 25.5 )	18.8 ( 11.2 - 26.4 )	27.4 ( 18.1 - 36.6 )
Percentage of students who have talked to an administrator about future plans at least once a week during the past 12 months		2460	4.5 ( 3.9 - 5.0 )	4.7 ( 4.1 - 5.2 )	. ( . - . )	. ( . - . )
Percentage of students who have talked to a coach about future plans at least once a week during the past 12 months		2466	15.0 ( 13.2 - 16.8 )	15.5 ( 13.7 - 17.4 )	4.6 ( 0.0 - 9.2 )	7.1 ( 5.2 - 9.1 )
Percentage of students who have talked to a school staff member (who is not a school counselor, teacher, administrator, or coach) about future plans at least once a week during the past 12 months		2462	10.8 ( 9.1 - 12.4 )	10.6 ( 9.2 - 12.1 )	13.9 ( 9.4 - 18.5 )	7.9 ( 2.2 - 13.6 )
Percentage of students who usually or definitely feel safe at school	Protective Factor: School Opportunities for Prosocial Involvement	2530	94.7 ( 94.2 - 95.2 )	95.3 ( 94.9 - 95.7 )	85.7 ( 80.7 - 90.7 )	83.7 ( 77.5 - 90.0 )
Percentage of students who usually or definitely think their teacher notices when they do a good job and lets them know about it	Protective Factor: School Rewards for Prosocial Involvement	2522	72.4 ( 69.0 - 75.8 )	72.6 ( 69.6 - 75.7 )	64.6 ( 50.4 - 78.8 )	76.7 ( 71.0 - 82.4 )
Percentage of students who usually or definitely think their school lets their parents or guardians know when they have done something well	Protective Factor: School Rewards for Prosocial Involvement	2508	45.9 ( 42.9 - 48.9 )	46.0 ( 43.5 - 48.5 )	37.5 ( 20.2 - 54.7 )	50.2 ( 37.4 - 63.0 )
Percentage of students who sometimes, most of the time, or always participated in sports when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2418	66.6 ( 63.7 - 69.5 )	69.2 ( 66.7 - 71.7 )	21.1 ( 14.3 - 28.0 )	45.3 ( 27.1 - 63.6 )
Percentage of students who sometimes, most of the time, or always participated in academic support programs when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2392	28.2 ( 26.6 - 29.7 )	29.0 ( 27.6 - 30.4 )	13.6 ( 8.0 - 19.2 )	17.4 ( 7.5 - 27.3 )
Percentage of students who sometimes, most of the time, or always participated in programs or clubs when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2388	46.7 ( 41.9 - 51.5 )	45.5 ( 40.0 - 50.9 )	66.3 ( 57.6 - 74.9 )	55.3 ( 48.8 - 61.8 )
Percentage of students who sometimes, most of the time, or always participated in community service or volunteering when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2392	43.4 ( 39.2 - 47.6 )	43.9 ( 39.7 - 48.2 )	33.8 ( 22.5 - 45.1 )	36.0 ( 25.5 - 46.4 )
Percentage of students who sometimes, most of the time, or always participated in paid work when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2382	46.3 ( 44.3 - 48.2 )	47.7 ( 46.3 - 49.1 )	24.6 ( 14.8 - 34.5 )	25.4 ( 16.5 - 34.2 )
Percentage of students who sometimes, most of the time, or always participated in unpaid work (e.g., internships, coaching) when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2365	22.1 ( 20.0 - 24.3 )	22.5 ( 20.7 - 24.3 )	17.1 ( 8.1 - 26.1 )	14.5 ( 7.6 - 21.4 )
<b>Other Health Topics</b>						
Percentage of students who usually slept somewhere other than their home during the past 30 days	Risk Factor: Economic Instability	2475	4.7 ( 3.8 - 5.5 )	4.6 ( 3.7 - 5.5 )	2.9 ( 1.1 - 4.8 )	8.0 ( 3.8 - 12.1 )
Percentage of students who sleep 8 or more hours per night on average school nights		2483	42.4 ( 41.9 - 42.9 )	43.7 ( 42.7 - 44.7 )	18.9 ( 14.5 - 23.3 )	23.6 ( 12.5 - 34.8 )
Percentage of students who could fire a loaded gun without adult permission in less than one hour	Risk Factor: Access to Firearms	2428	10.4 ( 8.6 - 12.3 )	10.8 ( 8.7 - 12.8 )	6.1 ( 1.7 - 10.5 )	7.1 ( 2.2 - 12.1 )

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	Cisgender % (95% CI)	Transgender % (95% CI)	Not sure % (95% CI)
Percentage of students who would be able to get a loaded gun without adult permission in or around their home, from a friend or schoolmate, or from a family member		2381	14.3 ( 11.5 - 17.2 )	14.4 ( 11.5 - 17.3 )	16.4 ( 9.0 - 23.8 )	10.5 ( 4.3 - 16.6 )
Percentage of students who have experienced problems with their mouth or teeth in the past 12 months, not including braces or injuries		2348	22.1 ( 20.0 - 24.3 )	20.7 ( 18.5 - 22.9 )	45.5 ( 41.3 - 49.8 )	38.5 ( 26.2 - 50.8 )
Percentage of students who have ever been told by a doctor or nurse that they had asthma		2404	15.1 ( 14.1 - 16.2 )	14.8 ( 13.7 - 15.8 )	21.8 ( 11.0 - 32.5 )	11.9 ( 4.6 - 19.2 )
Percentage of students who went outdoors to spend time in nature at least once a week during the past 12 months <sup>3</sup>		2417	86.9 ( 85.8 - 88.0 )	88.0 ( 86.9 - 89.0 )	67.2 ( 62.2 - 72.2 )	77.8 ( 73.0 - 82.6 )
<b>Extra Questions</b>						
Percentage of students who think people who have five or more drinks of an alcoholic beverage once or twice a week have a moderate or great risk of harming themselves physically or in other ways		2313	77.7 ( 76.0 - 79.4 )	77.3 ( 75.9 - 78.7 )	84.0 ( 73.3 - 94.7 )	78.3 ( 69.3 - 87.4 )
Percentage of students who think people who smoke one or more packs of cigarettes per day have a moderate or great risk of harming themselves physically or in other ways		2310	84.9 ( 83.8 - 86.0 )	84.3 ( 83.1 - 85.6 )	93.0 ( 89.7 - 96.3 )	92.0 ( 86.1 - 97.9 )
Percentage of students who think people who use marijuana once or twice a week have a moderate or great risk of harming themselves physically or in other ways		2301	64.4 ( 62.1 - 66.7 )	64.8 ( 62.6 - 67.1 )	53.0 ( 48.4 - 57.6 )	62.8 ( 53.9 - 71.7 )
Percentage of students who think people who use prescription drugs that are not prescribed to them have a moderate or great risk of harming themselves physically or in other ways		2299	86.6 ( 85.0 - 88.2 )	86.6 ( 85.0 - 88.2 )	87.3 ( 84.8 - 89.7 )	85.8 ( 82.4 - 89.1 )
Percentage of students who think their parents would feel it is wrong or very wrong if they drank 1 or 2 drinks of an alcoholic beverage nearly every day		2299	94.5 ( 94.1 - 94.9 )	94.6 ( 94.2 - 95.0 )	92.2 ( 88.1 - 96.3 )	92.0 ( 87.8 - 96.2 )
Percentage of students who think their parents would feel it is wrong or very wrong for them to smoke tobacco		2298	95.7 ( 95.0 - 96.5 )	95.7 ( 94.9 - 96.5 )	97.2 ( 95.5 - 98.9 )	93.9 ( 90.7 - 97.2 )
Percentage of students who think their parents would feel it is wrong or very wrong for them to use prescription drugs not prescribed to them		2296	97.3 ( 97.1 - 97.6 )	97.3 ( 97.1 - 97.6 )	98.5 ( 97.4 - 99.6 )	94.4 ( 91.2 - 97.6 )
Percentage of students who think their friends would feel it is wrong or very wrong for them to have one or two alcoholic drinks nearly every day		2288	74.5 ( 73.0 - 75.9 )	74.1 ( 72.3 - 75.9 )	79.4 ( 73.0 - 85.7 )	82.4 ( 72.9 - 92.0 )
Percentage of students who think their friends would feel it is wrong or very wrong for them to smoke tobacco		2280	72.5 ( 70.1 - 75.0 )	72.3 ( 69.9 - 74.8 )	72.5 ( 66.7 - 78.2 )	72.8 ( 60.4 - 85.1 )
Percentage of students who think their friends would feel it is wrong or very wrong for them to use marijuana		2274	61.0 ( 58.1 - 63.9 )	61.5 ( 58.8 - 64.1 )	51.6 ( 46.4 - 56.7 )	57.7 ( 43.7 - 71.8 )
Percentage of students who think their friends would feel it is wrong or very wrong to use prescription drugs not prescribed to them		2273	87.4 ( 85.7 - 89.0 )	87.8 ( 86.3 - 89.3 )	83.1 ( 78.0 - 88.3 )	72.0 ( 62.0 - 82.1 )
Percentage of students who used prescription drugs not prescribed to them during the past 30 days		2339	1.8 ( 1.2 - 2.4 )	1.7 ( 1.0 - 2.3 )	3.1 ( 2.3 - 3.9 )	4.1 ( 2.0 - 6.2 )

1. Data are suppressed, shown by a period (.), if fewer than 3 students responded "yes" to a question or if results represent 0% or 100% of students. In districts with enrollment over 35, results are suppressed if fewer than 30 students responded to a question. All percentages are rounded to the nearest tenth.

2. Items in this column are included in risk and protective factors known to influence multiple youth health outcomes.

3. The 2023 report incorrectly displayed data for this item in the inverse of the current report. Contact the CSPH Survey Team (CSPHSurveyTeam@CUAnschutz.edu) for a corrected comparison.

## 2025 HKCS RESULTS: HIGH SCHOOL

### Boulder Valley Re 2

New for 2025: this tab shows results for Lesbian, Gay, Bisexual, Transgender, and Queer or Questioning (LGBTQ+) students and straight/cisgender students. These two groups are aggregated based on responses to three demographic questions on gender, sexual orientation, and gender identity. See more details in the footnotes.

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	LGBTQ+ <sup>3</sup> % (95% CI)	Straight/Cisgender <sup>4</sup> % (95% CI)
<b>Safety</b>					
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else		2974	2.1 ( 1.8 - 2.4 )	4.5 ( 3.2 - 5.7 )	1.6 ( 1.1 - 2.0 )
Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been drinking alcohol one or more times		1934	5.2 ( 4.5 - 5.8 )	5.3 ( 4.2 - 6.3 )	5.2 ( 4.3 - 6.1 )
Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been using marijuana one or more times		1932	5.5 ( 4.5 - 6.5 )	7.2 ( 5.2 - 9.2 )	5.0 ( 3.7 - 6.2 )
Among students who drove a car or other vehicle during the past 30 days, the percentage who texted, posted, or used their phone in some other way while driving on one or more of the days		1955	40.0 ( 37.0 - 43.0 )	42.8 ( 37.6 - 48.1 )	40.1 ( 37.1 - 43.1 )
<b>Bullying</b>					
Percentage of students who have ever been bullied on school property during the past 12 months		2868	12.5 ( 11.4 - 13.6 )	20.1 ( 17.6 - 22.6 )	10.6 ( 9.7 - 11.6 )
Among students bullied on school property, the percentage who were bullied in a classroom in the past 12 months		389	62.0 ( 59.6 - 64.4 )	66.7 ( 63.1 - 70.2 )	59.7 ( 55.3 - 64.1 )
Among students bullied on school property, the percentage who were bullied in a hallway or stairwell in the past 12 months		389	41.2 ( 37.2 - 45.3 )	44.1 ( 35.6 - 52.6 )	39.6 ( 34.9 - 44.3 )
Among students bullied on school property, the percentage who were bullied in a locker room or bathroom in the past 12 months		389	22.0 ( 18.8 - 25.2 )	22.5 ( 18.2 - 26.8 )	21.5 ( 18.4 - 24.6 )
Among students bullied on school property, the percentage who were bullied in a cafeteria or lunch room in the past 12 months		389	27.5 ( 23.7 - 31.3 )	26.2 ( 17.0 - 35.4 )	28.8 ( 23.0 - 34.7 )
Among students bullied on school property, the percentage who were bullied on a bus or at a bus stop in the past 12 months		389	11.4 ( 8.3 - 14.4 )	12.5 ( 8.4 - 16.6 )	11.2 ( 6.8 - 15.6 )
Among students bullied on school property, the percentage who were bullied outside before school in the past 12 months		389	18.5 ( 15.5 - 21.6 )	20.3 ( 14.8 - 25.8 )	18.2 ( 14.9 - 21.6 )
Among students bullied on school property, the percentage who were bullied outside after school in the past 12 months		389	26.8 ( 24.5 - 29.1 )	24.9 ( 16.6 - 33.2 )	28.7 ( 25.8 - 31.7 )
Among students bullied on school property, the percentage who were bullied outside during lunch or break in the past 12 months		389	23.7 ( 20.4 - 27.0 )	25.6 ( 14.9 - 36.2 )	23.5 ( 19.8 - 27.2 )
Percentage of students who had ever been electronically bullied during the past 12 months		2925	8.6 ( 7.6 - 9.7 )	13.8 ( 11.1 - 16.4 )	7.6 ( 6.4 - 8.7 )
Among students who were bullied in the past 12 months, the percentage who were bullied because of sexual orientation	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	20.6 ( 16.9 - 24.2 )	49.0 ( 43.3 - 54.7 )	5.8 ( 4.6 - 7.0 )
Among students who were bullied in the past 12 months, the percentage who were bullied because of gender identity	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	19.1 ( 15.7 - 22.6 )	40.5 ( 34.3 - 46.6 )	8.3 ( 6.0 - 10.6 )
Among students who were bullied in the past 12 months, the percentage who were bullied because of religion	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	16.1 ( 14.8 - 17.4 )	11.4 ( 8.0 - 14.8 )	18.8 ( 17.4 - 20.2 )
Among students who were bullied in the past 12 months, the percentage who were bullied because of disability	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	17.9 ( 14.6 - 21.2 )	27.0 ( 22.0 - 32.0 )	12.7 ( 8.9 - 16.5 )
Among students who were bullied in the past 12 months, the percentage who were bullied because of physical appearance	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	56.2 ( 53.8 - 58.7 )	55.1 ( 48.3 - 62.0 )	59.5 ( 57.1 - 62.0 )

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	LGBTQ+ <sup>3</sup> % (95% CI)	Straight/Cisgender <sup>4</sup> % (95% CI)
Among students who were bullied in the past 12 months, the percentage who were bullied because of race or ethnicity	Risk Factor: Recent Experiences with Oppression: Peer Bullying based on Intersectional Identities	473	35.3 ( 32.8 - 37.8 )	27.2 ( 22.8 - 31.6 )	38.6 ( 34.2 - 43.0 )
<b>Violence</b>					
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school		2942	12.1 ( 10.4 - 13.8 )	15.3 ( 13.2 - 17.4 )	11.0 ( 9.0 - 13.0 )
Percentage of students who were in a physical fight one or more times during the past 12 months		2878	9.1 ( 8.4 - 9.8 )	8.0 ( 6.0 - 9.9 )	9.5 ( 8.4 - 10.6 )
Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose one or more times by someone they were dating or going out with		1568	7.2 ( 6.8 - 7.7 )	10.8 ( 8.5 - 13.2 )	6.6 ( 6.2 - 7.0 )
Among students who dated or went out with someone during the past 12 months, the percentage who had been controlled or emotionally hurt by someone they were dating or going out with		1574	17.0 ( 14.9 - 19.0 )	22.4 ( 19.1 - 25.7 )	15.6 ( 13.8 - 17.3 )
Percentage of students who have been threatened with a gun electronically or in person, witnessed a shooting where they live, or know someone (family or friend) who has been shot by another person during the past 12 months		2855	11.3 ( 10.3 - 12.3 )	18.0 ( 15.1 - 21.0 )	9.5 ( 8.2 - 10.8 )
<b>Sexual Violence</b>					
Percentage of students who have ever had a sexual experience where they were unsure if they gave their fully-granted consent to the other person		2877	9.3 ( 8.4 - 10.2 )	20.7 ( 18.2 - 23.3 )	6.5 ( 5.9 - 7.0 )
Percentage of students who have ever had a sexual experience where they were unsure if they received fully-granted consent from the other person		2856	2.5 ( 2.0 - 3.0 )	3.8 ( 2.2 - 5.4 )	2.1 ( 1.7 - 2.5 )
Percentage of students who had a revealing or sexual photo or video of themselves texted, e-mailed, or posted electronically without their permission in the past 12 months		2877	3.6 ( 3.3 - 4.0 )	4.2 ( 3.1 - 5.2 )	3.5 ( 3.0 - 4.1 )
Percentage of students who have ever made sexual comments, jokes, gestures, or looks at someone when unwanted		2865	5.0 ( 4.4 - 5.7 )	5.8 ( 4.7 - 6.8 )	5.0 ( 4.1 - 5.9 )
Percentage of students who have ever touched, grabbed, or pinched someone in a sexual way when unwanted		2871	3.3 ( 3.0 - 3.5 )	5.1 ( 4.1 - 6.1 )	2.9 ( 2.5 - 3.2 )
Percentage of students who have ever been physically forced to have sex when they did not want to		2876	3.3 ( 2.9 - 3.8 )	8.2 ( 7.0 - 9.5 )	2.1 ( 1.8 - 2.4 )
<b>Mental Health</b>					
Percentage of students who agree or strongly agree their stress level is manageable most days		2905	58.1 ( 55.8 - 60.5 )	41.5 ( 38.1 - 44.9 )	62.6 ( 60.2 - 65.0 )
Percentage of students who most of the time or always had poor mental health during the past 30 days		2880	24.1 ( 22.6 - 25.5 )	42.0 ( 40.1 - 43.9 )	19.0 ( 17.8 - 20.2 )
Percentage of students who purposefully hurt themselves without wanting to die in the past 12 months		2847	12.8 ( 11.5 - 14.2 )	32.8 ( 29.8 - 35.8 )	7.4 ( 6.9 - 8.0 )
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row during the past 12 months that they stopped doing some usual activities		2846	20.6 ( 18.8 - 22.5 )	35.9 ( 32.3 - 39.4 )	16.5 ( 15.5 - 17.5 )
Percentage of students who seriously considered attempting suicide during the past 12 months		2840	9.6 ( 8.5 - 10.6 )	22.5 ( 19.5 - 25.4 )	6.2 ( 5.4 - 7.1 )
Percentage of students who made a plan about how they would attempt suicide during the past 12 months		2828	6.8 ( 6.0 - 7.5 )	16.5 ( 14.2 - 18.7 )	4.4 ( 3.5 - 5.3 )
Percentage of students who attempted suicide one or more times during the past 12 months		2837	3.7 ( 3.2 - 4.3 )	8.5 ( 7.4 - 9.6 )	2.6 ( 2.1 - 3.0 )
Percentage of students who have an adult to go to for help with a serious problem	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2839	76.9 ( 74.9 - 79.0 )	68.2 ( 65.2 - 71.1 )	79.2 ( 77.7 - 80.7 )
Percentage of students who most of the time or always could talk to a friend about feelings during their life	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2843	61.2 ( 58.8 - 63.6 )	51.1 ( 49.6 - 52.5 )	64.1 ( 61.6 - 66.6 )
Percentage of students who had a friend tell them they had thoughts of suicide one or more times during the past 12 months		2820	28.2 ( 26.6 - 29.8 )	48.3 ( 46.7 - 50.0 )	23.1 ( 21.5 - 24.7 )

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	LGBTQ+ <sup>3</sup> % (95% CI)	Straight/Cisgender <sup>4</sup> % (95% CI)
Percentage of students who would tell a family member if they were concerned about their own or someone else's well-being or mental health		2739	61.6 ( 60.3 - 62.9 )	43.9 ( 42.3 - 45.5 )	66.4 ( 65.6 - 67.1 )
Percentage of students who would tell an adult in school if they were concerned about their own or someone else's well-being or mental health		2739	37.9 ( 35.9 - 39.9 )	35.5 ( 32.5 - 38.4 )	38.7 ( 37.0 - 40.3 )
Percentage of students who would tell a friend if they were concerned about their own or someone else's well-being or mental health		2739	41.6 ( 38.8 - 44.3 )	39.6 ( 36.2 - 43.1 )	42.3 ( 39.1 - 45.4 )
Percentage of students who would submit an anonymous report through their school's safety reporting system if they were concerned about their own or someone else's well-being or mental health		2739	33.1 ( 30.4 - 35.8 )	33.1 ( 31.6 - 34.6 )	33.1 ( 29.6 - 36.6 )
Percentage of students who would contact a crisis line if they were concerned about their own or someone else's well-being or mental health		2739	29.4 ( 27.4 - 31.4 )	32.4 ( 30.6 - 34.2 )	28.7 ( 26.4 - 30.9 )
Percentage of students who have ever experienced the suicide death of a family member or close friend		2834	16.3 ( 14.1 - 18.4 )	17.6 ( 15.4 - 19.7 )	15.7 ( 13.2 - 18.3 )
<b>Racism</b>					
Percentage of students who were treated badly or unfairly in school because of their race or ethnicity in the past 12 months	Risk Factor: Recent Experiences with Oppression: Racism	2733	3.4 ( 3.0 - 3.8 )	3.2 ( 2.3 - 4.1 )	3.4 ( 3.0 - 3.8 )
Percentage of students who were watched closely or followed by security guards or store clerks at a store or mall because of their race or ethnicity in the past 12 months	Risk Factor: Recent Experiences with Oppression: Racism	2733	3.6 ( 3.1 - 4.1 )	4.8 ( 3.1 - 6.5 )	3.3 ( 2.6 - 4.0 )
Percentage of students who were assumed less intelligent because of their race or ethnicity in the past 12 months	Risk Factor: Recent Experiences with Oppression: Racism	2733	4.6 ( 3.8 - 5.4 )	5.1 ( 2.3 - 7.8 )	4.5 ( 3.1 - 5.9 )
Percentage of students who saw family members treated unfairly because of the color of their skin, language, accent, or because they are from a different country or culture in the past 12 months	Risk Factor: Recent Experiences with Oppression: Racism	2733	6.6 ( 5.8 - 7.5 )	9.2 ( 7.2 - 11.2 )	6.0 ( 5.2 - 6.7 )
<b>Alcohol</b>					
Percentage of students who have ever had a drink of alcohol other than a few sips		2716	48.9 ( 47.4 - 50.5 )	47.3 ( 44.2 - 50.5 )	49.8 ( 48.3 - 51.2 )
Percentage of students who had their first drink of alcohol, other than a few sips, before age 13	Risk Factor: Early Initiation of Substance Use	2716	11.1 ( 10.2 - 12.1 )	13.9 ( 12.6 - 15.1 )	10.5 ( 9.3 - 11.7 )
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days		2732	26.5 ( 24.8 - 28.2 )	22.3 ( 18.8 - 25.7 )	27.9 ( 26.4 - 29.3 )
Percentage of students who binge drank (4+ drinks within a couple of hours) on one or more of the past 30 days		2735	15.8 ( 14.4 - 17.2 )	13.3 ( 11.0 - 15.6 )	16.8 ( 15.3 - 18.3 )
Percentage of students who feel it would be sort of easy or very easy to get alcohol if they wanted	Risk Factor: Availability of Substances in Community	2680	60.4 ( 58.7 - 62.1 )	65.0 ( 62.5 - 67.5 )	59.5 ( 57.4 - 61.7 )
Percentage of students who think it is wrong or very wrong for someone of the same age to drink alcohol regularly (at least once or twice per month)	Risk Factor: Youth Peer Attitudes Favorable Towards Substance Use	2761	62.6 ( 60.3 - 64.9 )	62.4 ( 59.1 - 65.6 )	62.2 ( 60.1 - 64.3 )
Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they drank alcohol regularly (at least once or twice per month)	Risk Factor: Parental Attitudes Favorable Toward Substance Use	2762	80.8 ( 78.9 - 82.7 )	81.4 ( 78.0 - 84.8 )	80.5 ( 78.9 - 82.1 )
Percentage of students who overestimated peer alcohol use in the past 30 days by selecting a percentage (30% or more) higher than actual peer use statewide		2756	77.0 ( 75.7 - 78.3 )	74.7 ( 70.4 - 79.0 )	78.0 ( 76.4 - 79.6 )
Percentage of students who have ever lived with someone having a problem with alcohol use		2764	21.5 ( 18.8 - 24.3 )	31.2 ( 28.2 - 34.3 )	18.8 ( 16.3 - 21.3 )
<b>Tobacco</b>					
Percentage of students who have ever smoked a cigarette, even one or two puffs		2753	18.5 ( 16.4 - 20.6 )	17.9 ( 14.8 - 20.9 )	19.2 ( 17.0 - 21.3 )
Percentage of students who smoked a cigarette, even one or two puffs, for the first time before age 13	Risk Factor: Early Initiation of Substance Use	2753	4.3 ( 3.7 - 5.0 )	5.0 ( 4.2 - 5.8 )	4.3 ( 3.3 - 5.2 )
Percentage of students who smoked cigarettes on one or more of the past 30 days		2741	5.5 ( 4.3 - 6.7 )	6.4 ( 4.3 - 8.4 )	5.5 ( 4.3 - 6.7 )

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	LGBTQ+ <sup>3</sup> % (95% CI)	Straight/Cisgender <sup>4</sup> % (95% CI)
Among students who reported current cigarette use, the percentage who used flavored cigarettes in the past 30 days		125	24.6 ( 18.4 - 30.8 )	43.2 ( 30.3 - 56.1 )	19.4 ( 14.3 - 24.5 )
Percentage of students who think it would be sort of easy or very easy to get cigarettes if they wanted	Risk Factor: Availability of Substances in Community	2681	39.9 ( 38.1 - 41.7 )	40.9 ( 38.8 - 43.0 )	39.9 ( 37.7 - 42.2 )
Percentage of students who have ever used an electronic vapor product		2736	25.7 ( 23.8 - 27.6 )	25.6 ( 23.2 - 28.0 )	26.0 ( 23.8 - 28.3 )
Percentage of students who used an electronic vapor product before age 13	Risk Factor: Early Initiation of Substance Use	2736	6.4 ( 5.1 - 7.8 )	6.8 ( 5.2 - 8.5 )	6.3 ( 4.8 - 7.8 )
Percentage of students who used an electronic vapor product in the past 30 days		2672	11.0 ( 9.5 - 12.4 )	12.2 ( 10.0 - 14.3 )	10.8 ( 9.2 - 12.4 )
Among students who have used electronic vapor products, the percentage who used them because a friend or family member used them		625	51.6 ( 47.0 - 56.2 )	65.5 ( 62.0 - 69.1 )	48.1 ( 43.1 - 53.0 )
Among students who have used electronic vapor products, the percentage who used them because they were trying to quit other tobacco products		625	2.0 ( 1.5 - 2.5 )	4.8 ( 3.5 - 6.2 )	1.3 ( 0.9 - 1.7 )
Among students who have used electronic vapor products, the percentage who used them because they cost less than other tobacco products		625	2.7 ( 1.8 - 3.6 )	6.9 ( 4.8 - 8.9 )	1.6 ( 1.0 - 2.3 )
Among students who have used electronic vapor products, the percentage who used them to relieve stress		625	29.2 ( 27.1 - 31.4 )	41.8 ( 35.0 - 48.6 )	25.7 ( 22.5 - 29.0 )
Among students who have used electronic vapor products, the percentage who used them because they are less harmful than other tobacco products		625	5.4 ( 4.4 - 6.4 )	11.4 ( 8.8 - 14.0 )	3.5 ( 2.9 - 4.0 )
Among students who have used electronic vapor products, the percentage who used them because they can be used in areas where other tobacco products are not allowed		625	6.6 ( 5.4 - 7.8 )	8.1 ( 6.8 - 9.4 )	6.3 ( 5.0 - 7.7 )
Among students who reported current electronic vapor use, the percentage who used flavored electronic vapor products in the past 30 days		242	94.2 ( 91.0 - 97.5 )	99.4 ( 98.5 - 100.0 )	92.5 ( 88.2 - 96.9 )
Percentage of students who feel it would be sort of easy or very easy to get electronic vapor products if they wanted	Risk Factor: Availability of Substances in Community	2682	55.8 ( 53.8 - 57.7 )	55.9 ( 52.7 - 59.0 )	55.8 ( 53.9 - 57.7 )
Percentage of students who think it is wrong or very wrong for someone of the same age to use electronic vapor products	Risk Factor: Youth Peer Attitudes Favorable Towards Substance Use	2773	78.4 ( 77.2 - 79.5 )	76.5 ( 74.6 - 78.5 )	78.6 ( 77.2 - 79.9 )
Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they used electronic vapor products	Risk Factor: Parental Attitudes Favorable Toward Substance Use	2766	96.5 ( 96.0 - 96.9 )	96.1 ( 95.2 - 97.0 )	96.6 ( 95.8 - 97.4 )
Percentage of students who think people who use electronic vapor products every day have a moderate or great risk of harm		2674	87.8 ( 87.1 - 88.4 )	89.6 ( 87.2 - 91.9 )	87.2 ( 86.6 - 87.8 )
Percentage of students who think people who breathe secondhand vapor have a moderate or great risk of harm		2656	58.3 ( 56.2 - 60.4 )	52.9 ( 50.9 - 54.8 )	59.5 ( 56.6 - 62.4 )
Percentage of students who have used oral nicotine pouches in the past 30 days		2695	5.2 ( 4.4 - 5.9 )	3.5 ( 2.4 - 4.6 )	5.8 ( 4.9 - 6.6 )
Among students who reported current oral nicotine pouch use, the percentage who used flavored oral nicotine pouches in the past 30 days		135	85.9 ( 82.0 - 89.8 )	. ( . - . )	84.6 ( 80.3 - 88.8 )
Percentage of students who feel it would be sort of easy or very easy to get oral nicotine pouches if they wanted	Risk Factor: Availability of Substances in Community	2670	43.6 ( 42.0 - 45.2 )	36.9 ( 33.5 - 40.2 )	45.6 ( 44.2 - 47.0 )
Percentage of students who think it is wrong or very wrong for someone of the same age to use oral nicotine pouches	Risk Factor: Youth Peer Attitudes Favorable Towards Substance Use	2759	76.4 ( 74.6 - 78.2 )	77.8 ( 75.7 - 79.8 )	75.6 ( 73.8 - 77.5 )
Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they used oral nicotine pouches	Risk Factor: Parental Attitudes Favorable Toward Substance Use	2763	95.4 ( 94.8 - 96.0 )	96.0 ( 95.3 - 96.7 )	95.2 ( 94.2 - 96.1 )
Percentage of students who think people who use oral nicotine pouches every day have a moderate or great risk of harm		2658	80.3 ( 79.9 - 80.7 )	85.7 ( 83.9 - 87.6 )	78.5 ( 77.8 - 79.3 )
Percentage of students who have used cigars, chewing tobacco, hookah, or oral nicotine pouches in the past 30 days		2695	6.6 ( 5.8 - 7.3 )	5.3 ( 4.0 - 6.6 )	7.1 ( 6.3 - 8.0 )
Among underage students who used tobacco or nicotine products in the past 30 days, the percentage who bought them from a gas station, convenience store, grocery store, or drugstore		322	10.2 ( 7.5 - 12.8 )	13.1 ( 9.3 - 16.9 )	9.6 ( 6.6 - 12.5 )

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	LGBTQ+ <sup>3</sup> % (95% CI)	Straight/Cisgender <sup>4</sup> % (95% CI)
Among underage students who used tobacco or nicotine products in the past 30 days, the percentage who bought them from a peer or friend		322	27.5 ( 23.2 - 31.7 )	31.0 ( 19.3 - 42.7 )	27.0 ( 23.3 - 30.7 )
Among underage students who used tobacco or nicotine products in the past 30 days, the percentage who bought them from a vending machine		322	3.5 ( 2.7 - 4.3 )	7.2 ( 4.1 - 10.3 )	2.7 ( 1.7 - 3.6 )
Among underage students who used tobacco or nicotine products in the past 30 days, the percentage who bought them over the internet		322	4.4 ( 3.2 - 5.5 )	12.0 ( 7.7 - 16.2 )	2.5 ( 1.2 - 3.8 )
Among underage students who used tobacco or nicotine products in the past 30 days, the percentage who bought them through the mail		322	3.1 ( 2.2 - 4.1 )	7.2 ( 4.1 - 10.3 )	2.2 ( 1.3 - 3.0 )
Among underage students who tried to buy tobacco or nicotine products in a store, the percentage who were not refused because of age		127	77.2 ( 72.3 - 82.2 )	. ( . - . )	78.6 ( 73.0 - 84.2 )
Among students who reported current tobacco or nicotine use, the percentage who tried to quit using all tobacco or nicotine products during the past 12 months		358	45.8 ( 41.8 - 49.8 )	48.3 ( 39.7 - 56.8 )	45.3 ( 40.9 - 49.7 )
Percentage of students who were inside their home while someone was smoking a cigarette, cigar, pipe, or using an electronic vapor product for one or more days in the past 7 days		2656	9.7 ( 8.4 - 11.1 )	12.6 ( 10.7 - 14.5 )	9.2 ( 7.8 - 10.6 )
<b>Marijuana</b>					
Percentage of students who have ever tried marijuana		2682	24.4 ( 22.4 - 26.4 )	25.9 ( 22.9 - 28.8 )	24.4 ( 22.7 - 26.2 )
Percentage of students who tried marijuana for the first time before age 13	Risk Factor: Early Initiation of Substance Use	2682	3.9 ( 3.3 - 4.5 )	5.4 ( 4.8 - 6.1 )	3.6 ( 2.8 - 4.5 )
Percentage of students who used marijuana one or more times during the past 30 days		2602	12.3 ( 11.1 - 13.5 )	13.5 ( 11.1 - 15.8 )	12.4 ( 11.2 - 13.7 )
Percentage of students who feel it would be sort of easy or very easy to get marijuana if they wanted	Risk Factor: Availability of Substances in Community	2666	42.8 ( 41.3 - 44.3 )	48.4 ( 45.3 - 51.6 )	41.8 ( 40.3 - 43.3 )
Percentage of students who think it is wrong or very wrong for someone of the same age to use marijuana	Risk Factor: Youth Peer Attitudes Favorable Towards Substance Use	2756	69.5 ( 67.6 - 71.4 )	61.5 ( 59.3 - 63.6 )	71.0 ( 69.2 - 72.8 )
Percentage of students who think their parents or guardians would feel it is wrong or very wrong if they used marijuana	Risk Factor: Parental Attitudes Favorable Toward Substance Use	2761	89.4 ( 88.4 - 90.5 )	87.6 ( 86.0 - 89.3 )	89.7 ( 88.6 - 90.8 )
Percentage of students who overestimated peer marijuana use in the past 30 days by selecting a percentage (20% or more) higher than actual peer use statewide		2747	76.3 ( 74.1 - 78.4 )	79.2 ( 76.8 - 81.5 )	76.2 ( 73.7 - 78.6 )
Among students who used marijuana in the past 30 days, the percentage who usually smoked it		299	56.0 ( 52.4 - 59.7 )	54.1 ( 47.5 - 60.7 )	56.5 ( 52.9 - 60.2 )
Among students who used marijuana in the past 30 days, the percentage who usually got it from an adult over the age of 21		284	16.5 ( 13.7 - 19.2 )	17.9 ( 10.5 - 25.4 )	16.0 ( 13.3 - 18.8 )
Percentage of students who used THC concentrates, hash oil, or waxes one or more times during the past 30 days		2658	5.1 ( 4.6 - 5.6 )	5.1 ( 3.4 - 6.7 )	5.3 ( 4.7 - 5.8 )
<b>Prescription Pain Medicine</b>					
Percentage of students who have ever used prescription pain medicine not prescribed to them or differently than how a doctor told them to use it		2666	7.1 ( 5.9 - 8.3 )	9.3 ( 7.5 - 11.0 )	6.5 ( 5.5 - 7.5 )
Percentage of students who used prescription pain medicine not prescribed to them or differently than how a doctor told them to use it for the first time before age 13	Risk Factor: Early Initiation of Substance Use	2666	3.2 ( 2.4 - 4.0 )	4.1 ( 2.8 - 5.4 )	3.1 ( 2.3 - 3.8 )
Percentage of students who took prescription pain medicine not prescribed to them or differently than how a doctor told them to use it one or more times in the past 30 days		2682	2.6 ( 1.8 - 3.5 )	3.9 ( 2.5 - 5.2 )	2.1 ( 1.7 - 2.6 )
Percentage of students who feel it would be sort of easy or very easy to get prescription pain medicine not prescribed to them if they wanted	Risk Factor: Availability of Substances in Community	2675	21.5 ( 20.2 - 22.8 )	30.0 ( 28.7 - 31.2 )	18.8 ( 17.5 - 20.2 )
Percentage of students who think it is wrong or very wrong for someone of the same age to use prescription pain medicine without a doctor's prescription	Risk Factor: Youth Peer Attitudes Favorable Towards Substance Use	2760	90.8 ( 90.2 - 91.4 )	85.8 ( 83.4 - 88.1 )	92.0 ( 91.7 - 92.3 )
<b>Other Drugs</b>					

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	LGBTQ+ <sup>3</sup> % (95% CI)	Straight/Cisgender <sup>4</sup> % (95% CI)
Percentage of students who have ever used stimulants not prescribed to them or differently than prescribed		2625	4.2 ( 3.5 - 5.0 )	4.9 ( 3.3 - 6.4 )	4.1 ( 3.0 - 5.1 )
Percentage of students who have ever used sedatives or tranquilizers not prescribed to them or differently than prescribed		2625	1.3 ( 1.1 - 1.6 )	2.8 ( 2.1 - 3.4 )	1.0 ( 0.6 - 1.3 )
Percentage of students who have ever used cocaine		2625	1.6 ( 1.1 - 2.1 )	2.0 ( 1.3 - 2.7 )	1.5 ( 0.8 - 2.2 )
Percentage of students who have ever used inhalants like glue, aerosol spray cans, or any paints or sprays		2625	1.9 ( 1.5 - 2.3 )	2.6 ( 2.1 - 3.1 )	1.8 ( 1.2 - 2.4 )
Percentage of students who have ever used heroin		2625	0.5 ( 0.4 - 0.7 )	1.1 ( 0.8 - 1.4 )	0.4 ( 0.2 - 0.6 )
Percentage of students who have ever used methamphetamines		2625	0.5 ( 0.4 - 0.6 )	0.9 ( 0.7 - 1.2 )	0.4 ( 0.3 - 0.5 )
Percentage of students who have ever used ecstasy		2625	1.5 ( 1.1 - 1.9 )	2.0 ( 1.7 - 2.3 )	1.4 ( 0.8 - 1.9 )
Percentage of students who have ever used psilocybin		2625	3.6 ( 3.0 - 4.2 )	4.2 ( 3.3 - 5.1 )	3.5 ( 2.7 - 4.4 )
Percentage of students who have ever used fentanyl		2625	0.9 ( 0.6 - 1.2 )	1.5 ( 0.9 - 2.0 )	0.8 ( 0.5 - 1.1 )
Percentage of students who have ever used kratom		2625	0.6 ( 0.4 - 0.8 )	0.8 ( 0.5 - 1.0 )	0.6 ( 0.3 - 0.8 )
Percentage of students who have ever used hemp-derived, intoxicating cannabinoid products like Delta-8 and Delta-10 THC		2625	4.4 ( 3.8 - 4.9 )	5.4 ( 3.9 - 6.8 )	4.3 ( 3.4 - 5.1 )
<b>Sexual Health</b>					
Percentage of students who have ever had consensual sex		2645	20.7 ( 18.8 - 22.6 )	21.9 ( 17.7 - 26.1 )	20.8 ( 19.2 - 22.3 )
Percentage of students who had consensual sex in the last three months		2648	13.1 ( 11.6 - 14.5 )	12.0 ( 9.7 - 14.3 )	13.7 ( 12.2 - 15.1 )
Among students who had consensual sex during the past three months, the percentage who used a condom or their partner used a condom the last time they had consensual sex		311	69.5 ( 63.1 - 75.8 )	53.2 ( 45.7 - 60.7 )	73.4 ( 67.1 - 79.6 )
Among students who had consensual sex during the past three months, the percentage who used or their partner used any method of contraception the last time they had consensual sex		311	88.7 ( 86.4 - 91.0 )	68.5 ( 63.4 - 73.6 )	93.4 ( 91.7 - 95.1 )
<b>Nutrition</b>					
Percentage of students who ate fruit one or more times per day in the past 7 days		2668	57.6 ( 54.4 - 60.8 )	49.5 ( 42.5 - 56.4 )	60.0 ( 57.6 - 62.4 )
Percentage of students who ate vegetables such as green salad, potatoes, carrots, or other vegetables one or more times per day in the past 7 days		2667	63.1 ( 59.5 - 66.7 )	58.6 ( 53.0 - 64.3 )	64.8 ( 61.4 - 68.2 )
Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day in the past 7 days		2669	14.4 ( 12.4 - 16.4 )	9.1 ( 6.3 - 11.9 )	15.8 ( 13.2 - 18.5 )
Percentage of students who drank a sports drink, energy drink, or other sweetened beverage one or more times per day in the past 7 days		2621	58.9 ( 56.4 - 61.3 )	52.3 ( 50.1 - 54.5 )	61.3 ( 58.7 - 63.8 )
Percentage of students who ate breakfast on all of the past 7 days		2651	39.3 ( 35.9 - 42.8 )	32.7 ( 29.8 - 35.6 )	41.2 ( 37.4 - 45.0 )
Percentage of students who sometimes, most of the time, or always went hungry in the past 30 days because of a lack of food at home	Risk Factor: Economic Instability	2645	6.9 ( 5.8 - 8.0 )	7.3 ( 5.5 - 9.1 )	6.9 ( 5.7 - 8.1 )
<b>Physical Activity</b>					
Percentage of students who were physically active for a total of at least 60 minutes per day on 5 or more of the past 7 days		2622	54.0 ( 52.0 - 56.0 )	36.2 ( 34.4 - 37.9 )	59.0 ( 57.1 - 60.9 )

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	LGBTQ+ <sup>3</sup> % (95% CI)	Straight/Cisgender <sup>4</sup> % (95% CI)
Percentage of students who spent 3+ hours per average school day in front of a TV, computer, smart phone, or other electronic device for something other than schoolwork		2607	63.5 ( 61.3 - 65.7 )	76.4 ( 74.0 - 78.9 )	60.9 ( 58.8 - 62.9 )
Percentage of students who could walk or ride a bike, scooter, or skateboard to school if they wanted to		2635	56.4 ( 53.0 - 59.7 )	48.1 ( 43.6 - 52.6 )	58.8 ( 54.8 - 62.7 )
Percentage of students who had a concussion in the past 12 months from playing sports or being physically active		2631	14.9 ( 13.6 - 16.1 )	8.2 ( 5.9 - 10.4 )	16.9 ( 15.8 - 18.0 )
<b>Body Image &amp; Eating Disorders</b>					
Percentage of students who most of the time or always felt confident with their body image during the past 30 days		2566	53.5 ( 51.5 - 55.5 )	36.1 ( 33.0 - 39.1 )	58.1 ( 56.5 - 59.7 )
Percentage of students who most of the time or always worried about their physical appearance more than they wanted to during the past 30 days		2539	35.8 ( 33.6 - 38.1 )	50.7 ( 47.2 - 54.2 )	31.5 ( 30.1 - 33.0 )
Percentage of students who tried to lose weight or keep from gaining weight by going without eating for 24 hours or more; taking any diet pills, powders, or liquids; vomiting or taking laxatives; or skipping meals during the past 30 days		2548	16.8 ( 15.1 - 18.4 )	25.0 ( 23.2 - 26.9 )	14.5 ( 12.9 - 16.1 )
<b>Home Life</b>					
Percentage of students who usually or definitely feel the rules in their family are clear	Risk Factor: Limited Parent Time to Monitor Youth Behavior	2577	92.1 ( 90.9 - 93.3 )	87.9 ( 86.6 - 89.3 )	93.2 ( 91.7 - 94.8 )
Percentage of students who usually or definitely could ask their parents or guardians for help with a personal problem	Protective Factor: Family Opportunities for Prosocial Involvement	2568	88.7 ( 87.9 - 89.6 )	78.3 ( 76.2 - 80.4 )	91.5 ( 91.2 - 91.8 )
Percentage of students who usually or definitely have parents or guardians who ask if their homework is done	Risk Factor: Limited Parent Time to Monitor Youth Behavior	2573	78.6 ( 76.3 - 80.9 )	69.1 ( 65.4 - 72.7 )	81.2 ( 78.5 - 83.9 )
Percentage of students who usually or definitely have chances to do fun things with their parents or guardians	Protective Factor: Family Opportunities for Prosocial Involvement	2561	85.7 ( 84.8 - 86.6 )	76.5 ( 74.3 - 78.7 )	88.2 ( 87.0 - 89.3 )
Percentage of students who usually or definitely have parents or guardians who ask them what they think before making most family decisions	Protective Factor: Family Opportunities for Prosocial Involvement	2554	78.5 ( 77.4 - 79.5 )	62.9 ( 60.5 - 65.3 )	82.5 ( 81.3 - 83.7 )
Percentage of students who usually or definitely think they would be caught by their parents or guardians for skipping school	Risk Factor: Limited Parent Time to Monitor Youth Behavior	2555	89.4 ( 88.5 - 90.4 )	84.9 ( 83.4 - 86.3 )	90.6 ( 89.5 - 91.8 )
Percentage of students who usually or definitely feel safe in their neighborhood	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2574	97.8 ( 97.5 - 98.0 )	96.3 ( 95.6 - 96.9 )	98.2 ( 97.8 - 98.5 )
Percentage of students who provide care one or more days per week for someone in their family or household who is chronically ill, elderly, or disabled with activities they would have difficulty doing on their own		2568	8.5 ( 7.3 - 9.7 )	8.8 ( 7.8 - 9.8 )	8.4 ( 7.1 - 9.8 )
<b>School &amp; Community</b>					
Percentage of students who agree or strongly agree that they belong at their school	Protective Factor: School Opportunities for Prosocial Involvement	2562	78.1 ( 76.8 - 79.5 )	68.8 ( 63.7 - 73.9 )	80.5 ( 80.0 - 81.1 )
Percentage of students who most of the time or always enjoyed being in school over the last year	Risk Factor: Limited Commitment to the Value of School	2571	44.4 ( 43.1 - 45.8 )	38.8 ( 33.6 - 44.0 )	46.0 ( 44.5 - 47.4 )
Percentage of students who skipped one or more whole days of school during the past four weeks	Risk Factor: Limited Commitment to the Value of School	2566	33.9 ( 31.2 - 36.5 )	33.6 ( 29.5 - 37.8 )	33.9 ( 31.0 - 36.8 )
Percentage of students who think most of their classes are fairly, quite, or very interesting	Risk Factor: Limited Commitment to the Value of School	2560	71.6 ( 70.6 - 72.6 )	69.8 ( 67.9 - 71.8 )	72.1 ( 70.9 - 73.3 )
Percentage of students who think the things they are learning in school are going to be important or very important for later in life	Risk Factor: Limited Commitment to the Value of School	2523	64.1 ( 62.9 - 65.3 )	61.1 ( 57.5 - 64.7 )	64.8 ( 63.8 - 65.8 )
Percentage of students who have talked to a school counselor about future plans at least once a week during the past 12 months		2482	7.9 ( 6.8 - 8.9 )	7.1 ( 5.0 - 9.1 )	8.1 ( 7.0 - 9.2 )
Percentage of students who have talked to a teacher about future plans at least once a week during the past 12 months		2480	23.3 ( 20.9 - 25.7 )	24.1 ( 20.3 - 27.9 )	23.2 ( 20.9 - 25.4 )
Percentage of students who have talked to an administrator about future plans at least once a week during the past 12 months		2460	4.5 ( 3.9 - 5.0 )	3.5 ( 2.3 - 4.8 )	4.6 ( 4.0 - 5.1 )

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	LGBTQ+ <sup>3</sup> % (95% CI)	Straight/Cisgender <sup>4</sup> % (95% CI)
Percentage of students who have talked to a coach about future plans at least once a week during the past 12 months		2466	15.0 ( 13.2 - 16.8 )	8.3 ( 6.4 - 10.2 )	16.7 ( 14.7 - 18.7 )
Percentage of students who have talked to a school staff member (who is not a school counselor, teacher, administrator, or coach) about future plans at least once a week during the past 12 months		2462	10.8 ( 9.1 - 12.4 )	8.5 ( 5.6 - 11.3 )	11.2 ( 10.0 - 12.4 )
Percentage of students who usually or definitely feel safe at school	Protective Factor: School Opportunities for Prosocial Involvement	2530	94.7 ( 94.2 - 95.2 )	92.3 ( 90.1 - 94.5 )	95.4 ( 94.9 - 96.0 )
Percentage of students who usually or definitely think their teacher notices when they do a good job and lets them know about it	Protective Factor: School Rewards for Prosocial Involvement	2522	72.4 ( 69.0 - 75.8 )	69.6 ( 65.6 - 73.7 )	73.2 ( 69.9 - 76.5 )
Percentage of students who usually or definitely think their school lets their parents or guardians know when they have done something well	Protective Factor: School Rewards for Prosocial Involvement	2508	45.9 ( 42.9 - 48.9 )	38.4 ( 34.2 - 42.7 )	47.7 ( 44.6 - 50.8 )
Percentage of students who sometimes, most of the time, or always participated in sports when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2418	66.6 ( 63.7 - 69.5 )	43.3 ( 38.0 - 48.6 )	73.1 ( 71.0 - 75.2 )
Percentage of students who sometimes, most of the time, or always participated in academic support programs when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2392	28.2 ( 26.6 - 29.7 )	18.2 ( 15.5 - 20.8 )	30.9 ( 29.5 - 32.3 )
Percentage of students who sometimes, most of the time, or always participated in programs or clubs when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2388	46.7 ( 41.9 - 51.5 )	56.6 ( 52.5 - 60.8 )	43.7 ( 38.5 - 48.8 )
Percentage of students who sometimes, most of the time, or always participated in community service or volunteering when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2392	43.4 ( 39.2 - 47.6 )	42.7 ( 37.5 - 47.8 )	43.1 ( 38.8 - 47.4 )
Percentage of students who sometimes, most of the time, or always participated in paid work when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2382	46.3 ( 44.3 - 48.2 )	32.6 ( 26.7 - 38.6 )	49.8 ( 48.9 - 50.7 )
Percentage of students who sometimes, most of the time, or always participated in unpaid work (e.g., internships, coaching) when school was not in session during the past 12 months	Protective Factor: Community Opportunities for Prosocial Involvement and Connection	2365	22.1 ( 20.0 - 24.3 )	17.4 ( 13.7 - 21.1 )	23.6 ( 21.9 - 25.3 )
<b>Other Health Topics</b>					
Percentage of students who usually slept somewhere other than their home during the past 30 days	Risk Factor: Economic Instability	2475	4.7 ( 3.8 - 5.5 )	4.0 ( 3.1 - 4.9 )	4.9 ( 3.9 - 5.9 )
Percentage of students who sleep 8 or more hours per night on average school nights		2483	42.4 ( 41.9 - 42.9 )	26.9 ( 24.6 - 29.2 )	47.0 ( 46.4 - 47.7 )
Percentage of students who could fire a loaded gun without adult permission in less than one hour	Risk Factor: Access to Firearms	2428	10.4 ( 8.6 - 12.3 )	8.2 ( 6.3 - 10.1 )	11.2 ( 9.0 - 13.3 )
Percentage of students who would be able to get a loaded gun without adult permission in or around their home, from a friend or schoolmate, or from a family member		2381	14.3 ( 11.5 - 17.2 )	15.0 ( 12.6 - 17.5 )	14.4 ( 11.0 - 17.8 )
Percentage of students who have experienced problems with their mouth or teeth in the past 12 months, not including braces or injuries		2348	22.1 ( 20.0 - 24.3 )	33.6 ( 31.7 - 35.6 )	18.9 ( 16.7 - 21.0 )
Percentage of students who have ever been told by a doctor or nurse that they had asthma		2404	15.1 ( 14.1 - 16.2 )	17.0 ( 13.4 - 20.6 )	14.7 ( 13.8 - 15.6 )
Percentage of students who went outdoors to spend time in nature at least once a week during the past 12 months <sup>5</sup>		2417	86.9 ( 85.8 - 88.0 )	79.1 ( 77.1 - 81.1 )	89.0 ( 87.9 - 90.1 )
<b>Extra Questions</b>					
Percentage of students who think people who have five or more drinks of an alcoholic beverage once or twice a week have a moderate or great risk of harming themselves physically or in other ways		2313	77.7 ( 76.0 - 79.4 )	84.7 ( 82.3 - 87.1 )	75.4 ( 73.8 - 77.1 )
Percentage of students who think people who smoke one or more packs of cigarettes per day have a moderate or great risk of harming themselves physically or in other ways		2310	84.9 ( 83.8 - 86.0 )	91.4 ( 90.3 - 92.6 )	82.9 ( 81.3 - 84.5 )
Percentage of students who think people who use marijuana once or twice a week have a moderate or great risk of harming themselves physically or in other ways		2301	64.4 ( 62.1 - 66.7 )	61.5 ( 59.9 - 63.1 )	64.9 ( 62.4 - 67.3 )
Percentage of students who think people who use prescription drugs that are not prescribed to them have a moderate or great risk of harming themselves physically or in other ways		2299	86.6 ( 85.0 - 88.2 )	88.7 ( 87.8 - 89.7 )	86.0 ( 84.0 - 87.9 )
Percentage of students who think their parents would feel it is wrong or very wrong if they drank 1 or 2 drinks of an alcoholic beverage nearly every day		2299	94.5 ( 94.1 - 94.9 )	94.5 ( 93.3 - 95.7 )	94.4 ( 94.0 - 94.7 )

Health Measures <sup>1</sup>	Risk or Protective Factor Items <sup>2</sup>	Number of Responses	Total % (95% CI)	LGBTQ+ <sup>3</sup> % (95% CI)	Straight/Cisgender <sup>4</sup> % (95% CI)
Percentage of students who think their parents would feel it is wrong or very wrong for them to smoke tobacco		2298	95.7 ( 95.0 - 96.5 )	96.3 ( 95.1 - 97.5 )	95.5 ( 94.6 - 96.3 )
Percentage of students who think their parents would feel it is wrong or very wrong for them to use prescription drugs not prescribed to them		2296	97.3 ( 97.1 - 97.6 )	96.1 ( 94.8 - 97.4 )	97.6 ( 97.3 - 97.9 )
Percentage of students who think their friends would feel it is wrong or very wrong for them to have one or two alcoholic drinks nearly every day		2288	74.5 ( 73.0 - 75.9 )	75.9 ( 74.4 - 77.4 )	73.9 ( 72.5 - 75.3 )
Percentage of students who think their friends would feel it is wrong or very wrong for them to smoke tobacco		2280	72.5 ( 70.1 - 75.0 )	71.7 ( 68.5 - 74.8 )	72.4 ( 69.9 - 74.9 )
Percentage of students who think their friends would feel it is wrong or very wrong for them to use marijuana		2274	61.0 ( 58.1 - 63.9 )	53.5 ( 48.6 - 58.4 )	62.7 ( 60.4 - 65.0 )
Percentage of students who think their friends would feel it is wrong or very wrong to use prescription drugs not prescribed to them		2273	87.4 ( 85.7 - 89.0 )	81.0 ( 77.1 - 85.0 )	89.1 ( 88.1 - 90.0 )
Percentage of students who used prescription drugs not prescribed to them during the past 30 days		2339	1.8 ( 1.2 - 2.4 )	2.1 ( 1.4 - 2.7 )	1.7 ( 1.1 - 2.4 )

1. Data are suppressed, shown by a period (.), if fewer than 3 students responded "yes" to a question or if results represent 0% or 100% of students. In districts with enrollment over 35, results are suppressed if fewer than 30 students responded to a question. All percentages are rounded to the nearest tenth.

2. Items in this column are included in risk and protective factors known to influence multiple youth health outcomes.

3. LGBTQ+ is an aggregate of the students who chose one or more of the following responses: Gender: "Nonbinary", "Another Identity", or "Not Sure"; Sexual Orientation: "Gay/Lesbian", "Bisexual", "Pansexual", "Asexual", "Another Identity", or "Not Sure"; Gender Identity: "Transgender" or "Not Sure".

4. Straight/Cisgender is an aggregate of the students who chose all of the following responses: Gender: "Girl/Woman" or "Boy/Man"; Sexual Orientation: "Straight"; Gender Identity: "Cisgender".

5. The 2023 report incorrectly displayed data for this item in the inverse of the current report. Contact the CSPH Survey Team (CSPHSurveyTeam@CUAnschutz.edu) for a corrected comparison.